

Subject Index Volumes 1–92

The numbers mentioned in this Subject Index refer to the Reference List of Indexed Articles (pp. 121–175 of this issue).

- 0-1 bottleneck Monge matrix, 1590
- 0-1 collapsing knapsack problem, 1160
- 0-1 constraint, 2018
- 0-1 equation, 170
- 0-1 function, 745
- 0-1 integer
 - linear program, 1677
 - programming problem, 1762
- 0-1 knapsack, 453, 750
 - problem, 482, 1009, 1526, 2259
- 0-1 LP, 481
- 0-1 matrix, 414, 1551, 1562, 1624, 1639, 1870, 2144, 2198
- 0-1 minimization problem, 1882
- 0-1 multidimensional knapsack, 1161
- 0-1 optimization, 741, 745, 1725
- 0-1 permanent, 650
- 0-1 program reformulation, 1019
- 0-1 programming, 346, 893, 1990
 - problems, 867
- 0-1 programs, 384, 1019, 2281
- 0-1 quadratic
 - posiform, 741
 - problem, 1024
- 0-1 quadratic programming, 1024, 1128
 - problem, 193, 1128
- 0-1 solution, 259
- 0-1 submodular flow, 1867
- 0-1 variable, 339
- 0-1, *see also* zero one
- (1,2)-tree, 806
- (1,d)-tree, 143
- 1-broadcasting, 1440
- 1-center problem, 1124
- 1-component, 260
- 1-edge star, 1843
- 1-factorisation, 123, 436, 871
- 1-factor, 123, 1986
- 1-Hamming code, 1426
- 1-NLC graph, 1496
- 1-rate wide sense nonblocking, 2010
- 1-regular problem, 679
- 1-tough, 2024
 - graph, 722, 2093
- 1-VCUP, 454
- 1-way gossip algorithm, 2106
- 1/4 approximate
 - algorithm, 1894
 - solution, 1894
- (2,3)-tree, 806
- 2-acyclic, 1706
- 2-approximation algorithm, 1917
- 2-bend embedding, 2070
- 2-bicritical component, 622
- 2-bicritical graph, 622
- 2-center problem, 983
- 2-choosable, 2040
- 2-color, *see* 2-colour
- 2-colorability, *see* 2-colourability
- 2-colorable, *see* 2-colourable
- 2-coloring, *see* 2-colouring
- 2-colour degree partition, 44
- 2-colour one-to-any problem, 345
- 2-colourability, 138
- 2-colourable graph, 371
- 2-colouring, 103, 371, 506
- 2-colouring of a Steiner quadruple system, 103
- 2-connected, 460, 715, 1563
 - graph, 145, 460, 715, 1379
 - outerplane Eulerian graph, 2135
 - planar graph, 1041
 - plane Eulerian graph, 2135

- 2-connected plane
 - graph, 1694
 - spanning subgraph, 1705
 - 2-connected Steiner subgraph, 1705
 - polytope, 1705
 - 2-d mesh, 980
 - 2-design, 826
 - 2-edge
 - coloured, 1453
 - star, 1843
 - 2-factor, 894, 1695, 2056
 - graph, 2093
 - problem, 894
 - 2-hypergraph, 387
 - 2-interchange graph, 2080
 - 2-intersection interval, 2078
 - 2-machine openshop problem, 1964
 - 2-matching relaxation, 676
 - 2-matroid intersection, 1976
 - 2-monotonic positive function, 1828
 - 2-optimal heuristic, 2259
 - 2-pair game, 759
 - 2-partition problem, 983
 - 2-path partition problem, 2006
 - 2-quasi greedy algorithm, 367
 - 2-regular graph, 2042
 - 2-relative neighborhood graph, 941
 - 2-SAT, 2248
 - 2-satisfiability, 1611, *see also* 2-SAT
 - problem, 1611
 - 2-segmented channel routing problem, 2014
 - 2-terminal one to any problem, 345
 - 2-threshold
 - covering, 1166
 - graph, 556
 - partition, 1166
 - 2-vertex connected, 721
 - 2-way
 - communication link, 1140
 - gossip algorithm, 2106
 - partitioning, 2217
 - 2-weight batching problem, 1895
 - 2FFD, 1726
 - 2NF, 1812
 - 2SAT, *see* 2-SAT
 - 3 connected tournament, 2032
 - 3 top elements, 120
 - 3-colourability, 884
 - problem, 138
 - 3-colourable, 884
 - graph, 324
 - 3-connected
 - component, 2198
 - graph, 78, 162, 2135
 - matroid, 409, 422
 - 3-connectivity, 721
 - 3-cycles, 1563
 - 3-dicycle inequality, 1630
 - 3-dimensional
 - art gallery, 1308
 - grid, 1786
 - 3-dimensional matching, 282, 610
 - problem, 610
 - 3-domination critical graph, 2279
 - 3-hypergraph, 387
 - 3-index assignment, 610
 - polytope, 610
 - problem, 610
 - 3-index problem, 610
 - 3-interchange graph, 2080
 - 3-intersection interval, 2078
 - 3-pair game, 759
 - 3-partitioning, 1084
 - 3-SAT, 225, 1455, 2248, *see also* 3-satisfiability
 - clause, 1455
 - 3-satisfiability, 88, 138, 294, *see also* 3-SAT
 - 3-stage Clos network, 2010
 - 3-Steiner ratio, 1615
 - 3-sum, 422
 - 3-valent convex polyhedron, 49
 - 3-vertex connected graph, 721
 - 3/2 approximation algorithm, 1131, 1635
 - 3NF, 1812
 - 3SAT, *see* 3-SAT
 - 4 point condition, 2260
 - 4-chromatic, 1392
 - 4-connected, 191, 1687
 - claw free well covered graph, 1687
 - maximal planar graph, 191
 - planar graph, 656
 - 4-connectivity, 552
 - 4-cycles, 393, 1563, 1687
 - 4-dimensional grid, 1786
 - 4-graph, 1591
 - 4-loop, 393
 - 4-regular, 1687
 - graph, 436
 - 5-dimensional picture, 269
 - 6-cycle, 499
 - 6-dimensional scene, 269
 - 8-connectivity, 552
 - (12, 6)-ternary Golay code, 1634
 - 90/150 cellular automaton, 2140
- A**
- a posteriori
 - analysis, 37
 - evaluation, 37
 - A-closure of a set, 565
 - A-partition problem, 2221

- A-trail, 1563, 2135
- a.s. correct algorithm, 1788
- Abelian
 - code, 824
 - group, 631, 836, 1005, 1640, 1940, 2049
 - square, 2076
- Abelian square free
 - endomorphism, 2076
 - substitution, 2076
 - word, 2076
- absolute bipartite retract, 1047, 1806
- absolute centre, 659
 - of a graph, 212
- absolute
 - deviation, 1517, 1938
 - error, 383
 - p-centre problem, 464
 - reflexive retract, 1047
 - retract, 442, 1047
- absorbing
 - point, 944
 - vertex set, 1389
- absorption, 184
- abstract
 - graph, 1745, 1745, 1754
 - rooted tree, 158
- AC graph, 1055
- acanthus, 1425
- acausal bond, 1862
 - graph, 1862
- acausal equivalence, 1851
 - operation, 1851
- acausally equivalent, 1851, 1862
- accelerate convergence, 1150
- accelerated cascade algorithm, 362
- accepted by a finite automaton, 568, 571
- access structure, 1957
- accessible
 - block, 851
 - boundary point, 293
- accretion center, 82
- accumulation problem, 1434
- achievable chromatic difference sequence, 1005
- achiral, 507
- achromatic number, 2276
- Ackermann function, 1134, 1529
- activation function, 2150
- active
 - constraint, 652
 - linear network, 54
 - matrix set, 668
- activity, 375, 485, 541
 - duration, 375
- acyclic, 210, 296, 627, 669, 692, 1070, 1074, 1306, 1568, 1612, 1706, 1806
- acyclic
 - conjugated molecule, 2282
 - data base scheme, 2142
 - digraph, 611, 643, 809, 1078, 1612, 2020, 2192
 - directed graph, 188
 - graph, 222, 421, 456, 457, 987, 1074, 1762, 2162
 - hypergraph, 1450, 2119
 - k-connected subgraph, 588
 - multiperiod timetabling problem, 863
 - multigraph, 280
 - network, 1154
 - orientation, 156, 1655
 - spanning subgraph, 588
- acyclic subgraph, 1743
 - polytope, 1306
- acyclic
 - tournament, 1630
 - walk, 1074
- acyclicity, 982
- Adams, 1796
- adaptive
 - decoding scheme, 821
 - group testing, 2209
 - procedure, 1904
- adaptive sorting, 1552
 - algorithm, 1552
- additional
 - constraint, 356, 528, 999
 - variable, 36, 321
- additive
 - cellular automaton, 851
 - function, 827
 - rule modulo p, 851
 - set function, 211
- addressing scheme, 208
- Adelson Velski, G M, 297
- Adhar, 1530
- adherence of a regular language, 800
- adjacency, 301, 508, 1122, 1662, 1885, 2080, 2143, 2255
 - matrix, 58, 133, 594, 773, 997, 1555, 1745, 1755, 1963, 2120, 2184
 - polynomial, 2184
 - question, 2080
 - relation, 978
- adjacency structure, 1662
 - of a graph, 429
- adjacent events, 410
- adjoint, 1609
- Adler, 529
- Adler, I, 529
- admittance
 - matrix, 427
 - spectrum, 427
- adsorption pattern, 1750

- affine
 - chart, 717
 - combination, 1423
 - expression, 992
 - function, 565
 - hull, 724
 - space, 814
- Aggarwal, 1513
- aggregate
 - constraint, 134
 - function, 444
- aggregating a system of equations, 229
- aggregation, 750
 - method, 2117
 - of equations, 1356
 - of votes, 13
- agro-industrial sector, 356
- Aharoni, 1677
- Ahlsvede-Daykin theorem, 955
- Ahrens, J H, 227
- Aigner, M, 254, 596, 897, 994, 2042
- Ajtai, M, 686
- Akers, A B, 918
- Alavi, Y, 1168
- algebra, 2, 52, 644, 843, 846
 - of relations, 222
- algebraic
 - assignment problem, 18
 - automata, 2280
 - circulation problem, 272
 - code, 303
 - combinatorics, 681
 - curve, 825
 - eigenvalue problem, 1364
 - equation, 2, 1356, 1652
 - expression, 855
 - formal power series ring, 823
 - function over a lattice, 404
 - geometric code, 825, 829
 - graph theory, 1719
 - invariant of a variety, 823
 - language, 635, 1129
 - linear function, 125
 - number, 789
 - objective, 12, 272
 - representation of a partial function, 10
 - series, 803
 - space curve, 781
- algebraic structure, 52, 157, 1588
 - of a line drawing, 252
- algebraic subset, 814
- algebraic system, 822
 - of equations, 822
- algebraic variety, 781, 822
- algebraically defined class, 2147
- algorithm
 - analysis, 475
 - design, 737, 822, 2142
 - for constructing knight tours, 1866
 - for quantitative group testing, 897
 - for routing, 981
 - for shortest paths, 35, 165
 - of polynomial order, 759
- algorithmic characterization, 217, 527
 - of antimatroids, 723
- algorithmic
 - complexity, 1571, 1624, 1792, 2277
 - invariant, 2141
 - problem, 110
- alignment, 1924
 - network, 1926
- alkane, 143
- all-but-one perfect matching, 1852
- all-integer linear program, 64
- all-negative graph, 99
- all-pairs shortest
 - length problem, 1824
 - path algorithm, 1959
- all-port communication model, 2099
- all-positive graph, 99
- all-short cycles, 2026
- allele, 2210
- allocation
 - function, 1672
 - problem, 84, 292, 1031, 1170, 1952, 2034
- almost
 - periodicity, 2173
 - tree, 274
- Alon, 1677, 2005
- Alper, T M, 577
- Alpern, 2223
- alpha complex, 2201
- α -acyclic hypergraph, 1450
- alphabetic
 - binary tree, 291
 - domino, 792
- Alspach, 1377, 2032
- alternating
 - 6 cycle, 499
 - group, 810
 - Hamiltonian circuit, 869
 - machine, 804
- alternating path, 1661, 1773, 1979
 - method, 1773
 - trajectory, 1773
- alternating
 - permutation, 878
 - polynomial, 2184
- alternation of home games and away games, 551
- alternative vote, 1956

- amalgamation, 372
- ambiguity proof, 1879
- amenable colouring, 1983
- amendment procedure, 776
- Amstrong, W W, 969
- AMT, 1927
- analysis
 - of algorithms, 324, 345, 2188, 2253
 - of approximation algorithms, 382
 - of routing schemes, 916
- analytic number theory, 170, 1451
- analytical solution, 1620
- analyzing sequences, 1928
- ancestor descendent pair, 1638
- ancestral sequence, 2213, 2214
- And-Or graph, 1020
- Andrasiu, 1879
- André reflection principle, 793
- annealed VC entropy, 2152
- annealing
 - at temperature 0, 2127
 - process, 1988
- annihilator, 2239
 - of a language, 2239
- anomalies, 1707
- anomalous behaviour, 475, 567, 1707
 - of algorithms, 567
- anomaly, 982, 994
- anonymous
 - Cayley network, 1640
 - computing, 1525
 - network, 1640
 - secret sharing scheme, 1957
- Anstee, R P, 1049
- anti-gem, *see* antigem
- antibody complexe, 509
- antichain, 159, 633, 1781, 1812
 - optimisation problem, 1781
- anticlique, 297
- anticommutative language, 633
- anticommutativity, 633
- antiferromagnetic bond, 1422
- antigem, 2266
- antigen antibody complex system, 509
- antigenesis, 509
- antikey, 1812
- antimatroid, 419, 723
- antipodal automorphism, 1140
- antipodal double
 - cover, 826
 - covering, 826
- antireflexive relation, 1155
- antisymmetric sign functions, 354
- antiweb inequality, 1566
- aperiodic monoid, 947
- Apostol, T, 758
- apportionment problem, 84
- approximability, 1903, 2164, 2203
 - of the Steiner tree problem, 2203
- approximate
 - algorithm, 391, 1081, 1633, 1894, 1952
 - embedding algorithm, 1493
 - heuristic, 1031
 - inclusion exclusion, 1904
 - inversion, 1939
 - iterative solution, 891
 - solution, 37, 183, 598, 1107, 1518, 1644, 1903, 1922, 1977, 2015, 2170, 2224, 2246
 - strategy, 943
- approximating
 - a hypergraph, 1558
 - a hyperplane, 1043
 - an NP-hard problem, 246
- approximation
 - algorithm, 37, 93, 147, 175, 246, 382, 396, 567, 585, 680, 716, 753, 754, 967, 1021, 1078, 1084, 1089, 1107, 1114, 1131, 1151, 1477, 1520, 1532, 1599, 1688, 1730, 1841, 1886, 1891, 1901, 1918, 1927, 1943, 1984, 1995, 2039, 2124, 2170, 2186, 2199, 2200, 2203, 2205, 2213, 2234, 2238
 - bound, 1584
 - error bound, 1021
 - method, 1973, 2170
 - optimality, 1664
 - ratio, 1903, 1918, 2199
 - result, 1893
 - scheme, 453, 858, 859, 1676, 1922, 2124, 2193
 - technique, 1558
 - theory, 197, 2151
 - threshold, 1898
- APSL problem, 1824
- APSP, 1959
 - algorithm, 1959
 - problem, 1824, 1959
- APX complete, 2203
- arbitrary model, 737
- arborescence, 433, 456, 1360, 1562, 1771, 2092
 - graphic, 1562
 - polytope, 1360
 - problem, 1771
- arborescence realization, 1562
 - problem, 1562
- arboricity, 2001
 - of a graph, 1509
- arc capacitated, 358
- arc disjoint, 669, 1447, 2162
 - directed paths, 1113
 - Hamilton circuits, 2089

- arc flow, 420
- Archimedene, 1746
- architecture, 501, 820, 1447, 1991
- areflexive relation, 628
- arithmetic code, 303
- arithmetic expression, 985
 - evaluation, 985
- arithmetic progression, 1961
- Armen, 2199
- Armstrong relations, 976, 1812
- Arnborg, 1493
- Arnol'd, V I, 95
- aromatic
 - benzenoid hydrocarbon, 514
 - sextet, 1817
- arrangement, 174, 439, 785, 786, 1076, 1467, 1494, 1652, 1762, 1836
 - of hyperplanes, 785, 786, 1652
 - problem, 1560
- Arrow
 - impossibility theorem, 1109, 1736
 - theorem, 1736
- art gallery, 1308
- assignment, 138, 345, 428, 453, 526, 622, 674, 866, 867, 923, 1044, 1086, 1151, 1158, 1159, 1336, 1361, 1370, 1454, 1481, 1613, 1664, 1684, 1727, 1772, 1773, 1832, 2040, 2088, 2244, 2278
 - algorithm, 345, 415
 - inequality, 1772
 - of jobs to machines, 1481
 - polytope, 674, 1028
 - problem, 18, 136, 272, 298, 306, 391, 415, 483, 610, 674, 868, 1028, 1073, 1130, 1149, 1151, 1154, 1508, 1514, 1518, 1664, 1682, 1767, 1867, 1976, 1995, 2086
 - search, 866
- Assmann, S F, 560
- associated graded ring, 823
- association scheme, 681
- associative memory, 1365
- associativity formula, 827
- Assouad, 1657
- asteroidal triple, 1831, 2035, 2161
- asymmetric
 - median tree, 1927
 - rooted tree, 835
 - SCP
- asymmetric traveling salesman polytope, 1474, 1722
 - problem, 366, 2182
- asymptotic
 - algorithm analysis, 1603
 - analysis, 143, 647
 - approximation, 2039
 - asymptotic behaviour, 203, 318, 383, 471, 606, 775, 783, 1158, 1390, 1696
 - of Lee codes, 218
 - asymptotic bound, 2128
 - in coding theory, 829
 - asymptotic
 - complexity, 816, 2204
 - equivalent, 1134
 - formula, 202, 671, 1734
 - growth, 910
 - normalised length, 1358
 - number of symmetries, 671
 - optimality, 930, 1668
 - asymptotic performance, 844, 2209
 - ratio, 1901
 - asymptotic
 - probability, 1795
 - problems, 829
 - property, 318
 - value, 725, 1139
 - worst case ratio, 1080
 - asymptotically
 - equivalent, 1390
 - exact, 391, 2145
 - Gaussian, 544
 - asymptotically optimal, 2048, 2107, 2250
 - algorithm, 560
 - broadcast, 2107
 - gossiping, 1567, 2107
 - representation, 241
 - time, 1567
 - asymptotically stable
 - attractor trajectory, 525
 - fixed-point, 1095
 - asymptotically tight, 400, 929
 - asymptotics, 671, 2207
 - asynchronous
 - multiprocessor machine, 489
 - totally unlabeled network, 2181
- AT free, 2035
- Atallah, 1824
- ATM network, 2103
- attachment order, 1816
- attractor, 522, 549
 - trajectory, 525
- attribute, 969, 970, 974, 976, 1578, 1812
 - of a primary key, 976
- auction-like method, 1867
- Aufbau principle, 1748
- augmentation, 147, 721, 1787
 - anomaly, 982
 - of a partial order, 1787
 - problem, 454, 721
- augmented fence, 1306
- augmenting a graph, 1893

- augmenting chain, 763
 - theorem of matchings, 763
- augmenting path, 1106, 1873, 1976
 - theorem, 420
- Autebert, J M, 320
- automata
 - network, 473
 - theoretic, 992
 - theory, 2129
- automated
 - assembly, 989
 - reasoning, 1745
 - theorem proving, 2079
 - graph drawing, 2081
 - image encoding, 1541
- automatic
 - reformulation method, 1019
 - sequence, 1987
- automaton, 196, 320, 392, 405, 473, 549, 568, 571, 603, 757, 802, 840, 898, 1987, 2280
 - automorphism theory, 2280
 - with memory, 549
- automorphism, 577, 835, 1140, 1745, 1948, 2280
 - group, 143, 645, 671, 771, 819, 828, 936, 1755, 2280
 - of a graph, 594
- avalanche criterion, 1002
- Avann, S P, 230
- average
 - analysis, 575
 - arc length, 1078
- average case
 - behaviour, 175, 607
 - complexity, 497
 - measures, 2103
 - performance, 714, 1000
- average
 - complexity, 135, 591, 1000
 - delay, 904
 - diameter, 980
- average distance, 908, 1382, 1934, 1994, 2061
 - of a graph, 1382, 2061
- average
 - height, 203
 - number of queries, 2251
 - performance, 748
 - shape, 203
 - Steiner distance, 2029
 - waiting time, 410
- averaging procedure, 146
- Avis, 1657
- avoiding
 - a circular sequence, 581, 1030
 - a sequence, 581, 1030
- away game, 115, 551, 664
- axial
 - assignment problem, 1370, 1767
 - symmetry, 942
- axial transportation, 1370
 - problem, 1370
- axiom of choice, 332
- axiomatic
 - convexity, 554
 - framework, 1926
- axiomatization, 972
 - for the implication problem of SIDs, 972
- axioms for a distance function, 122
- Azar, Y, 686
- B**
- b-chromatic number, 2276
- b-hull of an integer program, 83
- B/K-digraph, 2109
- b/w-embedding, 1044
 - of a tree, 1044
- b/w-graph, 1044
- b/w-tree, 1044
- Babai, L, 645
- Babic, D, 1092
- back to back trees, 1942
- backbone property, 503
- backhaul, 1763
- backlogging, 672, 1149
 - model, 672
 - variable, 672
- backtracking, 177, 1648
 - algorithm, 177, 439
- backward
 - hop, 1138
 - length, 462
 - optimal ranking, 1813
- Baker, 1452
- Baker, B S, 967
- baking problem, 371
- balance, 99, 654, 1002, 1154, 1367, 1581
 - property, 2226
 - scale, 1132, 2160
- balanced bipartite
 - biclaw-free graph, 1384
 - graph, 1718
- balanced
 - block spacing, 978
 - code, 2261
 - crossbar network, 930
 - flow, 423, 959, 1305
 - graph, 86
 - hypergraph, 414, 2028
 - matrix, 200, 1718
- balanced network, 1154
 - flow problem, 2073

- balanced
 - problem, 2073
 - sequence, 696, 1529
- balanced signed
 - graph, 390
 - hypergraph, 2226
- balanced
 - solutions, 1154
 - submodular flow, 423
 - tournament design, 573
 - transitive triple, 2163
 - uncorrelated function, 1002
 - vertex weighting, 2007
- balancing
 - objective function, 708
 - partitioning problem, 708
 - problem, 1154
 - signed graphs, 86
- Balas theorem on facial constraints, 247
- Balas, E., 106, 151, 247, 406, 679, 1028, 1662
- Balinski, M. L., 390
- band of sight, 1931
- Bandelt, H.-J., 230
- bandsize labeling, 1153
- bandwidth, 612, 770, 886, 926, 1861, 2035, 2125, 2145
 - constrained graph, 597
 - cost ratio, 926
 - minimization problem, 2125
 - problem, 1830, 2125
- Bang, 2031
- bank safe problem, 128
- bankruptcy
 - game, 2030
 - venture, 2030
- Banks
 - set, 2057
 - winner, 2057
- banyan network, 926
- bar
 - and body framework, 269
 - and joint framework, 269, 1476
 - framework, 349
- Bar Yehuda, 1623
- Bar-Noy, 1540
- Bar-Noy, A., 683
- Barahona, 1630
- Barbut, M., 230
- Barcia, P., 481
- Barkaoui, K., 746
- Barrett, 1598
- Barth, 2089, 2146
- Bartholdi, J. J., 66
- Bartholdi-Orlin-Ratliff transformation, 66
- base polyhedron, 199, 2083, 2134
- baseline network, 590
- basic algorithm of pseudo-Boolean programming, 744
- basis
 - of conjugate elements, 651
 - of symmetric functions, 838
- batch
 - processing, 1850
 - scheduling, 1845, 1850, 2086
- Batcher
 - merging network, 654
 - odd even merge, 497, 1586
- batching, 1112, 1709, 1716, 1845, 1895, 2086
 - algorithm, 557
 - jobs, 557
 - problem, 1895, 1112
 - result, 1112
- Baton, 2027
- battle array, 720
- Bauer, 2093
- Bayer deformation, 827
- BBMP, 1607
- BCH codes, 303, 430, 819, 825
- BCM, 830
 - code, 830
 - inner code, 830
 - scheme, 830
- BCNF, 1812
 - property, 1812
- beam search, 1519
- Beasley, 2223
- Beauquier, J., 320
- Becker, 2235
- Beerli, 2142
- behavior, *see* behaviour
- Behzad conjecture, 705
- Behzad, M., 1168
- Bell
 - number, 608
 - polynomial, 476
- Bellman-Ford label correcting algorithm, 2188
- Ben David, 1985
- benchmark
 - ISCAS circuit, 1720
 - problem, 1019, 1156, 1519, 1972
- Bendek, 1985
- Benders
 - cuts, 26
 - type scheme, 1145
- Bennett model of cytogenetics, 1332
- bent
 - based bent sequence, 952
 - sequence, 952
- Bent, Samuel W., 1563
- benzene chain, 194

- benzene molecule, 523
- benzenoid, 855, 1751, 1753, 1860
 - chain, 1860
 - hydrocarbon, 499, 506, 514
 - molecule, 1753
 - structure, 1753
 - system, 506
- Berge, C, 408, 1764
- Berlekamp, E, 116
- Berman, 2007, 2233
- Berman, J, 631
- Bermond, 2108, 2262
- Bermond, J C, 927
- Bern, 1495, 2223
- Bernhard, P J, 1054, 1055
- Bessel-Neumann expansion, 845
- best first search, 1707
 - strategy, 1707
- best model, 184
- betting game, 7, 718
- betweenness, 435
- Bezout theorem, 781
- BF orderable graph, 421
- Bhatt, S N, 967
- bi-acyclic hypergraph, 1806
- bi-chromatic, *see* bichromatic
- bi-circular, *see* bicircular
- bi-claw, *see* biclaw
- bi-clique, *see* biclique
- bi-coloured, *see* bicoloured
- bi-connected, *see* biconnected
- bi-criterion, *see* bicriterion
- bi-critical, *see* bicritical
- bi-directed, *see* bidirected
- bi-directional, *see* bidirectional
- bi-extensible subset of a language, 800
- bi-infinite words, 800
- bi-matroid, *see* bimatroid
- bi-pancyclic, *see* bipancyclic
- biased game, 1629
- bichromatic
 - binary tree theorem, 1105
 - evolutionary tree, 1105
- bicircular
 - generalized network, 613, 988
 - matroid, 613, 808, 1042, 1100
 - network, 988
- biclaw-free, 1384
- biclique
 - cover, 2174
 - decomposition, 2174
- biclique partition, 2120
 - number, 2120
- bicoloured binary tree, 1004
- biconnected, 503, 942, 1021, 2070
 - component, 274, 1021
 - edge subgraph, 941
- biconnected graph, 1647, 1816, 1913
- bicriterion
 - extension, 2002
 - optimization, 1641
 - path, 2002
- bicritical graph, 622
- bicycle, 2007
 - isomorphism formula, 2007
 - problem, 144
- bidirected graph, 1804
- bidirectional communication model, 2099
- bifix code, 2239
- bifurcating phylogenetic tree, 2082
- bifurcation
 - structure, 549
 - diagram, 549
- bijective proof, 1105
- Bilde, O, 362
- Bilde-Krarup acceleration, 362
- bilinear
 - form, 651
 - programming problem, 1170
- bilinking, 457
- bimatroid, 592
- bin packing, 37, 175, 284, 543, 560, 567, 791, 844, 998, 1726, 1874, 2039, 2180
 - algorithm, 567, 844
 - approximation algorithm, 37
 - problem, 175, 567, 585, 711, 1726, 1844, 2019
- binary
 - alphabet, 270, 1947
 - BCH code, 430
 - Boolean function, 108
 - code, 192, 260, 934
 - comparison, 1868
 - constant weight code, 479
 - counting tree, 35
 - cube, 1444
 - dendrogram, 205
 - digital image, 552
 - expansion of a pseudo-Boolean function, 9
 - Gray code, 32
- binary linear
 - code, 326
 - span, 1071
- binary matroid, 1600
- binary
 - morphism, 153
 - n-cube, 390
 - partitioning, 484
 - programming, 1995
 - relation, 122, 244, 846, 1155

- binary search, 661, 1664
 - problem, 881
 - technique, 941
- binary
 - stochastic system, 933
 - storage device, 625
 - symmetric trie, 647
 - system, 1967
- binary tree, 203, 243, 291, 471, 653, 775, 1004, 1014, 1473, 1814, 1918, 1991, 2249, 2270
 - network, 392
- binary unate function, 108
- binding number, 580, 704
 - of a graph, 580, 704
- binomial
 - coefficients, 319, 1702
 - combinatorial property, 506
 - expansion, 319
 - identity, 845
 - moment problem, 700
 - tree, 1814
- biological
 - assembly, 1527
 - context, 1332
 - data, 1922
 - key, 342
 - sequence, 1919, 1926
 - system, 522
- biomolecular sequence, 1916
- biophysics, 109
- biopolymer, 109
- bipancyclic, 2102
- bipartite
 - absolute retract, 442
 - biclaw-free graph, 1384
 - C4-free graph, 2174
 - chordal graph, 2174
 - convex graph, 2174
 - digraph, 1557, 1697, 1833, 2252
 - Dilworth optimal order, 853
 - distance hereditary graph, 2174
 - domino-free graph, 2174
 - folding, 660
 - graph, 28, 86, 248, 268, 371, 385, 425, 442, 455, 621, 624, 628, 749, 763, 798, 839, 864, 869, 881, 884, 903, 958, 989, 1006, 1047, 1048, 1051, 1052, 1053, 1061, 1073, 1117, 1141, 1148, 1334, 1336, 1381, 1384, 1455, 1503, 1607, 1631, 1643, 1658, 1664, 1692, 1708, 1718, 1792, 1806, 1833, 1843, 1880, 1885, 1930, 1963, 1970, 1982, 2011, 2021, 2026, 2040, 2121, 2174, 2191, 2227, 2228, 2248
 - interval representation, 2021
- bipartite matching, 951, 1841, 1589, 1928
 - problem, 736
- bipartite
 - metric, 1657
 - multigraph, 1791
 - order, 853
 - outerplanar graph, 951
 - perfect matching, 736
 - permutation graph, 494, 1870, 2191, 2228
 - subgraph, 2174
 - vertex packing, 1692
- bipartition, 709, 1631, 1657, 2021
 - of a graph, 253
 - problem, 253
- bipartitioned set of intervals, 2021
- bipartitioning problem, 2123
- bipolar orientation, 1655
- biprefix, 153
- birational equivalence, 817
- Birkhoff graph, 594
- Biró, 1503
- birthday paradox, 957
- BISA, 481
- bisected knight tour problem, 1866
- bisection, 2127
 - width, 2106, 2145, 2166
- bisubmodular function, 1804
- bitolerance digraph, 2013
- bitonic merging network, 654
- bitree, 446, 1654
- bivalent
 - forest, 174
 - matrix, 860
 - tree, 174
- black white pebbling, 1487
- block
 - code, 633, 681
 - coded modulation, 830
 - design, 79, 566
 - folding, 1381
 - graph, 1708
 - in a graph, 368
 - length, 70, 116, 815
 - move, 2206
 - norm, 2237
 - placement procedure, 1078
 - spacing problem, 978
 - triangular canonical form, 699
 - triangularization, 268, 455, 699
- blocking
 - problem, 1928
 - procedure, 1444
 - resources, 1775
- Bloniarz, P A, 276
- blossom algorithm, 12, 621
- Blum, 1659, 2199
- Blumer, 1579

- BNLC
 - grammar, 1103
 - graph grammar, 1103
 - language, 429
- Boasson, L., 320
- Bobisud, H M., 122
- Bobisud, L E., 122
- Bodlaender, 1493
- Bogart, K P., 122
- boiling point, 502
- Bollobás, B., 1036, 2056
- Bollobás-Erdős condition, 2056
- Bond, 2146
- bond, 502, 523
 - graph, 1851, 1862, 1865
 - order, 1751
 - chemical \sim , 523
- bonding site, 1745
- Bondy
 - bound, 133
 - constructive lower bound, 133
- Bonferroni
 - bound, 174
 - inequalities, 1795
- book embedding, 1044, 2003
 - of a tree, 1044
- Boole condition, 1620
- Boolean
 - algebra, 101, 404, 742
 - circuit, 1914
 - cube, 1948
 - equation, 101, 330, 849, 1853
 - expression, 1472
 - formula, 294, 1102, 1884, 1930
 - function, 9, 68, 95, 98, 108, 309, 321, 431, 441, 529, 536, 614, 689, 779, 849, 893, 1167, 1578, 1579, 1622, 1640, 1715, 1731, 1828, 1853, 1882, 1909, 1948, 1980, 1992, 2236
 - m-cube, 2151
 - mapping, 257
 - matrix, 222, 232, 558
 - method, 1980
 - network, 257
 - operation, 800
 - probe clone incidence matrix, 1911
 - problem, 149
 - programming, 744
- Boolean quadratic function, 893
 - polytope, 2033
 - problem, 2033
- Boolean
 - satisfiability, 1571
 - variable, 575, 810
- Booth, 2198, 2212
- Boppana, 2127
- Borodin, A., 683
- Boros, 1472
- Bose, 1452
- bottleneck, 15, 691, 941, 799, 1590, 1684, 2213
 - algebra, 1130
- bottleneck assignment, 1607
 - problem, 1514
- bottleneck
 - biconnected edge subgraph problem, 941
 - bipartite matching problem, 1607
 - in a graph, 691
 - independent set problem, 1684
 - integral flow problem, 124
 - location problem, 15
 - machine, 1334
 - Monge matrix, 1590
- bottleneck objective, 12, 272, 318
 - function, 318
- bottleneck
 - optimality, 2208
 - part, 1334
 - problem, 124, 157, 1684
 - travelling salesman problem, 799, 1110
- bound and bound, 90
 - algorithm, 90
- bound improving sequence algorithm, 481
- boundary
 - NLC grammar, 429
 - set, 1768
- bounded
 - automorphism, 778
 - call broadcasting, 1433
 - cyclicity graph, 1982
 - delay, 1947
 - depth broadcasting, 1735
 - discrete representation, 1057
 - hard decoding, 816
 - infinite chain, 2257
 - lattice, 404
 - soft decoding, 816
 - tolerance graph, 1091
 - tree width, 1487
 - vertex weight, 186
- box-tdi system, 1978
- boxicity, 180, 762, 1428
 - of a graph, 180
- Boyce-Codd normal form, 1812
- bracket algebra, 1476
- Bradley-Terry model, 870
- Brams-Fishburn no-show paradox, 584
- branch and bound, 26, 133, 380, 541, 602, 1017, 1039, 1145, 1307, 1599, 1725, 1809, 1859
 - algorithm, 137, 193, 311, 366, 487, 489, 678, 892, 1142, 1156, 1170, 1304, 1333, 1707, 1709, 1762, 1922, 1972, 2210

- branch and bound
 - method, 1156
 - scheme, 131, 744, 1145
- branch and cut, 2033
 - methodology, 2033
- branch weight centroid, 82, 2084
 - of a tree, 82
- branching, 379, 502, 509, 518, 1145, 1859
 - dependency, 970
 - forest, 1584
 - in a graph, 502
 - in molecular species, 518
 - index, 502
 - process, 509
 - program, 2177
- branching rule, 892, 2179
 - in DPLL, 2179
- branching strategy, 1859
- breadth, 442
 - first search, 797, 2255
- breakpoint, 1641
- Bregman, 2144
- Br  laz, D., 324
- brick tabloids, 838
- Brickell vector space construction, 1700
- bridge graph, 1816
- Brightwell, G R., 955
- brittle graph, 777
- broadcast, 524, 555, 606, 657, 921, 923, 984, 1430, 1432, 1436, 1437, 1440, 1441, 1443, 1448, 1478, 1604, 1623, 1735, 1740, 2006, 2048, 2094, 2098, 2100, 2104, 2105, 2108, 2253
 - communication, 1595
 - digraph, 928
 - graph, 883, 1440, 1443, 1445, 2108
 - number, 1437
 - problem, 1434
 - protocol, 1433
 - scheme, 2105
 - square, 1595
- broadcast time, 921, 927, 2048, 2096, 2104, 2250
 - function, 1433
- broadcast trees, 917, 1433
- broadcasting, 169, 524, 606, 883, 921, 927, 928, 984, 1430, 1432, 1433, 1434, 1436, 1437, 1438, 1439, 1440, 1446, 1447, 1448, 1449, 1604, 1623, 1735, 1740, 1942, 1949, 1953, 1991, 1994, 2094, 2096, 2099, 2100, 2101, 2104, 2105, 2107, 2108, 2110, 2181, 2250, 2253
 - algorithm, 1447, 1478, 1994, 2181, 2250
 - capability, 927
 - in a network, 1735
- broadcasting
 - in one dimension, 555
 - multiple messages, 1449, 1478, 1949
 - problem, 555, 606, 928, 2104
 - with random faults, 524
- broken
 - cycle, 1816
 - wheel graph, 1554
- Brookes, 1949
- Brooks
 - colouring bounded degree graphs, 1698
 - theorem, 884
- Brown, 1487, 1983
- Brownian input heads, 251
- Brualdi, R., 344, 621
- Bruno, J., 977
- BDT, 573
- BTSP, 799, 1110
- Buchberger algorithm, 827
- Bucher, W., 168
- bucket structure, 1665
- Buckley, 2067
- buffer, 1850
 - assignment problem, 1154
 - capacity, 1977
 - size, 1870
- Bugara, K., 1000
- Bui, 2127
- bull, 993, 1718, 2266
- bull-free graph, 993
- bump, 559, 1469
 - for a poset, 559
 - number, 559, 954, 2038
- Buneman construction, 2260
- Buneman, P., 2260
- Burkard, 1556
- Burkard, R., 1158
- bus interconnection network, 1782
- bus network, 1782
- Busemann, 1863
- butadiene, 512
- butterfly, 932, 1434
 - architecture, 980
 - digraph, 2089
 - graph, 1435, 2262
 - network, 932, 1439, 2250
 - oriented, 932
 - like digraph, 1588
- bypass link, 1946
- bypath in a tournament, 2032
- Byzantine
 - fault, 2094
 - type, 2094

- C**
- C programming problem, 271
 - c-cut, 1673
 - C-dimension, 1627
 - c-minimal strongly connected digraph, 530
 - C_{120} , 1746
 - CIP, 2212
 - C_4 -free graph, 2174
 - C_5 -free, 2266
 - C_{60} , 1746
 - C_{70} , 1746
 - cable, 1137
 - Cable, 760
 - cable diameter of a k-tree, 1137
 - cable distance, 1137
 - optimization problem, 1137
 - Cable, C, 760
 - caching algorithms, 957
 - cactus, 368, 1706
 - graph, 1393, 1706
 - CAD workstation, 677
 - Cai, 1521
 - cake cutting, 213, 1888
 - Camerini, P M, 537
 - Cameron, 1452, 2137
 - Camion, P, 1016
 - cancel and tighten algorithm, 1096
 - cancellation
 - anomaly, 982
 - model, 737
 - property, 631
 - cancelling
 - negative augmenting cycles, 1369
 - positive augmenting cuts, 1096, 1369
 - canonical
 - decomposition, 797
 - equation set, 724
 - facet, 259
 - form, 699
 - Cantorian attractor, 549
 - capacitated
 - planar graph, 1847
 - plant location type problem, 2090
 - two parallel machines scheduling, 1001
 - capacity, 130, 161, 420, 716, 725, 888, 904, 923, 958, 1019, 1144, 1369, 1522, 1544, 1733, 2010, 2068, 2152, 2159
 - augmentation, 1106
 - capacity balanced, 692
 - network, 692
 - capacity
 - constraint, 134, 678, 1149
 - expansion constraint, 1019
 - installation in batches, 2159
 - of a channel, 904
 - of a monotonic function, 2152
 - semi-balanced network, 692
 - carbon skeleton of an alkane, 143
 - cardinality
 - order, 678
 - restricted chain, 1781
 - Carlisle, 1682
 - Carlson, 391
 - Carter, 2223
 - Carter, M, 1105
 - Cartesian
 - factoring, 403
 - factorisation, 328
 - multiplication, 403
 - power, 1005
 - Cartesian product, 33, 196, 208, 403, 469, 1421, 1745, 1984, 2011, 2023, 2085
 - graph, 328, 403
 - of cycles, 1559, 2023
 - of digraphs, 33
 - of graphs, 778, 1005, 1559, 2023
 - cascade, 509
 - algorithm, 362
 - of switching elements, 404
 - process, 509
 - product covering, 2280
 - protocol, 534
 - theoretical analysis, 509
 - catacondensed
 - benzenoid, 855
 - hexagonal system, 1817, 1902
 - catafused system, 514
 - Catalan number, 1946
 - catastrophic fault, 1946
 - pattern, 1946
 - catastrophic set, 1946
 - categorization, 951
 - catenation, 547
 - of words, 2239
 - caterpillar, 309, 392, 1750, 2095
 - Cauchy code, 819
 - causal
 - assignment, 1862
 - bond graph, 1862
 - causality, 1862
 - cautious scheduler, 982
 - Cayley
 - coset graph, 2096
 - digraph, 609, 918, 2049
 - Cayley graph, 468, 645, 905, 907, 918, 925, 938, 980, 1005, 1377, 1438, 1648, 1940, 1954, 2009, 2046, 2099, 2185
 - based network, 2099
 - of a group, 468, 980

- Cayley network, 1640
- CB network, 692
- CCO algorithm, 677
- CCP, 852, 1107
- Cederbaum, 169
- cell, 373, 742, 1038, 2246
 - aggreagate, 515
- cell flipping, 2246
 - problem, 2246
- cell
 - formation process, 1334
 - partition, 742
 - technology, 2246
- cellular automaton, 34, 73, 226, 237, 800, 851, 949, 1702, 2257
- cellular manufacturing, 1334
 - system, 1334
- cellular radio network, 2034
- census
 - computation, 1540
 - function, 1540
 - problem, 1540
- centre
 - location problem, 446
 - of a graph, 42, 172, 212
 - of an outerplanar graph, 42
 - of mass, 851
 - problem, 61, 983
 - set of a network, 767
- central
 - character of a symmetric group, 1752
 - set, 2084
- centroid, 82, 2084
 - vertex, 82, 2062
- CFL, 23, 320
- chain, 194, 297, 409, 449, 763, 801, 968, 1069, 1077, 1143, 1427, 1635, 1773, 1781, 1860, 1928, 1961, 1962, 1971, 2065, 2103, 2270
 - ATM network, 2103
 - network, 2103
 - optimization, 1781
 - packing, 763
- chain rule, 627
 - program, 968
 - theorem, 885
- chaining problem, 1928
- chair-free graph, 993
- Chaitin thesis, 2055
- chance constraint, 89
- Chandru, 1549, 1562
- Chandru, V, 1042
- Chang, D J, 881, 2235
- changeover cost, 1780
- channel allocation, 2034
 - problem, 2034
- channel assignment, 1159, 1988, 2088
 - problem, 1988
- channel
 - capacity, 1522
 - fault, 904
 - graph, 2094
 - router, 967
- channel routing, 345, 550, 967, 2014, 2227
 - problem, 345, 966
- channel
 - separation, 2088
 - width, 967, 2246
- chaotic continuous model, 113
- character of a symmetric group, 1752
- character state, 1916, 2082
 - optimization, 2082
- characterisation
 - of 2-bicritical graphs, 622
 - of all feasible solutions, 142
 - of antimatroids, 723
 - of balanced signed hypergraphs, 2226
 - of BF-orderable graphs, 421
 - of bipartite permutation graphs, 1870
 - of bounded lattices, 404
 - of branching dependencies, 970
 - of brittle graphs, 777
 - of CCP, 852
 - of chordal graph embeddings, 2035
 - of competition graphs, 188, 190
 - of consensus functions, 1109
 - of EOL-languages, 327
 - of Eulerian graphs, 626
 - of extremal multigraphs, 1779
 - of faces, 199
 - of fundamental complexity classes, 804
 - of generic rigidity, 223
 - of graphs, 494, 612, 1791
 - of hexagonal systems, 514
 - of homomorphically full graphs, 1704
 - of homotopy bases, 457
 - of insertive strict codes, 801
 - of interval graphs, 334
 - of interval ordered hypergraphs, 1467
 - of k-paths in k-trees, 1137
 - of languages, 150
 - of line graphs, 2075
 - of matroids, 527
 - of max balanced flows, 959
 - of middle graphs, 206
 - of minimum systems, 950
 - of non-Hamiltonian graphs, 2093
 - of normal form relation schemes, 971
 - of optimal line broadcasting in cycles, 2105
 - of ordered product matrices, 1110

- characterisation
 - of overlap free morphisms, 1104
 - of P_4 -sparse graphs, 857
 - of perfect graphs, 1636
 - of φ -tolerance competition graphs, 1727
 - of primitively realisable bond graphs, 1865
 - of probe interval graphs, 2211
 - of protocols, 534
 - of quantum chemical reaction graphs, 511
 - of signed hypergraphs, 2226
 - of synchronized alternating space, 804
 - of the value function, 289
 - of threshold functions, 779
 - of uncolorability, 1958
 - of visibility graphs, 780
 - result, 461, 605, 1585
- characterisation theorem, 626
 - of trees with pathwidth k , 882
- characterising
 - acyclic digraphs, 809
 - branching in molecular species, 518
 - competition graphs, 189
 - problems, 1493
 - split indifference graphs, 2122
- characteristic function, 372, 2177
- characteristic polynomial, 58, 641, 1691, 1756, 2140
 - of a graph, 1756
 - of an adjacency matrix, 58
- characteristic
 - semigroup, 2280
 - sequence, 213
- characterization, *see* characterisation
- Chau, 2108
- cheapest feasible basic vector, 1118
- Chebyshev polynomial, 2128, 2184
- Chebyshev-Markov inequality, 700
- check digit, 2261
- chemical, 500
 - behavior, 1745
 - bond, 1745
 - conformational process, 511
 - consistency, 1745
 - distance, 848
- chemical graph, 1745
 - enumeration, 520
- chemical
 - group, 1745
 - literature, 516
 - model, 1743
 - naming, 501
 - process, 512
 - property, 502
- chemical reaction, 501, 511, 512
 - graph, 511
- chemical reactivity, 520, 1910
- chemical
 - rule, 848
 - similarity, 500
 - structural theory, 512
 - structure, 1745, 1753
 - treatment, 1775
 - tree, 143
- chemistry, 499, 501, 513, 518, 520, 848, 1745
- Chen, 1377
- Cheney, E W, 1150
- Cheng, 2086
- Cheriton, 1665
 - and Tarjan algorithm, 1665
- Cherkasski, B V, 297
- Chernikova algorithm, 1722
- Chervonenkis, 1993
- chessboard, 1331, 1866, 1887
- chimeric clone, 1911
- Chinese postman problem, 1144
- chip area, 978, 1078
- choice
 - function, 1506
 - number, 2118
- Cholesky factor, 1134
- Chomsky
 - hierarchy, 109
 - language family, 1837
- choosability, 1086, 1983, 2040, 2118
- choosable, 1086, 1983, 2040
- Choquet capacity, 1733
- chordal
 - bipartite graph, 442, 798, 1048, 1778, 1806
 - comparability graph, 2269
 - completion number, 2035
- chordal graph, 172, 200, 216, 248, 338, 574, 582, 624, 730, 794, 798, 946, 961, 979, 1046, 1058, 1083, 1136, 1393, 1450, 1643, 1708, 1784, 1792, 1801, 1824, 1831, 1959, 2025, 2028, 2119, 2142, 2228, 2247, 2255, 2277
 - embedding, 2035
- chordal
 - hierarchy, 1959
 - ring, 939
 - subgraph, 539
- chordality, 798, 2025
- chordless
 - cycle, 258, 579, 1718, 1980
 - odd loop, 1865
- chordless path, 780, 857, 1049, 1058, 1583, 1718, 1822, 2079
- Christen, C, 897
- Christofides heuristic, 163
- chromatic
 - class, 436
 - difference sequence, 1005

- chromatic
 - forcing number, 140
 - graph, 2029
- chromatic index, 752, 876, 880, 1466, 1981, 2039, 2043, 2122
 - critical graph, 1981
 - problem, 752, 880, 2122
- chromatic number, 133, 140, 429, 526, 550, 777, 876, 877, 986, 1062, 1065, 1159, 1383, 1389, 1392, 1636, 1764, 1840, 1869, 1958, 2069, 2120
 - problem, 1893
- chromatic scheduling, 1159, 1791, 1975
 - problem, 1159
- chromosomal segment, 1923
- chromosome, 1332, 1917, 1923, 2200, 2208
- chronological ordering, 224
- Chung, F R K, 266, 604
- Church-Rosser property, 426
- Chvatal algorithm, 1903
- Chvátal, V, 406, 472, 777, 1482, 1657, 1746, 1764, 2093
- Chvátal-Gomory rounding, 1482
- CI space, 523
- ciphertext bit, 1853
- circle
 - connecting problem, 1107
 - graph, 874, 1011, 1050, 1869
 - trapezoid graph, 1869
- circuit, 177, 309, 409, 675, 690, 734, 888, 893, 911, 1071, 1494, 1635, 1672, 1717, 1720, 1748, 1963, 1978, 2020, 2060, 2183, 2225
 - layout, 345, 1491
 - packing problem, 422
 - placement, 2225
 - reconfiguration problem, 2225
 - switching, 1140, 2010, 2048
- circulant, 799, 1814
 - code, 856
 - graph, 1814, 1994
- circulant matrix, 38, 729, 2049
- circular arc
 - family, 661
 - graph, 336, 875, 1051, 1052, 1361, 1381, 1688, 1706, 1801, 1824, 1827, 1869
- circular
 - avoiding sequence, 1030
 - code, 317
- circular permutation, 1925
 - diagram, 986
 - graph, 986
- circular
 - sequence, 581, 1672
 - string, 1815
- circulation problem, 272
- circumscribing operation, 1748
- circumscription, 1747
- city
 - street graph, 1169
 - transit grid network, 360
- C_k -free graph, 752
- Clar
 - colouring, 506
 - count, 506
 - covering polynomial, 1817
 - formula, 1127, 1817
 - graph, 506
 - structure, 506
- class
 - 1 graph, 2043
 - 2 graph, 2043
 - 3 polygon, 780
 - of all languages, 805
 - Steiner tree, 2224
- class teacher
 - time table problem, 1772
 - time tabling problem, 863
- classic square, 1595
- classification, 60, 130, 132, 196, 520, 608, 681, 989, 1115, 1527, 1579, 1811, 2047, 2149, 2175, 2260
 - capability, 2047
 - of cellular automata, 949
 - of infinite networks, 56
 - of line drawings, 252
 - of normalized cluster methods, 796
 - of P_3 , 726
 - of path covering problems, 1712
 - of P_{k2} , 608
 - of regular languages, 2129
 - of three valued logical functions preserving 0, 726
 - problem, 2149
 - scheme for resource constraints, 130
- claw-free, 1687, 2035
 - AT free graph, 2035
 - graph, 572, 752, 1049, 1912, 1970, 1980
 - perfectly orderable graphs, 1049
 - well-covered graph, 1687
- clean up activity, 1665
- clique, 133, 278, 308, 399, 406, 425, 434, 470, 610, 734, 777, 874, 946, 986, 1019, 1028, 1033, 1056, 1136, 1151, 1389, 1421, 1480, 1553, 1558, 1583, 1636, 1646, 1698, 1784, 1869, 1893, 1928, 1993, 2013, 2069, 2119, 2156, 2211
 - algorithm, 874
- clique cover, 434, 1869, 2111
 - number, 877
 - problem, 1784

- clique covering, 278, 582, 1632, 1646, 2156
 - number, 762
 - problem, 780
- clique
 - graph, 399
 - number, 133, 429, 877, 2120
 - packing, 338
 - partition, 1646
 - polynomial, 1691
 - separable graph, 1480
- clique transversal
 - problem, 1784
 - set, 1784
- clique tree, 1474
 - inequality, 1474
- clique triangulated graph, 2141
- clone, 628, 1829, 1911
 - incidence matrix, 1911
 - library, 1911
 - ordering, 1829
- Clos network, 2010
 - half plane, 1569
 - knight tour, 1866
 - projective subset, 814
 - spanning walk, 147
 - surface, 1753
 - tour, 1866
 - walk, 1074, 1477
 - weak hierarchy, 1736
- closure, 400, 512, 565, 800, 1379, 1812, 1815, 1837, 2045
 - of a set, 565
 - of an $\omega\omega$ -regular set, 800
 - operation, 300, 460, 663, 969, 971
 - property, 23, 109, 1731
 - space, 416
 - theorem, 1379
 - under splicing, 1837
- cluster, 487, 2217
 - analysis, 74, 205, 796, 2079
 - expansion, 1743
 - method, 74, 796
 - of nodes, 487
 - of unit circles, 1750
 - set, 186
 - theory, 521
- clustering, 186, 248, 540, 842, 1023, 1716, 2228, 2234
 - algorithm, 872
- clustering problem, 53, 1304, 1725, 2228
 - on trees, 186
- CMOS
 - circuit implementation, 2220
 - functional cell, 2220
 - CMOS leaf cell, 2220
- co-bipartite, *see* cobipartite
- co-boxicity, *see* coboxicity
- co-chromatic, *see* cochromatic
- co-circuit, *see* cocircuit
- co-coloring, *see* cocolouring
- co-colouring, *see* cocolouring
- co-comparability, *see* cocomparability
- co-edge, 1958
- co-flow, *see* coflow
- co-fragment, *see* cofragment
- co-graph, *see* cograph
- co-interval graph, 180, 762
- co-irredundance, 1051
- co-irredundant set, 1051
- co-monostar, *see* comonostar
- co-NP, 975
 - complete, 1598, 1687, 1731
 - hard, 1731
- co-perfect, *see* coperfect
- co-polycondensation, *see* copolycondensation
- co-positive, *see* copositive
- co-stability, *see* costability
- co-tree, *see* cotree
- coalescing constraints, 999
- coalition, 372, 443
- coarsest decomposition, 699
- cobipartite graph, 2035, 2044
- coboxicity of a graph, 762
- Cochand, 1386
- cochromatic number, 1136
- cocircuit, 409, 690, 1655, 1717
- Cockayne, E J, 154
- cocoloring, *see* cocolouring
- cocolouring, 1136
 - of a graph, 1136
- cocomparability graph, 852, 954, 1637, 1798, 1801, 1824, 1869, 1989, 2025, 2035, 2044, 2161
- code, 50, 70, 129, 179, 303, 314, 317, 326, 360, 430, 479, 570, 629, 633, 639, 681, 717, 801, 813, 815, 816, 819, 821, 824, 825, 828, 830, 856, 934, 938, 1069, 1071, 1071, 1121, 1426, 1522, 1634, 1686, 1725, 1755, 1840, 1987, 2058, 2085, 2116, 2128, 2129, 2261
 - with unbounded delays, 570
- codecs, 820
- codeword, 479, 601, 717, 815, 1426, 1686, 2261
- coding, 202, 327, 587, 623, 625, 801, 2005
 - algorithm, 514
 - gain, 830
 - identity trees, 202
 - scheme, 830
 - theory, 586, 826, 829, 934, 938, 1072, 2128
 - trees, 202

- coefficient reduction, 1019
- Coffman, 2071
- Coffman, E G, 604
- Coffman-Graham
 - algorithm, 2071
 - schedule, 2071
- coflow polyhedron, 1978
- cofragment, 184
- cograph, 248, 594, 738, 842, 857, 1136, 1381, 1496, 1530, 1583, 1745, 1941, 2035, 2079, 2114, 2190, 2194, 2235, 2247
 - of an arrangement, 785
- Cohen, J E, 180, 465
- Cohen, Joel, 728
- coherent algebra, 644
 - with a simple spectrum, 644
- coherent binary system, 1967
- Cohon, 2223
- COL, 1155
- collagen, 1920
- collapsing
 - equation, 3
 - knapsack problem, 1990
 - sign alternating sequence of real numbers, 160
- collective
 - order, 65
 - ranking, 65
- Collins, K L, 641
- collision model, 737
- collapsible cell partitions, 742
- color, *see* colour
- colorability, *see* colourability
- colored, *see* coloured
- coloring, *see* colouring
- colour group, 4
- colourability, 138, 661, 884, 1832, 2069
 - of graphs, 884
- colourable subgraph problems, 1784
- coloured
 - graph, 1155, 1453, 1745, 1913, 1927
 - interval graph, 1913
 - plane trees, 44
- colouring, 4, 76, 278, 371, 406, 506, 550, 617, 628, 662, 834, 871, 872, 876, 884, 1004, 1031, 1086, 1108, 1155, 1164, 1376, 1442, 1480, 1503, 1553, 1565, 1571, 1601, 1670, 1673, 1678, 1682, 1688, 1840, 1941, 1942, 1958, 1975, 1983, 2034, 2040, 2043, 2087, 2118, 2122, 2180, 2276
 - a drawing, 989
 - a Steiner quadruple system, 103
 - a subgraph, 834
 - algorithm, 324, 550, 1480, 1682, 1688
 - for diagrams, 1383
 - colouring
 - model, 1159
 - number, 705
 - of a graph, 76, 138, 617, 777, 876, 1086, 1454, 1832
 - of a hypergraph, 526
 - of a tree, 1791
 - of intervals, 1565
 - problem, 138, 661, 662, 850, 1155, 1164, 1361, 1454, 1893
- column generation method, 482
- column graph, 238
 - of a matrix, 238
- column sum vector, 1465
- combination
 - of greedy heuristics, 1524
 - of resistances, 1494
- combinational circuit, 893, 1720
- combinatorial
 - algorithm, 797, 943, 1078, 1472, 1492, 1544, 2092
 - analysis, 456
 - canonical form, 699
 - combinatorial characterisation, 159, 514
 - of hexagonal systems, 514
- combinatorial
 - closure space, 416
 - complexity, 1652
 - deltahedron, 5
- combinatorial design, 828
 - problem, 573
- combinatorial dynamical system, 592
 - theory, 592
- combinatorial
 - enumeration, 843, 1681
 - explosion, 1745
 - facial structure, 412
- combinatorial game, 332, 643
 - theory, 2
- combinatorial
 - geometry, 1609, 2201
 - graph theory, 1476
- combinatorial group testing, 2204, 2251
 - problem, 2204
- combinatorial
 - heuristics, 1039
 - identity, 126, 845
 - leverage phenomenon, 1988
- combinatorial optimisation, 60, 129, 301, 316, 318, 379, 380, 381, 402, 418, 585, 589, 677, 716, 748, 943, 964, 1018, 1021, 1147, 1358, 1365, 1482, 1518, 1560, 1561, 1664, 1718, 1773, 1839, 1938, 1988, 1995, 2230, 2244
 - algorithm, 381, 677

- combinatorial optimisation
 - problem, 12, 60, 157, 301, 318, 379, 486, 858, 965, 1018, 1037, 1039, 1122, 1147, 1358, 1508, 1659, 1662, 1988, 1995, 2073, 2123
 - technique, 418, 1031, 2210
 - theory, 141
- combinatorial optimization, *see* combinatorial optimisation
- combinatorial
 - parameter, 2147
 - path structure, 1519
 - polyhedron, 1662
 - polytope, 1482
 - probability theory, 276
 - problem, 55, 71, 102, 104, 110, 113, 115, 209, 212, 281, 345, 382, 625, 677, 943, 1039, 1307, 1365, 1492, 1580, 1917, 1988, 2254
 - property, 429, 506, 529, 1303, 1605, 1839
 - proposition, 976
 - set theory, 638
 - sharing problem, 402
 - solution algorithm, 1079
 - structure, 105, 252, 277, 504, 618, 723, 780, 1590, 2147
 - topology, 908, 2201
 - type, 787
 - variability, 2147
- combinatorics, 521, 715, 846, 872, 1762, 2207, 2251
 - of words, 616, 633, 2239
- combining algorithms, 1540
- commodity routing, 1674
- common
 - 1-component, 260
 - basis, 1658
- common due date, 1115, 1845
 - assignment, 1845
 - assignment problem, 2086
- common enemy, 465
 - graph, 728
- common
 - factor design, 152
 - inversion, 953
 - model, 737
 - prey, 465
 - tangent, 784
- commoner structural property, 746
- communicating pipe, 427
- communication, 240, 267, 475, 546, 590, 731, 917, 932, 933, 1138, 1434, 1435, 1441, 1444, 1537, 1610, 1633, 1735, 1782, 1875, 1890, 1942, 2009, 2048, 2098, 2099, 2105, 2106, 2108, 2110, 2166
 - algorithm, 1994, 2099, 2106, 2110
 - center, 2186
 - channel, 1444
- communication
 - complexity, 953, 963, 1423, 1592
 - delay, 475, 1633, 1890, 1971, 2071
 - in graphs, 731
 - in networks, 2048
 - latency, 1540
 - library, 1444
 - line, 883, 927, 928, 1440
 - link, 1735, 2105
 - model, 1432, 1434, 1447, 2048, 2097, 2098, 2099, 2106, 2253
 - network, 208, 588, 604, 701, 771, 902, 909, 937, 984, 1023, 1141, 1431, 1436, 1437, 1439, 1440, 1441, 16832101, 2108, 2157
 - of parallel processes, 804
 - problem, 901, 2099, 2163
 - process, 2101
 - protocol, 1592, 1953
 - round, 1478, 1540
 - scheme, 2096
 - startup costs, 1971
 - step, 2106
- commutation time, 1633, 1971
 - delay, 1157
- commutation
 - monoid, 636, 807
 - system, 636
- commutative
 - algebra, 817, 827
 - closure, 118
 - diagram, 456
 - field, 125
 - finite automaton, 1881, 1906
 - group, 273, 306, 600, 1130, 1669
 - monoid, 807
 - semigroup, 121, 157
 - slip language, 118
 - totally ordered semigroup, 121
- commutativity, 456, 636
- comonostar, 1958
- compact
 - graph, 773
 - metric space, 1143
 - Riemann surface, 253
- compactness preserving operations on graphs, 773
- comparability graph, 248, 762, 954, 1091, 1136, 1480, 1632, 1801, 1893, 1936, 2269, 2271
 - augmentation, 1893
- comparative judgements of probability, 698
- comparing evolutionary trees, 1918
- comparison
 - of codes, 1686
 - of evolutionary trees, 1918
- compatibility, 1918
 - graph, 979

- compatible
 - 2-factor, 894
 - Euler tours, 2146
 - Eulerian circuits, 1653
 - Hamilton decompositions, 2262
- competition, 573, 872
 - common enemy graph, 465, 728
 - graph, 188, 189, 190, 465, 728, 809, 1093, 1727, 2020, 2111, 2192
 - in ecology, 180
 - number, 189, 728, 1093, 2020, 2111, 2192
- competitive
 - algorithm, 1082, 1366
 - group testing, 1082
 - location theory, 442
 - ratio, 1366
- compiled strategy, 627
- complement
 - of a forest, 572
 - of a planar graph, 1061
 - of a triangulated graph, 1778
 - reducible graph, 80, 738
- complementarity, 357
 - condition, 2137
 - problem, 106, 315, 463, 2137
- complementary basis, 32, 1658
- complementary
 - face, 896
 - facet, 896
 - slackness, 12
- complementation, 594, 810, 1128, 1882
- complementing a subgraph, 80
- completable partial edge colouring, 871
- complete binary tree, 932, 1434, 1638, 1994, 2222
- complete bipartite
 - graph, 86, 233, 369, 371, 385, 596, 771, 989, 1718, 1950, 2021, 2121, 2174
 - subgraph, 2174
- complete
 - code, 1686
 - decoding, 819
 - digraph, 276, 683, 2238
- complete edge
 - colored graph, 1453
 - weighted graph, 2081
- complete
 - Euclidean graph, 1456, 1901
 - for AC, 735
 - for co-NP, 975
 - for LOGCFL, 735
 - for P, 735
 - generalized hexagonal system, 879
 - graph, 115, 123, 163, 208, 275, 385, 480, 664, 683, 771, 871, 872, 984, 1033, 1067, 1421, 1431, 1453, 1566, 1629, 1661, 1843, 1858,
- complete
 - graph (*cont.*), 1901, 1950, 2056, 2101, 2122, 2204
 - grid graph, 1794
 - hypergraph, 1457
 - intersection ideal, 818
 - invariant, 2091
 - k-ary tree, 1434
 - language for DSPACE, 640
 - monotonicity, 779
- complete multipartite
 - graph, 233, 1957
 - paired comparison digraph, 1813
- complete
 - multistage graph, 1654
 - network, 1013, 1435
 - partial algebra, 628
 - path cover, 2235
- complete set
 - of binary Boolean functions, 108
 - of functions, 108
 - partitioning problem, 173
- complete
 - sigma pi neural network, 2236
 - signed graph, 1795
 - subgraph, 278, 338, 399, 1646
 - symmetric digraph, 1653, 2163
 - system of automata, 898
 - transposition graph, 2046, 2145
 - tree, 1890, 1942
 - weighted digraph, 1110
- completely
 - bifurcating phylogenetic tree, 1659
 - connected, 1137
 - regular binary block codes, 681
 - regular code, 681
 - separable graph, 689
- completely unimodal
 - numbering, 529
 - pseudo-Boolean function, 614, 1622
- completely unimodular, 390
- completeness criterion, 628
- completion time, 130, 137, 892, 1142, 1475, 1641, 1899, 1971, 2278
 - problem, 77, 459, 678
- completion time variance, 1517, 2155
 - minimization, 1517
- complex
 - dynamics, 522
 - plane diagram, 1610
- complexity, 2, 21, 79, 95, 100, 113, 120, 130, 132, 212, 219, 231, 246, 248, 272, 282, 290, 322, 338, 343, 351, 371, 376, 378, 423, 472, 546, 553, 582, 586, 607, 650, 651, 656, 658, 669, 687, 712, 733, 735, 787, 816, 818, 830,

- complexity (*cont.*), 860, 876, 884, 885, 890, 894, 895, 939, 948, 963, 965, 974, 1011, 1021, 1026, 1028, 1034, 1042, 1107, 1112, 1115, 1118, 1123, 1155, 1166, 1305, 1361, 1433, 1454, 1472, 1475, 1548, 1553, 1561, 1578, 1633, 1667, 1670, 1675, 1684, 1685, 1720, 1731, 1732, 1739, 1746, 1767, 1771, 1774, 1790, 1824, 1832, 1835, 1843, 1846, 1871, 1884, 1886, 1893, 1894, 1897, 1909, 1917, 1918, 1941, 1949, 1952, 1966, 1967, 1988, 2001, 2004, 2005, 2014, 2024, 2025, 2055, 2082, 2093, 2097, 2104, 2106, 2164, 2167, 2174, 2177, 2200, 2224, 2228, 2236, 2244, 2248, 2256, 2271, 2276, 2281
- analysis, 1871
- bound, 484, 1607
- class, 831, 2147
- for Boolean functions, 95
- complexity function, 236
- of a language, 236
- complexity
- gap, 2055
- jump, 2104
- measure, 95
- model, 371
- of a decision procedure, 95
- of a finite language, 495
- of a folding problem, 1381
- of a game problem, 2
- of a graph problem, 2
- of a language, 426
- of a normal basis, 651, 733, 1123
- of a periodic sequence, 553
- of an algorithmic problem, 110
- of colouring, 662
- of counting colourings, 884
- of group testing, 712
- of learning, 620
- of representation of graphs by set systems, 92
- of restricted colorings of graphs, 876
- of string folding, 1921
- of the convex hull, 100
- polynomial, 591
- result, 818, 1166, 1365, 1523, 1633, 1784, 2155, 2167
- theoretic property, 1039
- complexity theory, 831
- for parallel computations, 380
- compliance, 420
- component, 160, 166, 354, 411, 594, 754, 780, 916, 930, 933, 937, 939, 945, 1068, 1095, 1555, 1696, 1726, 1744, 1878, 1973, 2261
- failure, 2162
- of a Steiner tree, 1615
- composite algebraic structure, 456
- composite job, 459
- composition
- for matroids, 1717
- of automata, 898
- of digraphs, 33
- sequence, 1619
- compositional complexity, 95
- compression, 1686, 2147
- scheme, 2147
- computational
- analysis, 666
- biology, 1916, 2199, 2206, 2208, 2213
- commutative algebra, 818, 827
- computational complexity, 110, 130, 132, 139, 282, 328, 343, 380, 381, 417, 451, 650, 680, 697, 714, 716, 815, 820, 895, 902, 948, 1026, 1037, 1130, 1131, 1475, 1598, 1652, 1659, 1893, 1918, 1961, 2004, 2005, 2086, 2125, 2132, 2142, 2147, 2164, 2200, 2244, 2281
- of algorithmic problems, 110
- computational
- efficiency, 1976
- experiment, 234, 602, 674, 1081, 1160, 1161, 1336, 1599, 1709, 1725, 1770, 1891, 1943, 1976, 1990, 2195, 2259
- geometry, 682, 685, 693, 713, 715, 780, 790, 843, 1045, 1076, 1107, 1141, 2070
- group theory, 833, 907, 980
- linguistics, 842
- molecular biology, 1912, 2198
- power, 1914
- result, 90, 137, 173, 175, 193, 281, 357, 363, 365, 483, 487, 608, 652, 666, 703, 744, 751, 933, 1019, 1145, 1156, 1159, 1164, 1333, 1508, 1560, 1618, 1724, 1763, 1768, 1781, 1809, 1892, 1972, 1993, 2246
- study, 26, 48, 364, 528, 1081
- test, 1017, 1882, 1896, 1979
- computer aided
- design, 677
- structure elucidation, 1745
- computer
- architecture, 1994
- assisted proof search, 994
- configuration, 360
- science, 267, 501, 842, 980, 1020, 2150
- computing connected components, 261
- concatenable subtree, 1425
- concatenated
- code, 830
- coding scheme, 830
- concatenation product, 2175
- concave
- cost, 1329
- function, 440

- concave
 - minimisation, 440
 - programming, 311
- concentrator, 923, 958
- concept class, 2147
- concordant, 305
 - partial ordering, 305
 - polytope, 724
- concurrency, 636, 973, 982
 - control, 982
 - degree, 636
 - measure, 636
- concurrent
 - access, 616
 - algorithm, 677
 - execution, 616, 973
 - system, 313, 351
 - write PRAM, 737
- conditional
 - colouring, 2256
 - diameter, 2184
 - expectation, 373
 - problem, 286
 - result, 286
- Condorcet
 - choice function, 1506
 - principle, 1956
 - solution, 442
 - type condition, 584
- Condorcet, M-J-A-N de Caritat, marquis de \sim , 17, 1872
- conductance, 22
- conductor, 615, 817, 1494
 - of an integral extension, 817
- cone property, 301
- conference call, 204
- configurable parallel
 - architecture, 1447
 - computer, 1447
- configuration, 284, 503, 508, 523, 642, 787, 811, 851, 949, 989, 999, 1550, 1580, 1754, 1920, 1988
 - interaction space, 523
 - of disjoint lines, 811
 - of polymer molecules, 508
 - three dimensional \sim , 252
- conflict
 - free access, 919
 - graph, 316
 - matrix, 873
 - resolution, 625, 737
- conflictless system, 616
- conformational
 - aspect, 512
 - process, 511
- Conforti, 1721
- congruence
 - class, 564
 - of finite semigroups, 2175
- conjecture
 - of Behzad, 705
 - of Bermond, Darrot, Delmas, and Perennes, 2262
 - of Bollobás and P. Erdős, 2056
 - of Chang and Hwang, 881
 - of Demetrovics et al., 663
 - of Du and Hwang, 1366, 1856
 - of Entringer and Slater, 1013
 - of F Dejean, 214
 - of Foulds and Robinson, 496
 - of Golomb and Welch, 116
 - of Graham and Lovász, 641
 - of Gutman, 2282
 - of Hamidoune, 609
 - of Havel, 2095
 - of Huang, 291
 - of Hurd, 800
 - of Ikeno, 930
 - of Jean de Rumeur, 1997
 - of Maehara, 2013
 - of Moulin, 584
 - of Shinji Masuda, 144
 - of Stout, 555
 - of Tovey, 665
 - on sorting burnt pancakes, 1580
- conjunctive normal form, 294
- conjugacy problem, 807
- conjugate
 - combination, 1494
 - element, 651
- conjugated
 - circuits method, 499
 - cyclic chain, 545
 - hydrocarbon, 1747
 - molecule, 2282
 - tree, 2282
- conjunction, 33, 66, 1955
 - of digraphs, 33
- conjunctive query, 975
- connected
 - (n,n)-graph, 1003
 - chordal graph, 172
 - colouring, 1376
 - component, 261, 359, 590, 1021, 1023, 1068, 1309, 1804, 1871, 1935
 - digraph, 937, 1808, 1933
 - dominating set, 1011, 2194
 - domination, 1908, 2194
 - graph, 208, 217, 230, 274, 308, 328, 368, 399, 464, 533, 634, 731, 909, 912, 920, 977, 1061,

- connected
 - graph (*cont.*), 1066, 1376, 1421, 1425, 1509, 1600, 1777, 1793, 1805, 1863, 1934, 1965, 2020, 2023, 2027, 2029, 2036, 2048, 2062, 2065, 2078, 2120, 2139
 - hyperforest, 1015
 - perfect domination, 1708
 - sequential coloring, 1376
 - simple graph, 1786
 - subgraph, 80, 172, 282, 588, 1074, 1547, 1805, 1901, 2005, 2078, 2224
- connectedness, 613, 766, 1993
 - reliability, 1061
- connection
 - graph, 309
 - matrix, 838
 - polynomial, 553, 824
 - problem, 895, 2004
 - structure, 965
- connectivity, 308, 515, 552, 604, 701, 771, 909, 911, 914, 918, 920, 1020, 1107, 1138, 1384, 1509, 1588, 1674, 1701, 1804, 2031
 - constraint, 1113, 1333
 - of a generalized prism, 771
 - preservation, 552
 - property, 552, 1588, 1721, 2015
- coNP, *see* co-NP
- Conrad, 1866
- consecutive
 - d-digraphs, 911
 - interval queries, 2156
- consecutive ones
 - problem, 1911
 - property, 1911, 2198, 2212
 - property problem, 2198
- consecutive
 - queries, 2156
 - retrieval, 1467
- consensus function, 1109, 1736
- consensus tree, 1927
 - model, 1927
- conservation law, 297
- conserved synten, 1923
- consistency, 741, 1707, 1928
 - of a logical sentence, 1620
- consistent
 - partial order, 1787
 - path, 2177
 - set of inputs, 2172
- constant
 - average time algorithm, 878
 - depth circuit, 734
 - tolerance, 1029
 - weight code, 314, 447, 479, 1840
- constrained 0-1 polynomial program, 741
- constrained bottleneck
 - independent set problem, 1684
 - matroid base problem, 1684
- constrained
 - circle connecting problem, 1107
 - flow, 1479
 - logic encoding, 2226
 - min-max partition on trees, 1068
 - networks, 1479
 - optimisation, 1602
 - partitioning problem, 708, 1556
 - shortest path problem, 281
- constraining equations, 315
- constraint
 - aggregation, 750
 - boundary, 1602
 - matrix, 173, 414, 613, 749, 2088
 - over a discrete set, 3
- constructing a tournament, 740
- constructive
 - approximation, 1531
 - complexity, 831
 - enumeration, 1755
 - theory of complexity, 831
- contact graph, 2069
- context free, 150, 1069, 1799, 2055
- context free grammar, 94
 - form, 91
- context free
 - graph grammar, 1488
 - language, 23, 150, 236, 803, 1585, 1879, 2129, 2239
 - nonregular, 1799
 - picture language, 1069
- context free production, 495
 - complexity of a finite language, 495
- context free
 - programmed grammar, 94
 - string grammar, 426
- context sensitive, 2055
 - language, 804
- contiguous submatrix, 2254
- continuant, 2140
- continued fraction, 19, 38, 319, 855, 2136
- continuity, 433, 1712, 1960, 2260
- continuous
 - Boolean function, 441
 - centre, 767
- continuous centre set, 767
 - of a network, 767
- continuous
 - cluster method, 74
 - group, 1811
 - location, 2237
 - radius of a network, 767

- continuous
 - relaxation, 1128
 - working problem, 714
 - contractable edge, 1655
 - contractibility, 2256
 - contracting a banyan network, 926
 - contraction, 78, 99, 162
 - heuristic, 931
 - contradictory set of clauses, 1455
 - controllability, 592
 - criteria, 592
 - controllable processing time, 680
 - convergent duality theory, 481
 - convex
 - body, 1515
 - constraint in bounded integers, 461
 - differentiable programming problem, 1150
 - figure, 693
 - function, 292, 347, 700, 1863, 2083, 2134
 - game, 372
 - convex hull, 388, 412, 610, 620, 672, 750, 783, 999, 1360, 1371, 1544, 1564, 1566, 1630, 1649, 1721, 1900, 2038, 2080, 2268, 2272, 2274
 - of a set of points, 100
 - of feasible points, 2268
 - operator, 419
 - representation, 1371
- convex
 - maximisation, 589
 - planar region, 620
 - polygon, 739, 1617, 1690
 - polyhedron, 31, 49, 685
 - polyomino, 1129
 - polytope, 149, 250, 2272
 - programming, 1150
 - separable optimization, 1587
 - set, 784, 1569
 - subset, 216
 - sum of automorphisms, 594
 - convexity, 347, 554, 589, 1515, 1602
 - in graphs, 1863
 - space, 2272
 - convoy scheduling problem, 751
 - Conway, J H, 1537
 - Cook, S A, 735
 - cooling schedule, 1526
 - cooperative game, 2030
 - theory, 2030
 - with side payments, 372
 - coordinate ring of a variety, 823
 - Copeland
 - choice function, 1506
 - measure, 1506
 - coperfect
 - hypergraph, 1958
 - coperfect
 - mixed hypergraph, 1958
 - orderability, 1864
 - copolycondensation, 72
 - copositive plus matrix, 315
 - Coppersmith, D, 1080
 - Coppersmith, D A, 1099
 - cops and robbers, 217, 469, 2125
 - in a graph, 468
 - copy language, 244
 - copying
 - relation, 244
 - system, 244
 - Cordovil, R, 785
 - core, 257, 443, 2235
 - condition, 584
 - of the matching game, 443
 - Corneil, 1831
 - Cornuéjols, 2090
 - Cornuéjols, G, 583
 - coronoid system, 1694, 1883
 - corporate tax payment scenario, 173
 - correlated errors, 821
 - correlation
 - diagram, 512
 - function, 1125, 2054
 - in partially ordered sets, 955
 - corrupting machine, 2177
 - coset, 742, 934
 - coset correlation, 1125
 - function, 1125
 - coset
 - enumeration, 833
 - graph, 907, 2096
 - leader weight distribution, 819
 - cospan gap, 1816
 - cospectral
 - digraph, 33
 - set of vertices, 1756
 - cost
 - capacity ratio, 234
 - function, 243, 375, 591, 602, 1018, 1151, 1329, 1943, 1984, 2030, 2222, 2225
 - matrix, 483, 799, 1976
 - of a clique, 1151
 - performance trade-off, 926
 - reliability ratio, 255, 859
 - scaling algorithm, 1867
 - to time ratio problem, 424
 - costability number, 1958
 - cotree construction, 738
 - Coullard, C R, 1042
 - countably infinite alphabet, 320
 - counterfeit
 - coin, 1581, 2160

- counterfeit coins problem, 1132
- counting
 - bases, 690
 - circuits, 690
 - cocircuits, 690
 - dendrograms, 205
 - formula, 305
 - isomerisations, 516
 - isomers, 516
 - polynomial, 513
 - polynomials in chemistry, 513
 - secondary structures, 1363
 - TC operations, 631
 - trees, 202
- coupled task, 1897
 - scheduling, 1897
- coupon collector, 957
 - problem, 957
- course scheduling, 868
 - problem, 868
- covariance matrix, 544
- cover, 14, 278, 321, 610, 904, 945, 998, 1630, 1723
 - induced inequality, 1019
 - inequality, 1849
 - of a graph, 1525
- covered cobistar, 1958
- covering, 180, 235, 396, 449, 746, 826, 1040, 1067, 1077, 1163, 1165, 1168, 1393, 1528, 1646, 1723, 1781, 2005, 2277, 2280
 - code, 1426
 - constraint, 259
 - graph, 230, 442, 1165
 - location problem, 1040
 - number, 1393, 2153
 - of a strongly connected automaton, 2280
 - parameter of a graph, 2277
 - polynomial, 1817
 - problem, 235, 582, 780, 946, 1071, 1167, 1334, 1712, 1781, 2017
 - radius, 218, 303, 430, 681, 813, 819, 825, 826, 934, 1071, 1426, 2128
 - salesman problem, 1520
 - set, 1393, 1468
 - system, 742
- Cowan, D D, 14
- Coxeter, H S M, 1866
- CRCW PRAM, 734, 739, 1529, 1770, 2001
- CREW PRAM, 736, 738, 740, 966
- criss cross method, 2137
- critical concentration, 1422
- critical graph, 2279
- critical path, 820, 2188
 - algorithm, 2188
 - analysis, 375
 - problem, 2188
- Crochemore, 648
- cross correlation, 329, 1088
 - function, 329, 1088, 2054
- cross-correlation, *see* cross correlation
- crossbar network, 930
- crosscorrelation, *see* cross correlation
- crossing
 - chord, 689
 - family, 450
 - number, 2145
- crosslinked polymer system, 515
- crown, 1680
- crumbling wall, 1872
 - quorum system, 1872
- cryptanalytic method, 571
- cryptogram, 546
- cryptographic transformation, 1002
- cryptography, 546, 566, 586, 1585, 1855
- cryptosystem, 546
- crystal
 - growth, 67, 75
 - lattice, 503
 - sequence, 67
- crystallography, 1527
- CS network, 692
- Csima, 864
- cube, 270, 529, 648, 1034, 1430, 1444, 1875, 1932, 2060
 - connected cycle, 1434, 1435
- cube connected cycles
 - graph, 2102
 - network, 932
- cube free, 153
 - median graph, 2139
 - ω -word, 153
- cube network, 1444
- cubic
 - graph, 253, 924, 2017, 2024, 2277
 - lattice, 655
- Cui, W, 888
- Culik, K II, 150, 168, 1541, 1947
- cumulative
 - bounding, 437
 - cost, 1953
- cumulatively bounded variables, 437
- Cunningham, W A, 287
- Cunningham, W H, 977
- Cunninghame Green, R, 432
- current vanishing at infinity, 778
- curve contact graph, 2069
- curve contact representation, 2069
 - of a clique, 2069
- curve fitting algorithm, 197
- curve map, 111
 - graph, 111, 228

- cut, 1, 26, 40, 213, 297, 344, 368, 412, 433, 485, 493, 900, 935, 959, 1020, 1096, 1150, 1369, 1566, 1630, 1665, 1660, 1673, 1713, 1721, 1724, 1725, 1751, 1770, 1779, 1847, 1873, 1888, 1943, 2217
 - a cake, 213, 1888
 - cancelling algorithm, 1096
 - in a graph, 691, 2183
 - invariant, 1751
 - metric, 1657
 - pattern, 674
 - polytope, 1566, 1721
 - problem, 2171
 - segment, 1127
 - selection rule, 1096
 - set expansion, 1510
 - threshold graph, 766
 - value, 1770
 - vertex, 368, 1708
 - width, 612, 886, 1035, 1487, 2145, 2232
 - cut-off point, 2251
 - of combinatorial group testing, 2251
 - cutset, *see* cut set
 - cutting
 - a cake, 213
 - number, 1138
 - cutting plane, 1, 26, 40, 472, 541, 1019, 1796, 1955
 - algorithm, 247, 311, 485, 1113, 1150, 1849
 - proof, 472
 - theory, 461
 - cutwidth, *see* cut width
 - cycle, 73, 86, 99, 172, 174, 204, 209, 249, 265, 288, 331, 354, 368, 424, 428, 433, 455, 530, 536, 579, 588, 611, 650, 662, 689, 769, 771, 862, 880, 887, 903, 913, 929, 989, 991, 1003, 1015, 1041, 1067, 1070, 1096, 1333, 1393, 1425, 1559, 1648, 1665, 1674, 1678, 1693, 1703, 1718, 1721, 1744, 1752, 1795, 1861, 1878, 1880, 1937, 1944, 1950, 2007, 2011, 2025, 2026, 2027, 2032, 2037, 2056, 2063, 2072, 2080, 2085, 2102, 2105, 2142, 2229, 2232, 2238, 2252
 - cycle code, 1071
 - of a graph, 1071
 - cycle
 - cover, 839, 959
 - decomposition, 626
 - cycle free, 1108
 - order, 853
 - cycle
 - in a graph, 86, 288
 - index series of a species, 835
 - inequality, 1566, 1721
 - length, 1470, 1841, 1937
 - matroid, 99
 - cycle mean, 66
 - of a digraph, 66
 - of a matrix, 600
 - cycle
 - period of a permutation, 209
 - prefix digraph, 2096
 - structure, 113, 613, 1070, 1752
 - time, 1672
 - cyclic
 - automata network, 1960
 - automaton, 1960
 - binary vector, 758
 - chain, 545
 - channel assignment problem, 2088
 - class of permutations, 43
 - code, 816
 - cut width, 2232
 - graph, 2077
 - group, 742
 - cyclic linear
 - code, 303
 - error correcting code, 820
 - cyclic
 - majorities, 1803
 - optimal policy, 2113
 - ordering, 435
 - cyclic permutation, 59, 152, 536, 600, 860, 1984
 - of integers, 59
 - cyclic
 - planar digraph, 88
 - property, 958
 - rule, 627
 - cyclic scheduling, 531, 1166, 1836, 2188
 - cyclic scheduling problem, 1672, 1696
 - with deadlines, 761
 - cyclic
 - shift, 651
 - staffing, 66
 - subgraph, 2077
 - whist tournament, 1452, 1729, 2169
 - cyclically monotonous mapping, 348
 - cyclobutene, 512
 - cycloid, 1958
 - cyclomatic number, 456
 - cyclopropane, 1754
 - cyclotomic
 - coset, 639
 - number, 303
 - cytogenetics, 1332
- D**
- d-ary tree, 1942, 2213
 - d-connected digraph, 701
 - d-dimensional
 - arrangement, 785

- d-dimensional
 - cube, 529
 - grid, 1949
 - hypercube, 1622, 1693
- d-disjunct matrices, 2058
- d-minimal
 - bifix code, 2239
 - language, 2239
 - word, 2239
- d-minimality annihilator, 2239
 - of a language, 2239
- d-superimposed code, 2058
- DOL language, 1007
 - equivalence problem, 1007
- DOL sequence, 270, 1007
 - equivalence problem, 1007
- DOL system, 587
- DAG, 210
- Dagan, 1869
- Dahlhaus, 2130, 2171
- Damaschke, P, 1798
- Danaraj, G, 1622
- Dannenbring, D G, 1089
- Dantzig-Wolfe decomposition, 541
- Darrot, 2262
- Darwin, Ch, 418
- Dass, B K, 179
- Dassow, 1879
- data
 - analysis, 1834
 - base, *see* database
 - compression, 2199
 - dependent bound, 2238
 - replication, 1872
- data structure, 35, 54, 97, 345, 619, 638, 960, 981, 1073, 1583, 1973, 2079, 2219, 2222
 - of a database system, 638
- database, 616, 627, 719, 866, 969, 970, 971, 973, 976, 982, 1871
 - acyclicity, 1070
 - concurrency control, 982
 - design, 974
 - management system, 638
 - scheme, 2142
 - security, 2254
 - system, 638, 973
 - theory, 2045
- dataflow, 1890
- Datalog program, 968
- dating to marriage, 1006
- Davenport-Schinzel sequence, 2272
- Davidson, 516
- Davio, M, 98, 101
- Davis-Putnam procedure, 135, 467, 575
- Davis-Putnam-Logemann-Loveland
 - algorithm, 2179
- DAWG, 619
- DCS, 1973
- de Bruijn
 - digraph, 911, 921, 927, 935, 936, 1588, 1986, 2003, 2166, 2252
 - graph, 913, 1435, 1510, 2023, 2166, 2176, 2205
 - matrix, 595
 - network, 632, 921, 932, 1439, 2107, 2109
 - sequence, 439, 595
- de Bruijn, N G, 632, 921, 932, 936, 1510, 1588, 1986, 2003, 2107, 2109, 2166, 2252
- de Bruijn-Good graph, 929
- de la Vega, 2039
- de Luca, A, 2136
- de Rumeur conjecture, 1997
- de Werra, D, 614
- deadline, 690, 751, 1427, 1584, 1599, 1780, 1982
 - scheduling, 1765
- deadlock, 746
 - avoidance, 435, 1994
 - free, 908, 1994
- deadlocked executions, 616
- decentralized system, 1597
- decidability, 87, 91, 96, 792, 1069, 1303, 1947
 - of many-to-one simulation of EOL forms, 29
 - of one-to-many simulation, 96
 - of the subword equivalence problem, 1947
 - problem, 802, 804
- decidable, 29, 91, 96, 153, 185, 320, 587, 802, 803, 840, 1947, 2173
 - isomorphism of block designs, 79
 - isomorphism of graphs, 41
 - membership, 818
 - switching equivalence of graphs, 41
 - whether a graph is a square, 1594
- deciphering delay, 325
- decision
 - aid for timetabling, 873
 - algorithm, 840, 1941
 - boundary, 2152
 - maker, 873
 - making, 13, 267
 - method for Parikh slenderness, 1879
 - problem, 109, 435, 697, 807, 831, 840, 953, 1069, 1571, 1585, 1792, 1832, 1914, 2174, 2191, 2225
 - procedure, 95, 378
 - process, 1671
 - theory, 1803
- decision tree, 90
 - algorithm, 100
- decision
 - variable, 680, 2278

- decision version of the Steiner problem, 466
- decoder, 601, 824
 - for error correction, 820
- decoding, 732, 816, 819, 820, 821, 1991, 2261
 - a multivalued encoding, 601
 - algorithm, 820
 - an identity tree, 202
 - complexity, 816, 821
- decomposability, 1715, 1909
- decomposable cost, 1151, 1984
 - coefficient, 1767
- decomposable graph, 2104
- decomposing
 - a bidirected graph, 1804
 - a graph, 622
 - a weighted digraph, 444
 - an aggregate function, 444
- decomposition, 14, 95, 136, 145, 422, 520, 622, 699, 973, 1015, 1024, 1127, 1137, 1153, 1479, 1487, 1696, 1715, 1718, 1768, 1804, 1836, 1843, 1863, 1978, 2104, 2042, 2090, 2116, 2163, 2239, 2262, 2270, 2280
 - algorithm, 14, 359, 422, 459, 1768
 - for an algebraic variety, 822
 - into linear forests, 1153
 - into peakless prime subgraphs, 1863
 - method, 1148, 1768
 - of a CG schedule, 2071
 - of a graph, 960, 1509, 1843, 2198
 - of a matroid, 422
 - of a square, 445
- decomposition of a system, 458
 - of equations, 455
- decomposition
 - of a word, 2239
 - of the edges of a graph, 702
 - procedure, 541, 677, 1509
 - theory, 145, 459
- decryption, 546
- dedicated line, 1025
- deductive database, 627
- defect
 - d matching, 220
 - property, 570
- defective edge, 1135
- deficiency, 1063
 - of a subgraph, 1063
- degeneracy, 227, 315, 363, 1073, 1368, 2025
- degenerate simplex pivot, 1073
- degeneration of information, 1735
- degree
 - constrained spanner, 1786
 - constraint, 88, 1063, 1703, 1878
 - of a curve, 781
 - of a graph, 63
- degree of approximation, 2151
 - of a function class, 2151
- degree
 - of intersection, 781
 - partition restriction, 44
- degree sequence, 387, 709, 1619, 2016
 - of a difference graph, 709
- Dejean, F, 214
- Dejter, 1866
- Delannoy number, 793
- Delaunay
 - simplex, 2201
 - triangulation, 1041, 1045, 1695
- delay to cost trade-off, 926
- deletability, 552
- deletable edges, 1655
- deletion game, 765
- delivery
 - date, 1785
 - time, 1131, 1709, 1846
- Delmas, 2262
- Delsarte, Ph, 279, 2128
- $\Delta(G)$, 705
- (Δ, D) -graph, 900, 903, 940
 - problem, 900
- (Δ, D, r) -hypergraph problem, 1782
- Δ -cut circuit, 1751
- Δ -matroid, 621
- Δ -sum, 1717
- deltahedron, 5, 31, 496
- demand
 - point, 598, 1107
 - service time, 1682
- Demetrovics, J, 663, 976
- Deming, R W, 622
- democratic secret sharing scheme, 1700
- democratic threshold scheme, 1700
- DENDRAL system, 1749
- dendrogram, 205
- dense
 - digraph, 66, 935
 - group network, 905
 - language, 547, 2239
 - linearly ordered commutative group, 306
 - network, 914
 - processor interconnection network, 903
 - vertex symmetric graph, 1537
- density, 91, 113, 345, 503, 558, 805, 967, 1134, 1939, 2127, 2227, 2246
- density ordered, 1524
 - greedy heuristic, 1524
- denumeration
 - of multisets, 158
 - of rooted trees, 158
- dependency graph, 313

- dependency
 - inference problem, 974
 - set, 974
- dependent elements, 456
- depth
 - complexity, 640
 - function, 1037
 - of a combinatorial optimization problem, 1037
 - of a parallel algorithm, 261
 - of a search, 544
 - of a tree, 921, 1430
 - of local minima, 1526
- derandomization, 1677, 2039
- derivation
 - process, 109
 - in an EOL system, 87, 96
- derivative of a graph polynomial, 1691
- descent search in solution space, 1765
- Deschamps, J P, 98, 101
- descriptive geometry, 155
- design, 152, 546, 629, 701, 828, 939, 1010
 - of a communications network, 701
 - of an open pit mine, 548
 - of digraphs, 1683
 - of rotators, 152
 - of vacuum systems, 377
 - problem, 131, 573
 - steps, 1031
- designing
 - networks, 1365
 - parallel programs, 1890
- desynchronized EOL forms, 46
- detecting structural inconsistency, 295
- detection
 - of a counterfeit coin, 1581
 - of symmetry, 942
- determinacy problem, 712
- determinant, 650, 793, 1746
- determinantal inequality, 1598
- determination of defective elements, 385
- deterministic
 - approximation algorithm, 1677
 - bounded system, 587
 - broadcast radio network, 1623
 - communication complexity, 963, 1592
 - complexity, 1036
 - fair protocol, 213
 - heuristic, 381
 - protocol, 213
 - routing algorithm, 1610
 - time complexity, 1623
- detrimental acceleration, 1707
 - anomaly, 1707
- developmental system, 587
- deviation property, 1733
- devil's staircase, 549
- Deza, M, 1566, 1657
- diagnosing faulty processors, 1611
- diagonal inequality, 1306
- diagram of a knot or link, 646
- diameter, 202, 266, 632, 645, 701, 900, 903, 905, 906, 910, 915, 917, 921, 924, 925, 932, 935, 937, 938, 1033, 1099, 1510, 1537, 1557, 1582, 1639, 1683, 1697, 1759, 1782, 1833, 1940, 1986, 1994, 1997, 2009, 2011, 2029, 2096, 2100, 2109, 2120, 2184, 2228, 2252
 - cost function, 1984
 - of a chordal graph, 172
 - of a cubic graph, 924
 - of a digraph, 266
 - of a graph, 266, 701, 906, 1510
 - of a partial k-tree, 1137
 - of a polytope, 149
 - of a Stirling network, 908
 - of a tree, 202
 - of an outerplanar graph, 42
 - of the hypercube, 917, 1759
 - one, 149, 1639
 - two, 997
- diameter vulnerability, 266, 1697
- dichotomous search, 1101
- dicut, 1978
- dicycle
 - cover, 1630
 - packing, 1630
- difference
 - degree sequence, 709
 - distance, 187
 - equation, 178
 - graph, 709, 1631
- difference labeling, 1153
 - of a graph, 1153
- difference
 - operator, 68
 - sequence, 1005
- difference set, 279, 696, 820
 - code, 820
- differencing method, 1603
- differentiable form, 517
- differential calculus, 98
 - for discrete functions, 98
 - for generalised pseudo-Boolean functions, 98
- digital
 - communication, 830
 - cross connect system, 1973
 - trie, 647
- digon, 936
- digraph, 2, 33, 66, 88, 125, 190, 235, 266, 288, 331, 403, 454, 462, 465, 492, 525, 530, 579, 632, 643, 662, 728, 740, 743, 757, 809, 839,

- digraph (*cont.*), 911, 918, 921, 927, 928, 935, 937, 991, 1093, 1099, 1141, 1357, 1391, 1537, 1557, 1588, 1612, 1630, 1653, 1683, 1771, 1808, 1822, 1833, 1835, 1873, 1933, 1935, 1986, 1997, 2013, 2021, 2031, 2096, 2109, 2111, 2121, 2188, 2245, 2252
- dihedral group, 1377
- Dijkstra
 - like algorithm, 2004
 - method, 353
- Dijkstra
 - minimum distance algorithm, 488
 - shortest paths algorithm, 165
- Dijkstra, E W, 353
- DIL system, 578
- dilation, 1034, 1994, 2236
 - 1 embeddings, 1814
- Dilworth
 - number, 210, 1778
 - optimal, 853
 - theorem, 445
- dimension
 - formula, 1900
 - function, 416
 - measure, 2149
 - of a polytope, 724
 - of a poset, 1330, 1627
 - of a projected polyhedron, 2230
- dimensional graph parameter, 1739
- dimer, 227, 323, 519
 - covering, 323, 1390
 - problem, 1390
- Dinic, E A, 297
- dinucleotide, 1919
- Diophantine
 - congruence, 374
 - equation, 142, 374, 491, 1356, 2117
 - inequality, 374
 - problem of Frobenius, 615
- dipolar word, 2239
- Dirac theorem, 2052, 2141
- Dirac, P A M, 2052, 2141
- directed acyclic
 - graph, 210, 337, 987, 1098, 1720, 1931
 - network, 1154
 - word graph, 619
- directed
 - Cayley graph, 1648
 - cycle, 249, 331, 662, 899, 1425, 1639, 1841, 1933
 - edge disjoint paths problem, 1568
 - forest, 1894
 - graph, 76, 188, 233, 268, 288, 403, 568, 590, 628, 643, 650, 662, 701, 850, 928, 937, 982, 1057, 1113, 1155, 1391, 1389, 1479, 1557,
 - hypergraph, 1020, 1639, 1782, 2208
 - line transversal, 784
 - max-cut problem, 743
- directed Moore
 - graph, 1639
 - hypergraph, 1639
- directed
 - network, 297, 1774, 1808, 1926
 - node label controlled graph grammar, 351
- directed path, 457, 1113, 1931, 1932
 - graph, 1061, 1381
- directed
 - rectangle visibility graph, 1931
 - square lattice, 503
 - Steiner problem, 1113
 - triple system, 2163
- directed wrapped butterfly
 - graph, 2262
 - network, 2089
- direction of motion, 693
- directional search, 1163
- directionality of an interval order, 1133
- Dirichlet integral, 576
 - formula, 576
- discounted Markov decision process, 1671
- discrete
 - algorithm, 2198
 - bottleneck problem, 124
 - Chebyshev polynomial, 2184
 - cube, 1932
 - derivative, 257
 - Dirichlet integral formula, 576
 - dynamical system, 1960
 - function, 9
 - geometry, 713
 - Green formula, 576
 - Gronwall inequality, 448
 - infinite transportation problem, 1531
 - influence system, 348
 - Laplacian, 576
 - logarithm problem, 1968
 - lot sizing and scheduling problem, 1149
 - mathematics, 548, 1365, 1803
 - matrix, 1625
 - moment problem, 700
 - neuronal equation, 549
- discrete optimisation, 151, 481
 - problem, 19, 38, 51, 301, 1037, 1518, 1766, 1892, 2082
- discrete
 - orthogonality, 2236
 - potential theory, 576
 - program, 40

- discrete
 - programming, 43, 121, 157, 481, 1170
 - Radon transform, 1939
 - random variable, 700
 - representation of an interval order, 1057
 - set, 3
 - solution space, 1526
 - space, 1143
 - structure, 1749
 - system, 347
 - time dynamical system, 1095
- discriminant, 1862
- disjoint
 - alternating paths, 1661
 - clusters, 2217
 - convex polygons, 1690
 - convex simple objects, 784
 - covering system, 742
 - cycles in graphs, 1703
 - paths, 669, 912, 914, 1483, 1557, 1588, 1674, 1932, 2115, 2235
 - set of chains, 1427
- disjoint shortest paths, 2115
 - problem, 2115
- disjoint union, 594, 1427, 1830, 2239
- disjunctive
 - d-minimal context free language, 2239
 - language, 2239
 - method, 461, 672
 - normal form, 1167, 1472, 1884, 2268
 - number, 2055
 - program, 106, 2268
 - programming, 151, 1371, 2268
 - sequence, 2055
- disk hypergraph, 2119
- dispersion
 - criterion, 1938
 - problem, 1938
- display of symmetry, 942
- dissemination of information, 1434, 1872
- dissimilarity measure of trees, 2202
- dissipation formula, 576
- distance
 - algorithm, 2188
 - between chemicals, 500
 - between traveling salesman tours, 1507
 - between trees, 122
 - constraint, 1124
 - data, 1915
 - degree sequence, 146
 - domination parameter, 1793
 - function, 122, 1482, 1786, 2260
 - graph, 1392, 2224
 - hereditary graph, 1530, 2194
 - in trees, 2062
 - distance
 - inequality, 852
 - matrix, 362, 487, 641, 1110, 1421, 2182
 - measure, 2237
 - distance metric, 540
 - on strings, 540
 - distance
 - problem, 2119
 - regular graph, 681
 - related invariant, 2063
 - distance sum, 230, 730, 2067
 - of a vertex, 730, 2067
 - distant colourings, 1601
 - distributed
 - Cayley network, 1640
 - computation, 843
 - computer system, 1971
 - computing, 2023
 - control, 1875
 - environment, 1157
 - memory multiprocessor system, 916
 - processing, 1971
 - routing control, 588
 - system, 1141, 1478, 1540, 1872, 2185
 - distribution
 - of keys, 128
 - of points by degree, 143
 - system, 933
 - distributive lattice, 230, 450, 797, 805, 841, 933, 955, 1650
 - divide and conquer, 147, 1038, 1107, 1469, 1866, 2198
 - computation, 2109
 - procedure, 677
 - dividing the square, 1038
 - divisible job, 1971
 - divisor generating function, 476
 - Djokovic, 1657
 - DLN, 1099
 - DLSP, 1149
 - DMA bound, 927, 1435
 - DNA, 792, 1815, 1837, 1911, 1914, 1919, 1924, 2211
 - amplification, 2210
 - based computer, 1914
 - computing, 2187
 - library, 2058
 - molecule, 792, 1911, 2187
 - physical mapping, 1913, 1917, 2204
 - region, 2210
 - sequence, 1922, 1924, 2214
 - sequencing, 2205
 - DNF, 1167, 1731, 1884
 - DNLC grammar, 313, 351
 - Dobkin, 1456

- Dobson, A J, 122
- Docking, 2201
- document term matrix, 232
- Dolev, D, 632
- domain
 - monotonicity theorem, 887
 - partition, 840
- domatic number, 200, 336
 - problem, 336
- domatic partition, 1688
 - problem, 1688, 2028
- dominance, 1672
 - condition, 1787
 - criterion, 711, 1724
 - relation, 459, 602, 1803
 - rule, 137, 678, 892, 1142
 - theorem, 1787
- dominant, 1360, 1705
 - candidate, 201
 - market structure, 357
 - subset, 1672
- dominated variable, 2195
- dominating
 - Cartesian product of cycles, 1559
 - clique, 1011, 1450, 2044
 - cycle, 875
 - function, 1792
 - real function, 697
- dominating set, 154, 200, 248, 336, 368, 434, 533, 562, 574, 597, 697, 1011, 1393, 1555, 1559, 1708, 1793, 1878, 1905, 2008, 2085, 2191
 - algorithm, 248
 - problem, 246, 961, 1050
- dominating vertex set, 1389
- dominating-like problem, 2119
- domination, 200, 248, 574, 1050, 1393, 1489, 1504, 1559, 1784, 1792, 1908, 1967, 2008, 2044, 2085, 2119, 2120, 2191
 - critical graph, 2279
 - insensitive, 1066
 - number, 154, 533, 1066, 1393, 1555, 1559, 1793, 1794, 2061, 2120, 2279
 - of a binary system, 1967
 - problem, 574, 1011, 1450, 1637, 1830, 1908, 2191
- domino, 792
- domino free graph, 2174
 - property, 2174
- Domoryad, 1866
- Donald, 2144
- Doshita, 1549
- dot depth, 947, 1783
 - hierarchy, 1783
- dot depth two, 1303
 - monoid, 947, 1303
- Doubilet, P, 838
- double competition
 - graph, 2111
 - number, 728, 2111
- double coset method, 516
- double covering, 826
 - graph, 99
- double loop network, 1099
- doubled 2-design, 826
- doublet of amino acids, 1919
- doubly
 - chordal graph, 2119
 - convex scheduling matroid, 690
 - cyclic channel assignment problem, 2088
 - even self dual code, 828
 - exponential sequential worst case, 818
- doubly extended Reed-Solomon code, 819
 - RS code, 819
- doubly graded matrix, 1110
- doubly stochastic
 - matrix, 594, 773, 2231
 - primitive matrix, 2231
- doubly weighted
 - directed graph, 424
 - graph, 1078
- DP, 1149, 2156
- DP algorithm, 1149
- DPLL, 2179
- DPP, 467
- drawing a graph, 715, 1591
- Dreyfus, 2223
- Drezner, Z, 891
- Dridi, 1630
- Droop proportionality criterion, 1956
- Dror, 1964
- DSPACE, 640, 804
- Du, D-Z, 712, 911, 923, 1366
- duadic code, 639
- dual, 65, 111, 142, 159, 228, 287, 297, 311, 402, 419, 485, 668, 691, 741, 943, 1026, 1045, 1096, 1167, 1369, 1531, 1555, 1622, 1782, 1784, 1873, 2005, 2064, 2119, 2177
 - algorithm, 1096
 - cancel and tighten, 1096
 - change, 298
 - code, 828
 - constraint, 528
 - cost transformation, 97
 - dependency, 159
 - distance, 2128
 - distribution, 1004
 - feasible basis structure theorem, 700
 - formulation, 528
 - graph, 1652, 1665
 - integral system, 287, 668

- dual
 - LCP, 2137
 - MCNF algorithm, 1369
 - method, 402, 423, 481, 1305
 - minimum path cover problem, 2235
- dual objective
 - function, 1096
 - value, 1369
- dual
 - of a regular Boolean function, 1167
 - of C_{120} , 1746
 - order, 65
 - problem, 198, 481, 1024, 1483
 - simplex algorithm, 364
 - simplicial polytope, 529
- dual solution, 528
 - vector, 396
- dual
 - threshold method, 402
 - transform, 1076, 1652
 - type algorithm, 700
 - version of bin packing, 560
- duality, 184, 200, 297, 334, 366, 423, 432, 745, 1020, 1128, 1531, 1609, 2119
 - bound, 134
 - gap, 281, 481, 741
 - model, 432
 - operator, 1363
 - property, 374, 2012
 - relationship, 780
 - relaxation, 134
- duality theorem, 198, 449, 1917
 - for linear congruences, 198
- duality theory, 945
- dualization, 431
- dually chordal, 2119
 - graph, 2119
- Dubins, 443
- Dubins, L E, 307
- Duchet, 1386
- Duchet, P, 408
- Dudeney, 1866
- due date, 995, 1115, 1543, 1675, 1785, 1899, 1962
 - assignment, 1115, 1845, 2086
- Duffin, R J, 293
- Dulmage-Mendelsohn decomposition, 455, 699
- dummy activity, 207
- duo processor system, 707
- dyadic interval, 1638
- Dyck
 - language, 150, 2239
 - path, 635
- Dijkstra shortest paths algorithm, 35
- dynamic behaviour, 473, 1960
 - of a net, 746
- dynamic
 - bipartite matching, 1928
 - convex hull, 1045
 - graph, 512
- dynamic matroid
 - intersection, 397
 - partitioning, 397
- dynamic
 - monopoly, 2178
 - nearest neighbor problem, 1045
 - network flow, 397
 - polymatroid flow, 397
 - program, 1517
- dynamic programming, 39, 343, 380, 491, 548, 678, 1021, 1101, 1149, 1381, 1493, 1517, 1599, 1798, 1845, 1871, 1896, 2004, 2155, 2156, 2191, 2259
 - algorithm, 312, 343, 591, 612, 678, 1001, 1785, 2004, 2021, 2103, 2159
 - recursion, 389, 1990
- dynamic
 - scene, 1045
 - storage allocation, 290
 - sublattice, 512
- dynamical
 - behaviour, 245
 - classification, 2257
 - property, 949
- dynamical system, 592, 1960
 - theory, 592
- E
- EOL
 - form, 11, 29, 87, 96, 119, 185, 333
 - grammar, 806
 - language, 327
 - system, 87, 96, 587
- E0Q
 - formula, 1090
 - model, 1090
- earliest due date first algorithm, 1543
- earliness, 1115, 1599
 - cost, 1785
- easy variations of subset sum, 1961
- ECC, 278, 821
- eccentricity, 42, 1510
- echelon matrix, 854
- ecological niche, 728
- ecology, 180, 2192
- economic
 - lot sizing problem, 1087, 1329
 - potential, 548
- ecosystem, 465
 - model, 525
- Edelsbrunner, H, 1368

- edge, 5, 14, 20, 42, 66, 78, 86, 89, 92, 123, 133, 147, 156, 161, 165, 174, 180, 206, 217, 248, 249, 265, 266, 274, 275, 278, 280, 322, 328, 359, 367, 406, 414, 425, 427, 428, 433, 480, 493, 501, 503, 519, 524, 532, 533, 537, 539, 556, 568, 572, 596, 604, 606, 622, 624, 634, 641, 645, 646, 653, 662, 683, 685, 701, 715, 721, 739, 743, 754, 756, 759, 763, 765, 767, 771, 768, 777, 778, 780, 809, 811, 834, 848, 850, 869, 871, 876, 879, 881, 883, 884, 894, 906, 909, 915, 917, 920, 935, 937, 941, 951, 958, 962, 977, 984, 987, 989, 993, 1003, 1025, 1033, 1034, 1044, 1045, 1046, 1049, 1058, 1061, 1062, 1063, 1066, 1067, 1068, 1070, 1073, 1093, 1094, 1097, 1107, 1111, 1135, 1117, 1140, 1141, 1151, 1153, 1155, 1166, 1168, 1307, 1309, 1332, 1336, 1381, 1384, 1388, 1392, 1393, 1421, 1425, 1430, 1437, 1440, 1442, 1443, 1453, 1456, 1468, 1470, 1476, 1488, 1509, 1510, 1521, 1525, 1542, 1547, 1554, 1555, 1558, 1563, 1565, 1566, 1568, 1583, 1591, 1594, 1600, 1607, 1628, 1647, 1654, 1660, 1661, 1664, 1665, 1670, 1673, 1674, 1679, 1683, 1685, 1694, 1701, 1703, 1708, 1713, 1721, 1723, 1744, 1748, 1751, 1755, 1759, 1764, 1768, 1770, 1774, 1782, 1791, 1795, 1805, 1822, 1831, 1834, 1840, 1841, 1843, 1847, 1852, 1856, 1861, 1866, 1885, 1886, 1901, 1902, 1908, 1930, 1931, 1936, 1942, 1958, 1975, 1993, 1994, 2005, 2007, 2009, 2017, 2019, 2020, 2021, 2026, 2043, 2046, 2056, 2063, 2070, 2078, 2080, 2100, 2108, 2122, 2142, 2162, 2164, 2166, 2174, 2180, 2189, 2191, 2213, 2217, 2219, 2222, 2224, 2225, 2234, 2235, 2253, 2260, 2279
- bisection width, 2166
- capacitated planar graph, 1847
- chromatic class, 436
- circle graph, 874
- clique covering, 278
- edge colored, *see* edge coloured
- edge-colored, *see* edge coloured
- edge coloring, *see* edge colouring
- edge coloured
 - bipartite graph, 869
 - complete graph, 1453, 1661, 2056
 - graph, 1453, 1661
 - interior planar graph, 1689
- edge colouring, 702, 752, 865, 871, 872, 876, 880, 1791, 1982, 2042, 2143, 2122, 2180
 - problem, 1791
- edge connected
 - graph, 266
 - multigraph, 1779
- edge
 - connectivity, 721, 771, 935, 1071, 1701, 1833
- edge contraction, 78, 82, 162, 1918
 - problem, 78
- edge
 - cover problem, 2006
 - covering, 278
- edge critical, 1764
 - hypergraph, 1764
- edge deletion, 78, 162, 906, 1759
 - problem, 78
- edge density, 1027, 1604
 - disjoint, 763, 1309, 2077, 2080, 2115, 2163
 - forests, 2143
 - Hamiltonian cycles, 2110
 - packings, 1309
 - path bound, 563
 - paths, 563, 694, 1434, 1568, 1660, 1661, 2106, 2115
 - polyp packing, 2019
 - st-paths, 1654
 - subgraphs, 2077
 - triangles, 1388
 - union, 1332
- edge domination insensitive, 533
 - graph, 533
- edge
 - domination problem, 1830, 2191
 - eccentricity, 42
 - fault, 524, 1430, 2100
 - forwarding index, 604, 909, 2046
- edge Hamiltonian, 1377
 - Cayley graph, 1377
- edge in RNG, 788
- edge labeled
 - digraph, 1525
 - graph, 1070, 2185
- edge
 - labeling, 2185
 - labelled, *see* edge labeled
 - labelling, *see* edge labeling
 - length, 464, 715, 1137, 2115, 2186, 2234
 - maximal subgraph, 406
 - numbering, 1094
 - packing, 2077
- edge partition
 - problem, 702, 1843
 - tree, 754
- edge
 - partitioning, 338
 - perfection, 1062
 - preserving map, 442
- edge ranking, 754, 2164
 - problem, 754
- edge reductions, 2253

- edge
 - set of a graph, 759, 808, 1646
 - subgraph problem, 1886
 - subtree, 1425
 - tolerance, 768
- edge weighted
 - binary de Bruijn graph, 2205
 - forest, 2222
 - graph, 2081
 - matching, 2130
 - tree, 2260
- edit distance, 2208, 2213
- editing, 540
- Edmonds, 1049, 2137
 - matching polytope theorem, 287
 - matching theorem, 2075
- Edmonds, J., 125, 211, 450, 1049
- Edmonds-Gallai
 - structure theorem, 428
 - theorem, 428
- Edmonds-Giles system, 668
- effective Nullstellensatz, 814
- efficiency, 221, 367, 402, 528, 591, 602, 892, 904, 1053, 1170, 1336, 1358, 1366, 1601, 1707, 1859, 1895, 1919, 1960, 1988, 1990, 2016, 2179
 - of a graph, 1053
 - of a partial k-tree, 1054
 - of a set, 1053
 - of an AC graph, 1055
- efficient algorithm, 8, 173, 292, 352, 411, 431, 466, 505, 526, 563, 780, 1070, 1135, 1358, 1359, 1638, 1780, 1785, 1866, 1869, 2082, 2204, 2227
- efficient broadcasting, 2250
 - protocol, 2107
- efficient edge domination, 2191
 - problem, 2191
- efficient
 - implementation, 322, 2004
 - set, 1053, 1054, 1055
 - solution, 281
- EGBT ring, 1367
- EGEP, 1920
- Eggleton, 1392
- Ehrenfeucht
 - conjecture, 325
 - game, 772
- Ehrenfeucht, A., 95, 256
- Ehrenfeucht-Fraïssé game, 947, 1303, 1783
- eigenspace, 1756
- eigenvalue, 133, 427, 887, 1364, 1510, 1725, 1757, 2184, 2282
 - of a graph, 886, 887
 - problem, 512
 - relaxation, 1725
- eigenvector, 273, 427, 886, 1364, 2217
- ejection chain, 1773, 1988
 - method, 1979
 - strategy, 1773, 1988
- election, 319
 - procedure, 105
 - rule, 1956
 - system, 13
- electoral system, 1956
- electric
 - circuit, 1307
 - network, 215
- electrical
 - network, 977, 1865, 1926, 2007
 - resistance, 1858
- electricity supply network, 131
- electrocyclic reaction, 512
- electromagnetism, 517
- element distinctness problem, 737
- elemental benzenoid, 1753
- elementary
 - bipartite graph, 1148
 - circuit, 309
 - function, 1733
 - pair of matroids, 1148
 - sequence, 1064
 - subgraph, 1748
 - transformation, 457, 848
- elevator problem, 2068
- elimination
 - ordering, 216, 794, 961, 1380, 2119, 2142
 - scheme, 432, 1806, 2269
 - tree, 1134
- ellipsoid approach, 1126
- Elmaghraby, S. E., 339, 561
- Elmore delay, 2219
- elution, 184
- embeddability in lattice graphs, 146
- embeddable
 - metric, 1657
 - planar graph, 2060
- embedding, 208, 381, 501, 511, 519, 597, 1044, 1054, 1421, 1467, 1487, 1493, 1591, 1610, 1665, 1814, 1921, 2003, 2095, 2103, 2121, 2229
 - a graph in a book, 1044
 - a planar graph, 2070
 - a tree, 146, 1814, 2232
 - algorithm, 1493
 - an undirected graph, 1591
 - information, 501
 - of a graph, 1470, 1665
 - of a reaction graph, 511
 - problem, 1034, 1493, 1920
 - space, 146

- embedding technique, 219
- emergency service, 212
- Emmons dominance theorem, 1787
- empirical
 - evaluation, 48
 - performance, 1922
 - process theory, 2153
 - risk, 2149
 - study, 360
 - testing, 1532
- empty
 - rectangle problem, 239, 352
 - word, 11
- emulation, 2109
 - of a computation, 1610
- enclosing walk, 2229
- encoder, 824
- encoding, 320, 601, 732, 907, 1542, 1991, 2261
 - algorithm, 815, 1542
 - of order types, 787
 - rule, 815
 - scheme, 1542
- encryption, 438, 546
 - algorithm, 438
 - function, 1853
- end
 - function, 835
 - interval, 569
 - of a graph, 778
 - vertex, 385, 457, 596, 1662, 1804, 2062
- energy function, 340
- Engeler, E., 110
- enriched trees, 835
- ensemble, 2091
- Entringer, R C., 1013
- Entringer-Slater conjecture, 1013
- entry terminal, 345
- enumerating
 - convex polyominoes, 1129
 - nonsingular linear transformations, 854
- enumeration, 26, 44, 202, 205, 477, 519, 520, 521, 653, 671, 679, 845, 914, 1074, 1170, 1620, 1631, 1655, 1658, 1745, 1753, 1762, 1928, 2112, 2162, 2207
 - algorithm, 482, 1618
 - method, 381, 833
 - of chemical graphs, 520
 - of closed walks, 1074
 - of dendrograms, 205
 - of factors, 623
 - of irreducible binary words, 542
 - of trees, 202, 653
 - polynomial, 477
 - problem, 1941
 - result, 637
- enumeration scheme, 491, 2246
- enumerative
 - algorithm, 173, 675
 - method, 380
 - technique, 433
- EP theorems, 2137
- epidemiography, 643
- ϵ -approximation
 - algorithm, 93
 - scheme, 453, 898, 1938
- ϵ -optimal solution, 2281
- ϵ -optimality, 1145
- ϵ -production, 11
- equality constrained 0-1 polytope, 1662
- equality of languages, 11
 - modulo ϵ , 11
- equality set of matrices, 159
- equalization, 821
- equation formulation, 2172
- equi-angular lines, 1656
- equi-assignment, 38, 51
- equi-partitioning, *see* equipartitioning
- equiangular, *see* equi-angular
- equiassignment, *see* equi-assignment
- equicut polytope, 1721
- equilateral triangle, 1754
- equilibrium
 - distribution, 72
 - model, 356
- equipartition
 - application, 391
 - problem, 391, 2033
- equipartitioning of rectangular domains, 2116
- equivalence among optimization problems, 157
 - on matrix sets, 157
- equivalence class, 328, 515, 608, 613, 1032, 1690, 1925, 1948, 1988, 2257, 2266
 - of LR arrays, 1032
- equivalence
 - of optimization problems, 157
 - of states, 1525
 - problem for unary output sequential transducers, 802
- equivalency theorem, 121, 157
- equivalent
 - assignment problem, 415
 - knapsack problem, 389
 - problem, 89, 157, 193, 389
 - representations for mixed integer zero one programming problems, 1371
 - sets of functions, 108
 - speed, 1971
 - structures, 1745
- eraser machine, 2177
- erasing in an EOL form, 333

- Erdős problem, 1823
- Erdős, P., 504, 977, 1392, 1468, 1528, 1764, 1823, 1983, 2056
- Erdős-Rado intersecting set theorem, 737
- EREW
 - PRAM, 985, 1698, 1825, 1908, 2001, 2079, 2190
 - processors, 688
- erroneous information, 1868
- error, 70, 252, 295, 467, 821, 1138, 1686, 1860, 2209
 - bound, 543, 1001, 1021
 - control, 830
- error correcting
 - BCH code, 303
 - capability, 681
 - code, 50, 70, 681, 820, 821, 938
 - database, 719
 - Lee code, 116
 - NGT algorithm, 2058
 - nonadaptive group testing, 2058
- error
 - correction, 820
 - model, 2209
 - probability, 821
 - propagation, 821
- error rate, 830
 - performance, 830
- error ratio, 2186, 2234
- ESMT, 1920
- essential test set, 1625
- esymptotic enumeration, 2207
- η -complexity, 2007
- ETOL language, 327
- ethernet, 737
- Euclidean
 - algorithm, 9, 51
 - bottleneck biconnected edge subgraph problem, 941
 - clustering problem, 53
 - cost location problem, 1304
 - distance, 789, 891, 1456
 - graph embedding problem, 1920
 - noncrossing trees, 1762
 - p-centre problem, 598
 - plane, 111, 228, 1045, 1116, 1660
 - proximity graph, 1041
 - shortest path, 782
- Euclidean space, 146, 226, 260, 508, 785, 786, 788, 1569, 1652, 1842, 1931, 2151, 2272
 - embedding, 146
- Euclidean
 - spanner graph, 1456
 - Steiner minimal tree, 1119, 1920
 - two parts problem, 1116
- Euler
 - formula, 1748
 - function, 1653
 - network, 6
 - problem of the King walks, 845
 - tour, 1845, 1919, 2146, 2205
- Euler, L., 1723, 1748, 1866, 2205
- Eulerian
 - circuit, 233, 478, 1653
 - graph, 626, 687, 1521, 1563, 1660, 2135
- Eulerian trail, 626, 1521, 1563
 - traversing, 1521
- eutactic star, 1756
- evaluating
 - a Boolean function, 68
 - an arithmetic expression, 985
- evaluation of a recursive query, 627
- even circle matroid, 99
- even cycle, 650, 2118
 - problem, 1669
- even pair, 2271
- even-odd partition problem, 1115
- evolution, 418, 1815, 1917, 1923
 - of approximation, 37
- evolutionary
 - biology, 2260
 - distance, 2200
 - history, 1925, 2202, 2208, 2214
 - molecular biology, 1917
 - path, 1925
 - tree, 1105, 1810, 1916, 1918, 1927, 2082, 2202, 2208, 2213, 2214
- exact
 - algorithm, 487, 1050, 1160, 1508, 1599, 1712, 1943, 2223, 2225, 2259
 - arborescence, 433
 - classification, 2047
 - linear separator, 1076
 - separator, 1076
- exchange
 - of information, 169
 - procedure, 867
 - property, 262, 301, 416, 1457
- exchangeable element, 2083
- excised internal structure, 1748
- excitable media, 237
- excluded minor characterization, 622
- exclusive read exclusive write PRAM, 1698
- execution model, 1890
- exhaustive testing, 1720
- existence
 - constraint, 976
 - of designs, 629
 - theorems for (g,f)-factors, 684
- existentially polynomial time, 2137

- exit terminal, 345
- expand and prune, 1039
- expanding
 - factor, 1679
 - morphism, 2173
 - parameter, 1510
- expansion of a rotator, 152
- expected
 - complexity, 1673
 - cost, 1101
- expected number
 - of leaves, 835
 - of range queries, 16
 - of RNA secondary structures, 1689
 - of symmetries, 1734
- expected
 - parallel time, 688
 - running time, 529
 - speed-up, 1707
- expected time, 239, 276, 1673
 - complexity, 376, 1043, 1673
- expected waste, 1726
- experimental
 - analysis, 711
 - error behaviour, 1676
 - results, 714, 1107, 1358, 1447, 2223
- expert system, 501
 - for organic synthesis discovery, 501
- exponent
 - of a group, 2049
 - of primitivity, 2231
- exponential
 - complexity, 135, 1988
 - distribution, 383
 - generating function, 845, 1829
 - space hard, 818
 - sum, 825
- exponential time, 135, 467
 - complexity, 1078
 - exact algorithm, 2213
- expressive power, 1488, 1579
- extended
 - control language, 26
 - covering constraint, 259
 - generalized balance ternary ring, 1367
 - graph of a function, 749
 - Horn satisfiability problem, 1562
 - Jackson rule, 1709
 - RS code, 819
 - unary binary tree, 471
- extendibility, 256
- extendible graph, 842
- extending
 - a graph, 634
 - a shelling order, 1622
- extension
 - of a ring, 817
 - of a Van Lier sequence, 698
- extensional definition, 627
- exterior function, 1828
- external
 - diameter, 782
 - farthest neighbor, 782
 - path length, 647
 - visibility graph, 2274
- extrapolating partially defined Boolean functions, 779
- extremal
 - broadcasting problem, 606
 - combinatorics, 846
 - digraph, 1933
 - doubly even self dual code, 828
 - f-tree, 146
- extremal graph, 572, 1065, 1066, 1382, 1934, 1993, 2027, 2061
 - theory, 1065, 1532
- extremal length, 293
 - of a network, 293
- extremal
 - multigraph, 1779
 - point, 773
 - problem, 63, 369, 533
 - self dual code, 2263
 - weight enumerator, 2263
- extreme point, 6, 149, 412, 709, 1122, 1939
 - mathematical program, 311
 - mathematical programming problem, 311
 - ranking method, 311
- extreme ray, 1620
- extremum problem, 293
- F**
- f-degree restriction, 1744
- f-matching, 265
- F-polynomial of a graph, 1817
- Faber, 1537
- face
 - enumeration, 785
 - number, 785
- facet, 384, 529, 610, 706, 783, 948, 999, 1028, 1113, 1306, 1371, 1474, 1566, 1622, 1721, 1781, 1900, 2081, 2268
 - defining inequality, 1649, 1722, 2033
 - inducing inequality, 1028, 1900
- facial inequality, 1371
- facial
 - disjunctive program, 40, 106, 2268
 - structure, 412, 610, 1772
- faciality, 247
- facility location, 1304, 2193, 2237

- facility location
 - model, 1126
 - problem, 1126
 - theory, 1126
- factor, 310, 319, 1371, 1652, 1947, 2153, 2239
 - automaton, 2280
 - of a graph, 684
 - of a word, 2239
- factor-2 approximation algorithm, 1886
- factor-3 approximation algorithm, 1886
- factoring, 980, 1768
 - problem, 980
- factorisation, 123, 403, 623, 664, 729, 1639, 2007
 - in groups, 630
- fading channel, 830
- Faigle, U, 104, 1682
- failure
 - of monotonicity, 105
 - probability, 1654, 1872, 1950
- fair
 - betting game, 7
 - protocol, 213
- family
 - constrained network problem, 365
 - of grammars, 91
 - of graphs, 76, 902, 1034, 1495, 2176
 - of languages, 94, 109, 327
- Fano matroid, 422
- fanout-free query, 975
- Fararon, 2279
- Farber, 1555, 2142
- Farber, M, 1049
- Farber, Martin, 961
- Farbey, B A, 362
- Farley, A, 1446, 2048
- Farrell, E J, 545
- Farris, 1659, 2082
- Farris, J S, 122
- Farris-Swofford-Maddison method, 1659
- farthest neighbor, 782
- fasciagraph, 1794
- fast
 - gossiping, 1431
 - information sharing, 1013
- Fathi, Y, 32
- fault coverage, 1720
- fault diagnosis, 914
 - model, 1611
- fault handling ability, 908
- fault tolerance, 904, 914, 938, 939, 1946, 2009, 2094, 2100, 2250
 - performance parameter, 914
 - property, 908
- fault tolerant, 632, 904, 916, 937, 939, 2009
 - interconnection network, 934
- fault tolerant
 - loop, 939
 - multibus interconnection network, 904
 - routing, 632, 2009
- faulty
 - component, 1138, 1436
 - hypercube, 1430
 - link, 2094
 - node, 908, 1138, 2094
 - processor, 1611
 - star network, 2100
 - transmission, 2101, 2250
- FD system, 638
- feasibility
 - sequence, 1048
 - test, 335
- feasible
 - basic vector, 1118
 - basis structure theorem, 700
 - direction, 652
 - flow, 420, 450
 - graph, 377
 - matching, 343
 - region, 36, 315, 384, 453
 - schedule, 335, 714, 1362, 1545, 2132
 - solution, 24, 281, 311, 482, 610, 716, 867, 873, 1018, 1039, 1048, 1145, 1371, 1519, 1766, 1892, 1938, 2238, 2278
- feedback
 - dependency, 898
 - loop, 522
 - shift register, 553, 824, 929
 - vertex set, 2068
- feedforward
 - net, 2150
 - network, 1365, 2150
- feedforward neural network, 1811
 - design, 1365
- Feigenbaum, J, 403
- Fellows, 1487
- fence, 1306, 1680
- Fermat problem, 230, 1823
- Ferretti, 2200
- ferromagnetism, 1422
- Fibonacci
 - morphism, 153
 - numbers, 19, 375, 1855
 - numeration system, 1686
 - random number generator, 535
 - RNG, 535
 - sequence, 298, 310, 506, 1064
 - tree, 1814
- Fibonacci-like inequality, 698
- Fibonacci algorithm of Christen and Aigner, 897
- field programmable gate array, 2014

- FIFO rule, 1707
- figure
 - construction problem, 252
 - eight subgraph, 656
- fill-in problem, 2161
- filtering, 821
- Fincke, 1158
- finding maximum
 - flows, 358
 - maximum path length, 2249
- finding
 - the maximum, 1868, 2077
 - the minimum, 893, 1868, 1895, 2006, 2206, 2238
- fingerprint of a clone, 1911
- finite Abelian
 - group, 1005
 - p-group, 836
- finite
 - automata for languages, 637
 - automaton, 565, 568, 637, 804, 840, 898, 1702, 1881, 1906, 2140
 - basis characterization, 1491
 - domain, 976
 - feasible region, 36
 - field, 10, 303, 586, 729, 1123, 1968
 - geometry, 1088
 - group, 630, 645, 2049
 - incidence structure, 566
 - language, 495
 - linear group, 1811
 - measurement structure, 1064
 - metric, 493
 - planar subset, 1616
 - poset, 337
 - sequences theorem, 251
 - topological space, 355
 - universe, 628
- finitely convergent
 - algorithm, 106
 - procedure, 106
- finitely presented module, 817
- finiteness proof, 40
- Fiol, 1697
- firing path, 1960
- first fit, 567, 1080, 1874
 - algorithm, 2019
 - decreasing, 284, 567, 1726
- first order
 - sentence, 772
 - theory, 2173
- Fis protein, 1924
- Fish, 150
- Fishburn theorem, 1680
- Fishburn, P C, 1306
- Fisher, M E, 1390
- Fisher, R A, 211, 227, 323, 583, 1645
- Fisher-Wright selection model, 178
- fission, 2200
- FIVC, 1497
- fix point, *see* fixed point
- fix-point, *see* fixed point
- fixed bond, 1127, 1883
- fixed charge
 - problem, 1482, 2259
 - transportation problem, 365, 1145
- fixed edge length graph drawing, 715
- fixed length
 - code, 815
 - reversal, 1925
- fixed marginal, 30
- fixed point, 73, 340, 606, 627, 854, 982, 1095, 2126, 2173
 - equation, 627
 - strategy, 627
- fixed word, 578
- fixpoint, *see* fixed point
- FKG
 - inequality, 955
 - theorem, 955
- flag transitive semiplane, 1628
- flame cutting, 478
- flat, 1652
 - cluster method, 74
- flattening problem, 1928
- fleet maintenance, 180
- Fleischner, 1391, 1521
 - theorem, 1391
- flexible manufacturing
 - environment, 1871
 - system, 1159, 1505, 1516, 1776
- flipping pattern, 2246
- Flory, 72
- flow, 21, 25, 161, 344, 420, 493, 888, 959, 1106, 1111, 1305, 1479, 1544, 1660, 1847, 1964, 2159, 2162
 - augmentation, 1106
- flow based
 - algorithm, 1675
 - heuristic, 2218
- flow costs, 2159
- flow cover, 1544, 1955
 - inequality, 1955
- flow
 - in a graph, 161
 - in a network, 297, 1479
 - maxima, 959
 - network, 420, 2162
 - problem, 81, 344, 358, 407, 450, 715, 888, 990, 1048, 1096, 1145, 1387, 1660, 2073, 2229

- flow shop, 1561, 1850
 - problem, 1089, 1977
- flow shop scheduling, 1089, 1977
 - problem, 1545
- flow shop type job, 304, 452
- flow technique, 1025
- flowtime scheduling problem, 1900
- Floyd, 1659
- fluctuation
 - bounds, 2153
 - of a stochastic process, 2153
- flux, 967
- FM problem, 343
 - for graphs, 343
- FMS, 1505, 1776
- fold of a finite string, 1921
- folding
 - instruction, 1987
 - problem in graphs, 1381
- football pool
 - graph, 1905
 - problem, 1905
- forbidden
 - configuration, 556
 - graph, 78
 - induced subgraph, 1049, 1865
 - isometric wheel, 1806
 - minor, 422, 1387
 - projection, 1992
 - set, 1898
- forbidden subgraph, 413, 421, 597, 1049, 1065, 1970
 - characterization, 1636
- forbidden
 - submatrix, 1624
 - substructure, 2021
- forcing
 - edge, 1852
- forcing single edge, 1852
- Ford, L R, 48, 161, 297, 493
- Ford-Bellman algorithm, 424
- Ford-Fulkerson augmenting path principle, 297
 - labeling method, 1106
 - type cut, 493
- forest, 174, 572, 596, 1004, 1015, 1153, 1509, 1671, 1825, 1871, 1894, 1899, 2143, 2222
 - partition, 2143
- form equivalence of EOL forms, 11
- form equivalent, 11, 333
 - EOL form, 11
- form, differentiable \sim , 517
- formal grammar, 109
- formal language, 23, 571, 803, 1815, 2129, 2239
 - theory, 109, 1585
- formal
 - long division algorithm, 64
 - power series ring, 823
 - series, 803
- formally undecidable, 587
- Formann, 1591
- forward loop, 1138
 - backward hop network, 1138
- forward optimal ranking, 1813
- forwarding diameter, 2176
 - of a graph, 2176
- forwarding index, 604, 909, 920, 1510, 1679, 1808, 2046
 - of a graph, 909
 - of a network, 604
- forwarding parameter, 1510
- forwards induction, 1671
- Foulds, 2223
- Foulds, L R, 496
- Foulds-Robinson conjecture, 496
- four
 - colour problem, 1764
 - point relation, 505
- Fourier analysis, 1915
- Fourier-Motzkin elimination, 142
- fourth power free, 153
- fractal, 226, 851
 - dimension, 519
 - geometry, 1451
 - image, 992
- fractional
 - arboricity, 977
 - assignment problem, 1664
 - balanced solution, 1154
 - cycle elimination constraint, 1333
- fractional domination, 1555
 - number, 1555
- fractional
 - factor, 684
 - Hausdorff dimension, 226
 - independent set problem, 688
- fractional matching, 265, 428, 622, 1677
 - problem, 265
- fractional
 - maximum, 1677
 - node cover, 622
 - packing problem, 2005
 - path covering problem, 2005
 - programming, 1664, 1823
 - subgraph, 1063
 - total colouring, 705
- Fraenkel, A S, 297
- fragment, 184, 297, 1911
- frame, 523, 1587, 1624, 1979, 2121
- framework, 269, 349

- framing number, 2121
- Franaszek, P, 616
- Frank, A, 199
- fraternal orientation, 1425
- fraternally oriented, 1425
- Fréchet bound, 305
- free
 - module, 817
 - monoid, 256, 317, 378, 633, 1303, 1783
 - order, 1383
 - partially commutative monoid, 807
 - semigroup, 2239
 - submonoid, 317
 - system, 616
 - tree, 1425
 - valence, 1745
- Freedman, D, 307
- Freedman, D A, 443
- frequency assignment, 979, 1086, 1159, 1995
 - problem, 1995
- Friedman, 1456
- Friesen, D K, 585
- Frieze $\zeta(3)$ limit, 480
- Frieze, A M, 480
- fringe thickness, 1473, 2249
- Frobenius problem, 615, 2195
- Fromme, M, 254
- frustrated circuit, 257
- frustration, 257
- fs representable language, 2129
- fuel limitation, 164
- Fuji, Z, 1902
- Fujishige, 1589
- Fujishige, S, 699, 888
- Fukuda, 2137
- Fukuda, K, 785
- Fulkerson and Gross simplicial elimination scheme, 2141
- Fulkerson property, 1717
- Fulkerson, D R, 48, 161, 297
- full
 - a priori information, 1682
 - algebra, 628
 - binary tree, 1814
 - communication, 804
 - component of a Steiner tree, 1615
- full duplex all-to-all broadcasting, 1942
 - communication, 1447
 - link, 1435
 - model, 2107
- full
 - quaternary tree, 1814
 - ringed binary tree, 908
- Fuller, 1954
- Fullerene, 1746, 1998
- fully
 - connected distributed system, 1013
 - indecomposable, 0-1 matrix 2144
- function class, 289, 2151
- function
 - evaluation, 607
 - from a finite field, 10
 - of a complex variable, 10
 - representation, 1733
 - symbol, 968
 - theory, 10
- functional
 - cell, 2220
 - dependency, 159, 638, 969, 970, 971, 972, 974, 1812
 - equation, 618, 832
- fundamental circuit, 613
- fundamental theorem, 1015
 - of algebra, 52
- fundamental transversal matroid, 54
- fusion, 2200
- fuzzy
 - automaton, 196
 - character, 1745
 - nature, 1745
 - set, 1939
- G**
 - (g,f)-factor, 684, 1063
 - of a graph, 684
 - G-language, 498
 - Gabai, D, 180
 - Gabow, 1873
 - Gale diagram, 250
 - of a convex polytope, 250
 - Gale transform, 713
 - Gale, D, 1006
 - Gale-Shapley algorithm, 1146, 1597
 - Gallai, T, 263
 - Gallo, 1549
 - Galois
 - connection, 796
 - lattice, 2174
 - Gamal, 2014
 - game, 2, 55, 115, 217, 254, 332, 469, 643, 664, 718, 720, 735, 759, 765, 870, 947, 1094, 1278, 1623, 1629, 1632, 1645, 1764, 2030, 2178
 - Ehrenfeucht \sim , 772
 - n bet \sim , 718
 - of cops and robbers, 217, *see also* cops and robbers
 - of policemen and robber, 469, *see also* cops and robbers
 - problem, 55
 - strategy, 2

- game
 - theoretic, 2030, 2125
 - theory, 2, 2005
 - with steps, 1278
 - with two players, 834
 - without steps, 1278
- gamma function, 2144
- Ganley, 2223
- gap
 - duality \sim , 481
 - of a chain, 409
 - string, 1816
- gap-free multiple alignments, 1928
- garbled message, 1448, 1567
- Gardner, 1866
- Garey, M R, 266, 661, 2039
- Gasieniec, 2250
- gate, 733, 1580
 - array, 2014
- gate matrix
 - layout, 1487, 1491
 - problem, 1491
- Gaussian
 - channel, 830
 - integer, 33
 - polymer molecule, 508
 - spectrum, 33
- Gavril, F, 228, 1046
- gcd η -complexity, 2007
- gel formation, 515
- gelation criterion, 515
- gem, 2266
- gene, 1917, 1923, 2200, 2202, 2205
 - duplication, 2202
 - tree, 2202
- general
 - linear group, 854
 - SCP, 2238
- generalisation of MDS codes, 1634
- generalised
 - balance ternary ring structure, 1367
 - bicycle, 2007
 - bipartite metric, 1657
 - capacitated plant location problem, 2090
- generalised clique covering, 582
 - transversal problem, 1784
- generalised
 - conjugated cyclic chain, 545
 - constraint, 1602
 - cycle, 2252
- generalised de Bruijn
 - digraph, 1986
 - graph, 911
- generalised
 - de Bruijn-Good graph, 929
- generalised degree, 912
 - condition, 912
- generalised
 - eigenvalue problem, 512
 - finite automaton, 802
 - flag, 836
 - flow cover inequality, 1955
 - geometric sequence, 2054
 - graph colouring, 1832
 - greedy algorithm, 1026
 - hexagonal system, 879
 - Horn clause, 1549
 - interval order, 963
 - inverse, 508
 - ladder, 2095
 - Latin square, 649
 - lattice point problem, 311
 - list schedule, 475
 - matching problem, 343
 - matrix searching, 682
 - maximum satisfiability problem, 1095, 1158
- generalised network
 - matrix, 1100
 - recognition problem, 1100
- generalised
 - partition of a graph, 2256
 - perfect graph, 1062, 1636
 - permutahedron, 1900
 - polyhex graph, 812, 1880
 - polymatroid, 199
 - polyphenylene, 545
 - prism, 771, 1701
 - pseudo-Boolean function, 98
 - Shannon switching game, 759
 - travelling salesman problem, 487
- generalised upper bound, 750
 - constraint, 750
- generalised
 - vertex covering, 946
 - zeta function, 803
- generalized, *see* generalised
- generate and reject scheme, 2016
- generating
 - bent sequences, 952
 - function, 75, 323, 521, 635, 671, 758, 832, 845, 1129, 1689, 1829, 1852, 2207, 2258
 - set of a group, 918
- generation, 113, 599, 797, 933, 992, 1075, 1103, 1145, 1371, 1745, 1765, 1919, 2016
 - algorithm, 1919
 - list, 1745
 - mechanism, 1988
 - method, 1745
 - of a timetable, 873
 - of combinatorial structures, 618

- generation
 - of molecular graphs, 1745
 - probability, 1988
 - problem, 933
 - process, 1745
- generator matrix, 717
 - of a code, 179
- generic
 - algorithm scheme, 2170
 - line, 1652
 - local combinatorial optimization, 1039
 - rigidity, 215, 223
 - task, 1672, 1696
- genetic algorithm, 1072, 1147, 1163, 1979
- genetic local search, 1147
 - algorithm, 1072
- genetic sequence, 2208
- genome, 1917, 1923, 1925, 2200
 - physical mapping, 2204
 - rearrangement, 1917, 2206
- genomic distance, 1923
- genotyping, 2210
 - of pooled markers, 2210
- genus, 825, 1510, 1679
- geodesics, 1863
- geometric
 - algorithm, 682, 685, 2223
 - concept class, 2147
 - covering salesman problem, 1520
 - methods in scheduling theory, 1477
 - object in the plane, 1428
 - programming, 1150
 - separability, 1731
 - sequence, 1088, 2054
- geometrical polyhedron, 5
- geometry of geodesics, 1863
- Gerbessiotis, 1740
- Gergonne p-pile problem, 2126
- $GF(2^m)$, 651
- $GF(p)$, 553
- $GF(p^n)$, 10, 568
- $GF(q)$, 1123
- $GF(q^m)$, 651
- $GF(q^m)$, 1123
- giant component, 515
- Gibbons, 2223
- Gilbert-Varshamov bound, 816
- Gilboa, I, 1306
- Giles, F R, 287, 450
- Giles, R, 125
- Gilmore, P C, 386
- Gilmore-Gomory traveling salesman problem, 386
- Gilmore-Lawler lower bound, 136
- girth, 211, 468, 752, 1628, 1643, 1833
 - of a graph, 468, 1833
- global
 - behaviour, 929
 - map, 34
 - optimality, 1163
 - optimisation, 440, 1358
 - optimum strategy, 488
 - similarity, 540
- globally consistent orientation, 1640
- Glover, F, 367, 561
- GMAXSAT, 1158
- GMW sequence, 329, 1088
- GNET, 363
- Godsil, C I, 545, 918
- Goemans, 2218
- Goemans-Williamson 0.878 approximation
 - algorithm, 2218
- Goffin, J-L, 1150
- Golay code, 1634
- Goldberg, A, 135, 1096
- Goldberg, A V, 888
- golden ratio, 1855
- Goldreich, 1623
- Goldstein, A A, 1150
- Golomb, S W, 116
- Golumbic, M C, 877, 1029, 1091, 1614
- Gomory function, 289
- Gomory, R E, 358, 386, 1016, 1482
- Gomory-Hu
 - cut collection, 2171
 - result, 358
 - tree, 1560
- Gonzalez, T, 304
- Gonzalez, T F, 981
- good
 - (S,a)-EOL form, 185
 - approximate solutions, 15, 711, 965, 1770, 2170
 - approximation, 667, 2159, 2170
 - drawing of an abstract graph, 942
 - EOL form, 185
 - routing, 632
- Good, I J, 72
- Good-de Bruijn graph, 913
- goodness, 185, 942
 - of EOL forms, 185
- Goppa code, 825
- Gordon, M, 44, 72, 202
- Gordon-Temple theorem, 44
- gossip, 204, 1431, 984, 1441, 1446, 1693, 2048, 2106
 - algorithm, 2048, 2106
 - complexity, 2106
 - problem, 276, 1434
 - scheme, 204, 1431
- gossiping, 1431, 1434, 1442, 1446, 1540, 1567, 1693, 1942, 1944, 2106, 2107, 2157
 - scheme, 204, 1431

- governmental policy decision, 356
- GPO sets, 492
- graceful labeling, 1153, 1162
- graded ring, 823
- gradient, 347
- Graham reduction, 2119
- Graham, R L, 567, 641, 1764, 1898, 2071
- Graham-Lovász conjecture, 641
- grammar, 23, 109, 313, 351, 429, 1103
- grammar form, 23, 46, 76, 91
 - theory, 805
- grammatical
 - code, 801
 - family, 91
- graph, 2, 14-15, 27-28, 31, 35, 45, 55, 63, 76, 78-80, 82, 86, 92, 99, 111, 132-133, 140, 147, 156, 161-162, 165, 167, 169, 172, 174, 180-182, 186, 189, 195, 206, 208, 210, 216-217, 224, 230, 233, 235, 238, 240, 242, 248, 249, 254, 265-266, 274-276, 278, 282, 285, 288, 296, 308, 328, 336, 338, 346, 368-369, 377, 385, 387, 393, 395, 399-400, 406, 409, 411, 413, 424, 427-429, 433, 442, 455, 460, 464, 468-469, 474, 478, 484, 488, 492, 494, 501-504, 507-508, 511-512, 514, 517, 519-520, 522-524, 532-533, 537, 539, 545, 550-551, 556, 572, 574, 582, 594, 596-597, 604, 606-607, 611-612, 617, 622, 624, 634, 642, 645-646, 650, 657, 675, 681, 687-688, 689, 692, 697, 702, 709, 715, 721, 734, 737, 744, 747, 752, 754, 760-763, 770-771, 773, 777-778, 808, 826, 834, 837, 839, 842, 850-852, 857, 862, 875-876, 880-884, 886-887, 893-894, 902-903, 905-906, 908-910, 912-915, 917, 920, 924, 927, 929, 931, 935-936, 938, 942, 951, 954, 959, 962, 965, 977, 980, 984, 987-988, 993, 996-997, 1003, 1015, 1021, 1027, 1029, 1034, 1038, 1041-1042, 1044, 1046-1048, 1052-1053, 1055-1056, 1058-1062, 1065-1066, 1070-1071, 1073-1074, 1083, 1086, 1093, 1097-1098, 1108, 1110, 1127, 1134-1138, 1141, 1151, 1153, 1155, 1159, 1165-1166, 1168, 1309, 1360-1361, 1364, 1376, 1384-1388, 1392-1393, 1421, 1425, 1432, 1434, 1437, 1440, 1442-1443, 1449, 1454-1455, 1466, 1470, 1476, 1479-1480, 1483, 1487-1488, 1492-1493, 1495-1497, 1503-1504, 1510, 1518, 1523, 1525, 1547, 1554-1555, 1558-1560, 1563, 1565, 1568, 1571, 1583, 1591, 1593-1594, 1600-1601, 1604, 1606, 1614, 1619, 1621, 1628, 1632, 1636-1637, 1639, 1643, 1646, 1657, 1660, 1663, 1665, 1667, 1670, 1673-1674, 1679, 1687, 1696, 1698, 1701, 1704-1706, 1708, 1718-1719, 1721, 1723, 1725-1727, 1735, 1739, graph (*cont.*), 1742-1746, 1748, 1750, 1753-1754, 1756, 1762, 1768, 1777-1779, 1784, 1786, 1788, 1792-1794, 1797-1798, 1801, 1804, 1806-1807, 1817, 1822, 1824-1827, 1830-1833, 1840-1843, 1847, 1858, 1860-1861, 1863-1864, 1866, 1869-1870, 1873, 1878, 1880, 1885-1886, 1893, 1896, 1901-1902, 1905, 1915, 1928, 1930-1931, 1933-1934, 1936, 1944, 1949, 1954, 1959-1960, 1965, 1970, 1972, 1975, 1980-1981, 1983, 1989, 1993-1994, 2002, 2005-2007, 2009, 2011, 2013, 2015, 2017, 2019-2021, 2025, 2027, 2029, 2034-2037, 2040, 2043, 2060, 2063-2070, 2077-2080, 2085, 2087, 2093-2094, 2098, 2102-2104, 2106, 2108, 2114-2115, 2118-2122, 2125, 2130, 2135, 2141-2142, 2145, 2159, 2161-2162, 2164, 2170-2171, 2174, 2176, 2178, 2183-2184, 2186, 2188, 2190, 2192, 2204-2205, 2207, 2217-2219, 2223-2225, 2228-2229, 2231-2232, 2234-2235, 2247-2248, 2255, 2266, 2271, 2276-2277, 2279, 2282
 - 2-colourability, 138
 - 3-colourability, 2248
 - algorithm, 286, 1058, 1136, 1655, 1930, 1989, 2001, 2008, 2068, 2070, 2119, 2142, 2205
 - bipartitioning problem, 2123
 - bisection, 2106, 2127
 - characterisation, 590
 - class, 1031, 1381, 1989, 2035, 2104, 2185, 2248, 2277
 - coloring, *see* graph colouring
- graph colouring, 246, 278, 470, 597, 850, 863, 989, 1159, 1358, 1361, 1673, 1832, 1975, 1983, 2238, 2256
 - algorithm, 324
 - heuristic, 324
 - problem, 138, 324, 884, 1108, 2034
- graph
 - construction problem, 2015
 - controlled table, 94
 - decomposition, 14
 - domination, 1905
- graph drawing, 1655, 2070, 2081
 - problem, 715
- graph eigenvalue, 1757
- graph embedding, 501
 - problem, 1920
- graph
 - enumeration, 520
 - factor, 1834
 - factorization, 664
 - generation scheme, 1745
- graph grammar, 313, 426, 429, 1488
 - parsing, 426

- graph
 - homomorphism, 850, 1454
 - invariant, 429
 - inversion problem, 238
- graph isomorphism, 79, 355, 501, 594, 1745
 - problem, 644
 - join operation, 1504
 - k-colourability, 138
- graph labeling
 - algorithm, 2164
 - problem, 2232
 - zoo, 1162
- graph
 - language, 429
 - layout, 715
 - like object, 1364
 - metric, 1863
 - minor, 1992
 - model, 978, 1739
 - of an interaction, 522
 - of bounded tree width, 2104
 - of boxicity two, 1428
 - on a surface, 884
 - on an alphabet, 915
 - optimization problem, 1021
 - ordering, 1386
 - pair, 458
 - parameter, 1052, 1504, 1739, 2035, 2125
 - partition, 2248
- graph partitioning, 1720, 2186, 2217, 2218, 2228
 - problem, 1673, 1720, 2218, 2256
- graph
 - polynomial, 1691
 - problem, 640, 1532, 1665, 2205
 - property, 1993, 2104, 2170
 - realizability, 63
 - reduction, 1681
 - representation, 455, 2143
 - retraction, 1047
 - search method, 337
 - separation problem, 1638
 - space, 1842
 - spectral result, 510
 - Steiner tree problem, 2223
- graph theoretic, 263, 317, 414, 548, 577, 882, 1834, 2015, 2030, 2148, 2226
 - algorithm, 692
 - characterization of BF orderable graphs, 421
 - data structure, 2198
 - duality, 474
 - index, 500
 - invariant, 63, 1748
 - method, 658, 1503
 - parameter, 1489
 - problem, 660
- graph theoretical, 34, 55, 508, 512, 551, 590, 626, 778, 1728, 1745, 2225
 - optimization problems, 318
- graph
 - theory, 72, 115, 123, 222, 278, 297, 424, 432, 508, 520, 638, 646, 777, 805, 843, 848, 860, 997, 1334, 1471, 1522, 1719, 1745, 1773, 1887, 1901, 2089, 2279
 - transformation, 1757, 2266
- graph traversal, 2205
 - problem, 2205
- graph
 - with few P_4 's, 2247
 - with prescribed degrees and connectivity, 63
 - without triangles, 1706
- graphic matroid, 1684
- graphical
 - partially ordered set, 492
 - partition, 2016
 - representation, 523
- Grassmann
 - code, 717
 - variety, 717
- gravitational method, 652
- Gray code, 32, 497
- graytone image, 1541
- greatest common divisor, 51, 615, 1933, 1968, 2007
- greedily
 - obtained lower bound, 133
 - solvable, 710
- greedoid, 370, 527
- greedy algorithm, 104, 199, 211, 280, 366, 367, 370, 527, 557, 614, 621, 708, 716, 1026, 1039, 1048, 1063, 1370, 1513, 1641, 1682, 1706, 1772, 1867, 1977, 2113, 2142
 - conjecture, 1424
- greedy
 - behaviour, 407
 - chain, 1635
 - concept, 407
 - curvature, 211
 - decision, 1713
 - elimination algorithm, 456
 - heuristic, 583, 1026, 1467, 1524, 1672
- greedy linear
 - extension, 302, 1635
 - time algorithm, 946
- greedy
 - nature, 740
 - network, 1424
 - placement algorithm, 1977
 - procedure, 1023
 - reduction algorithm, 853
 - result, 407
 - schedule, 475

- greedy
 - scheme, 280, 943
 - setup optimization, 853
 - technique, 1713
 - type, 1886
 - greedy-like
 - algorithm, 708
 - procedure, 415
 - Green formula, 576
 - Green, B F, 535
 - green-red colouring, 406
 - Greenberg algorithm, 2195
 - grey scale transformation, 1023
 - grid, 694, 895, 1036, 1038, 1531, 1435, 1441, 1446, 1449, 1693, 1786, 1890, 1921, 1949, 2070, 2106, 2116, 2224, 2227
 - area, 1591
 - array, 2116
 - graph, 371, 555, 1169, 1432, 1449, 1794, 1890, 2106
 - intersection graph, 1428
 - network, 1435
 - partitioning, 2116
 - path, 2070
 - Griesmer bound, 326, 1121
 - Griggs, J R, 369
 - Grillet, P A, 341
 - Gröbner basis, 824, 827
 - algorithm, 814
 - Groebner basis, *see* Gröbner basis
 - Gröflin, 1978
 - Gronwall inequality, 448
 - Grossman, I F, 548
 - Grötschel, M, 1306, 1474
 - Grötschel-Pulleyblank clique tree inequality, 1474
 - groundstate energy, 1422
 - group, 99, 125, 645, 667, 810, 840, 845, 905, 907, 918, 980, 1058, 1090, 1640, 1845, 2185, 2228, 2280
 - approach, 231
 - based collaboration, 2079
 - dynamics, 73
 - element, 64
 - group knapsack, 389
 - problem, 2195
 - group
 - minimisation problem, 64, 231
 - of automorphisms, 577, 1640
 - of congruences, 1948
 - of transformations, 1811
 - path problem, 1058
 - problem, 231
 - relaxation, 231
 - representation, 1954
 - solution algorithm, 231
 - group
 - technology, 1334, 1505
 - test, 102, 385, 1082
 - group testing, 102, 712, 1082, 1135, 1366, 1856, 2209, 2251
 - problem, 1366, 1856, 2209, 2251
 - group
 - theoretic, 1588
 - theory, 833, 907
 - valued submodular flow, 125
 - grouping
 - heuristic, 1090
 - operation, 2257
 - policy, 1090
 - growing crystal, 75
 - growth
 - function, 643
 - in a crystal, 67
 - of random knapsacks, 725
 - rate, 851
 - Grund, 1749
 - grundy, 88
 - Grünwald, N, 1094
 - GUB, 750
 - constraint, 750
 - Guibas, 1368
 - Guignard, 2090
 - Guignard, M, 1160
 - Guo, 2245
 - Gurvich, V A, 1102
 - Gusfield, D, 977
 - Gutjahr, 1835
 - Gutman, 2282
 - Gutman, I, 545
 - Guy, R K, 1537
 - Györi, 1600
 - gyrator, 1865
- ## H
- (H,A,L_∞)-problem, 121
 - Habib, 2161
 - Hadamard
 - code, 934
 - conjugation, 2214
 - design, 826, 934
 - difference set, 696
 - matrix, 828, 934, 2214
 - Häggkvist, R, 156, 2026, 2056
 - Hajek, B, 1037
 - Hakimi, 2223
 - half binomial, 319
 - half duplex link, 1435
 - half integral, 493, 1387, 1660, 1847
 - flow, 1660
 - multicommodity flow, 493

- half integral multiflow problem, 1387
- half mesh of trees, 908
- Halin
 - graph, 580, 1523
 - network, 466
 - subgraph, 1523
 - supergraph, 1523
- Hall, M, Jr, 219 629
- Hall-Littlewood symmetric functions, 836
- Halpern, J, 632
- halving hyperplanes, 2237
- Hamada, N, 629
- Hamidoune, Y O, 609, 918
- Hamilton
 - circuit, *see* Hamiltonian circuit
 - cycle, *see* Hamiltonian cycle
 - decomposition, *see* Hamiltonian decomposition
 - path, *see* Hamiltonian path
- Hamiltonian, 425, 460, 687, 954, 1033, 1071, 1377, 1379, 1384, 1465, 1648, 2037, 2120, 2279
 - behaviour, 1391
 - Cayley graph, 1377
 - chain, 412
- Hamiltonian circuit, 235, 434, 460, 487, 597, 869, 1331, 1332, 2089
 - property, 1496
- Hamiltonian completion problem, 1492
- Hamiltonian cycle, 191, 285, 532, 656, 875, 890, 954, 991, 1033, 1041, 1166, 1377, 1379, 1606, 1648, 1695, 1866, 1878, 1994, 2041, 2056, 2080, 2089, 2110, 2204
 - polytope, 2080
 - problem, 147, 1041
- Hamiltonian decomposition, 2089, 2262
- Hamiltonian graph, 285, 687, 1379, 2037
 - theory, 1379
- Hamiltonian inner triangulation, 1041
- Hamiltonian path, 32, 210, 285, 768, 890, 954, 991, 1331, 1434, 1648, 1866, 1878, 1887, 1902, 2056, 2205
 - cost function, 1984
 - problem, 285, 1331
- Hamiltonian
 - property, 1391
 - saddle free injective pseudo-Boolean function, 529
 - threshold graph, 425
 - tour, 1033, 1110
- Hamiltonian walk, 147
 - problem, 147
- Hamiltonicity, 887, 1379, 1384, 1465, 1648, 2080, 2120, 2279
- Hammer, P L, 151, 614, 744, 1128, 1622, 1882
- Hamming code, 1426
- Hamming distance, 208, 934, 1421
 - form, 901
- Hamming
 - graph, 1421, 2064
 - labeling, 2064
 - weight, 934
- Hanazawa, 2082
- handballene, 1746
- handicap ranking, 2007
- handle, 137, 356, 1114, 1782, 2052
- Hansen SAMD descent ascent method, 1095
- Hansen, P, 1095, 1128, 1764
- Harary, F, 233, 369, 530, 2067
- Hard, 1866
- hard, 2, 15, 79, 246, 281, 360, 412, 546, 662, 740, 943, 1025, 1156, 1376, 1508, 1523, 1532, 1594, 1667, 1670, 1959, 1961, 2104, 2147, 2164
 - bottleneck location problem, 15
 - combinatorial optimization problem, 943
 - constrained shortest path problem, 281
 - counting problem, 417
 - to color graphs, 1376
 - variations of subset sum, 1961
- hardness of group testing, 712
- hardware design, 651, 1031
- Harju, 1947
- harmonic
 - bin packing algorithm, 844
 - function on a graph, 778
- harmonious
 - chromatic number, 1670
 - colouring, 1670
 - labeling, 1162
- Hasse graph, 797
- Haurie, A, 1150
- Hausdorff dimension, 226, 851
- Havel, 2095
- Hayward, R B, 408
- HC polytope, 2080
- head, 251, 1804, 2007
- Head, Tom, 792, 1815, 1837, 2138
- heap, 476
- heat conduction, 1364
 - on graphs, 1364
- heat treatment furnace, 386
- Heath, 1777
- Hedetniemi, S T, 1054
- Hedlíková, J, 230
- height
 - equivalence, 806
 - function, 13
 - of a leaf in a tree, 203
 - of a poset, 1330
 - of a representative sytem, 13

- height of a tree, 1473
- Heinrich, K., 684
- helicone, 514
- Helicopter search problem, 2125
- Hell, 1454, 1843
- Hell, P., 156, 684, 927
- Helleseth, 2128
- Helly 2-acyclic family of subtrees, 1706
- Helly family, 1706
 - of subtrees, 1706
- Helly type condition, 442
- Hendrickson, 2218
- Hendry, G R T., 695
- Hendy, M., 1105
- Hennig, U., 1091
- hereditary
 - family of graphs, 1062, 1636
 - graph property, 2170
 - set system, 527
- Hermite normal form, 1809
- Hershberger, J., 403
- Hertz, 1505
- Herzog, M., 1764
- heterogeneous
 - multiprocessor system, 1971
 - vehicle fleet, 1763
- Heuchenne, C., 341
- heuristic, 137, 163, 283, 285, 324, 381, 383, 396, 464, 488, 557, 575, 583, 863, 931, 943, 957, 1001, 1026, 1031, 1039, 1040, 1080, 1081, 1089, 1145, 1151, 1161, 1164, 1170, 1333, 1365, 1481, 1520, 1523, 1524, 1671, 1676, 1688, 1709, 1726, 1739, 1763, 1765, 1767, 1785, 1790, 1838, 1892, 1912, 1922, 1952, 2018, 2113, 2159, 2217, 2218, 2219, 2224
 - algorithm, 318, 396, 711, 791, 886, 900, 965, 1017, 1144, 1365, 1724, 1770, 1894
 - approach, 281, 751, 863, 1770
 - iterative procedure, 867
 - method, 283, 383, 543, 602, 965, 1142, 1775, 1776, 1973
 - priority scheme, 866
 - procedure, 391, 863, 1358
 - scheduling algorithm, 1775
- heuristic search, 900
 - technique, 1526
- heuristic solution, 183, 1519
- heuristics, *see* heuristic
- hex, 759
- hexagon, 756, 879, 1477, 1694, 1883, 1902, 1965
- hexagonal
 - chain, 2065
 - close packing, 1750
 - covering, 1753
 - grid, 2227
- hexagonal
 - jagged rectangle, 2065
 - net, 1965
 - rectangle, 2065
 - squeeze, 2064
 - system, 514, 756, 879, 1127, 1694, 1817, 1852, 1883, 1902
 - tiling, 1367
- Heydemann, M C., 909
- hierarchical
 - approach, 486
 - Cayley digraph, 918
 - classification, 122
- hierarchy, 1736
 - of functions, 1622
 - of network devices, 54
 - of paroids, 943
 - of relaxations, 679, 1371, 1796
- high
 - multiplicity total weighted tardiness problem, 995
 - order spectral null code, 2261
- higher
 - moments, 383, 476, 851
 - order network, 2236
- Hilbert 13-th problem, 95
- hill climbing, 1037, 1039, 2127
 - algorithm, 1037, 1924
- hillclimbing, *see* hill climbing
- Hilton, 1777
- Hirsch conjecture, 1073, 1662
- history
 - independent, 588
 - of recombinations, 2208
- hitting
 - an object with straight lines, 753
- hitting
 - line, 753
 - set problem, 753, 1899
- Hoàng, 1732
- Hoàng, C T., 777
- Hoare, C A R., 112
- Hochbaum, 1587
- Hochbaum, D S., 464, 995
- Hock, J L., 323
- Hoffman, 432, 1513, 1978
- Hoffman, A J., 1049
- Hofstadter, D., 1855
- hole in a random graph, 769
- Holyer, I., 219
- home game, 115, 551, 664
- home-away schedule, 872
- homogeneous
 - algebra, 644
 - configuration, 642

- homogenous decomposition, 2247
 - of a graph, 2247
 - homogenous
 - game, 1278
 - Kirchhoff equations, 778
 - lattice valued relation, 196
 - pair, 1826
 - set, 1970
 - homogeneously representable interval graph, 569
 - homologous gene, 1923
 - homomorphic
 - characterization, 107
 - image, 419, 1704, 2280
 - homomorphically full graph, 1704
 - homomorphism, 107, 419, 840, 1155, 2109, 2256
 - problem, 1835
 - homotopy, 357
 - algorithm, 357
 - base, 456, 457
 - equivalence, 355
 - Hooker, 1562
 - hop skip and jump algorithm, 1167
 - Hopcroft, 1665, 1670
 - Hopfield networks, 2236
 - Hopfield-type neural networks, 2236
 - Hopkins, L B, 233
 - Horn
 - decomposability, 1909
 - formula, 1472, 1549
 - function, 1909
 - Horn satisfiability, 746
 - problem, 1562
 - Horn
 - scheme, 1909
 - set, 1613
 - Hsu, 1058
 - Hsu, D F, 911
 - Hu, T C, 161, 243, 297, 358, 362, 844
 - Hu-Khang algorithm, 844
 - Huang conjecture, 291
 - Hückel type electrocyclic four center reaction, 512
 - Huffman codes, 1686
 - human genome project, 2058
 - Hungarian
 - method, 12, 483
 - rings, 438
 - structure, 297
 - Hurd conjecture, 800
 - Hwang, F K, 443, 881, 911, 923, 958, 1094, 1366
 - hybrid
 - algorithm, 26
 - code, 26
 - hybridization
 - data, 2212
 - state, 1745
 - hydrocarbon, 506, 514, 1743, 1747
 - hyper edge, *see* hyperedge
 - hyper-edge, *see* hyperedge
 - hyperarc, 1639
 - hypercode, 633
 - hypercube, 53, 607, 916, 917, 1034, 1095, 1140, 1430, 1431, 1434, 1435, 1588, 1657, 1679, 1693, 1759, 1944, 1994, 2023, 2060, 2095, 2101, 2106, 2145, 2176
 - embedding, 1657
 - of processors, 1971
 - topology, 1140
 - hyperedge, 526, 1558, 1871, 2028
 - hyperedge replacement, 1103
 - grammar, 1103
 - hyperforest, 1015
 - hypergeometric series, 1689
 - hypergraph, 387, 414, 492, 515, 642, 765, 1015, 1020, 1166, 1334, 1450, 1457, 1467, 1468, 1505, 1558, 1563, 1618, 1639, 1677, 1737, 1764, 1782, 1806, 1856, 1871, 1958, 2028, 2119, 2221, 2226
 - colouring, 1832
 - degree sequence, 387
 - matching, 1677
 - optimization, 1871
 - partitioning problem, 1558
 - Ramsey number, 1737
 - hypermachability, 945
 - hypermetric inequality, 1566
 - hyperplane, 279, 685, 779, 1076, 1088, 1578, 1579, 1609, 1652, 2237
 - arrangement, 1762
 - stabber, 685
 - stabbing problem, 685
 - transversal, 685
 - hypersphere, 1015, 1043, 1076
 - hypertree, 1457, 2119
 - structure, 2119
 - hypomatchable component, 945
- I**
- Ibaraki, 1509
 - Ibarra, O H, 802
 - IC design, 2244
 - Ichimori, 1138
 - ideal in a polynomial ring, 827
 - idempotent, 639
 - identical parallel machines, 1142, 1481, 1780, 2155, 2167
 - identity tree, 202
 - IFS method, 992
 - Ikeno, N, 930
 - IL system, 578, 670
 - ILP, 90, 142, 2180

- image
 - data compression method, 1541
 - degradation, 1023
 - description, 992
 - digital \sim , 552
 - processing, 1023, 1541, 1716
 - transformation, 1541
 - immunocyto-chemical system, 515
- immunological
 - reaction, 184
 - test data, 184
- immutable code, 815, 2261
- imperfect
 - gas, 521
 - liquid, 521
- implementation
 - of a parallel language, 475
 - strategy, 548
- implementing parallelism, 1537
- implicit enumeration, 1170, 1859
 - procedure, 406
 - scheme, 1160
- implicit representation, 2001
 - for a graph, 2001
- imprecise computation, 1362, 2018
- in-core/out-of-core, 360
 - shortest path algorithm, 360
- inaccessible algorithm, 831
- incidence
 - graph, 1806
 - matrix, 613, 808, 988, 1911, 1974
 - step matrix, 795
- incidence structure, 252, 566
 - of a polyhedron, 252
- incidence vector, 1278, 1562, 1630, 1721, 1781, 2038
 - of a rooted arborescence, 1360
- inclusion exclusion, 1904
 - principle, 1074
- inclusion
 - of comparabilities, 1330
 - relation, 1303, 1783
 - relationship, 435
- incomparability
 - graph, 550
 - in parallel computation, 737
- incompatibility graph, 1031
- incompatible jobs, 1503
- incomplete
 - feedback, 889
 - sigma pi neural network, 2236
- increasing subsequence, 562
- indefinite
 - problem, 193
 - zero one quadratic problem, 193
- independence, 1050, 1052, 1489, 1504, 1691, 1934, 2277
 - axiom, 1109
 - number, 1052, 1382, 1793, 1934, 2279
 - of irrelevant alternatives, 1109
 - of norm result, 2237
 - parameter of a graph, 2277
 - system, 60, 211, 287, 999, 1039
- independent dominating set, 200, 562
- independent domination, 200, 1908, 2277
 - problem, 1908
- independent
 - matching, 1589
 - partition, 176
 - path sets, 702
- independent perfect domination, 1708
 - problem, 1637
- independent
 - random points, 783
 - reference model, 957
- independent set, 211, 246, 312, 425, 434, 506, 597, 688, 708, 862, 986, 1021, 1050, 1136, 1389, 1793, 1869, 1912, 1934, 2027, 2276
 - algorithm, 874
 - of maximum weight, 874
 - problem, 246, 688, 862, 1050, 1684, 2123
- independent
 - spanning trees, 2094
 - subset, 1673, 1912
 - tasks, 284, 791, 1675, 1739
 - two processor tasks, 707
- indeterminate link, 1860
- index
 - of a graph, 429, 604
 - of maximum density, 558
- indexing
 - function, 885
 - scheme, 885
- indifference, 1146
 - graph, 2122
- indirect addressing, 1444
- induced
 - cycle, 769, 1831
 - function, 2083
 - matching, 624
 - permutation automaton, 2280
 - subgraph, 248, 624, 771, 777, 1061, 1065, 1151, 1384, 1632, 1718, 1832, 2067, 2192, 2194, 2266
 - subtree, 1014
 - tree, 401
- induction of an M convex function, 2083
- industrial technology, 1015
- inequality constraint, 114, 1602
- inference of images, 992

- inference of phylogenies, 2200
- inferring
 - a phylogenetic tree, 1916
 - a functional dependency, 974
- infinite binary
 - sequence, 310
 - word, 1855
- infinite
 - de Bruijn array, 595
 - graph, 424, 1454
 - network, 22, 56, 293
 - regular graph, 778
 - resistive network, 778
 - shared memory, 737
 - square lattice, 1390
 - Thue-Morse word, 623
 - transportation problem, 1531
 - word, 153, 1799, 1947, 2136, 2173
- infinitesimal rigidity, 349
- infinitesimally rigid, 950, 1476
 - bar framework, 349
- influence system, 348
- information
 - diffusion, 2157
 - digit, 815, 2261
- information dissemination, 1013, 1433, 1436, 1735, 2108
 - process, 883, 927, 928, 1440
- information
 - exchange, 1013
 - rate, 218
 - retrieval, 232, 267
 - sequence, 815
- information theoretic
 - bound, 596, 889
 - lower bound, 385, 881, 2204
- information theory, 1924
- informational macromolecule, 792
- inheritance
 - dependency, 972
 - of attribute values, 972
- inner
 - linearization, 1160
 - triangulation, 1041
- input
 - head, 251
 - pattern, 1720
 - semigroup, 840
- inscribable polyhedron, 1695
 - algorithm, 1519
 - into a heap, 476
 - path length, 544
- insertion sort, 2233
 - algorithm, 2233
- insertive strict code, 801
- instance distribution, 127, 135, 575
- integer
 - allocation problem, 84
 - balanced solution, 1154
 - interval linear programming, 1
- integer knapsack, 1544
 - problem, 1524
- integer linear
 - problem, 1128
 - program, 6, 142, 339, 487, 1128, 1333
- integer linear programming, 675, 1587, 2180
 - problem, 231, 379, 1335, 1859
- integer
 - making theorem, 62
 - matrix, 305
 - minimization, 84
 - partition, 2016
 - polyhedron, 1978
 - program, 3, 83, 142, 264, 374, 964, 1335, 2116
- integer programming, 26, 64, 198, 528, 541, 561, 703, 964, 999, 1149, 1587, 1677, 1718, 1773, 2159, 2221
 - feasibility, 727
 - formulation, 36, 136, 705, 2033
 - problem, 36, 231, 437, 673, 727, 999, 1149, 1555, 1849
- integer quadratic
 - optimization problem, 1587
 - problem, 1587
- integer
 - residue ring, 824
 - solution, 129
 - valued demand, 161
- integral
 - capacity, 493
 - closure, 817
 - dicycle packing, 1630
 - domain, 1359
 - extension, 817
- integral flow, 420, 1305
 - property, 692
- integral
 - k-matching, 1677
 - lattice, 1656
 - max-min relations, 449
 - monoid, 727
 - representation, 957
 - spectrum, 33
 - submodular system, 262
 - system, 287
 - two commodity flow, 1111
 - vector, 1465, 2083
- integrality
 - condition, 379
 - property, 1009

- integrality theorem, 420
- integrated circuit, 550, 1720
 - layout, 345, 962
- integrity, 693, 902, 1989
 - of a graph, 902
- intensional part of a database, 627
- interacting
 - dimers, 519
 - feedback loops, 522
- interaction
 - coefficient, 245
 - energy, 166
 - rule, 1527
- interactive
 - L system, 587
 - user, 677
- intercell move, 1334, 1505
- interchange
 - graph, 1033, 1465, 2080
 - property, 1892
- interconnected structures, 223
- interconnection, 152, 215, 223, 240, 590, 2223
 - architecture, 1971
 - design, 2017
- interconnection network, 590, 826, 903, 904, 905, 907, 908, 914, 915, 926, 932, 934, 938, 939, 980, 1434, 1537, 1782, 1875, 2023, 2096, 2099, 2106, 2145, 2166, 2252
 - topology, 1994
 - of local maps, 34
 - of rotators, 152
- interdependent subproblems, 677
- interior
 - function, 1828
 - planar graph, 1689
- interior point
 - cutting plane algorithm, 1150
 - method, 1939, 1995
- interleaving, 221
- internal visibility graph, 2274
- interpoint distance, 1616
- interpretation
 - of a grammar form, 76
 - rule, 459
- interpreted strategy, 627
- interprocessor communication delay, 475, 1157, 1633
- intersecting
 - intervals, 1565, 1638
 - set system, 441
- intersection, 685, 781, 784, 811, 1974
 - behaviour, 1083
 - factor, 184
 - graph, 167, 180, 224, 233, 242, 336, 399, 610, 986, 1011, 1029, 1046, 1050, 1060, 1425, 1428, 1638, 1706, 1728, 1798, 1989, 2069
- intersection
 - graph of subtrees, 1706
 - ideal, 818
 - of intervals, 258
 - of languages, 568
 - of minimum dominating sets, 2008
 - of submonoids, 317
 - problem, 568, 781
 - property, 260, 854, 1690
 - theorem, 199
 - theory, 781
- intersection-union system, 184
- intersymbol interference, 821
- intertwined infinite binary words, 1855
- interval
 - assignment, 979
 - bigraph, 2021
 - catch digraph, 1389, 2013
 - colouring problem, 1893
 - completion number, 1831, 2035
 - counts, 224
 - digraph, 1389, 2021
- interval dimension, 1626
 - of a poset, 762
- interval
 - graph, 167, 180, 224, 258, 334, 434, 470, 504, 550, 569, 572, 809, 946, 1056, 1361, 1381, 1637, 1682, 1688, 1728, 1798, 1801, 1831, 1869, 1908, 1913, 1989, 2008, 2021, 2035, 2156, 2211, 2228
 - hypergraph, 1467, 1958
 - linear programming, 1
 - model, 874
 - nest digraph, 1389
- interval number, 167, 233, 242, 369, 572, 1060
 - of a graph, 167, 233, 369, 572
- interval order, 187, 334, 375, 963, 1057, 1098, 1133, 1383, 1427, 1496, 1635, 1680, 1682, 1899
 - dimension, 550
- interval
 - ordered hypergraph, 1467
 - query, 2156
 - realiser, 1626
 - representation, 224, 242, 569, 1057, 1098, 1467, 2021
 - tolerance graph, 1029
- interval/gap approach, 2016
- intervert distance, 1617
 - problem, 1617
- intrachromosomal rearrangement, 1923
- intractability, 1491, 1993
- intree, 1157
- invariance, 1811
- invariance property, 1004
 - of binary trees, 1004

- invariant, 341, 512, 646, 704, 827, 1747, 1748, 1811, 1866, 2063, 2091, 2141
 - characteristic, 514
 - for edge addition, 917
 - neural network, 1811
 - of a graph, 1663
 - of a variety, 823
 - of an ideal, 827
 - set of arcs, 344
 - theory, 819
- inventory, 1780
 - control, 1079
 - planning, 365
 - variable, 672
- inverse
 - Ackermann function, 1134, 1529, 1613
 - finite substitution, 571
 - identity, 845
 - morphism, 150, 398, 802
 - of a circulant matrix, 38
 - problem, 444, 2092
 - shortest arborescence problem, 2092
 - weighted shortest path problem, 2092
- inversion, 878, 1636, 1923, 2233
- inverted order, 65
- invertible generator, 807
- inverting a graph, 238
- inverting perfection, 1636
 - theorem, 1636
- investment
 - planning, 281
 - selection, 1871
- involution, 637
 - of a hypercube, 1140
- involutory automorphism, 1140
- IP, 231, 1304
- Iri, M, 297, 977
- irrational number, 2136
- irreducible
 - algebraic space curve, 781
 - binary word, 542
 - Boolean matrix, 558
 - curve, 781
 - disjoint covering system, 742
 - polynomial, 1968
 - representation, 1752
 - space curve, 781
 - symmetric positive definite matrix, 1134
- irredundance, 1807
 - number, 1807
- irredundancy, 1051
- irredundant, 259, 1051, 1167, 1722, 1807
 - complete subset, 608
 - DNF, 1167
 - function, 1807
 - irredundant perfect, 1052
 - graph, 1052
 - irredundant set, 1051, 1807
 - irreflexive dimension, 1627
 - irregular
 - coin, 889
 - colouring number, 2042
 - polygon, 531, 1836
 - irregularity strength, 2042
 - ISCAS circuit, 1720
 - Ishiguro, A, 981
 - Ishizaki, Y, 977
 - ISI, 821
 - Ising
 - model, 1681, 2091
 - ± 1 spin model, 1422
 - isohedral tiling, 4
 - isolated
 - m-tuple, 758
 - memory, 1522
 - vertex, 574, 1708, 2027
 - isolation index, 2260
 - isomer, 516, 1745, 1749
 - counting, 520
 - isomeric graphs, 848
 - isomerization, 516
 - scheme, 520
 - isometric
 - embedding, 208, 442, 1421
 - theorem of Bollobas and Leader, 1036
 - wheels, 1806
 - isometrically
 - embeddable, 208, 2060
 - embedded, 1657
 - isomorphic
 - dendrograms, 205
 - simulation of an automaton, 757
 - structure, 1745
 - isomorphically complete system, 898
 - isomorphism
 - class of graphs, 393
 - complete, 355
 - group, 196
 - of graphs, 41, 181
 - isomorphism problem, 1745
 - for compact graphs, 773
 - for tree cographs, 594
 - isomorphism test for Hadamard designs, 934
 - isomorphism testing, 79
 - for block designs, 79
 - isomorphism to depth n , 1525
 - isoperimetric
 - inequality, 778
 - theorem, 1036
 - isospectral molecules, 1756

- isostatic, 1476
 - bar and joint framework, 1476
 - graph, 1476
 - subgraph, 1476
- isotonic regression, 1079, 1124
 - model, 1124
 - problem, 1079
- isotopy class, 787
- Itai, 1623, 1985
- iterated line
 - digraph, 1854
 - graph, 502, 1854
- iterated
 - morphism, 310, 571
 - splicing, 1815, 1837
- iteration, 226, 482, 501, 592, 744, 867, 891, 1597, 1665
 - graph, 309
 - index, 1696
 - of Boolean mappings, 257
- iterative behaviour, 245
- iterative characterization, 404
 - of Boolean algebras, 404
- iterative
 - dual change, 298
 - property, 404
 - solution procedure, 1739
- J**
 - jabbering problem, 904
 - Jackson, 2245
 - Jackson rule, 1709
 - Jacobs, D P, 1054
 - Jacobson, M S, 1059
 - James, L O, 14
 - Janowitz model, 796
 - Jean de Rumeur conjecture, 1997
 - Jensen, 2031
 - Jeroslow, R G, 106
 - JEST algorithm, 1776
 - job
 - completion time, 1517, 1895, 1900, 1962
 - processing time, 680, 1641, 1785, 2086
 - scheduling, 723
 - sequence, 1112
 - job sequencing, 93
 - problem, 1813
 - with deadlines, 93
 - job shop, 1477, 2167
 - problem, 1516, 1519
 - job shop scheduling, 134, 490, 1156, 1516, 1776, 1962
 - problem, 134, 1156, 1516, 1776, 2167
 - job splitting, 892
 - methodology, 892
 - job types, 175, 557, 1009, 1780, 1895
 - Johnson, 303, 304, 1598
 - Johnson graph, 826, 1840
 - Johnson, D, 661
 - Johnson, D S, 567, 752, 975
 - Johnson, E L, 151
 - Johnson, S M, 447
 - join irreducible element, 1165
 - joint
 - replenishment problem, 1090
 - setup costs, 1090
 - Jones polynomial, 646
 - invariant, 646
 - Jones, K F, 760
 - Jordan curve, 111, 228
 - Juels, 2127
 - jump, 302, 1814, 1960
 - function, 2153
 - jump number, 210, 302, 559, 1330, 1469, 2038
 - problem, 1635
 - junction structure, 1851
- K**
 - k-ary perfect maps, 595
 - K-best perfect matchings, 484
 - k-best solutions, 301
 - k-blanket, 2235
 - k-cardinality assignment problem, 1976
 - k-centre problem, 1304
 - k-choosable, 1983
 - k-chromatic graph, 2029
 - k-cluster
 - in a graph, 248
 - problem, 248, 1304
 - k-colorable, *see* k-colourable
 - k-colourable, 884
 - graph, 834, 1673
 - k-complete graph, 1137
 - k-core problem, 2235
 - k-cycle scheduling problem, 1166
 - k-dominating set problem, 248
 - k-edge
 - ranking, 754
 - subgraph problem, 1886
 - k-factor, 1986
 - k-flow graph, 2162
 - k-gons of maximum area, 388
 - k-matching, 395
 - k-NLC
 - graph, 1496
 - tree, 1496
 - k-nuclei, 2084
 - k-person tour, 163
 - k-regular, 308
 - graph, 254
 - subgraph, 687, 1797

- k-regular subgraph problem, 687
- k-repetition
 - free, 270
 - freeness, 270
- k-secure graph, 45
- k-size Steiner tree, 1615
- k-spanning set, 250
- k-Steiner ratio, 1615, 2203
- k-terminal recursive, 1495
- k-th best valued assignment problem, 1336
- k-th power of a graph, 1594
- k-trapezoid graph, 1869
- k-tree, 248, 597, 1054, 1056, 1137, 1493, 1901
- k-vertex
 - connected, 454
 - connectivity unweighted augmentation problem, 454
- k-way graph, 2116
- $K_{1,3}$, 1384
- $K_{1,3}$ -free, 1687
 - graph, 1136
- $K_{1,4}$ -free, 1687
- $K_{2,3}$ -free, 1825
- $K_{3,3}$ -free digraph, 1630
- K_3 -cover, 1723
- K_4 -free, 1825
- K_5 -free, 1387
- Kahn, 1904
- Kahng-Hu algorithm, 844
- Kajitani, Y, 977
- Kakusho, O, 297
- Kalantari, B, 440
- Kameda, 1525
- Kannan, 2143
- Kano, 1813
- Karchmer, M, 683
- Karhumäki, 1541
- Kari, 1541
- Karmarkar, 1603
 - interior point potential reduction approach, 1995
- Karmarkar-Karp differencing method, 1603
- Karonski, 1600
- Karp, R M, 66, 355, 424, 1078, 1603
- Karpinsky, 2130
- Karzanov, A V, 297
- Kasteleyn, P W, 227, 323, 1390
- Kataoka, S, 89
- Kauffman bracket polynomial, 646
- Kautz, 632, 1510, 2003, 2107, 2109
 - digraph, 921, 935, 936, 1986, 2003, 2096, 2252
 - network, 632, 921, 2107, 2109
- Kazernov, A V, 297
- Kececioglu, 1917
- Kekulé pattern, 812
 - structure, 499, 506, 1127, 1751, 1817
- Kekulé structure count, 855
- Kekuléan
 - benzenoids, 1751
 - hexagonal system, 1817
- Kelley, J E, 1150
- Kelly conjectures, 17
- Kelly, J S, 17
- Kelmans, A K, 297
- Kempe method, 617
- Kennedy, J W, 202
- kernel, 88, 1278, 1389
 - of a digraph, 88
- Kernighan, 2218
- Kernighan-Lin algorithm, 2218
- key distribution, 128, 566
 - pattern, 566
 - for taxons, 69
 - management, 566
- key set, 976
- key storage, 566
 - problem, 566
- Khouzam, N, 777
- Kim, 2090
- Kimura 3ST model, 2214
- kinetic
 - approach, 1744
 - consideration, 520
- Kipnis, 1540
- Kirchhoff
 - equations, 778
 - laws, 778, 977
 - matrix, 508
- Kirkpatrick, 684, 1843
- Kishi, G, 977
- Klapper, 2054
- Klarner, D, 323
- Klee, V, 529, 1622
- Klein bottle, 1753
- Klein, M, 888
- Kleitman, D J, 291
- Klem, L, 535
- Klin, 1745
- Klingman, D, 367
- Kloks, 2161
- Klug, A, 975
- knapsack, 321, 380, 674, 725, 1026, 1161, 1524, 2116, 2195
 - capacity, 1990
 - constraint, 1019
 - integer programming problem, 171
 - polytope, 171, 259, 948, 999
- knapsack problem, 24, 170, 321, 389, 481, 482, 491, 750, 948, 999, 1009, 1026, 1115, 1160, 1524, 1849, 1990, 2074, 2116, 2117, 2193, 2195, 2259

- knapsack problem algorithm, 90
- knapsack
 - set, 1544
 - sharing problem, 402
- knight
 - graph, 1866
 - Hamiltonian problem, 1331
 - move, 635
- knight tour, 1866, 1887
 - problem, 1866
- knock knee mode, 966
- knot, 655
 - theory, 646
- knots and links, 646
- knotted
 - hypothetical molecular graph, 507
 - molecular graph, 507
- knowledge
 - assessment algorithm, 554
 - space, 554
 - structure, 554
- knowledgeable enemy, 1701
- Knuth
 - complementation method, 2261
 - monotonicity theorem, 1101
- Knuth, D E, 1597
- Ko, K-I, 712
- Kobayashi, 629
- Kobayashi, Y, 629
- Kolen, A W J, 1049
- Kolmogorov, A N, 95
- Komlós, J, 686
- König-Egerváry
 - component, 622
 - graph, 622
- Korec, I, 742
- Körner, J, 625
- Korte, B, 151, 527
- Kovalyov, 2086
- Kraft inequality, 1592, 1856
- Kramer, 1591
- Krantz, D H, 577
- Krarup, J, 362
- Krause, 1873
- Krishnamoorthy, 1670
- Krishnamurthy, 1954
- Krishnamurthy, B, 918
- Krogh, S, 621
- Krohn, 2280
- Kronecker product, 1878
- Krumme, 1446
- Kruskal, 686
- Kruskal, J B, 563
- Kruskal-Katona bound, 563
- Kufta, R W, 958
- Kuhn-Tucker complementary slackness, 741
- Kuo, D, 2235
- Kurosh-Ore theorem, 416
- L**
 - L-cluster methods, 74
 - L-code, 117
 - L-form, 11, 91
 - theory, 11
 - L-polytope, 1656
 - L-system theory, 587
 - L_1 graph, 2060
 - L_1 norm, 2222
 - L_1 -embeddable planar graphs, 2060
 - L_∞ approximation, 1043
 - algorithm, 1043
 - l_∞ distance, 983
 - La Paugh, A S, 981
 - label correcting
 - algorithm, 2188
 - code, 360
 - labeled
 - complete digraph, 683
 - dendrogram, 205
 - difference graph, 1631
 - digraph, 1525
 - graph, 429, 986, 2185
 - network, 1640
 - planar graph, 241
 - stabbing information, 2274
 - labeling
 - algorithm, 312, 574, 1117, 2164
 - of a connected graph, 169
 - problem, 886, 1153
 - procedure, 297
 - scheme, 312, 1816
 - labelled, *see* labeled
 - labelling, *see* labeling
 - LAD curve fitting problem, 197
 - ladder, 2095
 - Laffond, G, 2057
 - Lagarias, J, 1094
 - Lagrange
 - multiplier, 137
 - polynomial, 700
 - Lagrangian
 - 1-tree relaxation, 676
 - decomposition, 1009, 2090
 - Lagrangian dual, 366, 528, 741, 1128
 - bound, 1009
 - formulation, 528, 1170
 - Lagrangian
 - duality, 481, 1128, 1145, 1170
 - method, 1024

- Lagrangian
 - problem, 271
 - relaxation, 136, 137, 366, 482, 528, 674, 676, 678, 741, 867, 1009, 1024, 1142, 1145, 1943
 - substitution, 2090
- Lagrangian, *see* Lagrangean
- Laman theorem, 223
- λ -bell particles, 227
- landmark, 1842
 - in a graph, 1842
- Lang, 2218
- Langston, 1487
- Langston, M A, 585
- language, 11, 23, 49, 87, 96, 118, 150, 168, 236, 244, 251, 313, 320, 325, 327, 405, 426, 429, 477, 495, 498, 547, 568, 633, 635, 637, 640, 804, 805, 992, 1069, 1103, 1129, 1451, 1585, 1799, 1815, 1837, 2055, 2129, 2138, 2147, 2175, 2187, 2239
 - equivalence problem, 1007
- language family, 29, 118
 - of an EOL form, 29
- language
 - form, 23
 - over an infinite alphabeth, 23
- language theoretic
 - complexity gap, 2055
 - property, 2138
- language theory, 571
- Laplace eigenvalue, 886
 - of a graph, 886
- Laplace operator, 253
- Laplacean, *see* Laplacian
- Laplacian, 576, 1510
 - matrix, 1619
 - polynomial, 1619
- Laplacian spectrum, 1619
 - of a graph, 887
- large
 - bipartite digraph, 1557, 1697
 - (Δ, D) -graph, 940
 - deviation, 276
 - generalised cycle, 2252
 - girth, 288, 468, 862, 1628
 - graph, 910, 1701
 - homogeneous monochromatic configuration, 642
 - interconnection network, 915
 - network, 359, 566
 - parallel system, 916
 - planar graph, 1582
- large scale
 - MIMD machine, 980
 - computer, 926
 - parallel processor computer, 980
 - shortest path problem, 360
- large scale system, 295, 939
 - of equations, 455
- large scale zero one integer programming problem, 26
- large sparse
 - nonsingular matrix, 268
 - system of linear equations, 539
- large
 - spider web network, 930
 - survivable net, 1701
 - trivalent graph, 925
- largest
 - clique, 1062, 1673
 - complete subgraph, 140
 - induced matching, 624
 - induced tree, 401
 - polygon, 388
 - processing time first, 791
 - strategy, 332
 - winning strategy, 332
- Lascoux, A, 836
- Laslier, J F, 2057
- latest
 - schedule, 761
 - starting time sequence, 761
- Latin
 - brick, 631
 - marriage problem, 1699
 - square, 219, 649, 919, 1595
 - transversal, 764, 1528
- Latteux, M, 118
- lattice, 98, 196, 201, 227, 393, 404, 805, 836, 933, 945, 971, 1367, 1390, 1422, 1602, 1650, 1733, 1750, 1939, 2258
 - bandwidth, 770
 - geometry, 742
 - graph, 146, 503
 - majority rule, 1165
 - matrix, 1974
 - model, 521
 - parallelotope, 742
 - path, 793
 - point problem, 311
 - space, 227, 323
 - structure, 305
 - theoretic, 971
 - theoretical, 512, 1609
 - valued relation, 196
- Laurent, M, 1566
- Lawler, E L, 341, 723, 1495
- laws of electromagnetism, 517
- layer of a Boolean function, 1828
- layered mixed matrix, 699, 1589
- layout
 - compaction, 962
 - design, 2227

- layout
 - of a connection structure, 965
 - problem, 5, 2222
 - system, 345
 - width, 2220
- LBFS, 2255
- LCP, 463, 2137
 - duality theorem, 2137
 - mapping, 896
- Leader, 1036
- leaf
 - in a tree, 203
 - node, 205
- leaky electrical network, 2007
- leapfrog operation, 1748
- learnability, 1985
 - of functions, 1120
- learnable concept class, 1012
- learning, 620, 1012, 1365, 1652, 2251
 - algorithm, 2236
 - application, 2150
 - from examples model, 1365
 - problem, 1365
 - theory, 620, 1652, 1811, 1992, 2150
- least cost
 - fault detection problem, 77
 - problem, 591
- least
 - fixed point, 627
- least median of squares regression, 376
 - line, 376
- least
 - recently used caching, 957
 - squares estimation, 1926
 - uniform spanning tree, 411
- lexicographic permutation, 8
- Lee, 50, 1866, 2133
 - code, 50, 70, 85, 116, 218, 447, 2085
 - metric, 116
 - MLPT, 2133
- Lee, S L, 981
- left continuity, 74
- leftmost
 - maximal periodicities, 648
 - substring, 648
- Legendre sum, 856
- Leighton, 2145
- Leighton, F T, 967
- Leland, 2218
- Lemke algorithm, 32, 315
- Lengauer, 1591
- length
 - of a leaf, 291
 - uniform morphism, 270
- Lepp, M, 988
- Lerchs, H, 548
- Lesniak-Foster, L M, 1168
- letter to letter morphism, 805
- level set, 1863
 - of a flow, 959
- Levenshtein metric, 540
- leverage theorem, 1988
- Lewin, M, 263, 2231
- LexBFS, 2141
- lexicographic
 - best solution, 1809
 - breadth first scheme, 2255
 - multicriterion objective, 272
- lexicographic optimization, 863
 - problem, 863
- lexicographic
 - order, 8, 678, 1816
 - product, 2121
- Liang lower bound, 998
- Liang, F M, 998
- #LICOL, 1941
- LICOL problem, 1941
- Lieb, E H, 227
- Liebling, Th M, 614
- Liestman, 1944, 2108
- Liestman, A L, 927
- lift and project, 2268
- lifted
 - facet, 948
 - inequality, 948, 1849
- lifting, 817, 948, 1019, 1566
 - cover inequality, 1849
 - procedure, 1849, 1566
- ligase, 792
- limit
 - behaviour, 473
 - cycle, 257
 - of heights of leafs, 203
 - of languages, 23
- limitation of fuel, 164
- limited
 - buffer, 1850
 - capacity, 1775
 - compaction, 290
 - completion time, 1641
 - sharing, 716
 - vehicle capacity, 1144
- Lin, 1530, 2218
- Lin-Kernighan
 - heuristic, 1039
 - method, 1979
- Lindenmayer, A, 587
- Lindsay, 1749
- line broadcast, 1953, 2105
 - scheme, 1953

- line
 - broadcasting, 2105
 - communication model, 2048
 - connectivity, 63
 - digraph, 207, 743, 936, 1854, 1986, 2107, 2109, 2252
- line drawing, 252, 277
 - of a polyhedron, 155, 252, 277
- line graph, 58, 399, 502, 752, 880, 1136, 1646, 1993, 2075, 2192
 - of a bipartite graph, 752, 2191
 - of a claw-free graph, 752
- line map, 111
 - graph, 111
- line
 - probing algorithm, 1652
 - protocol, 1953
 - transversal, 784
- linear
 - algebra, 818, 1010, 1471, 1669
 - algorithm, 154, 191, 368, 961, 1058, 1489, 1583, 1801, 1891, 2025, 2070, 2082
- linear arrangement, 1560
 - problem, 1560
- linear
 - array, 1610, 1946
 - based bent sequence, 952
 - binary code, 260
 - block code, 717
 - cellular automaton, 1702
 - classifier, 2152
 - code, 57, 303, 816, 2177
 - collective order, 65
 - complementarity problem, 32, 106, 315, 463, 1658, 2137
 - complexity, 696, 1098, 1684, 1712
 - conductor, 1494
 - congruence, 198
- linear constraint, 21, 412, 605, 1018, 1696
 - in bounded integers, 461
 - representation, 412
- linear
 - cost function, 280
 - cut width, 2232
 - decision tree algorithm, 100
 - dependence, 523
 - diophantine inequality, 374
 - dynamical system, 525
 - extension, 302, 559, 955, 1467, 1469, 1635, 1649, 1787, 1900, 2038
 - extremal equation, 273
 - fit problem, 2237
 - forest, 1153
 - function on a module, 631
 - graph, 1696
- linear
 - homogeneous congruence, 142
 - hull operator, 419
 - hypergraph, 1563
 - independence, 1130
 - inequality, 841, 1360, 1471
- linear integer program, 83
- linear integer programming, 943
 - problem, 106
- linear
 - L_1 approximation, 2237
 - language, 1799
 - layout, 612
 - matroid parity problem, 945
 - maximization on a partially ordered set, 104
- linear network, 54
 - theory, 223
- linear
 - nonregular, 1799
 - objective function, 20, 370, 2281
 - optimization, 197, 1587
 - order, 17, 65, 120, 187, 1049, 1167, 1803, 1816
- linear ordering, 1306, 1487, 1931, 2217
 - polytope, 1306, 1630
- linear
 - processor bound, 1530
 - program, 83, 613, 668, 676, 1118, 1938
- linear programming, 12, 21, 83, 197, 198, 283, 297, 380, 538, 613, 652, 668, 674, 676, 685, 700, 749, 943, 959, 1073, 1118, 1149, 1471, 1531, 1560, 1620, 1677, 1692, 1765, 1796, 1882, 1938, 1939, 2039, 2268
 - assignment problem, 1149
 - heuristic, 283
 - method, 379, 1939
 - polyhedron, 6
 - problem, 265, 679, 700, 741, 749, 808, 979, 1472, 1555, 1587, 1900, 1939
 - relaxation, 142, 482, 528, 610, 705, 1026, 1170, 1304, 1371, 2180
- linear recognition, 1593
- linear recurring
 - array, 1032, 1968
 - m-array, 1125
- linear
 - recursion property, 696
 - relaxation, 461
 - representation of a signed graph, 99
 - section, 854
 - separator, 1076, 1579
 - sharing problem, 402
 - spatial equilibrium, 357
 - storage, 666
 - storage approximation scheme, 666
 - string grammar, 351

- linear
 - structure of graphs, 1831
 - threshold function, 1579
- linear time, 42, 225, 283, 290, 540, 562, 612, 659, 660, 697, 732, 784, 844, 893, 961, 981, 1028, 1112, 1137, 1431, 1472, 1479, 1493, 1509, 1549, 1583, 1853, 1866, 1941, 2068, 2119, 2122, 2124, 2141, 2198, 2228, 2247, 2269
 - algorithm, 71, 127, 154, 191, 206, 256, 290, 330, 341, 346, 368, 466, 580, 588, 597, 689, 807, 861, 880, 884, 890, 981, 983, 984, 996, 1023, 1041, 1044, 1053, 1054, 1055, 1076, 1137, 1479, 1493, 1495, 1550, 1562, 1665, 1674, 1708, 1792, 1804, 1830, 1843, 1866, 1870, 1891, 1913, 1930, 1946, 1958, 2006, 2008, 2039, 2130, 2132, 2191, 2194, 2235, 2255, 2269
- linear time and space, 666
 - algorithm, 1098
- linear time
 - approximation algorithm, 2213
 - complexity, 744, 2220
 - computation, 42
 - greedy algorithm, 2142
 - labeling algorithm, 312
 - maximisation algorithm, 390
 - optimisation algorithm, 1583
 - recognition algorithm, 494, 1593, 1830
 - sequential implementation, 702
 - solution, 421
 - solvability, 1492
- linearisation, 745, 1170
 - technique, 1170
- linearization, *see* linearisation
- linearly
 - bounded transmission fault, 2101, 2250
 - independent, 1130
- linearly ordered
 - character state, 2082
 - commutative group, 273, 306, 600, 1130, 1669
 - set, 1130, 1680
- linearly separable Boolean function, 1578
- linguistics, 842
- linial, 683, 1904
- link, 634, 903, 908, 1163, 1430, 1436, 1537, 1640, 2094, 2110, 2176, 2181
- linked strings, 792
- linking
 - probability, 930
 - system, 592
- Linzertorte problem, 371
- list coloring, *see* list colouring
- list colouring, 1571, 1983, 2040, 2118
 - problem, 1571, 1941
- list schedule, 475, 1543
- list scheduling
 - heuristic, 1481
 - method, 391, 1675
 - rule, 1481
- list
 - independent set in a \sim , 688
 - T-coloring, 2118
- literal, 294, 575, 1000
- Liu, G., 684
- Liu, R., 133
- liveness, 746
- Lloyd, 1682
- LM matrix, 699
- load
 - balancing, 311, 1971
 - of a vertex, 1808
- local
 - adaptation, 1647
 - algebra, 823
 - algebraic invariants of a variety, 823
 - alignments, 1912
 - area network, 1099
 - broadcasting, 2105
 - combinatorial optimization, 1039
- local density, 1583, 2079
 - metric, 2079
- local
 - grayness function, 1541
 - growth, 587
- local improvement
 - algorithm, 529, 1912
 - heuristic, 1164, 1912
- local
 - information, 208, 1493
 - interchange property, 1892
 - map, 34
 - median, 730
 - minimum of a matrix, 1038
- local multiple alignment, 1928
- local optima, 607, 1164
 - topology, 1164
- local
 - optimality, 375, 1022, 1163
 - optimisation on a graph, 607
- local optimum, 381, 607, 867, 1038, 1164
 - strategy, 488
- local
 - permutation routing, 1875
 - property, 230, 837, 1495
 - ratio theorem, 2170
 - ring, 823
- local search, 544, 607, 1022, 1038, 1039, 1147, 1766, 1892, 2123
 - heuristic, 1766, 1767, 1892
 - scheme, 943
 - time, 544

- local
 - structure, 1379
 - testability, 2187
 - tournament, 2031, 2245
 - waiting time, 1809
- localisation
 - of the coordinate ring of a variety, 823
 - result, 1170
- locality, 1495
- localization, *see* localisation
- locally connected spanning tree, 1901
- locally finite
 - infinite network, 22
 - pseudovariety, 2175
 - variety, 2175
- locally
 - semicomplete digraph, 2031, 2245
 - triangular, 837
- locating
 - a facility, 891
 - a tree shaped facility, 2193
 - communication center, 2186
- location allocation, 1170
 - problem, 1170, 1952
- location
 - model, 446, 1126
 - problem, 15, 891, 1009, 1040, 1107, 1124, 1152, 1304, 1685, 2090, 2119
 - theory, 442
 - vector, 785
- locking, 297, 616, 973
 - algorithm, 973
 - problem, 297
 - property of multiflows, 297
- log-space completeness, 380
- log-time parallel implementation, 702
- logarithmic
 - concave, 786
 - time, 1698
- LOGCFL, 735
- logic
 - circuit, 893
 - gate, 893
 - program, 968
- logic programming, 866
 - problem, 746
- logic
 - simulation, 893
 - synthesis, 2226
- logic testing, 1720
 - of a combinational circuit, 1720
- logical
 - clause, 1158
 - constraint, 2268
 - design, 68
- logical
 - functions preserving 0, 726
 - sentence, 1620
 - structure of a system, 522
- LOGNP, 1993
- long cycle, 1878
- long division, 64
 - algorithm, 64
- long path, 1878
- longest
 - cycle, 2026, 2279
 - increasing subsequence, 1117
 - path, 1696
- longest processing time, 755
 - algorithm, 755
- longest remaining path first schedule, 1543
- look-up table, 439
 - labels, 439
- loop, 190, 373, 399, 442, 522, 645, 848, 911, 936, 939, 1063, 1103, 1556, 1653, 1896, 1971, 2129, 2146
 - network, 939, 2009
- loose value automorphism, 577
- Lorea, M, 1764
- Lorentz transformation, 517
- loss preventing strategy, 332
- lot size scheduling, 1780
- lot sizing, 1149
 - problem, 672
- Lotka-Volterra system, 525
- Lovász
 - duality theory, 945
 - local lemma, 764
- Lovász, L, 527, 622, 641, 684, 1468, 1764
- low
 - complexity normal basis, 651, 733
 - degree curves, 781
 - density series expansion, 503
- lower and upper bound, 292, 326, 400, 463, 505, 607, 700, 885, 929, 1036, 1063, 1072, 1161, 1333, 1620, 1690, 1735, 2036, 2145, 2150
- lower bound, 16, 21, 39, 53, 90, 100, 110, 114, 133, 137, 140, 151, 167, 168, 200, 314, 326, 353, 366, 371, 396, 402, 676, 678, 683, 701, 711, 734, 737, 739, 742, 784, 813, 881, 885, 889, 892, 903, 905, 927, 929, 935, 967, 974, 976, 998, 1013, 1036, 1038, 1057, 1071, 1072, 1099, 1142, 1145, 1170, 1385, 1432, 1434, 1435, 1439, 1455, 1478, 1516, 1560, 1578, 1586, 1591, 1592, 1599, 1615, 1623, 1654, 1677, 1679, 1683, 1697, 1699, 1724, 1725, 1737, 1786, 1840, 1844, 1882, 1934, 1887, 1934, 1943, 1991, 2097, 2106, 2146, 2177, 2183, 2221
- technique, 739, 1439

- lower
 - chromatic number, 1958
 - probability, 1733
 - valuation, 1165
- LP, 26, 1118, 1149, 1304
 - code, 485
 - duality, 12
- LP relaxation, 129, 379, 1677, 2159, 2221
 - bound, 1009
- LP solver, 2180
- LPT, 543, 755, 791
 - algorithm, 284, 755, 1084, 2133
 - rule, 383, 1481
- LR
 - array, 1032
 - m-array, 1125
- LRU caching, 957
- Lubiw, A, 1049
- Lubotzky, A, 645
- Lucas numbers, 1702
- Lucchesi, 1630
- Luce, R D, 577
- Lueker, 2039, 2198, 2212
- lumped
 - power conserving system, 2172
 - system, 2172
- Lundgren, J R, 530, 760
- Lyapunov functional, 473
- M**
 - m-adic residue codes, 639
 - m-ary balanced code, 2261
 - M-convex function, 2083, 2134
 - M-decomposition, 455
 - M-irreducible component, 455
 - m-machine problem, 1898
 - m-recognizable, 565
 - M-sequence, 329, 1088
 - m-traveling salesmen problem, 366
 - Macaulay theorem, 827
 - machine
 - capacity constraint, 678, 1142
 - dependent processing time, 956, 1964
 - duplication, 1334
 - learning, 2152
 - scheduling, 2132, 2133
 - speed, 452, 1545
 - subject to failure, 1642
 - MacLane exchange property, 416
 - MacMahon cube law approximation, 319
 - MacWilliams transform, 2128
 - MADA, 1938
 - Maddison, 1659, 2082
 - MADLP, 1938
 - MADM, 1938
 - Machara, 2013
 - magic trick, 2126
 - magnetic crystal system, 1422
 - magnetization, 1422
 - Mahesh, 1824
 - Mahjoub, 1723
 - maintenance, 173, 866, 1977, 2113
 - service, 2113
 - Maierov, 2151
 - majorities problem, 1803
 - majority
 - function, 340
 - preference, 776
 - rule, 1165
 - strategy, 2066
 - tournament, 776
 - tree, 1927
 - voting, 13, 776
 - makespan, 383, 755, 791, 956, 1009, 1157, 1475, 1481, 1503, 1543, 1545, 1584, 1603, 1709, 1730, 1739, 1846, 1897, 1898, 1982
 - makespan minimisation, 1850, 1943, 1977
 - problem, 1009, 1850
 - makespan
 - schedule, 1561
 - scheduling, 1603
 - Mallow ranking model, 1008
 - Manber, Udi, 1563
 - Manhattan
 - channel router, 967
 - model, 967
 - routing, 967
 - Manhattan street network, 2110
 - of processors, 2110
 - manufacturing
 - management, 672
 - process, 1009
 - system, 486, 1159, 1334
 - many-one reducibility, 640
 - many-to-one simulation, 29
 - of EOL forms, 29
 - many-valued logic, 108, 774
 - mapmaker dilemma, 834
 - mapping
 - of a graph onto a circle, 1777
 - of a tree onto a circle, 1777
 - Marcus, 1799
 - market equilibrium, 356, 357
 - Markov
 - chain, 47, 1515, 1988, 2007
 - decision process, 1671
 - model, 2214
 - process, 2214
 - tree, 1015
 - Markov, A A, 2136

- marriage
 - problem, 864, 1006, 1650, 1699
 - stability, 1597
- married sequence, 1855
- Marsh, A B, 287
- Martello, 1676, 1844
- Martin algorithm, 439
- martingale, 373
 - extension, 373
- Mason
 - determinant rule, 1862
 - gain formula, 1862
- mass center, 230
- Massey-Omura multiplier, 733
- massively parallel
 - computer, 917, 2166
 - computing system, 1611
- MAST, 1918
- master matroid, 223
- Masuda, Shinji, 144
- Masuyama, H, 1138
- match making application, 864
- match-up strategy, 1668
- matchable pair, 1471
- matching, 220, 265, 287, 307, 338, 343, 433, 540, 621, 624, 676, 702, 893, 945, 951, 1095, 1146, 1168, 1336, 1359, 1434, 1453, 1546, 1589, 1597, 1607, 1677, 1691, 1726, 1841, 1852, 1857, 1873, 1921, 1928, 1932, 1938, 1950, 2130, 2142, 2278
 - algorithm, 739, 864, 1422
 - game, 443
 - in benzene chains, 194
 - in graphs, 428
 - matroid, 763
 - method, 1453
 - number, 395, 1051, 1382, 1468
 - parentheses in parallel, 985
 - polyhedron, 402
 - polynomial, 194, 220, 394, 510, 545, 1092
 - polytope, 287, 1122
 - problem, 12, 28, 307, 343, 610, 736, 1117, 1471, 1483, 2269, 2278
 - solution space, 484
 - theory, 1063, 1873
 - with two nodes, 194
- matchoid, 60
 - problem, 60
- Mateescu, 2187
- mathematical
 - chemistry, 520
 - language, 1745
 - model of triangulanes, 1754
 - program, 311, 1558
 - mathematical programming, 129, 1664
 - code, 129
 - mathematical
 - representation, 1745
 - theory, 87, 1015
 - MATLAB implementation, 1150
 - Matousek, 1493
 - matrix over a ring, 1959
 - matrix representation, 1745, 2045
 - of a closure operation, 300, 663
 - matrix
 - searching, 2156
 - set, 157
 - transpose, 2097
 - transposition, 1444
 - tree theorem, 99
 - matroid, 25, 99, 211, 221, 223, 262, 263, 277, 367, 409, 419, 422, 433, 456, 527, 592, 613, 621, 690, 708, 763, 785, 786, 808, 943, 977, 1042, 1100, 1148, 1518, 1556, 1589, 1600, 1602, 1634, 1658, 1684, 1717, 2083, 2134, 2171, 2172, 2205
 - axiomatics, 60
 - base problem, 1684
 - constrained, 1556
 - elongation, 1600
 - generalization, 263, 411
 - matroid intersection, 60, 221, 397, 1602, 1719
 - algorithm, 221
 - problem, 1148
 - matroid
 - matching, 945
 - of a graph, 99
 - of a signed graph, 99
 - optimisation, 221, 1602
 - pair, 1148
 - parity problem, 945
 - partitioning, 397, 2001
 - problem, 367
 - structure, 2205, 2278
 - theoretic framework, 592
 - theory, 215, 626, 943, 1070, 1359, 1634
 - union, 223
 - matroidal
 - bottleneck problem, 1684
 - model, 54, 223
 - problem, 1684
 - structure, 1684
 - matroids for rigidity, 215
 - Matthews, 233
 - Matthews, M, 233
 - Maurer, H, 168
 - max-algebra, 1130
 - max-balanced, 959
 - flow, 959

- max-cut, 1725
 - problem, 743, 1496, 1725
- max-distribution matrix, 1110
- max-flow, 21, 344, 2073, *see also* maximal flow, maximum flow
- max-flow min-cut
 - property, 422
 - theorem, 297, 420
- max-flow problem, 21
 - with parametric capacities, 21
- max-flow
 - procedure, 1305
 - value, 21
- max-linear
 - combinatorial optimisation, 1018
 - equation system, 1514
 - objective function, 1018
- max-M-flow min-cut theorem, 25
- max-min
 - algebra, 1935
 - integer allocation problem, 84
 - location problem, 891
 - matrix, 1935
- max-min problem, 531
 - on finite automata, 603
- MAX-SNP
 - complete, 2017
 - hard, 2199
 - hardness, 2224
- maxcut, *see* max-cut
- maxflow, *see* max-flow
- maximal
 - chain, 846, 1330, 1469
 - checking, 1875
 - chordal subgraph, 539
- maximal clique, 979, 1019, 1083, 1646, 1928, 2035, 2119
 - module, 2141
- maximal
 - connected subgraph, 368, 1928
 - cost to time ratio, 424
 - false points, 431
- maximal flow, 1048, *see also* max-flow, maximum flow
 - algorithm, 420
 - problem, 390
- maximal
 - graph, 900
 - ideal topology, 823
 - increasing subsequence, 562
 - independent set, 211, 312, 688, 2027
 - irredundant function, 1807
 - nonkey, 1812
 - outerplanar graph, 1497
- maximal partial
 - clone, 628
 - triple system, 526
- maximal
 - path length, 1473
 - period, 535
 - periodicity, 648
 - planar graph, 31, 147, 191
 - subclone, 608
 - word, 370
- maximally connected, 935, 1683
 - d-regular digraph, 1683
- maximally edge connected, 1833
- maximisation of average performance, 748
- maximising traveling salesman problem, 1644
- maximization, *see* maximisation
- maximum
 - absolute deviation, 84
 - agreement subtree problem, 1918
- maximum average distance, 1382
 - of a graph, 1382
- maximum balance, 2226
- maximum balanced flow, 1305
 - problem, 423
- maximum bipartite matching, 1841
- maximum
 - bivalent tree, 174
 - capacity augmentation algorithm, 1106
 - capacity cut, 412
 - cardinality bottleneck bipartite matching problem, 1607
 - cardinality search, 1863, 2255
 - completion time, 130, 283, 304, 452, 1429, 1561, 2167
 - connectivity, 701, 918, 1833
- maximum cycle mean, 600, 860, 959
 - of a matrix, 600
- maximum degree, 62, 63, 143, 202, 235, 322, 596, 612, 634, 687, 702, 705, 880, 884, 915, 924, 927, 935, 1056, 1061, 1466, 1582, 1591, 1639, 1697, 1703, 1786, 1791, 2025
 - of a graph, 1035
- maximum
 - density, 558
 - disjoint paths, 1483
 - distance separable code, 819, 1634
 - domatic partition, 1688
 - efficiency, 1053, 1055
- maximum empty rectangle, 352
 - problem, 239
- maximum feasible packing, 1717
- maximum flow, 81, 316, 359, 959, 1505, *see also* max-flow, maximal flow
 - algorithm, 1685
 - network problem, 48

- maximum flow
 - problem, 48, 81, 358, 990, 1106, 1145
- maximum
 - fractional matching, 428
 - frequency, 1696
- maximum independent set, 246, 986, 1051, 1927, 2025, 2123
 - problem, 539, 2123
- maximum integral two commodity flow, 1111
 - problem, 1111
- maximum job completion time, 1503, 1962, 2132
- maximum lateness, 1017, 1114, 1429, 1543, 1675, 1962, 1982, 2167
 - criterion, 1114
- maximum load, 604
- maximum matching, 945, 1726, 2142
 - of a graph, 621
 - problem, 1483, 1719, 2142, 2269
- maximum
 - mean cut, 1096, 1369
 - neighbourhood ordering, 1806, 2119
 - node weight, 1886
 - noncrossing matching problem, 1117
 - out-degree, 1537, 1557, 1697, 2252
 - parsimony, 2082, 2214
 - partial coverage, 583
- maximum path digraph, 1357
- maximum path length, 1473, 2249
 - tree, 2249
- maximum
 - principle, 589
 - refinement subtree problem, 1918
 - satisfiability problem, 1095, 1158
 - size immutable code, 815
 - spanning tree, 1665
 - stable set problem, 1621
 - tardiness, 1982
 - total weight, 1565, 1781
 - transmission delay, 701
 - tree packing problem, 861
- maximum two flow, 1847
 - problem, 1847
- maximum
 - unit circle caterpillar, 1750
 - vertex weighted matching, 2130
- maximum weight
 - circulation, 81
 - clique, 406
 - spanning forest, 1665
 - stable set problem, 743
- maximum weighted
 - acyclic subgraph, 748
 - clique, 434, 689, 1480, 1553, 1869, 2087
 - independent set, 434, 1553
- maximum working time, 714
- maxmin, *see* max-min
- Maxwell, J Clerk, 811
- Maybe, J S, 530
- Mayer
 - cluster theory, 521
 - problem, 521
- McCulloch Pitts
 - neuron, 2047
 - unit, 2047
- McEliece bound, 447
- McEliece, R J, 447
- McKee, T A, 626
- McKenzie, R, 631
- McLennan, A, 1306
- MCM, 600
- McMorris, F R, 1059
- MCNF, 1096, 1369
 - algorithm, 1369
- McQuistan, R B, 323
- MCS scheme, 2255
- MDP, 1671
- MDS codes, 1634
- MDT-P, 1483
- mean distance, 240, 695
- mean flow time, 956, 1517, 1561
 - schedule, 1561
- mean
 - internodal distance, 2110
 - relative error, 1040
 - square radius of gyration, 508
- meaningfulness, 748
- measurable transformation, 949
- measure
 - of complexity, 95
 - of presortedness, 1008, 1552
 - of similarity, 500
 - or complexity, 95
- measure theoretic
 - approach, 949
 - property, 1531
- measurement theory, 748
- measuring complexity, 371
- mechanism, 155, 633, 800, 806, 1946, 2208
- medial construction, 646
- median, 82, 230, 376, 686, 730, 1165, 1805, 1938, 2084, 2139
 - distance, 2200
 - for a weight metric, 1165
 - graph, 230, 1685, 2078, 2066, 2139
- median hyperplane, 2237
 - problem, 2237
- median
 - interval, 1659
 - of a profile, 2139
 - of squares regression, 376

- median
 - problem, 230, 2200
 - procedure, 2139
- median semilattice, 230
- median set, 730, 2066
 - of a graph, 730
- median
 - space, 1685
 - tree, 1927
 - value, 1805
- medical imaging, 1638
- Megiddo, N., 598
- Mellin transform, 619
- membership problem, 351, 792, 818, 972, 1731
- memorization, 2259
- memory allocation, 290
- memory management, 842
 - system, 957
- memory
 - module, 919
 - technology, 59
- Mendelsohn design, 1075, 2169
- Menger, 445
- Menger decomposition, 455
 - of a graph, 455
- Menger
 - path systems, 912
 - theorem, 445, 1004, 1674
- Menger-type
 - condition, 1557
 - linking, 455
- merge, 139, 686
 - recognition problem, 112, 139
- merging networks, 654, 1586
- meromorphic function, 619
- mesh, 908, 916, 932, 1610, 1921, 1991, 2097
- mesh connected
 - computer, 885, 1994, 2097
 - processor array, 885
- mesh
 - of trees, 908, 932
 - with multiple broadcasting, 1991
- message
 - broadcasting, 2253
 - complexity, 2181, 2250
 - dissemination, 1439
- message passing
 - communication library, 1444
 - system, 1478, 1540
- message
 - routing scheme, 916
- message transmission, 2094, 2176
- metaheuristic, 1163, 1979
- metric, 230, 297, 493, 540, 848, 1008, 1165, 1507, 1657, 1660, 1915, 2079, 2149, 2151, 2260
- metric basis, 1842
- metric dimension, 1842
 - of a graph, 1842
- metric
 - on strings, 540
 - property, 1531
 - space, 230, 1615, 1842, 2148, 2203, 2213
- Metropolis algorithm, 2127
- Meyer, J C., 909
- Meyer, R R., 461
- Meyniel
 - graph, 1864, 2052
 - weakly triangulated graph, 1864, 2052
- Meyniel, M., 408
- MF, 791
 - algorithm, 791
- MFP, 431
- Middendorf, 1387, 1732
- middle graph, 206
 - of a hypergraph, 206
- Miller, 1764
- Miller, G., 661
- Miller, N R., 776
- Miltersen, 1586
- MIMD machine, 980
- min max, *see* min-max
- min sum, *see* min-sum
- min-algebra, 432, 1669
- min-algebraic
 - duality, 432
 - equation, 432
- min-clique scheduling problem, 1896
- min-cost flow, 1976, 2159
- min-cut, 344
- min-linear equation system, 1514
- min-max
 - buffer assignment problem, 1154
 - criterion, 1124
 - integer allocation problem, 84
 - location problem, 15
- min-max objective, 1952
 - function, 669
- min-max
 - partition on a tree, 1068
 - path, 1716
 - problem, 531, 1068
 - relation, 1723
 - result, 763
 - theorem, 433, 2183
- min-sum
 - hyperplane, 2237
 - linear assignment problem, 483
 - p-clustering, 2234
 - problem, 886, 1938
 - see also* minimum sum

- min-weighted set cover problem, 1903
- Minc, H, 2144
- minclique, *see* min-clique
- mine planning, 548
- mineral deposit, 548
- mini cycle set, 439
- Minieka, E, 249
- minimal
 - Armstrong relation, 1812
 - automaton, 603
 - chordal embedding, 2035
 - connected enclosure, 2229
 - cost reliability ratio spanning tree problem, 255
 - cost to time ratio, 424
 - cost/capacity ratio, 234
 - cover, 259, 321, 948, 999, 1019, 1831
- minimal covering, 1077
 - of an infinite set, 1077
 - set, 1468
- minimal deadlock, 746
- minimal dominating
 - function, 697
 - set, 697
- minimal
 - enclosure, 2229
 - energy, 2282
 - generator, 1812
 - idempotent, 2280
 - invariant set, 344
 - inverse, 238
 - key, 719, 976, 1812
 - language, 2239
 - lateness, 1891
 - minus dominating function, 1792
 - nondeletable set, 552
 - number of productions, 168
 - path routing scheme, 916
 - pcc, 746
 - perimeter, 445
 - polynomial, 1968
 - proper alternating cycle rotation graph, 1880
 - robber speed, 2125
 - separator, 2035, 2141
 - set, 43, 259, 724
 - spanning tree, 480
 - subtree, 446
 - test pattern, 552
 - totally dual integral system, 287
 - trap, 746
 - triangulation, 114, 1831, 2035, 2141
 - true point, 431
 - vertex separator, 2255
 - weight codeword, 717
 - word, 2239
- minimax
 - algebra, 306
 - number of group tests, 102
 - problem, 52
 - routing, 1790
 - theorem, 1483
- minimisation
 - of separable objectives, 402
 - of the number of misclassifications, 160
 - problem, 36, 271, 1767, 1922
- minimising
 - broadcast cost, 2253
 - bumps for a poset, 559
 - irregularity, 115
 - maximum cost, 602
 - maximum lateness, 1017, 1114
- minimization, *see* minimisation
- minimum
 - balanced separator, 1989
 - bandwidth, 434
- minimum biclique
 - cover, 2174
 - decomposition, 2174
- minimum
 - bisection, 2127
 - broadcast digraph, 928
 - broadcast graph, 883, 1443, 1445, 2108
 - buffer size problem, 1870
 - call gossip scheme, 204
 - capacity cocircuit, 1717
- minimum cardinality dominating
 - clique, 1011
 - cycle, 875
- minimum
 - clique cover, 434
 - colouring, 1031, 1583, 1791
 - connected dominating set, 1011
- minimum cost base, 1602
- minimum cost flow
 - algorithm, 280
 - problem, 280, 450, 888, 1048
- minimum cost network flow, 1096, 1369
 - problem, 272, 1096, 1145
- minimum cost
 - partition, 1151, 2221
 - permutation, 77
 - reliability ratio problem, 859
 - subnetwork, 466
 - tree, 931
- minimum cover, 945
- minimum covering, 1583
 - problem, 2226
- minimum cut, 453, 990, 1560, 1770, 1779, 2131
 - problem, 1685, 1770

- minimum
 - cycle mean of a digraph, 66
 - degree, 63, 468, 935, 986, 1384, 1701, 1703, 2279
 - dicycle cover, 1630
 - directed spanning tree, 453
 - dispersion problem, 1938
- minimum distance, 15, 303, 326, 479, 681, 819, 825, 1072, 2057
 - algorithm, 488
- minimum dominating set, 154, 368, 1011
 - problem, 1050
- minimum
 - eccentricity, 42, 172
 - edge cut set, 935
 - energy configurations, 1920
 - equivalent, 975
 - feasible graph, 377
- minimum fill-in, 1583, 2247
 - problem, 2161
- minimum
 - fractional cover, 622
 - Hamiltonian path, 768
 - height edge partition tree, 754
- minimum independent dominating set, 562
 - problem, 2277
- minimum
 - intersection, 2008
 - k-broadcast graph, 1440
- minimum length
 - tree, 1004
 - k-person tour, 163
 - Steiner routing, 2219
- minimum makespan, 714
 - schedule, 1982
- minimum mean
 - circuit, 888
 - cycle cancelling, 1096
- minimum
 - multiway cut, 2183
 - odd T-disconnector, 1483
 - order dominating set, 368
 - path length metric, 1165
- minimum perfect
 - bipartite matching, 951
 - matching, 532
- minimum
 - perimeter problem, 2116
 - range cut algorithm, 1770
 - ratio computation, 888
 - rectilinear Steiner tree problem, 1081
 - resting time, 714
 - reversing set, 1612
 - set of a maximal clique, 1646
 - spanner problem, 1141
- minimum spanning
 - hypertree, 1457
 - tree, 275, 532, 748, 1134, 1665, 2186
 - tree problem, 951, 1665
- minimum split of a digraph, 207
- minimum Steiner tree, 1380, 1615
 - problem, 2203
- minimum sum, 581, 902, *see also* min-sum
- minimum
 - T-join, 1071
 - threshold completion, 1166
 - total dominating set, 1011
 - tree partition, 2186
 - two cut, 1847
- minimum variance, 708
 - criterion, 858
 - problem, 858
- minimum vertex cover, 274, 1492
 - problem, 246
- minimum vertex weighted deficiency
 - subgraph, 1063
- minimum weight, 12, 610, 717, 961, 1113, 1665, 1721, 1792, 1901, 2229
 - assignment, 674
 - base, 221, 367
 - dominating set, 200
 - hitting set problem, 1899
 - ratio, 1078
- minimum weight set, 2171
 - of edges, 721
- minimum weight spanning
 - forest, 1665
 - tree problem, 367
- minimum weighted clique, 1896
 - cover, 1553
- minimum weighted
 - colouring, 1480, 1553
 - dominating set, 434
- Minkowski space, 2237
- minmax, *see* min-max
- minor, 409, 943, 1387, 1487, 1488
 - closed class, 1387
 - of a graph, 1387
- Minoux, M, 423, 746, 1305
- Minram algorithm, 285
- MINRANGE, 2002
- MINRATIO, 2002
- Minty, G, 529
- minus dominating function, 1792
- minus domination, 1792
 - number, 1792
- MIP, 672, 750
- MIP/370, 26
- Mirkin, 2202
- mirror image, 507, 2246

- misclassification, 160
- Mittag-Leffler theorem, 10
- mixed
 - 0 1 programs, 384
 - graph, 343, 2238
- mixed integer
 - bilinear programming problem, 1170
 - cut, 26
 - linear problem, 1128
 - optimization problem, 605
 - program, 264, 289, 528, 679, 2246, 2268
- mixed integer programming, 461, 605, 672, 1329, 1955
 - formulation, 751
 - problem, 2090
- mixed integer zero one
 - problem, 1371
 - programming problem, 1371
- mixed
 - interval hypergraphs, 1958
 - postman problem, 6
 - scheme, 1909
 - shop scheduling problem, 304, 452
- mixed zero one linear programming problem, 1859
- MLCO, 1018
- MLPT, 755, 2133
- MMB, 1991
- MND set, 552
- Mnev, N E, 1609
- mobile computing, 2079
- Möbius, 1733
 - function, 1743
 - inversion, 1733, 1743
- model of communication, 1432
 - time, 1435
- model of information retrieval, 232
- modified
 - cut width, 1487
 - greedy algorithm, 527
 - LPT, 755
 - simplex method, 297
- modular
 - construction, 908
 - decomposition, 1863, 2087
 - function, 1733
 - lattice, 337, 442
- module, 125, 866, 1305, 2007
 - homomorphism, 817
- Möhring, 2161
- molecular
 - biology, 1911, 1912, 2198, 2201, 2210, 2212
 - bond graph, 507
 - branching, 518
 - conformation, 505
 - design, 1745
 - molecular
 - distribution, 72
 - fragment, 1745
 - freedom, 323
 - geometry, 1910
 - graph, 146, 502, 1745, 1746, 1748, 1753, 1755, 1965, 1998
 - modeling, 2201
 - orbital, 510
 - replication, 109
 - species, 146, 518
 - structure, 514, 1745
 - surface, 1910
 - weight distribution, 509
- molecule, 502, 520, 792, 848, 1746, 1748, 1750, 1910, 2282
- MOLGEN, 1749
- moment
 - curve, 2272
 - problem, 700
- moments, 544, 851, 1014
- monadic second order logic, 1488, 1742
- Monge
 - array, 1370
 - matrix, 1590, 1839, 2156
 - property, 1370, 1513, 1517, 1839
 - sequence, 415, 710, 1048
 - structure, 1839
- Monge, G, 415, 1048, 1590, 1839
- Monien, 1455
- Monien-Speckenmeyer algorithm, 1455
- Monma, C L, 877, 1029, 1091, 1614
- monochromatic
 - configuration, 642
 - degree, 2056
 - edge, 2040
- monograph of a graph, 1794
- monoid, 807, 947
 - automaton, 840
- monomer, 72
- monomial
 - ideal, 827
 - symmetric functions, 838
- monostar, 1958
- monotone
 - array, 1513
 - bijection, 148
 - Boolean function, 309, 536, 1102
 - diameter function, 2228
 - function, 84, 148
 - Hirsch conjecture, 1662
 - measure, 1564
 - objective function, 186
 - policy, 1101
 - polytope, 1722, 1772
 - scoring rule, 65

- monotone time table polyhedron, 1772
- monotonic
 - Boolean function, 431
 - classifier, 2152
 - sequence, 1662
- monotonically labeled
 - Motzkin tree, 471
 - tree structure, 203
- monotonicity, 105, 1101, 1716, 1733, 1956
 - paradox, 105
 - theorem of Knuth, 1101
- monotonized polyhedron, 2230
- Moore, 1525, 1537
 - bound, 924, 1639, 1997
 - graph, 1639
 - hypergraph, 1639
- moplex, 2141
- Moran, S., 1044
- Morgan, 2235
- Morgenstern, O., 1278
- morphic characterisation, 150, 327
 - of EOL languages, 327
 - of languages, 150
- morphic
 - generation, 398
 - representation, 150, 327
 - word, 1947
- morphism, 150, 153, 270, 310, 325, 327, 398, 802, 1104, 1947, 2173
 - with bounded delay, 325
- Morse sequence, 310
- most parsimonious reconstruction, 1659
 - problem, 2082
 - set, 2082
- most parsimonious scenario, 1917
- most uniform
 - path partitioning, 1023
 - spanning tree, 411, 537
- motion of a framework, 269
- motion planning, 1045, 1652, 1848, 2068
 - scheme, 693
- Motzkin tree, 471
- Moulin conjecture, 584
- Moulin, H., 584
- MPAC
 - graph, 1880
 - rotation graph, 1880
 - system, 1880
- MPM
 - job shop problem, 1516
 - problem, 1659, 2082
 - set, 2082
- MRST, 1918
- MST, 1134
- MTP, 431
- MTSP, 1644
- Muchnik, 2202
- Mühlbacher, J., 428
- Mulder, H M., 1059
- multi-arm balance, 1581, 2160
- multi-attribute decision making, 13
- multi-index transportation problem, 1984
- multibus interconnection networks, 904
- multicentre location problem, 1124
- multichromosomal genomes, 1917, 2200
- multicommodity flow, 493, 692, 964
 - in a graph, 161
 - problem, 691, 692, 1660
- multicommodity network flow, 297
- multicomputer, 926
- multiconstrained spanning tree, 132
- multicovering problem, 396
- multicriteria
 - arborescence problem, 1771
 - optimization, 1018
- multidimensional
 - 0-1 knapsack problem, 1161
 - assignment problem, 1151
 - bin packing, 2039
 - grid, 1446, 1786
 - lattice, 770
 - matching, 2142
- multidimensional periodic scheduling, 2244
 - problem, 2244
- multidrop
 - broadcast, 2098
 - communication model, 2098
- multifacility location problem, 1685
- MULTIFIT, 543, 791
 - algorithm, 284
 - scheduling, 791
- multiflow
 - bottleneck, 297
 - problem, 297, 1387, 1660
- multigraph, 1063, 1307, 1332, 1525, 1755, 1770, 1779, 1235
- multihead automaton, 804
- multihop network, 1623
- multiknapsack problem, 1026
- multilayer VLSI chip, 1044
- multilevel algorithm of Hendrickson and Leland, 2218
- multilinear mixed integer zero one polynomial programming problem, 1371
- multimachine scheduling, 2155
- multinode
 - broadcast, 2110
 - broadcasting, 2099
 - scattering, 2099

- multiparametric linear programming problem, 21
 - multipartite
 - graph, 233, 1957
 - PCD, 1813
 - multiple
 - access channel, 625
 - alignment, 1924, 1928
 - broadcasting architecture, 1991
 - depot locations, 1144
 - edges, 399, 442, 1103, 1779
 - eigenvector, 2217
 - intervetex distances, 1617
 - job types, 1009
 - knapsack problem, 90
 - section grouping, 873
 - sends and receives, 1693
 - sequence alignment, 1928, 2213
 - multiplex PCR method, 2204
 - multiplexer, 152
 - multiplexing, 2131
 - multiplication
 - of affine combinations, 1423
 - table, 1495
 - multiplicative circulant graph, 1994
 - multiplicative
 - circulant network, 1994
 - structure of $GF(q^n)$, 1123
 - multiplicativity, 899
 - of directed cycles, 899
 - multiplicity equivalence problem, 802
 - for unary output sequential transducers, 802
 - multiplicity
 - of a minimal vertex separator, 2255
 - of an eigenvalue, 1757
 - of interpoint distances, 1616
 - multiplier, 339, 1142, 2259
 - multiplying field elements, 586
 - multiprocessor
 - architecture, 590
 - computer, 1611
 - multiprocessor scheduling, 543, 791, 1084, 1893
 - algorithm, 567
 - problem, 175, 755, 1893
 - multiprocessor
 - system, 475, 908
 - task, 1475, 1765, 1891
 - multiproduct network, 356
 - multipurpose machine, 1516
 - multiset, 158
 - of destinations, 2131
 - multistage
 - game, 720
 - interconnection network, 590
 - multistationarity, 522
 - multitape automata, 804
 - multiterminal channel routing, 2227
 - problem, 2227
 - multiterminal cut problem, 2171
 - multiterminal duality, 474
 - principle, 474
 - multiterminal
 - maximum flows, 358
 - multicommodity flow, 964
 - multiterminal net, 2227
 - problem, 967
 - multiterminal network flow, 359
 - multitolerance graph, 2161
 - multivalued
 - dependency, 638
 - encoding, 601
 - multiversion cautious scheduler, 982
 - multiway cut in a graph, 2183
 - Murota, 2083, 2134
 - Murota, K., 457
 - Murty, 906
 - algorithm, 32
 - Murty, K G., 32
 - mutation, 2208
 - Muttoo, S K., 179
 - mutual exclusion, 1872
 - MVD system, 638
 - Mycielski, 2120
 - graph, 2120
 - inequality, 742
 - Myers, B R., 133
- N**
- n cube graph, 1094
 - n-channel graph, 2094
 - n-code, 633
 - property, 633
 - n-cube, 32, 114, 614, 810, 771, 938
 - N-free order, 1383
 - n-free poset, 341
 - n-pair game, 759
 - n-similar, 119
 - n-variable representative system, 13
 - Nadeau, 2200
 - Nagamochi, 1509
 - Nakai, M., 56
 - Nakamura, T., 293
 - name stamp protocol, 534
 - Narayanan, H., 977
 - Narens, L., 577
 - narrowness, 882
 - national resident matching program, 1857
 - natural
 - language processing, 882
 - polytope, 724

- navigating agent, 1842
- Nawijn, 1682
- NC
 - algorithm, 1825, 2028, 2079
 - class, 2028
 - parallel algorithm, 2228
- near optimal broadcast, 1437
- near optimal broadcasting, 1740
 - algorithm, 1438
- near optimal solution, 281, 2116
- near prime factor design, 152
- nearest
 - neighbour, 500, 739
 - point problem, 652
- nearly
 - linear time, 1613
 - on-line scheduling, 1675
- nearly sorted, 2233
 - input, 1008
- necessary solvability condition, 273
- necklace type hydrocarbon, 506
- Negami, 1663
 - polynomial, 1663
- Negami, S, 409
- negative
 - arc cost, 272
 - circuit, 888
- negative circuit method, 125
 - of Klein, 888
- negative
 - cycle, 331, 1057
 - edge, 174
 - literal, 575
 - positive function, 316
- neighborhood, *see* neighbourhood
- neighbour connectivity, 308
- neighbourhood chordal, 1706
 - graph, 1706
- neighbourhood
 - graph, 788, 941, 1519
 - heuristic, 1519
 - number, 1784
 - ordering, 2119
 - search, 1773
 - structure, 607, 747, 1037, 1039, 1766, 1892, 1988, 2127
- neighbourhood subtree, 1029
 - tolerance graph, 1029
- Nelson tree, 1927
- Nemhauser, G L, 211, 391, 583
- Nesetril, 1454
- Nesetril, J, 406
- NeST graphs, 1029
- nest representation, 1389
- nested
 - constraints, 437, 673
 - cycles, 1041
 - hierarchy, 13
 - periodic structure, 2199
 - rectangles, 694
 - relational databases, 976
- nesting property, 990
- net, 196, 345, 746, 966, 981, 2150, 2186, 2246
- network, 22, 45, 54, 56, 81, 125, 152, 204, 215, 240, 280, 297, 316, 340, 353, 356, 357, 359, 360, 365, 392, 466, 477, 488, 524, 590, 604, 613, 632, 634, 654, 659, 669, 692, 701, 757, 766, 778, 883, 895, 903, 904, 905, 907, 908, 914, 915, 917, 920, 922, 923, 926, 927, 928, 930, 931, 932, 933, 937, 938, 939, 965, 977, 980, 984, 988, 990, 1025, 1061, 1073, 1099, 1106, 1108, 1112, 1138, 1144, 1154, 1305, 1365, 1366, 1431, 1433, 1434, 1435, 1436, 1437, 1439, 1440, 1449, 1494, 1505, 1525, 1554, 1586, 1595, 1610, 1640, 1647, 1652, 1685, 1701, 1716, 1735, 1768, 1774, 1782, 1808, 1809, 1811, 1865, 1926, 1937, 1950, 1971, 1973, 1994, 2009, 2010, 2047, 2048, 2083, 2094, 2098, 2099, 2100, 2101, 2103, 2104, 2105, 2107, 2108, 2110, 2131, 2150, 2157, 2162, 2163, 2166, 2176, 2177, 2181, 2188, 2203, 2236, 2250, 2253
 - algorithm, 356
 - architecture, 980, 1693
 - constraint, 365
 - design, 466, 1544
 - emulation, 932
- network flow, 297, 397, 420, 1048, 1479, 2131
 - problem, 81, 272, 316, 344, 356, 407, 808, 1063, 1145, 1505, 1836, 2073
 - technique, 2131
 - theory, 1154
- network
 - interconnection, 215
 - model, 356
 - of processors, 917
 - of two state automata, 757
- network optimisation, 48, 1809
 - problem, 951
- network
 - performance, 926, 980
 - problem, 365, 2163
- network reliability, 563, 597, 1138, 1768, 1950
 - evaluation, 1768
 - index, 935
 - model, 1003
- network
 - routing, 281
 - security, 566

- network
 - structure, 356, 1100
 - theory, 54, 215, 223, 474, 576
 - topology, 926
 - traffic, 980
 - vulnerability, 1554
- networking, 2079
- neural
 - computation, 2015
 - network, 354, 1120, 1365, 1579, 1811, 1866, 1948, 2047, 2150, 2236
- neurobiology, 504
- neuronal equation, 549
- Newton
 - approach, 2073
 - method, 1664, 2073
- NextFit, 1080, 1874
- NGT, 2058
- niche
 - graph, 611, 760
 - number, 611, 760
- Nijenhuis, A., 1648
- nilpotency, 2257
- nilpotent
 - Boolean matrix, 222
 - matrix, 222
- Nishizeki, T., 981
- NLC grammar, 429
- NLC graph, 1496
 - language, 429
- no communication, 804
- no wait constraint, 1775
- node
 - arc incidence matrix, 613
 - binary trees, 1991
 - capacitated network, 358
 - cover, 1334
 - deletion problem, 2170
 - disjoint paths, 588
- node label controlled, 429, 1496
 - grammar, 429
- node labeled undirected graph, 429
- node labeling, 1692
 - scheme, 1692
- node
 - ranking, 2190
 - search number, 1487
- Noetherian ring, 827
- non strong maximal clone, 628
- non tree-like event, 2208
- non-Hamiltonian graph, 2041, 2093
- nonadaptive group testing, 2058, 2209
- nonbiased game, 1629
- nonbicolourable hypergraph, 1764
- nonbinary code, 1121
- nonbipartite graph, 1422
- nonblocking self routing network, 922
- nonbranched catacondensed benzenoid, 855
- nonclique graph, 2141
- nonconvex
 - mathematical program, 311
 - programming problem, 2268
- noncrossing
 - matching, 1117
 - partition, 2112
- nondecreasing submodular set function, 211
- nondegeneracy in a Boolean function, 1853
- nondegenerate
 - function, 1853
 - iteration, 20
 - permutation, 1853
- nondeterministic communication complexity, 963
- nondominated solution, 1429
- nonexistence of designs, 629
- nonfactorial algorithm, 181
- nonfrustrated circuit, 257
- nonintersecting
 - Eulerian circuits, 478
 - paths, 1116
 - random walks, 521
- nonisotopic configurations, 1550
- nonlinear
 - 0-1 optimization, 745
 - combinatorial geometry, 1609
 - constrained networks, 1479
 - inequalities, 841
 - knapsack, 1990
 - language, 1799
- nonlinear optimisation, 1995
 - problem, 271
- nonlinear
 - partial difference equation, 720
 - resistive circuit, 1307
- nonmajorizability property, 709
- nonmonotonic
 - algorithm, 567
 - procedure, 105
- nonnegative
 - integer valued equations, 229
 - matrix, 305, 558
 - random variable, 275, 276, 480
- nonoriented bond, 523
- nonoverlapping
 - m-tuples, 758
 - set of tasks, 690
 - words, 2239
- nonpolynomial period, 1960
- nonpreemptive assignment, 791
 - schedule, 1543

- nonpreemptive scheduling, 284, 1846
 - problem, 1739
- nonpreemptive single machine scheduling problem, 1785
- nonregular cost function, 243
- nonrenewable resource, 865
- nonrooted network, 1154
- nonserial dynamic programming, 39, 597
- nonserializable semi-order, 1469
- nonsimultaneous machine available time, 2133
- nonsingular
 - causal assignment, 1862
 - linear transformation, 854
- nonstrict xyz-inequality, 955
- nonsymmetric
 - digraph, 33
 - protocol, 534
- nontoroidal grid, 1446
- nonuniform domain, 976
- Nordhaus, E. A., 1168
- normal basis, 586, 651, 733, 1123
 - for multiplication, 586
 - representation, 651
- normal
 - code, 813
 - coronoid system, 1883
- normal form, 1125, 1812
 - relation scheme, 971
- normal
 - hexagonal system, 1127
 - subhexagonal system, 1127
- normalized cluster method, 796
- normed space, 2237
- Norse bound, 826
- northwest corner rule, 1513
 - greedy algorithm, 1513
- Nowakowski, R., 217
- NP, 435, 662, 1797, 1918
- NP co-NP, 1598
- NP-complete, 28, 88, 92, 103, 132, 138, 139, 147, 164, 175, 180, 219, 225, 235, 242, 248, 321, 336, 338, 343, 377, 387, 399, 412, 466, 470, 478, 526, 574, 575, 579, 582, 610, 624, 628, 660, 669, 687, 697, 714, 721, 751, 752, 779, 791, 850, 862, 880, 884, 893, 946, 951, 972, 996, 1001, 1011, 1034, 1056, 1058, 1068, 1136, 1141, 1155, 1166, 1309, 1387, 1427, 1428, 1457, 1503, 1549, 1563, 1568, 1571, 1598, 1624, 1633, 1657, 1661, 1674, 1695, 1708, 1732, 1781, 1792, 1801, 1832, 1835, 1843, 1873, 1886, 1901, 1911, 1913, 1922, 1941, 1952, 1975, 1982, 2019, 2025, 2044, 2068, 2093, 2115, 2123, 2135, 2137, 2142, 2155, 2174, 2186, 2191, 2192, 2194, 2208, 2226, 2228, 2248, 2278
- NP-complete
 - graph problem, 1496
 - homomorphism problem, 1835
 - in the strong sense, 412, 2014, 2155
 - language, 426
 - matching problem, 28
 - problem, 37, 154, 235, 387, 412, 435, 494, 501, 743, 762, 865, 894, 962, 954, 1084, 1491, 1695, 2025
 - tree, 1835
- NP-completeness, 2, 61, 138, 164, 235, 274, 282, 321, 475, 712, 752, 850, 876, 1034, 1053, 1141, 1381, 1387, 1428, 1454, 1549, 1563, 1568, 1715, 1767, 1832, 1909, 1982, 2005, 2014, 2024, 2077, 2155, 2164, 2225, 2248
- NP-ness results, 2277
- NP-hard, 78, 162, 290, 411, 420, 475, 598, 661, 662, 691, 715, 716, 722, 753, 886, 895, 956, 1017, 1018, 1042, 1061, 1083, 1107, 1112, 1115, 1154, 1157, 1305, 1333, 1453, 1477, 1480, 1587, 1591, 1594, 1644, 1654, 1670, 1672, 1688, 1721, 1731, 1739, 1780, 1809, 1828, 1845, 1850, 1870, 1871, 1898, 1912, 1918, 1921, 1927, 1938, 1939, 1950, 2005, 2018, 2024, 2033, 2035, 2086, 2104, 2125, 2159, 2162, 2164, 2181, 2189, 2193, 2200, 2222, 2224, 2229, 2235, 2244, 2276
- 0-1 problems, 2281
- combinatorial optimization problem, 381
- graph problem, 1532
- in the strong sense, 1599, 1838, 1846, 1893, 1977
- problem, 186, 274, 381, 412, 597, 1112, 1118, 1520, 1532, 1561, 1583, 1790, 1943, 1966, 1993, 2039, 2281
- NP-hardness, 2, 162, 381, 1107, 1115, 1561, 1587, 1879, 2086, 2167
- reduction, 1532
- NSPACE, 804
- nucleic acid sequence, 2207
- nucleolus, 1278, 2030
 - of a game, 1278
 - of homogeneous games with steps, 1278
- nucleotide
 - pattern probability, 2214
 - sequence, 2214
- nucleus, 2084
- null
 - clause, 1000
 - context splicing system, 2138
- Nullstellensatz, 814
- number
 - of avoiding sequences, 1030
 - of chains, 763, 841
 - of comparisons in a search tree, 544

- number
 - of late jobs, 2167
 - of locks, 128
 - of partitions, 532
 - of planted plane trees, 44
 - of productions, 168
 - of spanning trees, 508, 1619, 1681, 1746, 1854
 - of Van Lier sequences, 698
 - system, 117
 - theory, 491, 843, 1764, 2195
- numbered graph, 1745
- numerical representation, 795
- nuts and bolts model, 1868
- O**
- O'Rourke, J., 780
- objective function, 12, 20, 271, 301, 318, 370, 389, 410, 411, 437, 440, 529, 605, 741, 867, 873, 951, 1114, 1124, 1126, 1128, 1144, 1149, 1545, 1641, 1739, 1771, 1995, 2090, 2228
 - representation, 605
- objective value, 741, 1037, 1124, 2221
- obstacles, 1848
- obstruction set isolation, 1491
- oc-irredundancy, 1051
- occlusion, 269
- occupation time, 47
- occupational degeneracy, 227
 - for dimers, 227
- octahedral tetrahedral truss, 2165
- octahedron, 2070
- odd cycle, 265, 297, 880, 1504, 1678, 1930
 - length, 1933
- odd even
 - cycle, 579
 - merge, 497
 - merging network, 654
 - partition, 832
- odd
 - graph, 826, 914, 934
 - hole, 610, 1028
 - pair, 2271
 - wheel inequalities, 1723
- odd/even cycle, 579
- off-line machines, 251
- off-shore gas field, 129
- Ohkami-Hosoya conjecture, 812
- Ohm law, 977
- Ohtsuka, M., 293
- Ohtsuki, T., 977
- Okamura, H., 161, 981
- Olariu, 1530
- oligopoly, 372
- omega word, 2126
- ω -sequence equivalence problem, 1947
- ω -word, 153
- $\omega\omega$ -finite automaton, 800
- $\omega\omega$ -language, 800
- $\omega\omega$ -rational relation, 800
- $\omega\omega$ -regular set, 800
- on-line
 - algorithm, 1632, 1682, 1874
 - bin packing, 998
- on-line colouring, 1688
 - algorithm, 1688
- on-line
 - method, 1080
 - scheduling, 1675
 - transitive orientation, 1632, 1634
- Onaga, K., 297
- one machine batching, 1716
 - problems, 1112
- one machine
 - problem, 557
 - scheduling, 1787
 - total tardiness problem, 1787
 - total weighted completion time problem, 77
- one pass batching algorithm, 557
- one story building, 950
- one-dimensional linear cellular automata, 1702
- one-graph inversion, 238
- one-to-many simulation, 29, 96
- one-way dependency, 372
- oo-irredundance, 1051
- Opatrny, J., 909
- open knight tour, 1866
- open pit mine, 548
- open shop, 1561, 1966, 1975, 1982, 2012
 - makespan problem, 2012
 - preemptive schedule, 865
 - problem, 865, 956, 1548, 1972, 1982
- open shop scheduling, 865, 956, 1791, 1964, 1972, 2012
 - problem, 1429
- open shop type jobs, 304, 452
- open tour, 1866
- openshop, *see* open shop
- operations research, 180, 316, 432, 1020, 1762, 1764, 1848, 2237
- OPM, 1110
- optical
 - network, 2131
 - passive star network, 1937
- optimal
 - algorithm, 304, 875, 956, 1031, 1132, 1366, 1434, 1540, 1552, 1583, 1846, 1964, 2001, 2014, 2097
 - alphabetic binary tree, 243
- optimal assignment, 867, 979, 1950, 2088
 - problem, 81

- optimal
 - b/w embedding of a tree, 1044
 - battle array, 720
 - binary tree, 2270
 - bisection, 2127
 - broadcast, 657, 1740
 - broadcasting, 1430, 1740
- optimal channel assignment, 2088
 - utilization, 1444
- optimal colouring, 617, 1442
 - algorithm, 550
- optimal
 - communication algorithm, 2110
 - compression, 1686
 - computation, 1540
 - cost flow problem, 407
 - cyclic production problem, 761
 - dichotomous search, 1101
 - double loop network, 1099
 - edge colouring, 880
 - edge ranking, 2164
 - flipping pattern, 2246
 - frequency, 1696
 - gossiping scheme, 204
 - greedy k-coloring algorithm, 1682
 - hyperplane, 2237
- optimal key, 69
 - for a taxon, 69
- optimal
 - knapsack, 725
 - labeling, 886
 - layout, 2103, 2222
- optimal linear
 - extension, 1635
 - labeling, 886
- optimal
 - machine speed pair, 452
 - makespan schedule, 1561
 - mass production, 39
 - match-up strategy, 1668
 - mean flow time schedule, 1561
 - multiple interval assignment, 979
 - normal basis, 586, 1123
 - numbering, 1861
 - on-line algorithm, 1682
 - one way protocol, 963
- optimal order, 853
 - of lifting, 1849
- optimal orientation, 1169, 2011
- optimal parallel algorithm, 985, 1698, 1959, 2190
 - connectivity algorithm, 261
- optimal
 - partition, 708
 - path, 1020
 - policy, 1671, 2113
 - postman tour, 6
- optimal ranking, 2190
 - problem, 2190
- optimal
 - routing table, 907
 - run statistics, 696
 - schedule, 410, 452, 475, 714, 791, 1017, 1444, 1545, 1638, 1675, 1776, 1898, 1977, 2018, 2113
 - separable partitioning, 1564
 - sequential gossiping, 2157
 - spanning tree, 89
 - speedup, 740
 - strategy, 7, 718, 720, 870, 1334, 1505, 1645
 - strongly connected orientation, 1169
 - submodular pseudoflow, 1867
 - threshold decomposition, 1731
 - wavelength routed multicasting, 2131
- optimally
 - reliable graph, 1388
 - sparse, 1451
- optimisation on a graph, 607
- optimisation problem, 19, 200, 271, 301, 461, 532, 597, 621, 673, 689, 749, 1122, 1137, 1150, 1163, 1505, 1553, 1662, 1682, 1688, 1836, 1839, 1927, 2034, 2038, 2039, 2073, 2104, 2123, 2226
 - in 0-1 variables, 414
 - on a graph, 377
- optimisation
 - problems on a matrix set, 157
 - strategy, 528
 - technique, 2210
- optimise queries, 627
- optimization, *see* optimisation
- optimum
 - branching problem, 379
 - channel width, 967
 - code, 813
 - colouring, 777
 - partitioning, 1974
 - pit limit, 548
- optional sample theorem, 373
- OR matching algorithm, 1422
- oracle machine, 831
- orbit, 810, 949, 1452, 1948
 - of a Boolean function, 1948
 - size, 143
- orbital, 523
- order
 - constraint, 2270
 - dimension, 1869
 - of a point, 787
- order polynomial, 417
 - of an ordered set, 417

- order
 - preserving injection, 836
 - structure, 959
 - order theoretic
 - interval, 230
 - model, 74, 796
 - order type, 787, 2274
 - orderability problem, 660
 - for bipartite folding, 660
 - orderable graph, 413, 421
 - ordered algebraic structure, 157
 - ordered commutative
 - field, 125
 - group, 273, 306
 - semigroup, 57, 121
 - ordered
 - graph, 1386
 - hypergraph, 1467
 - partition, 2272
 - product matrix, 1110
 - ordered set, 221, 302, 417, 554, 693, 853, 955, 1130, 1632, 1680, 1936
 - of tasks, 1775
 - ordered
 - stabbing, 784
 - tree, 203, 1991, 2103
 - ordering, 413, 518, 1094, 1829, 2119, *see also* order
 - cellular automata, 2257
 - constraints, 435
 - ordering of graphs, 395
 - ordinal sums, 272
 - organic chemistry, 848, 1745
 - orientability, 797
 - orientable
 - graph, 1822
 - surface, 511
 - orientation, 296, 307, 1169, 1386, 1488, 1521, 1632, 1655, 1732, 1822, 1917, 2007, 2011
 - problem, 715
 - orientational degeneracy, 227
 - oriented
 - arc, 2238
 - Cayley network, 1640
 - colouring, 664
 - edge colouring, 872
 - factorisation, 115
 - graph, 1141, 2173
 - matroid, 785, 786, 1609
 - path, 1155
 - tree, 1835
 - orienteering problem, 675
 - origin of life, 504
 - Orlin, J B, 66, 661, 988
 - Orlin-Ahuja algorithm, 1867
 - orthocomplementary vector spaces, 1609
 - orthogonal
 - distance, 1076
 - L_1 regression, 2237
 - L_∞ approximation, 1043
 - matrix, 1745
 - normal basis, 1123
 - polygon, 780
 - weighted linear L_1 and L_∞ approximation, 1043
 - orthogonality of generalized Latin squares, 649
 - orthomodular
 - poset, 393
 - structure, 393
 - OS scheme, 599
 - oscillations, 237, 619
 - Ostmann, A, 1278
 - out-of-kilter method, 272, 450
 - out-tree, 1157, 1548
 - outer
 - face, 692
 - linearisation, 1160
 - outerplanar
 - condition, 2135
 - graph, 42, 942, 951, 1492, 1497
 - network, 466
 - outerplane Eulerian graph, 2135
 - overdetermined equation, 197
 - overfull
 - conjecture, 1981
 - subgraph, 1466
 - overlap free, 1104
 - morphism, 1104
 - words, 542, 1104
 - OxyR proteins, 1924
- P**
- $P = NP$, 464, 1731, 1828, 1838, 1898, 2039, 2104, 2186, 2224, 2281
 - $P \neq NP$, 88
 - P , complexity class \sim , 1309
 - $(p, \Delta, \delta, \lambda)$ -graph, 63
 - $(p, \Delta, \delta, \lambda)$ -realizable, 63
 - (p, q) -graph, 1745
 - p -adic integers, 1367
 - p -center problem, 61, 464, 598
 - p -competition
 - graph, 1093
 - number, 1093
 - # P -complete, 84, 1667, 1967
 - p -group, 836
 - p -party protocol, 534
 - p -traveling salesmen problem, 1952
 - $P2/tree/C_{max}$, 1894
 - P_4 sparse graph, 2079
 - P_4 -comparability graphs, 2271
 - P_4 -free, 2266

- P₄-reducible graph, 857, 1583, 2114
- P₄-sparse, 857, 1583
 - graph, 857, 1583, 2114
- P₄-tree, 960
- P₅-free, 1864
 - graph, 1864, 2087
- PA, 584
- PAC
 - learnability, 1120
 - learning, 1012
- packet routing, 1875
 - algorithm, 1875
- packing, 433, 449, 763, 1453, 1489, 1527, 1630, 1717, 1718, 2005, 2077, 2120, 2124
 - number, 2120, 2148
 - of paths, 2019
 - problem, 183, 338, 410, 861, 1309, 1453, 1970, 2005, 2019
- Padberg, 1662
- page cut, 1
- paging, 1023
- painting problem, 371
- pair
 - comparison, 591
 - connected reliability, 1003
 - of graphs, 238, 458
- pairable graph, 2163
- paired comparison digraph, 462, 1813
- pairs of knapsack constraints, 1019
- pairwise
 - compatible Euler tours, 2146
 - decomposition, 973
- palindrome, 177
- Palmer, D S, 1089
- Palmer, E M, 837
- Pan, Y, 1000
- pancake
 - graph, 1438
 - problem, 1580
- pancyclic, 2102
 - graph, 2026
- paneling planar graphs, 2072
- Papadimitriou, 1580
- Papadimitriou, C, 661
- paperfolding
 - sequence, 1987
 - word, 1987
- Papernov, B A, 297
- parachute in a bipartite graph, 1718
- parachute-free, 1718
- paradox, 584
- parallel algorithm, 380, 434, 552, 688, 738, 739, 740, 908, 966, 985, 1022, 1358, 1380, 1450, 1530, 1770, 1866, 1891, 1908, 1959, 1991, 2001, 2079, 2142, 2190, 2228
- parallel
 - architecture, 932, 1434, 1447, 2096
 - array access, 919
 - branch and bound algorithm, 489, 1707
 - chains constraint, 1813
 - combination, 1494
 - combinations in series, 1494
 - comparison tree model, 686
 - complexity, 739, 804, 968, 1825
 - computation, 640, 739, 804, 843, 885, 1358, 2001, 2106
- parallel computer, 380, 434, 980, 1540
 - system, 1891
- parallel
 - computing, 1022, 2023
 - connectivity algorithm, 261
 - formulation, 833
 - implementation, 1763
 - iteration, 354
 - languages, 475
 - local search, 1022
 - logarithmic time algorithm, 966
- parallel machine, 130, 283, 1009, 1115, 1641, 1675, 1780, 1943
 - architecture, 1866
- parallel machine scheduling, 755, 1115, 1838, 1996, 2133
 - problem, 1001, 1838
- parallel
 - model of computation, 688
 - parentheses matching, 1529
- parallel processing, 677, 905, 1580, 1707, 1890, 1891
 - architecture, 1099
- parallel
 - processors, 156, 791, 1543, 1672
 - programming, 112, 139
- parallel recognition, 738
 - algorithms, 1530
- parallel
 - selection, 686
 - sorting, 156
 - system, 587, 1478
 - tabu search algorithm, 1358
 - thinning algorithm, 552
- parallelism, 380, 616, 1537
 - in combinatorial optimisation, 380
- parallelizable algorithm, 1910
- paramagnetism, 1422
- parametric
 - algorithm, 66, 1369
 - capacity, 21
 - characterization, 453, 858, 859
 - critical path problem, 2188
 - maximum flow problem, 990

- parametric
 - network, 990
 - optimization, 1163
 - programming, 1664
 - resource allocation problem, 292
- parametric shortest path
 - algorithm, 66
 - problem, 281, 2188
- parametrization of knowledge structure, 554
- parentheses matching, 985, 1991
 - problem, 985, 1529
- Pareto property, 1165
- Parikh slender language, 1879
- parity
 - condition, 263
 - function, 779
 - path problem, 1058, 1801, 1822, 2271
 - problem, 945
- Park, 1513
- paroid, 943, 1039
- paroid search, 1039
 - algorithm, 943
- parse tree, 1495
 - representation, 738
- parsimonious
 - history, 2208
- parsimonious scenario, 1917
- parsimony, 1004, 1916, 2082
- parsing, 426
- partial
 - algebra, 628
 - clone, 628
 - concentrator, 923, 958
 - dependency, 969
 - derivative, 98
 - difference equation, 720
 - edge colouring, 871
 - function, 10, 969
 - information, 546
 - k-tree, 597, 1054, 1061, 1137, 1488, 1493, 1496, 1941, 2119
 - Latin square, 219
 - match, 540
 - matrix, 682
 - order, 122, 210, 372, 375, 449, 613, 633, 747, 933, 954, 955, 1070, 1146, 1330, 1552, 1787, 2276, *see also* partial ordering, partially ordered set
 - ordering, 8, 251, 305, 863, 1467, *see also* partial order, partially ordered set
 - orientation, 1655
 - path cover, 2235
 - plane, 393
- partial set covering, 583
 - problem, 583
- partial triple system, 526
- partially commutative
 - free monoid, 378
 - monoid, 807
- partially
 - defined Boolean function, 779, 1715, 1909
 - ordered set, 104, 475, 492, 550, 559, 637, 723, 846, 955, 1626, 1627, 1635, 1743, 1781, 1869, *see also* partial order, partial ordering, poset
 - reflexive graph, 1047
- participation axiom, 584
- partition, 8, 28, 44, 176, 186, 336, 372, 591, 610, 708, 731, 742, 832, 836, 840, 943, 1023, 1027, 1041, 1062, 1068, 1084, 1090, 1112, 1136, 1142, 1151, 1153, 1479, 1546, 1556, 1558, 1566, 1602, 1636, 1674, 1684, 1690, 1709, 1713, 1719, 1721, 1723, 1768, 1843, 2006, 2016, 2028, 2112, 2116, 2143, 2174, 2186, 2221, 2228, 2234, 2270, 2272, 2276, *see also* partitioning
 - algorithm, 591
 - function, 2091
 - identity, 832
 - in a graph, 977
 - inequality, 1772
 - into cliques, 1389, 2087, 2256
 - matroid, 1684
 - of a graph, 2156, 2256
 - of an integer, 400, 1752
 - of graph pairs, 458
 - polytope, 1566
 - problem, 983
 - theory, 47
 - tree, 754
- partitioning, 53, 235, 361, 484, 964, 1023, 1027, 1163, 1564, 1603, 1646, 1713, 1720, 1724, 1825, 1843, 1871, 1974, 2028, 2217, 2218, *see also* partition
 - a planar graph, 1825, 2143
 - a point set, 1690
 - a set of points, 53
 - a tree, 1713
 - a tripartite graph, 219
 - algorithm, 1558, 2218
 - an integer, 591
 - graph, 282
 - heuristic, 2217
 - on a graph, 2228
 - polytope, 1796
 - problem, 173, 235, 708, 1023, 1112, 1329, 1556, 1716, 1719, 1720, 1974, 2116, 2180
 - property, 914
 - shortest path algorithm, 361
 - strategy, 301

- Pascal triangle, 1702
- passive star network, 1937
- Paterson, M S, 1143
- path, 411, 424, 456, 457, 604, 611, 635, 669, 694, 702, 754, 842, 903, 920, 944, 996, 1020, 1027, 1046, 1068, 1078, 1091, 1140, 1154, 1357, 1473, 1519, 1537, 1579, 1660, 1674, 1744, 1801, 1808, 1824, 1861, 1932, 1950, 1953, 1967, 1978, 1993, 2006, 2011, 2019, 2079, 2085, 2105, 2114, 2115, 2131, 2162, 2176, 2225, 2235, 2258
 - avoiding forbidden pairs, 1873
- path branch weight, 2084
 - centroid, 2084
- path cover, 2235
- path covering, 1712
 - problem, 1712, 2005
- path
 - distance optimisation problem, 1137
 - factor, 1878
 - graph, 1046, 1784
 - in a tree, 230
- path length, 508
 - minimisation algorithm, 1078
- path
 - location, 2237
 - metric, 1657
 - network, 1953
- path number, 235
 - of a digraph, 235
 - of a graph, 235
- path optimisation, 2218
- path partition, 702, 2006
 - problem, 702, 2006
- path partitioning, 1023
 - problem, 1716
- path
 - problem, 272, 2002
 - routing scheme, 916
 - search, 1519
 - width, *see* pathwidth
 - with minimum range, 2002
- pathwidth, 882, 1035, 1083, 1487, 1831, 2025, 2035, 2125, 2161
 - problem, 1083
- pattern, 269, 525, 528, 552, 653, 872, 930, 1750, 1811, 2214
 - classifier, 1811
 - in a tree, 653
 - matching, 843
 - recognition, 1045, 1076, 1811, 2152
 - restriction, 637
- patterned starter, 1452, 2169
- Pauling bond order, 1751
- Pàun, Gh, 1570, 1605, 1799, 1879
- paved
 - duality, 745
 - upper plane, 745
- paving matroid, 1634
- Payan, 1600
- Payan, C, 977
- PC
 - 2-factor, 2056
 - Hamiltonian path, 2056
- PCC, 746
- PCD, 1813
- PCP, 1800
 - word, 1800
- PDIL system, 670
- PDSC 73 error correcting code, 820
- peakless function, 1863
 - on a graph, 1863
- peakless prime, 1863
- pebbling, 1487, 2225
- Pelc, 2250
- Peled, U N, 431
- Peleg, B, 1278
- penalty
 - formulation, 440
 - function, 440, 1545
 - weight, 995
- pending vertex, 392
- Peng, 1530
- Penny, D, 1105
- pentagonal chain, 220
- percent of optimality solution procedure, 361
- percolation
 - cluster, 503
 - model, 503
- Percus-Yevick approximation, 521
- Perennes, 2262
- perfect
 - bipartite matching, 951
 - broadcasting, 2181
 - code, 70
- perfect colouring, 4
 - of a pattern, 4
- perfect
 - difference set code, 820
 - dominating set, 1708
- perfect domination, 1708
 - problem, 1637, 1708
- perfect elimination
 - bipartite graph, 798
 - ordering, 216, 794, 1380, 2119, 2141, 2142, 2255
- perfect
 - error correcting database, 719
 - face independent vertex cover, 1497

- perfect graph, 248, 258, 408, 413, 470, 689, 752, 777, 780, 877, 1062, 1480, 1504, 1636, 1704, 1784, 1801, 1893, 2035, 2075, 2087, 2248, 2255, 2266, 2269
 - theorem, 1062
- perfect
 - intersection graph, 1706
 - interval graph, 2211
 - Latin square, 919
 - Lee code, 50, 70, 85, 116, 2085
 - line graph, 2075
 - map, 595
- perfect matching, 194, 268, 433, 484, 499, 532, 650, 684, 736, 756, 839, 864, 879, 958, 1336, 1658, 1681, 1694, 1753, 1788, 1852, 1880, 1902, 1963, 2089, 2122
 - algorithm, 268
 - of graphs, 499
 - polytope, 1122, 1662
 - problem, 12, 28, 484
- perfect
 - Mendelsohn design, 2169
 - multidimensional matching, 2142
 - ordering, 413
- perfect path cover, 2235
 - of a cograph, 2235
- perfect
 - set, 2055
 - switching class, 2266
- perfection of a line graph, 2075
- perfectly orderable, 258, 1049, 1864
 - graph, 413, 777, 1732, 1778
- perfectly ordered graph, 1480
- perfectly orientable, 1822
 - graph, 1822
- performability, 2162
 - analysis, 2162
 - probability, 2162
- performance
 - analysis, 931
 - bounds, 1671, 2149
 - conjecture, 1424
 - evaluation, 381, 1971
 - guarantee, 964, 1039, 1114, 1477, 1633, 1675, 1688, 1730, 1841
 - measure, 707, 933, 2014, 2103
 - metric, 2018
 - parameter, 914
 - ratio, 283, 560, 753, 754, 791, 1090, 1688, 1912, 1918, 2071, 2170, 2200
- pericyclic reaction, 512
- perifused system, 514
- perimeter problem, 2116
- period length, 648
- period of a matrix, 1935
- periodic
 - assignment, 1361
 - behaviour, 73
 - boundary, 2140
 - crosscorrelation function, 329
 - event, 658
- periodic gossip
 - scheme, 1442
 - time, 1442
- periodic gossiping, 1942
 - on trees, 1442
- periodic
 - interval graph, 1361
 - lattice, 521
 - network, 1809
 - omega word, 2126
 - pattern, 1860
 - program, 1809
 - schedule, 1672
 - scheduling, 335, 1809, 2244
 - sequence, 553
 - structure, 761, 1672
 - table, 1748
- periodically recurring events, 410, 658
- periodicity, 648, 1960, 2195, 2257
 - length, 648
 - of matrix powers, 1935
- perishable production scheduling, 2278
- Perl, 2235
- permanent, 512, 650, 2144
- permanental bounds, 2144
- permeability of a graph, 427
- permutahedron, 706, 1649, 1900
- permutation, 8, 43, 77, 113, 121, 209, 229, 302, 435, 536, 600, 637, 771, 810, 835, 878, 953, 986, 1089, 1117, 1370, 1444, 1470, 1590, 1649, 1701, 1745, 1767, 1853, 1919, 1925, 1948, 2043, 2198, 2206, 2212, 2233
 - automaton, 2280
 - channel routing problem, 966
 - flow shop model, 1977
 - graph, 258, 494, 550, 562, 771, 986, 1050, 1061, 1728, 1801, 1824, 1869, 1870, 1908, 1989
 - group, 110, 1745, 2280
 - matrix, 594
 - of integers, 59, 591
 - of wires, 209
 - problem, 435
 - representation, 4
 - routing, 1875
 - schedule, 1977
- permutational matrix, 1745
- permuted bottleneck Monge matrix, 1590
- permutohedra, 1367

- perpetual gossiping problem, 1944
- persistence, 914
- persistent strategy, 332
- perspective interconnection network, 2166
- PERT, 761, 2162
 - network, 207, 2188
- perverse behaviour of voting rules, 584
- Peters, J G, 927
- Petri net, 746
 - analysis, 746
- Pfaffian, 227, 1359
 - of a matrix, 1359
 - orientation, 650
- Pfeiffer, 1387, 1732
- phase transition, 504, 1422
- phasing number, 979
- phenylene, 2064
- φ -tolerance competition graph, 1727
- Phillips, 1957
- photonic switch, 922
- phylogenetic number, 191
- phylogenetic tree, 1659, 2202, 2082, 2214
 - reconstruction, 2192
- phylogeny, 1916, 1918, 2082, 2203
 - digraph, 2192
 - graph, 2192
 - number, 2192
- physical map of chromosomes, 2209
- physical mapping, 2204, 2211
 - of DNA, 2211
 - problem, 1911, 2198
- physicochemical property, 518
- π -network, 1753
- Pick algorithm, 1659
- pick and choose heuristic, 583
- picture, 252, 269, 811, 1069
 - language, 1069
- piecewise linear
 - concave cost, 1329
 - efficient frontier, 1641
 - function, 52
 - non convex continuous function, 212
- piecewise polynomial, 2150
- Pin, 1783, 2175
- pivot, 285, 1073
 - operation, 1658, 1662
- pivoting idea, 297
- PKC, 546
- PL(n,e,q)-codes, 116
- PLA, 660
 - folding, 660, 1381
 - partitioning, 964
- placement algorithm for VLSI layout, 978
- plaintext bit, 1853
- planar
 - 3-satisfiability, 88
 - bar and joint framework, 1476
 - bipartite graph, 1053
 - cellular automaton, 237
- planar directed
 - graph, 433
 - network, 692
- planar embedding, 1816
 - of a graph, 1665
- planar graph, 31, 217, 241, 269, 282, 433, 656, 688, 715, 996, 1056, 1111, 1385, 1387, 1487, 1488, 1542, 1571, 1582, 1654, 1660, 1665, 1674, 1681, 1687, 1689, 1797, 1825, 1847, 2060, 2070, 2072, 2077, 22081, 2104, 2106, 2115, 2143, 2162, 2207, 2229, 2277
- partition, 2143
- planar
 - isostatic framework, 1476
 - k-set, 2237
 - kernel, 88
 - layout, 2222
 - map, 111, 1542
 - min-V'-cut problem, 2171
 - multiterminal cut problem, 2171
 - perfect graph, 1801
 - satisfiability problem, 1428
 - segmentation, 42
 - set, 1616
 - signed graph, 646
 - topology, 2220
 - transportation problem, 350
 - vertex labeled graph, 2207
- planarity, 1721
- plane
 - bipartite graph, 1880, 1963
 - crystallographic group, 4
 - cycle, 1067
 - embedding, 1497
 - Eulerian graph, 1563, 2135
 - grid, 694
 - isometry, 4
 - pattern, 4
- plane picture, 269
 - of lines, 811
- plane
 - stabber, 685
 - tree, 44
- plant
 - layout problem, 5, 31
 - location problem, 1009, 1137, 1152, 2090
- plate and bar framework, 269
- player interdependence, 372
- Plesník, 1833

- Plotkin range, 447
- PLS, 607
- plurality ballot, 201
- PN sequence, 696
- PO algorithm, 2218
- pocket in a macromolecule, 2201
- point
 - configuration, 787
 - connectivity, 63
- point to point
 - connection problem, 2004
 - delivery problem, 895
- point to point network, 1782
- pointed star, 393
- polarity, 1609, 1769
- pole, 619
- policemen and robber, 469, *see also* cops and robbers
- Pollack, 323
- Pollack, J., 323
- poly-log time, 1770
- polyadic codes, 639
- polycondensation system, 72
- polycyclic conjugated hydrocarbon, 1747
- polyfunctional monomer, 72
- polygon, 42, 99, 388, 531, 1685, 1694, 1836
 - covering problem, 780
 - graph, 1050
 - matroid, 99
 - scheduling, 1836
- polygonal
 - obstacle, 1116
 - system, 1747
- polygraph, 394, 515, 1092, 2063
- polyhedral
 - analysis, 2090
 - characterisation, 2075
 - combinatorial algorithm, 1781
 - combinatorics, 1974, 1978, 2038
 - graph, 2041
 - method in combinatorial optimisation, 379
 - proof method, 379
 - scene, 252
 - structure, 999, 1849, 2033, 2090
 - theory, 594, 1474, 1955
- polyhedron, 6, 20, 49, 252, 389, 402, 450, 589, 679, 685, 811, 1113, 1544, 1620, 1652, 1662, 1695, 1762, 1772, 1978, 2072, 2081, 2083, 2090, 2230
 - in 3-space, 811
- polyhex
 - covering, 1753
 - fragment graph, 812
 - graph, 812, 1748
 - system, 1748
- polylog parallel algorithm, 380
- polylogarithmic parallel time, 968
- polymatroid, 155, 199, 262, 372, 407
 - flow, 397
 - theory, 372
- polymatroidal
 - flow, 420
 - network flow, 420
 - structure, 155
- polymer, 44, 394, 515
 - configuration, 508
 - molecule, 508
 - system, 515
- polymerase chain reaction, 1922
- polynomial
 - algorithm, 88, 112, 182, 200, 210, 234, 255, 285, 316, 321, 381, 386, 391, 399, 431, 433, 464, 464, 598, 615, 680, 746, 766, 785, 797, 895, 948, 995, 1068, 1106, 1073, 1083, 1112, 1115, 1119, 1389, 1427, 1480, 1496, 1521, 1548, 1587, 1621, 1685, 1701, 1718, 1780, 1801, 1813, 1822, 1828, 1847, 1871, 1897, 1938, 1982, 2012, 2025, 2115, 2135, 2162, 2186, 2229, 2248
 - approximation scheme, 186, 666, 1676, 1845, 2193
 - association scheme, 681
- polynomial average
 - complexity, 135, 1000
 - time, 1000
- polynomial
 - complexity, 423, 1720
 - dynamic programming algorithm, 2103
 - graph colouring, 850
 - growth, 778
 - heuristic, 773
 - ideal, 818, 824
 - inequality, 259
- polynomial invariant, 1663, 2091
 - of a graph, 1663
- polynomial
 - knapsack polytope, 259
 - method, 423, 622, 2281
 - mixed integer zero one problem, 1371
 - number of processors, 968, 1770
 - order algorithm, 89
 - parallel complexity, 818
 - recognition algorithm, 390, 1657
 - ring, 817
 - scheme, 681
 - separator, 1579
 - solution, 387, 1381, 1453, 1873, 1990
 - solvability, 876, 995, 1126
 - surface, 1579
 - testing, 255

- polynomial time, 15, 53, 132, 138, 139, 283, 321, 335, 343, 364, 377, 386, 403, 414, 417, 433, 452, 490, 575, 687, 690, 704, 746, 749, 762, 777, 785, 799, 831, 842, 857, 858, 859, 865, 884, 886, 893, 951, 964, 975, 982, 993, 995, 1039, 1050, 1142, 1167, 1307, 1334, 1369, 1387, 1469, 1477, 1488, 1493, 1549, 1602, 1619, 1621, 1667, 1672, 1687, 1706, 1732, 1767, 1791, 1828, 1842, 1850, 1916, 1918, 1938, 1941, 1950, 1970, 1975, 1976, 1993, 2005, 2013, 2021, 2028, 2039, 2167, 2170, 2182, 2189, 2208, 2213, 2266, 2281
- algorithm, 28, 111, 139, 208, 317, 321, 328, 453, 454, 494, 556, 598, 613, 669, 707, 712, 876, 988, 1011, 1042, 1046, 1049, 1056, 1061, 1062, 1100, 1136, 1146, 1157, 1515, 1657, 1664, 1674, 1675, 1715, 1807, 1812, 1871, 1886, 1917, 1927, 1938, 1941, 1962, 1980, 1982, 1989, 2018, 2039, 2104, 2134, 2142, 2162, 2208, 2235, 2278
- polynomial time approximation, 1677, 2017, 2039
 - algorithm, 753, 862, 1503, 1898, 2200, 2213, 2224
 - scheme, 453, 666, 858, 859
- polynomial time
 - complexity, 1491
 - computable, 691
 - decidable, 850
 - dynamic programming algorithm, 582
 - equivalence, 650
 - equivalent, 41, 79
 - graph theoretic algorithm, 692
 - heuristic, 1838
 - problem, 2
 - solution, 840, 954, 1899, 2164, 2205
 - solvability, 589, 831
 - solvable, 1624, 1781, 1918, 2276
- polynomial tractability, 799
- polynomially
 - bounded rounding algorithm, 1335
 - equivalent, 355, 656, 1669, 1873
- polynomially solvable, 164, 272, 343, 453, 1112, 1157, 1571, 1587, 1621, 1836, 1975, 2012, 2137, 2244
 - class, 894, 2182
 - problem, 746
- polynucleotide, 2207
- polyomino, 1129
- polyp, 2019
 - packing problem, 2019
- polypent/polyhex graph, 1748
 - system, 1748
- polyphenylene, 545
- polytope, 149, 171, 529, 610, 773, 896, 1033, 1122, 1306, 1360, 1482, 1622, 1630, 1656, 1662, 1705, 1718, 1722, 1723, 1781, 1796, 1900, 2033, 2081
 - of bipartite degree sequences, 709
- Ponder, C, 1451
- pooling designs, 2058, 2209
- population
 - density, 113
 - genetics, 178
- Porubsky, S, 742
- Posa, 285
 - algorithm, 285
- Posa, L, 285
- poset, 341, 375, 393, 419, 498, 846, 969, 1330, 1383, 1635, 1649, 1650, 1743, 1781, 1900, 2038, *see also* partially ordered set
 - of all posets, 1330
 - structure, 1804
- posiform, 741
- positive
 - atom, 609
 - automata network, 473
 - Boolean function, 1167
 - decomposability, 1909
 - definite matrix, 1134, 1598
- positive edge, 174, 931, 2171
 - length, 446, 1774, 2115
- positive
 - feedback loop, 522
 - function, 473
 - literal, 575
 - loop, 522
 - semidefinite matrix, 2137
 - spanning set, 250
- Posner, M, 1160
- Posner, M E, 679
- possible experience, 1620
- postal model, 1540
- posterior probability function, 2149
- postman
 - problem, 6, 249
 - tour, 6
- postoptimal analysis, 1518
- postoptimality analysis, 2281
- potential
 - energy hypersurface, 511, 520
 - theoretic property, 56
 - theory, 576
- power
 - language, 805
 - law, 319
 - moment problem, 700
 - of a chordal graph, 172
 - of a circular arc graph, 1827

- power
 - of a cocomparability graph, 852
 - of a digraph, 1391
 - of synchronization, 804
 - operation, 1827
 - poset, 1330
- PQ-tree, 2198, 2212
- PRAM, 985, 1890, 2198
 - algorithm, 968
- Pratt, 1659
- pre-order, 413, 456, 805, 2257
- pre-ordered matroid, 456
- pre-period, *see* preperiod
- preassignment, 551, 1791
 - requirement, 1975
- precedence constrained
 - knapsack problem, 999, 1849
 - maximum value sub hypergraph problem, 1871
 - problem, 77
- precedence
 - constraint, 77, 134, 312, 459, 602, 723, 999, 1124, 1475, 1543, 1671, 1696, 1849, 1871, 1892, 1899
 - delay, 1846
 - graph, 1890
 - relation, 1894, 1900
 - relationship, 77, 1871
- precolouring, 1975
 - extension problem, 1941
- preconservative component, 746
- preemptive independent task, 1675
- preemptive open shop scheduling, 1791
 - problem, 865
- preemptive
 - periodic scheduling, 335
 - policy, 1671
 - priority scheduling algorithm, 1543
 - schedule, 1362, 1543
- preemptive scheduling, 335, 707, 1543, 1641, 1675, 1769, 1846, 1891, 2018
 - problem, 1543
- preference
 - function, 332
 - modeling, 795
 - order, 1546, 201
 - ranking, 105
- preferential
 - election rule, 1956
 - voting rule, 1956
- prefix
 - code, 633, 1592
 - reversal, 1580
- pregeometric space time, 517
- premultiplied mixed integer constraint set, 289
- preperiod, 348
- preprocessing procedure, 1023, 1161
- preservation of connectivity, 552
- presortedness, 1008, 1552
- prespecified processor allocations, 1475
- #PREXT, 1941
- PREXT problem, 1941
- price directive, 541
 - decomposition procedure, 541
- price function, 541
- primal
 - algorithm, 1976
 - MCNF algorithm, 1369
 - problem, 198, 481, 485
 - relaxation, 2090
 - simplex algorithm, 363, 1073, 1692
 - variable, 485
- primal-dual
 - algorithms, 483
 - integer programming algorithm, 1085
- primary path, 1014
- prime
 - assigned Euler network, 6
 - distance graph, 1392
- prime factor, 328
 - design, 152
 - of a graph, 328
- prime
 - factorisation, 403
 - ideal, 823
 - length, 639
 - partial algebra, 628
 - postman tour, 6
 - subfield, 825
 - word, 1800
- primer selection problem, 1922
- primitive
 - Cayley digraph, 2049
 - electrical network, 1865
 - matrix, 2231
 - morphism, 1947
 - network, 1865
 - parity problem, 945
 - polynomial, 329, 1088, 1968
 - starlike graph, 1083
 - symmetric digraph, 1933
- primitively realisable, 1865
 - bond graph, 1865
- principal
 - component analysis, 500
 - ideal domain, 2007
- principal partition, 372, 458, 977, 1589
 - in a graph, 977
- principal
 - structure, 699, 1589

- principle
 - of maximum parsimony, 2082
 - of minimal structural change, 848
 - of parsimony, 1004
 - of valency conservation, 512
- printed circuit testing, 1712
- priority
 - algorithm, 1675
 - model, 737
 - schedule, 1543
- prism, 771, 1701
- probabilistic
 - algorithm, 285
- probabilistic analysis, 53, 127, 135, 286, 467, 575, 1026, 1040, 1304, 1604
 - of an algorithm, 286
- probabilistic
 - behaviour, 575
 - encryption, 546
 - error bound, 318
 - finite generator, 992
 - graph, 1654
 - network, 563, 1061
 - performance, 575, 1026
 - satisfiability, 1620
- probabilistic single processor scheduling, 690
- problem, 690
- probabilistic
 - speed-up, 376
 - time complexity, 1623
- probability
 - content, 783
 - distribution, 700, 957, 1686, 1733, 1856, 1985
 - generating function, 72
 - of a dominant candidate, 201
 - of diameter two, 997
 - theory, 174, 373, 1451
- probably approximately correct learning, 1012
- probe
 - clone incidence matrix, 1911
 - interval graph, 2211
- probing, 1652
 - of gossiping, 1446, 1567, 1693, 2157
- problem
 - reduction, 1988, 2014
 - topology, 360
- process
 - planning problem, 486
 - selection, 486
- processing
 - cost, 1641
 - environment, 360
 - order, 137, 362, 452, 680, 1845
 - time, 383, 1481, 1599, 1633, 1641, 1739, 1897, 1977, 2012, 2155
- processor
 - bound, 1435
 - reliability, 690
- processors using shared buses, 1971
- Prodon, A., 1360
- product
 - matrix, 1423
 - network, 932, 2094
 - of complete graphs, 208, 1421
 - of graphs, 604, 1858, 2023
 - partial order, 449
 - set, 631
 - shuffle network, 932
- production
 - planning, 1079
 - variable, 672
- profile, 65, 105, 1543, 2066, 2139
 - scheduling, 1675
- programmable
 - logic array, 660, 1381
 - structure, 2225
- programmed grammar, 94
- progressive black-white pebbling, 1487
- project
 - evaluation, 281
 - management, 863
 - network, 375
 - scheduling, 863
- projection of a polyhedron, 2230
- projective
 - closure, 814
 - equivalence, 988
 - space, 279, 785, 854
- projectivization, 854
- Prolog rule system, 866
- proneness to anomaly, 1707
- propagating
 - EOL form, 333
 - OS scheme, 599
- proper
 - augmentation, 1787
 - circular arc graph, 1827
 - gap, 1816
 - tolerance graph, 258, 1614
 - vertex colouring, 1670
- properly coloured, 2056
 - Hamiltonian path, 2056
- property
 - on graphs, 78, 162
 - preserving extension of a graph, 634
- propositional
 - calculus, 472
 - Horn formula, 1549
 - logic, 774, 1020
 - satisfiability problem, 1618

- Proskurowski, 1446, 1493
 protein, 1910, 1919, 1920, 1924
 provably secure, 546
 pruning, 1755
 PS network, 932
 PSD matrice, 2137
 pseudo-Boolean
 function, 9, 98, 316, 390, 529, 614, 741, 749, 893, 1622, 1882, 1980
 problem, 149
 programming, 744
 quadratic function, 893
 pseudo-exhaustive testing, 1720
 pseudo-unimodular matrix, 1016
 pseudoflow, 1867
 pseudohalving hyperplane, 2237
 pseudominimal set, 1733
 pseudomodular matroid, 1609
 pseudopolynomial, 491, 888
 algorithm, 281, 1115
 dynamic programming algorithm, 1001, 1785, 1845
 time algorithms, 690, 1962
 pseudosplit graphs, 1593
 pseudovariety of semigroups, 2175
 PSP algorithm, 361
 PSPACE
 complete, 840
 completeness, 759
 psychometry, 1079
 public key
 cryptography, 546
 cryptosystem, 546, 571
 Pulleyblank, 1474
 punctured first order Reed-Muller code, 934
 Purdom, P W, 1000
 pure
 conditions, 1476
 fixed charge transportation problem, 1145
 integer program, 264
 literal rule, 135, 467, 1000
 pursuit game, 254
 PVM, 1763
 pyramidal tour, 799, 2182
 with step backs, 2182
- Q**
 q-colourability, 661
 q-colourability problem, 661
 q-core condition, 584
 q-Horn
 Boolean expressions, 1472
 formula, 1472
 QR-code, 856
 quadratic 0-1
 minimisation problem, 1882
 optimisation, 1725, 1882
 programming, 346, 893
 quadratic assignment, 2116
 problem, 136, 318, 489, 1508, 2123
 quadratic Boolean equation, 330
 quadratic optimisation, 1587
 problem, 463
 quadratic
 polytope, 2033
 posiform, 741, 1882
 quadratic programming, 463, 1024, 1587
 problem, 1079
 quadratic pseudo-Boolean
 function, 1882
 problem, 149
 quadratic semi-assignment problem, 391
 quadratically related geometric sequences, 1088
 quadric, 279
 hypersurface, 1088
 quadrisected knight tour problem, 1866
 qualitative
 analysis, 525
 stability, 525
 qualitatively
 independent partitions, 176
 nonsingular matrix, 331
 quantification, 1488
 quantifier elimination, 2173
 quantitative group testing, 667
 problem, 897
 quantum chemical
 reaction graph, 511
 result, 512
 quantum
 logic, 393
 theory, 1745
 quartic subgraph, 1797
 quasi-Cayley graph, 1954
 quasiconcave function, 216, 453
 quasiconcave program, 453
 quasigreedy
 algorithm, 367
 method, 367
 quasigroup representation, 1954
 quasiharmonic classification
 of infinite networks, 56
 of Riemannian manifolds, 56
 quasiharmonic function, 56
 quasiminimal, 1683
 diameter, 701, 935, 1683
 quasiparity graphs, 408
 quasithreshold graph, 1830

- quaternary trees, 1814
- query, 255, 627, 685, 975, 1038, 1101, 2156, 2204, 2209, 2251
 - data structure, 2156
 - learning, 2251
 - optimisation, 974
- queueing theory, 2153
- Queyranne, 1900
- Quillot, A, 469
- quintic subgraph, 1797
- quorum system, 1872
 - construction, 1872
- quotient
 - of linear functions, 125
 - of polynomials, 52
 - ring, 1367
 - set, 1988
- R**
- R&Cmax, 1943
- r-distant colouring, 1601, 1678
- r-partite paired comparison digraph, 462
- r-partition, 642
- r-regular partial planes, 393
- R2-GP, 1744
- radio network, 1567, 1997
- radius
 - of a chordal graph, 172
 - of gyration, 508
- radix representation, 1994
- Rado, 211
- Rado-Edmonds
 - characterization of matroids, 527
 - theorem, 211
- Radon
 - inversion algorithm, 1939
 - transform, 1939
- Radzik, 1664
 - analysis of the Newton method, 2073
- Radzik, T, 1369
- RAES, 1089
- Raghavachari, M, 440
- Raghavan, 1677
- Raghavan, P, 1080
- railway system, 1809
- ramification
 - degree, 519
 - index, 285
 - matrix, 775
- Ramsey
 - number, 1737, 2036
 - property, 419
 - theorem, 737
 - theory, 267, 642, 1386
- Ramsey-like arguments, 739
- Ramsey-type
 - result, 419
 - theorem, 642
- random
 - algorithm, 529
 - arc length, 276
 - bipartite graph, 839
 - Boolean network, 257
 - choice, 843
 - combinatorial structures, 504
 - complete graph, 275
 - design, 2209
 - digraph, 839
 - edge fault, 524
 - f-graph process, 1744
 - failure, 933
 - fault, 524
- random graph, 92, 133, 140, 285, 401, 504, 657, 769, 770, 977, 1027, 1437, 1604, 1725, 1740, 2111, 2127
 - model, 2127
 - process, 509
- random
 - hillclimbing, 2127
 - hypergraph, 515
 - instance of satisfiability, 1000
 - Ising ± 1 spin model, 1422
- random knapsack, 725, 1139
 - problem, 1139
- random
 - minimum spanning tree problem, 275
 - NC, 736
 - network, 360
 - number generator, 535
 - permutation, 438
 - polynomial algorithm, 381
 - problem generator, 311
 - rooted tree, 835
 - sampling, 1914
- random search, 677
 - heuristic, 677
- random
 - selfavoiding polygon, 655
 - sequence, 1552
 - set of points, 53
 - string, 619
 - structure, 504
 - variable, 89, 276, 383, 480, 847
 - walk, 521, 655, 944, 1858
- randomised
 - algorithm, 141, 381, 843, 1027, 1515, 1677, 2039
 - local search, 381
 - parallel algorithm, 736
- randomized, *see* randomised

- randomly generated
 - example, 557
 - finite binary sequence, 696
- randomly generated instance, 1040, 1158, 1161, 1995
 - of SAT, 575
- randomly generated
 - knapsack problem, 2195
 - poset, 1781
 - test problem, 483, 666, 1724
- range and bound method, 93
- range query, 16
- rank 4 matroid, 1609
- rank, 65, 211, 349, 373, 444, 832, 841, 846, 1146, 1306, 1468, 1602, 1609, 1813, 1856, 1946, 2035, 2190
 - constraint, 1560
 - correlation method, 1008
 - inequality, 1306
 - of a matroid, 1609
 - of a polymatroid, 155
 - of an LM matrix, 699
 - optimality result, 963
- ranked dendrogram, 205
- ranking, 65, 105, 444, 462, 878, 1813, 2164, 2190, 2278
 - model, 1008
 - of a graph, 2190
 - problem, 754
 - vertices, 462
- Rao, 2218
- rapidly mixing, 1515
- Rardin, R L, 943, 1039
- Raspaud, 2146
- rate of convergence, 383
 - to optimality, 383
- rate of simultaneousness, 636
- ratio
 - of arc lengths, 2002
 - of distances in a tree, 2062
- rational
 - coordinate, 992
 - expression, 992
 - function, 67, 803
 - relation, 992
 - transduction, 150
- rationality, 803
- Ratliff, H D, 66
- Ratsaby, 2151
- Ravi, 1917
- Rayleigh fading channel, 830
- RDLAP, 1170
- re-optimization problem, 1898
- reaction
 - diffusion mechanism, 237
 - distance, 848
- reaction
 - graph, 511
 - lattice, 512
 - parameter, 512
 - path, 512
 - skeleton, 512
- reactive group, 72
- read once Boolean function, 1102
- read only
 - head, 251
 - input tape, 251
- Read, R C, 227
- read/write
 - isolated memory, 1522
 - step, 982
- real
 - execution time, 1543
 - spectrum, 33
- real-time
 - system, 2018
 - trellis automaton, 405
- realisability of a spectrum, 121
- realisable bond graph, 1865
- realisation of a graph, 1674
- realization, *see* realisation
- reallocation, 290
- rearrangeable, 923
- rearrangement, 1917
 - distance problem, 1917
- reasoning under uncertainty, 1620
- reciprocal diagram, 811
- recognition, 111, 206, 252, 386, 689, 749, 766, 797, 1370, 1472, 1479, 1553, 1590, 1745, 2141
 - algorithm, 228, 414, 494, 747, 749, 777, 1046, 1583, 1593, 1626, 1657, 777, 1706, 1728, 1830, 2013, 2079
 - of a P_4 -sparse graph, 2079
 - of a trapezoid graphs, 1728
 - of a well-covered graph, 1687
 - of middle graph, 206
 - of the Monge property, 1839
- recognition problem, 746, 779, 1042, 1058, 1389, 1433, 1553, 1602, 1811, 1839, 2212
 - for bicircular matroids, 1042
- recognisability of sets, 565
- recognisable, 565
- recognising
 - brittle graphs, 777
 - graphs, 242
 - hidden bicircular networks, 988
 - interval bigraphs, 2021
 - q-Horn formulas, 1472
 - small cliques, 734
 - supports of line digraphs, 743

- recognising tough
 - cubic graphs, 2024
 - graphs, 722
- recognising undirected path graphs, 1046
- recombinant
 - behavior of DNA, 1815, 1837
 - DNA libraries, 2058
- recombination, 1918, 2208
- reconfigurable
 - systolic linear array, 1946
 - VLSI/WSI array, 2225
- reconfiguration strategy, 1946
- reconstructing phylogenies, 2214
- reconstruction
 - algorithm, 1939
 - of a rooted tree, 1810
 - of evolutionary history, 2208
 - property, 492
- rectangle packing, 1080
 - problem, 1080
- rectangle visibility graph, 1885, 1931
- rectangular
 - art gallery, 1308
 - banyan network, 926
 - Boolean matrix, 232
 - grid, 1591, 2116
- rectifier network, 2177
- rectilinear distance, 1170
 - location allocation problem, 1170
- rectilinear
 - embedding, 2070
 - obstacle, 1848
 - path, 1848
 - planar drawing, 989
 - Steiner tree problem, 2223
- recurrence
 - parameter, 1489
 - relation, 194, 394, 499, 854, 1092, 1489, 1817, 1829
- recurrent
 - constructive scheme, 1755
 - network, 2150
 - neural network, 2150
- recurring event, 410
- recursion formula, 128
- recursive
 - circulant, 1814
 - dominance, 654
 - exchange algorithm, 2097
 - family of graphs, 1495
 - formulation, 1659, 2103
 - graph theory, 834
 - query, 627
 - rule, 627
 - structure, 466
- recursively
 - decomposable Cayley graph, 1438
 - enumerable language, 150
- Redfield-Read superposition theorem, 516
- reduced
 - bond graph, 1862
 - complexity decoding, 816
- reducibility, 373, 640, 2040
- reduction, 77, 88, 219, 232, 435, 481, 491, 562, 586, 688, 736, 863, 1007, 1034, 1115, 1160, 1161, 1387, 1545, 1563, 1745, 1768, 1797, 1988, 1990, 1995, 2167, 2210, 2223
 - algorithm, 711, 853
 - method, 339, 561
 - procedure, 676, 711
 - result, 2206
 - rule, 1493
- redundance, 1489
- redundancy, 342, 939, 1620, 1643, 1745
 - of a tree, 342
- redundant, 496, 939, 1436, 1578, 1643, 1946
 - constraint, 652
- Reed, 1674, 1732
- Reed-Muller code, 57, 179, 934
- Reed-Solomon code, 819
- reference structure, 1773
- reflection principle, 793
- reflexive
 - and transitive closure, 244
 - dimension, 1627
 - graph, 1047
- reformulation linearization technique, 1170, 1796
- regeneration in an IL system, 578
- regenerative IL system, 670
- regression, 197
 - function, 2149
 - model, 1124
 - problem, 1079
- regular
 - arrangement of cells, 820
 - bipartite graph, 864, 869, 1006, 1628
 - Boolean function, 431
 - chain code picture language, 1069
 - class, 564
 - comparability graph, 752
 - coronoid system, 1883
 - cycle, 2113
 - digraph, 935, 1683, 1854
 - directed node label controlled graph grammar, 351
 - DNLC grammar, 351
 - expression, 2140
 - function, 431, 1167
- regular graph, 279, 308, 436, 645, 681, 752, 778, 884, 1393, 1746, 1981, 2024, 2185

- regular
 - graph property, 1495
 - hexagon, 1694
 - hypergraph, 1563
 - k-cycle free graphs, 752
 - labeled graph, 2185
 - language, 107, 118, 150, 251, 320, 327, 398, 498, 564, 571, 800, 957, 1585, 1815, 1837, 2055, 2129, 2175, 2187, 2239
- regular line
 - drawing, 277
 - graph, 752
- regular
 - matroid, 25, 1600
 - measure of performance, 375
 - nonsymmetric digraph, 33
- regular partial
 - concentrator, 958
 - plane, 393
- regular
 - planar graph, 1797
 - resonance structure, 523
 - self complementary graph, 2043
 - semigroup, 792
 - sequence, 698
 - set, 317, 792, 800, 2140
- regular set covering, 321
 - problem, 1167
- regular subgraph, 1797
 - problem, 687
 - recognition, 687
- regular substructure, 277
- regularity, 277, 461, 840, 1130, 1495, 1669, 1815
 - of a drawing, 277
 - of a language, 244
 - of a line drawing, 277
 - of a matrix, 306, 1669
 - of a splicing system, 792
- Reid, 2032, 2084
- Reid, K B, 776
- Reiman, M I, 604
- Reisch, S, 759
- relation scheme, 971, 972, 1812
- relational algebra, 975
- relational database, 627, 638, 969, 971, 972, 976, 1020
 - design, 974
 - model, 970
 - scheme, 1070, 2119
 - system, 638, 1870
 - theory, 976, 1070
- relational
 - datamodel, 1812
 - structure, 1488, 1742
 - system, 577, 1155
- relative neighbourhood graph, 788, 941
- relatively prime integers, 733, 953
- relatively rigid, 2165
 - truss, 2165
- relaxation, 129, 134, 136, 198, 231, 379, 461, 481, 528, 676, 679, 688, 768, 867, 1024, 1128, 1161, 1333, 1371, 1516, 1725, 1796, 1834, 2090, 2159, 2180, 2259
 - bound, 1009
 - branch and bound algorithm, 1333
 - method, 1924
 - strategy, 361
- relaxed
 - linear program, 964
 - problem, 137
- release date, 137, 490, 602, 679, 892, 1475, 1675, 1962, 1966, 1982
 - constraint, 137
- release date/deadline interval, 1982
- release time, 710, 1131, 1709, 1846, 1977
 - constraint, 710
- reliability, 423, 701, 859, 933, 1003, 1768, 1946, 1950, 1973, 2094
 - analysis, 1946
 - bound, 563
 - evaluation, 1973
 - measure, 1061
 - model, 758
 - of decoded data, 821
 - problem, 423, 1305, 1768
 - ratio problem, 859
- reliable
 - broadcasting, 1436, 2094
 - edge, 1547
 - graph, 1388
 - network, 1388
- relinkage, 634
- renamable Horn clause, 1549
- renaming
 - of a formula, 1549
 - of a Horn formula, 1549
- renewable
 - and nonrenewable resource, 865
 - resource, 1739
- Rényi, A, 504
- repetition
 - free, 270, 628
 - freeness, 270
 - in a word, 214
- repetitive polling game, 2178
- replacement grammar, 1103
- replying to queries, 627
- representability, 461, 605, 1064
 - of a function, 605
- representable interval graph, 334, 569

- representable set, 461, 1108
- representation
 - for a set partitioning problem, 1796
 - graph, 455
 - of a bicircular matroid, 808
 - of a constraint, 605
 - of a general unlabeled graph, 732
- representation of a graph, 241, 962, 1488, 1742, 2001
 - by a relational structure, 1488, 1742
 - by a set system, 92
- representation
 - of a orthomodular poset, 393
 - of a positive integer, 497
 - of a semiorde, 795
 - of a set, 461
 - of a stage graph, 1936
 - of an automaton, 898
 - of an interval order, 1057
 - theorem of the suffixes of characteristic sequences, 2136
 - theory, 1811
- representative
 - graph, 393
 - system, 13
- representing
 - an order, 693
 - a graph by a tree, 80
 - an objects by a point, 753
- reproducing power, 599
- rerouting, 1973
- residual
 - connectedness reliability, 1061, 1547
 - network reliability, 1950
 - node connectedness reliability, 1061, 1950
- residuated map, 796
- residue
 - class, 410
 - set, 742
- resilience, 914, 916
- resistance, 778, 1494, 1858
 - movement, 45
- resistive
 - circuit, 1307
 - electrical network, 2007
 - network, 778
- resolution, 19, 518, 522, 1455, 1927
 - search, 1859
- resolvable perfect Mendelsohn design, 2169
- resonance, 1753
 - energy, 499, 1743, 1817
 - structure, 523, 1753
 - theory, 523
- resonant hexagon, 756, 879
- resource allocation, 716, 1583, 1674
 - problem, 84, 292
- resource
 - bound, 985, 1866
 - capacity, 716
- resource constrained assignment problem, 674
- resource constrained scheduling, 2039, 2132
 - problem, 2039
- resource
 - constraint, 130, 490, 674, 1017, 1161, 1696, 2132
 - demand, 716
 - set, 1739
 - sharing, 716
- resting time, 714
- restricted colouring, 876, 1975, 2164
- restricted fanout, 975
 - query, 975
- restricted Lagrangean, 1145
 - 2-matching, 676
- restricted
 - lattice path, 793
 - permutation, 637
 - Steiner tree problem, 2203
- restriction, 28, 45, 99, 470, 591, 842, 1387, 1680, 1939, 2014, 2025, 2157
 - enzymes, 792, 2187
- RET, 1543
 - task, 1543
- retraction, 2260
- retrieval
 - of information, 627
 - tree, 342
- return function, 113
- reversal
 - distance, 1925
 - sequence sorting, 1925
- reverse
 - order, 65, 1580
 - polar, 2268
 - ranking, 65
- reverse search, 1762
 - technique, 1762
- reversibility problem, 2140
- reversible
 - 90/150 cellular automaton, 2140
 - digraph, 207
 - string, 2140
- reversing number, 1612
- reward rate, 1671
- rewritable medium, 1522
- Rf-GP, 1744
- Rhys, J M W, 390, 1128
- ri-metric, 1008
- ribonucleic acid, 1689
- ribonucleotide bond, 1689
- Richards, 1944

- Richards, G W, 923, 958
- Riemann surface, 253
- Riemannian manifold, 56
- right
 - continuity, 74
 - invariant metric, 1008
 - linear string grammar, 351
- rigid
 - body mechanics, 2165
 - framework, 349
 - unit distance graph, 789
- rigidity, 349, 2165
 - condition, 349
 - matrix, 349
 - of a skeletal structure, 215, 223
- ring
 - family, 1974
 - network, 466, 1431, 1435
 - structure, 98, 1367
- Riordan group, 845
- Riordan, John, 845
- Rival, I, 693
- Rivest, 1659
- RNA, 1363, 1689
 - molecule, 1689
 - secondary structure, 1363, 2207
 - structure, 1689
- RNG, 535, 788
- Roberts, 1601, 2020
- Roberts, F S, 180, 577
- Robertson, 1487, 1493, 1674
- Robertson and Seymour algorithm, 1674
 - for k-realizations, 1674
- Robertson, N, 831, 996
- Robinson, D F, 496
- Robinson, J, 616
- robot, 693
- robotic
 - cell, 2188
 - scheduling, 2188
- robotics, 1141, 1652, 1848
- robotized
 - analytical system, 1775
 - system, 1775
- robust
 - lower bound, 1131
 - regression, 197, 2237
 - statistics, 2237
 - universal complete code, 1686
- robustness, 938, 1481, 1686
- Röck, 2039
- Roget, 1866
- Rohlf, F J, 122
- Romanik, 1578
- roof duality, 1128, 1882
 - gap, 741
- root
 - of a graph, 1594
 - system, 99
- rooted binary plane tree, 1014
- rooted directed
 - spanning tree, 379
 - tree, 454
- rooted
 - network, 1154
 - plane tree, 44
 - routing, 1674
- rooted tree, 835, 1068, 1810, 1880, 2091
 - structure, 148, 203, 471
- rooted
 - vertex disjoint paths, 1674
 - virtual path layout problem, 2103
- Rose, 2141
- Roselle, 2032
- Rosen, J B, 440
- Rosenfeld, A, 552
- Rosenmüller, J, 1278
- Rosenthal, 1768
- Ross, J A, 344
- Rota, G-C, 838
- rotagraph, 1794
- rotation
 - graph, 1880
 - number, 549
- rotational symmetry, 942
- rotator design, 152
- Roth, 1597
- Roth, R, 629
- Roth-Van de Vate algorithm, 1597
- round robin tournament, 123, 573
- rounding
 - a convex body, 1515
 - algorithm, 1335
 - in a symmetric matrix, 1834
- Rouse Ball, 1866
- route
 - digraph, 632
 - graph, 937, 2009
 - scheduling, 1441
- routing, 345, 588, 604, 632, 916, 920, 937, 964, 978, 980, 981, 1441, 1808, 1848, 1875, 1994, 2009, 2046, 2068, 2097, 2176, 2227
 - a multiterminal net, 2227
 - a switching network, 922
 - algorithm, 915, 980, 2110
 - heuristic, 2219
 - in a network, 632, 1674
 - on a Cayley graph, 980
 - plan, 1388

- routing problem, 164, 345, 604, 937, 966, 967, 980, 981, 1140, 1510, 1674, 1763, 1808, 2046, 2103, 2176
 - around a rectangle, 981
- routing
 - scheme, 908, 916
 - switch, 922
 - table, 907
 - theory, 1674
 - vulnerability, 2009
 - winter gritting vehicles, 1144
- row
 - echelon matrix, 854
 - equivalent matrices, 808
 - graph of a matrix, 238
- row sum, 1639, 2144
 - vector, 1465
- Roychowdhury, 2014
- RRS, 523
 - span, 523
- RS-code, 819
- Rucinski, 1600
- Rucinski, A, 977
- Rudeanu, S, 744
- rule system, 866
- rumour problem, 276
- Rumsey, H C, Jr, 447
- runtime analysis, 328
- RVDP, 1674
- Ryan, 1645
- Ryser, H J, 219
- S**
- (S,a)-EOL form, 185
- s-representation, 2129
- S₃-maximum graph, 1547
- Sabidussi, G, 14, 328
- saddle point, 1038
- saddle-free, 529
- Sahni, S, 304
- Saigal, R, 529
- Sakai, 1601
- Sakarovitch, M, 1049
- Saks, M E, 291
- Salomaa, A, 150, 1570, 1605, 1879
- Salowe, 2223
- Saltzman, M J, 1028
- SAMD descent ascent method, 1095
- Samorodnitsky, 1904
- sample compression scheme, 2147
- Sankoff, 2200
- Sario, L, 56
- SASPACE, 804
- SAT, 225, 575, 665
- satisfiability, 294, 575, 665, 1000, 1571, 1859, 1611, 1613
 - of Horn sets, 1613
 - problem, 135, 225, 294, 467, 575, 665, 1158, 1428, 1472, 1549, 1562, 1618, 1914, 1930, 2068, 2179
- satisfying assignment, 575, 1914
- saturated lattice space, 227, 323
- saturation
 - degeneracy, 227
 - property, 1017
 - throughput, 2110
- Sauer-Shelah lemma, 2148
- saw-tooth sequence, 291
- SB heuristic, 2217
- SBH, 2205
- scalability, 1707
- scale
 - 2 embedding, 2060
 - economy, 488
 - embedding, 2060
 - of measurement, 577
 - sensitive dimension, 2149
- scaling
 - prediction, 1948
 - technique, 272
- scatter search, 1163
- scattering number, 1989
- scene analysis, 252, 269
- SCF ground state, 523
- Schäffer, A A, 403
- schedule, 93, 115, 123, 283, 304, 375, 383, 410, 490, 543, 551, 714, 791, 865, 868, 872, 873, 989, 1149, 1441, 1444, 1481, 1518, 1519, 1543, 1584, 1599, 1610, 1638, 1672, 1696, 1845, 1937, 1962, 2018, 2039, 2104
 - induced poset, 375
 - length, 707, 1475, 1962
- scheduled flow graph, 1031
- scheduler, 616, 982
- scheduling, 55, 115, 130, 134, 283, 284, 311, 335, 380, 386, 475, 531, 543, 557, 707, 751, 755, 761, 842, 863, 892, 956, 1017, 1089, 1114, 1115, 1131, 1142, 1157, 1163, 1358, 1441, 1481, 1503, 1519, 1548, 1561, 1599, 1603, 1633, 1638, 1641, 1642, 1668, 1671, 1672, 1674, 1675, 1682, 1730, 1739, 1769, 1780, 1785, 1787, 1791, 1809, 1838, 1845, 1846, 1850, 1890, 1891, 1894, 1895, 1898, 1943, 1964, 1971, 1975, 1982, 2012, 2039, 2071, 2079, 2086, 2113, 2132, 2133, 2155, 2167, 2188, 2238, 2278
 - a flow shop, 1477
 - a sports competition, 551, 573
 - a tournament, 123

- scheduling
 - activity, 2113
 - games, 55
 - imprecise computation, 2018
 - interval, 1682
 - jobs, 470, 602, 678, 892, 1142
 - matroid, 690
 - multiprocessor tasks, 707, 1475
 - of conditional executed jobs, 1584
 - of maintenance service, 2113
 - parallel programs, 1890
 - periodic events, 658
 - policy, 1671
 - preemptive tasks, 1543
 - problem, 19, 93, 130, 167, 175, 304, 375, 452, 470, 664, 678, 710, 723, 751, 761, 865, 868, 892, 995, 1001, 1115, 1131, 1156, 1159, 1427, 1429, 1477, 1503, 1516, 1517, 1518, 1543, 1545, 1561, 1584, 1633, 1668, 1684, 1709, 1730, 1739, 1766, 1775, 1785, 1846, 1892, 1896, 1897, 1900, 1962, 1977, 1982, 2039, 2090, 2167, 2244, 2278
 - program, 38
 - tasks, 1765, 1898
 - theory, 382, 383, 791, 1467, 1765, 1891
- Scheinerman, 1437, 1740
- Schmidt, 2039
- Schneider, H, 959
- Schneider, M H, 959
- Schönheim, J, 228
- Schrader, 1900
- Schreier coset graph, 907
- Schrödinger equation, 1745
- Schützenberger product, 2175
- Schützenberger, M-P, 836
- score
 - list of a tournament, 740
 - of a fold, 1921
- Scott, Debra, 728
- SCP, 2238
- Scutellà, 1549
- Seager, S, 760
- search, 6, 177, 268, 316, 544, 678, 866, 897, 900, 943, 987, 1000, 1031, 1072, 1101, 1147, 1163, 1307, 1519, 1707, 1724, 1762, 1765, 1766, 1859, 1863, 1892, 1905, 1988, 2005, 2089, 2103, 2123
 - algorithm, 1358
 - heuristic, 1892
 - hide game, 2005
 - number, 612, 987, 1487
 - ordering heuristic, 501
 - path, 2005
- search problem, 596, 889, 1856, 1859, 2125
 - on a graph, 385
- search theory, 385
- search tree, 544, 678, 892, 1333, 1755
- searching, 843, 890, 1036, 1868, 2005, 2125, 2156, 2160
- second normal form, 1812
 - formula, 1488
 - logic, 1488, 1742
- secondary
 - arc weight, 1078
 - RNA structure, 1689
- secondary structure, 1363, 2207
 - graph, 2207
- secret sharing scheme, 1700, 1957
- secure
 - communication, 566
 - multi party protocol, 534
 - network, 566
- security, 534, 2254
 - center, 230
 - problem, 423, 534
- segmental
 - cover, 101
 - formula, 101
 - solution, 101
- segmented channel, 2014
 - routing, 2014
 - routing problem, 2014
- Seidel, J J, 1824, 2266
- Sekanina, 1391
- selecting jobs, 1642
- selection, 501, 627, 843, 1922
 - model, 178
 - of a site, 212
 - problem, 120, 1922
- selective
 - inheritance of attribute values, 972
 - traveling salesman problem, 675
- self-assembling biological structure, 1527
- self-assembly, 1527
- self-avoiding walk, 521
- self-complementary graph, 2043
- self-dual, 179, 1123
 - basis, 1123
 - code, 179, 828, 2263
 - normal basis, 1123
- self-organization, 109
- self-organizing search, 957
- self-orthogonal code, 828
- self-reading sequence, 1570, 1605
- self-reducibility, 831
- self-reduction, 1487
 - algorithm, 1487
- self-routing
 - network, 922
 - photonic switch, 922

- self-routing switch, 922
- self-service queueing, 2153
- self-similar, 992, 1924
 - image, 992
- Selfridge, J L, 1764
- semantic
 - branching program, 2177
 - read once nondeterministic branching program, 2177
- semi-antichains, 449
- semi-independence number, 460
- semi-order, 187, 417, 795, 1383, 1469
- semichain covering, 449
- semichordality, 798
- semicomplete digraph, 662, 2031, 2245
- semidirect product, 2175
- semidiscrete, 2129
 - language, 2129
- semiflat cluster method, 74
- semigroup, 157, 310, 792, 840, 1994, 2175
- semigroup automaton, 840
 - structure, 840
- semigroup
 - of automata, 840
 - of dominoes, 792
 - of positive real numbers, 121
- semilattice, 337, 1165, 1551
 - of closed sets, 971
 - structure, 498
- semimodular poset, 337
- semimodule, 125
- seminorm, 473
- semipath, 850
- semiperfect elimination, 794
 - ordering, 794
- semistrongly greedy, 1635
 - chain, 1635
- semisymmetric traffic, 926
- semisystolic
 - architecture, 820
 - decoder, 820
- sense of direction, 2185
- sensitivity, 1481, 1518, 1898
 - analysis, 39, 768, 1079, 1087, 1481, 2074
 - of a list scheduling rule, 1481
- separability, 287, 689, 1731, 2141
 - problem, 693
- separable
 - graph, 689
 - integer programming problem, 437
 - objective, 402
 - partition, 2272
 - partitioning, 1564
- separating set, 2052
- separation, 693, 779, 1076, 1544, 1569, 1579, 1638, 2033
 - algorithm, 1028
 - problem, 674, 750, 1649
 - procedure, 750
- separator, 73, 1989, 2025, 2035, 2141
 - graph, 2035
 - in a graph, 2025
 - theorem, 2025
- sequence
 - alignment, 1926, 2213
 - analysis tools, 1919
 - comparison, 540, 1928
 - conservation, 1924
 - equivalence problem, 1007
 - pattern, 2214
- sequence shuffling, 1919
 - problem, 1919
- sequencing, 77, 130, 486, 723, 1112, 1709, 1897, 1917, 2211
 - by hybridization, 2205
 - problem, 93, 312, 375, 459, 680, 1709, 1892, 2238
- sequential
 - aggregation, 1356
 - algorithm, 261, 740, 1866, 2001, 2198
- sequential colouring, 1376
 - method, 1376
- sequential
 - convexification, 2268
 - gossiping, 2157
- sequential iteration, 166, 536
 - of a threshold network, 340
- sequential
 - labeling, 82
 - lifting, 999
 - local search, 1022
 - matching, 540
- sequential partition, 2156
 - of a graph, 2156
- sequential
 - reduction, 339
 - transducer, 802
- serial dynamic programming, 39
- serializability, 435, 616
 - problem, 435
- serializable system, 616
- serialization, 1469
 - constraint, 982
- series combination, 1494
 - in parallel, 1494
- series
 - decomposable poset, 1649
 - decomposition, 1469, 1900
 - expansion, 503, 521

- series parallel, 280, 346, 466, 474, 1108, 1360, 1492, 1649
 - graph, 71, 154, 312, 597, 996, 1061, 1360, 1489
 - network, 280
 - order, 417, 1383
 - poset, 341, 706, 1649, 2038
 - precedence constraint, 312
- series parallelness, 474
- service center, 1124
- set cover problem, 377, 1450, 1903
- set covering, 246, 321, 1145, 1718
 - inequality, 321
 - problem, 321, 1145, 1167, 1526
- set
 - intersection, 1592
 - of all feasible solutions, 374
 - of disjoint cycles, 433
 - of generators, 1303, 1640
 - of lines, 1368
- set packing
 - polytope, 1122, 1662
 - problem, 183
- set partitioning
 - polytope, 1122, 1662
 - problem, 173, 482, 1603, 1796
- set representation, 92
 - of a graph, 92
- set system, 527, 621, 1468, 1993
 - with Property B, 1764
- set valued graph colouring, 2034
- set-up, *see* setup
- setup
 - optimisation, 853
 - polyhedron, 2038
 - problem, 2038
 - time, 1709, 2086
- sextet
 - pattern, 812
 - rotation graph, 812
- Seymour, P D, 161, 409, 422, 831, 981, 996, 1387, 1487, 1493, 1674, 1764
- Shank characterization theorem, 626
- Shank, H, 626
- Shannon switching game, 759
- Shannon-like game, 759
- Shanthikumar, 1587
- shape of a protein, 2201
- Shapiro, J, 481
- Shapley, L S, 81, 1006
- shared memory
 - machine, 926
 - model, 434, 2079
- sharing
 - problem, 402
 - scheme, 1700, 1957
- Sharmir method, 1700
- Shastri, 2108
- Sheffer
 - function, 593
 - symmetric functions, 593
- shelling, 529, 1622
 - order, 1622
- Shepsle, K A, 776
- Sherali, 1796
- Shields-Harary number, 1554
- shift
 - commuting, 949
 - dynamical system, 34
- shift register, 913
 - sequence, 913
 - synthesis, 824
- shifting algorithm, 322, 1068, 1713
- Shmoys, D B, 464
- Sholander, M, 230
- shop loading, 672
 - problem, 672
- shop scheduling problem, 1561
- Shore, 2223
- short
 - chain packing, 763
 - cycle, 288, 2026
 - disjoint cycles, 1703
- shortest
 - arborescence problem, 2092
 - augmenting path method, 483
 - average arc length, 1078
 - closed walk, 147
 - enclosing walk, 2229
 - linear feedback shift register, 553
 - maximal increasing subsequence, 562
 - path, 35, 66, 97, 208, 281, 353, 360, 361, 380, 453, 470, 748, 782, 909, 1057, 1565, 1824, 1867, 1959, 1973, 2009, 2109, 2115
- shortest path
 - algorithm, 66, 97, 165, 281, 360, 361, 1959
 - problem, 276, 281, 360, 421, 505, 661, 1112, 1516, 1518, 2092, 2115
 - routing algorithm, 2110
 - tree, 1774
- shortest
 - postman route, 249
 - shortest path tree, 1774
 - simple path, 1137
 - superstring problem, 2199
- shortness coefficient, 1385
- shouting, 555, 1432
 - broadcast, 555
- Shuchat, A, 988
- shuffle, 932
 - cycle, 1588

- shuffle exchange, 1434, 1588, 2107
 - digraph, 1588
 - graph, 1435, 2003, 2107
 - network, 932, 1610, 2003, 2107
- shuffle oriented
 - digraph, 1588
 - network, 932
- shuffle product, 957
- shuffling biological sequences, 1919
- Shull, R, 988
- SID, 972
- side
 - constraint, 482, 867, 1763
 - payment, 372
- Sidney
 - decomposition theory, 459
 - theory, 459
- Sierpinski gasket, 519
- sieve number, 1958
- sigma-pi
 - network, 2236
 - neural network, 2236
- sigmoidal function, 2150
- sign group, 99
- sign solvable
 - graph, 27, 182
 - system, 27
- sign
 - stability, 525
 - symmetric graph, 99
- signed
 - complete graph, 99
 - digraph, 27, 331, 525, 530
 - graph, 86, 99, 331, 390, 646, 1795
 - hypergraph, 414, 2226
 - poset structure, 1804
- Simeone, B, 431, 614, 1128
- similar graphs, 76
- similarity
 - depth, 119
 - relation, 1332
- Simon, B E, 604
- Simons, B, 632
- simple arrangement, 786
- simple graph, 133, 403, 705, 780, 1103, 1108, 1393, 1466, 1547, 1670, 2040, 2111, 2191
 - property, 2104
 - symmetry, 517
- simple group, 645
- simple majority
 - problem, 1803
 - voting, 13
- simple
 - nestedness, 1041
 - ordering heuristic, 2217
- simple
 - polygon, 782, 2274
 - polytope, 529
 - surface separation ensemble, 2091
- simple undirected graph, 369, 572, 721
 - vertex, 574
- simplex, 114, 1515
 - algorithm, 363, 364, 529, 1073, 1692
 - method, 20, 1073, 1692
 - pivot, 1073
 - tableau, 485
 - variant, 1106
- simplicial
 - complex dual, 1910
 - cone, 652
 - convex polyhedron, 31
 - d-polytope, 1622
 - decomposition, 1863
 - graph, 1504
 - polyhedron, 1695
 - polytope, 896
 - vertex, 574, 2141
- simplifying equations, 3
- simulated annealing, 677, 1037, 1144, 1164, 1526, 1766, 1892, 1979, 1988, 2127, 2218, 2225
 - algorithm, 677, 1988
- simulated trading heuristic, 1763
- simulation
 - data, 583
 - experiment, 1939
 - lemma, 29
 - of an automaton, 757
 - result, 821, 1422
- simultaneous aggregation, 1356
 - of diophantine equations, 1356
- simultaneous send/receive system, 1478
- simultaneousness, 636
- single exponential
 - sequential complexity, 818
 - time, 818
- single loop, 2129
 - representation of a regular language, 2129
- single machine scheduling, 1709, 1846
 - problem, 710, 1131, 1517, 1709, 1785, 1846
- single machine sequencing, 137, 602
 - problem, 679
- single machine weighted flowtime scheduling
 - problem, 1900
- single
 - node scattering, 2099
 - processor scheduling, 690
 - rule logic program, 968
 - transferable vote, 1956
 - vertex graph, 842, 857
- single/multiple machine scheduling, 1896

- singular causal assignment, 1862
- singularity, 1862
 - for a bond graph, 1862
- site substitution model, 2214
- six element
 - crown, 1680
 - fence, 1680
- size separation, 2210
- skeletal structure, 215, 223
- skeleton, 1033, 2047, 2072, 2080, 2149
 - estimate, 2149
 - influence, 512
- skew symmetry, 1873
- Skilton, 1392
- Slater, 2084, 2235
 - set, 2057
 - winner, 2057
- Slater, P J, 230, 1013
- slender language, 1585, 1879, 2055
- slip language, 118
- small
 - asymmetric traveling salesman polytope, 1722
 - cycle, 2037
 - diameter, 906, 925, 1537, 1683, 2252
- smallest laxity first, 1543
- Smith, 1578, 2202
 - rule, 679
 - theorem, 532
- Smith, J E K, 535
- SMM, 434
- smooth norm, 2237
- social choice theory, 13
- sock sorting, 2153
- sofic system, 800
- Sokal, R R, 122
- Solé, 1679, 2128
- solid state physics, 1422
- Solomon, G, 1121
- Solomon-Stiffler code, 1121
- solution of algebraic equations, 2
- solvability condition, 273
- solvent accessible
 - model, 2201
 - surface, 1910
- sonar sequences, 329
- Sorokin, 2204
- sort routine, 212
- sorted
 - list of out-degrees, 740
 - permutation, 2233
- sorting, 156, 380, 591, 654, 686, 843, 885, 1008, 1552, 1580, 1659, 1868, 1925, 2153, 2206, 2233
 - algorithm, 774, 885, 1008, 1552
 - burnt pancakes, 1580
 - sorting
 - network, 654
 - operation, 1580
- Sotskov, 1561
- Sotteau, D, 909
- source sink path, 2162
- space
 - balancing problem, 978
 - complete, 968
 - complexity, 97, 640, 1076, 1658
 - curve, 781
- space filling, 2201
 - diagram, 1910
- space
 - graph, 195
 - of instantaneous motions, 269
 - of scenes, 269
- space-time, 517
- spanner, 1141, 1456, 1786, 1901
 - of a graph, 1141, 1901
- spanning, 656, 687, 931, 1056, 1151, 1371, 1457, 1762, 1886, 1901, 2031, 2245
 - 2-tree, 1901
 - arborescence, 285
 - directed p-ary tree, 921
 - forest, 1665, 1816
 - hypertree, 1457
 - k-tree problem, 1056
 - local tournament, 2031, 2245
 - set, 250, 456
- spanning subgraph, 180, 588, 656, 687, 917, 1141, 1786, 2081, 2099
 - polytope, 2081
- spanning tree, 132, 255, 285, 379, 411, 433, 453, 480, 532, 537, 921, 951, 1074, 1151, 1430, 1447, 1509, 1563, 1619, 1647, 1665, 1692, 1746, 1762, 1854, 1901, 1998, 2007, 2094, 2109, 2186
 - expansion, 646
 - games, 1629
 - problem, 89, 132, 255, 275, 367, 1665
- sparse
 - basis, 1451
 - bipartite graph, 268
 - broadcast graph, 883
 - cost matrix, 483
 - digraph, 662, 928
 - graph, 857, 883, 928, 1073, 2001
 - language, 547, 1451
 - matrix, 483, 1911
 - mesh, 1991
 - nonsingular matrix, 268
 - problem, 483
 - random graph, 657
- sparsest cut, 691

- sparsest cut in a graph, 691
- spatial
 - equilibrium, 357
 - market equilibrium problem, 356
 - order in a haploid chromosome complement, 1332
 - organisation, 237
 - triangle configuration, 1754
- spatio-temporal organisation, 237
- spatula flip, 1580
- special basis problem in LP, 1118
- species, 465, 518, 835, 1916, 1923, 1927, 2202, 2214
- tree, 2202
- specification number, 1578
- specifying a Boolean function, 1578
- Speckenmeyer, 1455
- spectral
 - algorithm, 1896
 - bipartitioning, 2217
 - method, 1719
 - methodology, 724
 - null code, 2261
- spectral partitioning, 2217
 - heuristic, 2217
- spectral
 - property, 510
 - theory, 121
- spectrum, 33, 772, 2184
 - of a coherent algebra, 644
 - of a digraph, 33
 - of a graph, 1510, 1619, 1757
 - of a Kirchhoff matrix, 508
 - of a long BCH code, 825
 - of a threshold graph, 1619
 - of strong chromatic numbers, 526
- speed of convergence, 383
- speed-up, 261, 475, 1707
 - anomaly, 475
- spelling correction, 540
- Spencer, 1528
- Spencer, J., 1158
- Sperner system, 1812, 2045
- sphere packing number, 146
- spherical
 - arrangement, 786
 - code, 192
- spherical polyhedron, 269, 811, 2072
 - in 3-space, 811
- spherical separator, 1076
- spherically symmetric distribution, 783
- sphericity, 195
 - of a graph, 195
- spider web network, 930
- spin glass, 166, 340, 1681
 - energy, 340
 - interaction energy, 166
- spin model, 1422
- spine of a book, 1044
- spinor, 517
- spirocondensed cyclopropane, 1754
- splicing
 - languages, 1815, 2187
 - operation, 1837
 - representation, 2187
 - rule, 1815, 1837, 2138
- splicing semigroups, 792
 - of dominoes, 792
- splicing system, 792, 2138, 2187
- split
 - comparability graph, 1056
 - cost, 1867
 - decomposition, 1915
 - deliveries, 1333
 - graph, 248, 762, 798, 1056, 1061, 1083, 1381, 1593, 1784, 1893, 2122, 2248
 - indifference graph, 2122
 - of a digraph, 207
- splits graph, 1915
- splitting a vertex, 1981
- sports schedule, 115
- sports scheduling, 664
 - problem, 664
- Sprague-Grundy function, 88
- SPT rule, 1481
- SPT schedule, 1517
- square factor, 623
- square free
 - element, 378
 - morphism, 2076
 - word, 2076
- square
 - lattice, 1390
 - nonnegative integer matrix, 1639
 - of a block, 1391
 - of an undirected graph, 1594
 - prefix, 623
 - root of a square graph, 1594
 - suffix, 623
- square sum, 400
 - of a partition of an integer, 400
- squaring, 651
- ST₂ planar graph, 1847
- stabbing
 - algorithm, 1043
 - hyperplane, 1043
 - information, 2274
 - problem, 685
- stability, 257, 1146, 1518, 1650, 2189
 - analysis, 1518, 2189
 - in a random Boolean network, 257
 - number, 877, 993, 1621, 1980

- stability property, 3, 1828
 - radius, 1518, 2189
 - region, 1518, 2189
 - theorem, 332
- stable
 - adaptation, 821
 - attractor trajectory, 525
 - core, 257
- stable marriage, 1146, 1857
 - problem, 1146, 1471, 1597, 1650, 1699, 1857
- stable matching, 1146, 1471, 1546, 1597, 1699, 1857
 - problem, 307, 443, 1471, 1546
 - with couples, 1857
- stable
 - partition, 1546
 - roommates problem, 1546
- stable set, 183, 1168, 1334, 1480, 1583, 1621, 1631, 2087, 2248
 - problem, 183, 743
- stable tree, 1097
- Stacker-Crane problem, 2238
- stage graph, 1936
 - representation, 1936
- staged optimisation, 366
- stages of growth in a crystal, 67
- standard
 - form, 1118, 1851
 - Gray code, 497
- Stanton, R G, 14
- star, 641, 1003, 1151, 1554, 1843, 1937, 1993, 2078
 - costs, 1151
 - graph, 502, 1435, 2046, 2100, 2145
 - network, 1937, 2100
 - number, 1060
 - of cliques, 1893
 - of processors, 1971
 - partition of a graph, 1719
 - substitution, 1493
- star-type set system, 1077
- starlike graph, 1083
- starting vectors, 535
- state
 - cycle period, 209
 - equation, 2172
 - model, 1663
- state space
 - equation, 592
 - relaxation, 678
- static
 - graph, 512
 - routing plan, 1388
 - stress, 269
- station fault, 904
- stationary distribution, 1988
- stationary point, 520
- statistical
 - database, 2254
 - disclosure, 1834
 - estimate, 779
 - group testing, 2251
- statistical mechanics, 44, 1681, 2091
 - of polymers, 44
- statistical
 - physics, 1422
 - ranking, 2218
- statistics, 230, 1079
- status
 - injective graph, 2067
 - of a vertex, 2062, 2067
- steady state, 522
- steel production, 1977
- Steel, M A, 1105
- steepest descent
 - direction, 652
 - gravitational method, 652
- steepest edge simplex method, 20
- Steiger, W L, 686
- Stein, 2199
- Steiner 1-factorizations, 871
- Steiner arborescence, 2229
 - polytope, 1360
- Steiner
 - distance, 1805, 2029, 2078
 - interval, 2078
 - median of a tree, 1805
 - minimal tree, 1119, 1920
 - n-distance, 1805
- Steiner n-median, 1805
 - of a tree, 1805
- Steiner
 - network, 1424
 - point, 2213
- Steiner problem, 466, 1081, 1113, 1518
 - in graphs, 488, 931, 965, 2224
- Steiner
 - quadruple system, 103
 - ratio, 1920
- Steiner routing, 2219
 - heuristic, 2219
- Steiner
 - subgraph, 1705
 - system, 1634
- Steiner tree, 1081, 1380, 1615, 1920, 2078, 2119, 2194, 2203, 2223
 - algorithm, 2223
 - problem, 1119, 2203, 2223
- Steiner
 - triple system, 871, 2042
 - vertex, 2224

- Steiner visibility graph, 1119
- Steinhaus graph, 997
- Steinitz, 416
 - exchange property, 416
- step back, 2182
- step-off algorithm, 24
- Sterboul, F, 622
- Stiffler, J J, 1121
- Stirling
 - network, 908
 - number of the second kind, 1631
 - table of the first kind, 908
- stochastic
 - automaton, 196
 - dominance relation, 1803
 - flow network, 2162
 - performance measure, 933
 - PERT network, 2162
 - process, 2153, 2214
- stochastic programming, 1668
 - problem, 89, 453
- stochastic
 - scheduling, 1668, 1671
 - spanning tree problem, 89
 - system, 933
- Stockmayer, W H, 72
- Stokes, 2128
- storage
 - allocation, 290
 - description, 784
 - problem, 2153
 - size, 290
- store and forward communication model, 1447, 2099
- Storer, 1591
- Stout conjecture, 555
- Stout, Q F, 555
- Strahler number, 775
- strategy, 332, 528, 563, 627, 720, 816, 1668, 1859, 1988, 2005
 - independence, 870
 - theory, 759
- stratified
 - sampling, 1973
 - space time, 517
- Straubing dot depth
 - k monoid, 1783
 - two monoid, 1303
- Straubing hierarchy, 947
- Straubing, H, 603, 1303
- strengthened rule, 332
- strength of a graph, 977
- strict
 - 2-threshold graphs, 556
 - avalanche criterion, 1002
 - consensus, 1927
 - xyz-inequalities, 955
- strictly locally testable language, 2187
- string
 - folding, 1921
 - grammar, 351, 426
 - language, 1069
 - matching, 540
- strip packing, 2124
 - problem, 2124
- stripe decomposition, 2116
- striping method, 2116
- Strong, 2011
- strong
 - adjacency property, 1122
 - bound, 1139
 - chromatic number, 526
- strong colouring, 526, 628
 - of a hypergraph, 526
- strong
 - component, 1862
 - cut, 1849
 - deletability, 552
 - digraph, 530
 - direct product, 1555
 - elimination ordering, 961, 2130
 - isomorphism, 644
- strong linear
 - independence, 306
 - program relaxation, 1304
- strong
 - map relation, 527
 - matching number, 1051
 - maximal clone, 628
 - NP-complete, 2014
 - NP-hardness, 1838
 - perfect graph conjecture, 1062, 1636
 - proximity result, 1154
 - regularity of a matrix, 306, 1130
 - spanning tree, 1692
 - stabbing information, 2274
 - stability property, 443
 - tree cograph, 594
 - unimodularity, 414
 - uniqueness, 1939
 - valid inequality, 2159
- Strong, R, 632
- strongly balanced bipartite graph, 1718
- strongly chordal, 961, 1029, 2119
 - graph, 200, 446, 798, 1380, 1450, 1784, 1824, 2028, 2119, 2130, 2142
- strongly connected
 - automaton, 2280
 - component, 268, 1804, 1935
 - digraph, 1841, 1933
 - orientation, 1169
 - subgraph, 757

- strongly
 - correlated knapsack problems, 2259
 - feasible basis, 1073
- strongly greedy, 1635
 - chain, 1635
 - linearly independent, 306, 1130
 - NP-complete, 669, 876, 2014
 - NP-hard, 895, 1018, 1785, 1899, 1966
 - perfect graph, 408, 1052, 1504
- strongly polynomial, 888, 1063, 1096, 1106, 1305, 1692
 - algorithm, 710, 1096, 1154, 1369, 2073, 2092
 - complexity, 1692
 - time, 995, 1154
- strongly
 - prime PCP word, 1800
 - regular graph, 279
- structural analysis, 455
 - of systems of equations, 699
- structural
 - characterization of 2-bicritical graphs, 622
 - description of a sentence, 882
 - equivalence, 806
 - inconsistency, 295
- structural property, 337, 370, 498, 746, 945, 1748, 1895, 1959, 2199
 - of a greedoid, 370
- structural
 - rigidity, 349
 - similarity of chemicals, 500
 - solubility, 455
 - theorem for an optimal solution, 2171
- structurally related graph, 510
- structure
 - elucidation, 1745
 - of a basis, 613
 - of a decoder, 601
 - space, 393
 - with heteroatoms, 1745
- structured knight tour, 1887
- sub-Fibonacci sequence, 1064
- subadditive closure space, 416
- subarray partial concentrator, 923, 958
- subclone, 608
- subcode, 825
- subcontracting, 1334, 1505
- subdifferential optimisation, 1725
- subdividing
 - a unit square, 445
 - an edge, 1981
- subdivision graph, 1364
 - of a graph, 58
- subexponential time algorithm, 814
- subfield subcode, 825
- subforest, 641
- subgradient, 347, 366
 - optimization procedure, 482
- subgradient optimization, 528
 - strategy, 528
- subgraph, 82, 140, 174, 309, 334, 377, 503, 574, 588, 634, 684, 730, 736, 756, 837, 848, 869, 875, 941, 1034, 1056, 1063, 1065, 1113, 1306, 1379, 1421, 1456, 1495, 1523, 1600, 1632, 1704, 1708, 1745, 1748, 1795, 1805, 1831, 1886, 1901, 1913, 2017, 2023, 2060, 2078, 2235, 2247
 - embedding, 2023
 - enumeration, 1928
 - isomorphism, 501, 1034
 - polytope, 1306
 - problem on a tree, 186
- subhypergraph of maximum value, 1871
- subjective probability, 1803
- submatroid, 1600
- submodular capacity, 420
- submodular flow, 125, 402, 450, 888, 1974
 - problem, 423, 450, 888, 1305
- submodular function, 30, 145, 155, 450, 699, 1517
 - minimization, 423
- submodular pseudoflow, 1867
- submodular set
 - constraint, 125
 - function, 211
- submodular system, 30, 145, 199, 262, 699, 1589, 2083
- submodularity property, 1126
- subquadratic algorithm, 1124
- subring inclusion, 817
- subset
 - interconnection design, 2017
- subset sum, 703, 1603
 - problem, 127, 666, 703, 1676, 1961, 2259
- substar, 1060
 - intersection number, 1060
- substitution decomposition, 960
 - of a graph, 960
- subsumption, 135
- subtour elimination constraint, 1333
- subtournament, 2057
- subtree, 186, 322, 446, 1014, 1060, 1091, 1126, 1425, 1525, 1615, 1706, 1755, 1810, 1835, 1886, 1918, 2193, 2270
 - graph, 1706
- subtree isomorphism, 736
 - problem, 736
- subtree transfer distance, 1918
- subvariety, 823
- subword
 - complexity function, 236

- subword
 - equivalence problem, 1947
 - equivalent, 1947
 - inclusion problem, 1947
- Sudhölter, P., 1278
- Sudit, M., 943, 1039
- sufficient matrix, 2137
- suffix
 - of a characteristic sequence, 2136
 - tree, 619
- Sugihara, K., 277
- sum
 - cost, 1151
 - objective, 272
 - of chains, 444
 - of completion times, 490, 557
 - of job completion times, 1001, 1964
 - of partial fractions, 52
 - of products expression, 101
 - of ranks procedure, 65
- summability, 779
- sun-free chordal graph, 574
- super λ -graph, 935
- super-modular, *see* supermodular
- super-stable, *see* superstable
- superadditive function, 83
- superconnectivity, 1833
- superedge connectivity, 935
- superexponential, 597
- supergraph, 1523
- superimposable codeword, 2058
- superimposed code, 2058
- superincreasing, 1961
- supermodular, 316, 372, 420
 - cubic function, 316
 - function, 1733
 - pseudo-Boolean function, 316
- superpolymer, 515
- superpolynomial, 1000
 - lower bound, 2177
- superposed network, 240
- superposition of two networks, 240
- superstable marriage, 1650
- superstring, 2199
 - approximation algorithm, 2199
- Supowit, 1456
- Supowit, K J., 598
- supply point, 598
- support
 - graph, 1721
 - of a digraph, 743
- supreme council, 13
- surface area, 783
- surrogate
 - constraint, 528
 - relaxation, 2259
- survivable
 - net, 1701
 - network, 1701
- Suzuki, H., 981
- SVPC, 810
- SVPC transformation, 810
 - set, 810
- swapping based algorithm, 1919
- sweep number, 987
- sweeping hyperplane technique, 2237
- switchdec polyhedron, 1978
- switching, 99, 1978, 2177, 2266
 - centre network problem, 488
 - class, 2266
 - element, 404
 - equivalence of graphs, 41
 - equivalent, 41
 - function, 2220
 - model, 1978
 - network, 922, 2177
- switching path, 1978
 - polyhedron, 1978
- switching theory, 68, 222, 1992
- Swofford, 1659, 2082
- symbol preserving polynomial reduction, 435
- symbolic dynamics, 1855
- symmetric circulant matrix, 729
- symmetric difference, 1773, 1795, 1902
 - distance, 187
- symmetric
 - digital trie, 647
 - digraph, 331, 1933
 - directed graph, 249, 2146
 - function, 836, 838, 1727
 - group, 110, 810, 1648, 1752, 1853
 - irreducible Boolean matrix, 558
 - labeled graph, 2185
 - matrix, 149, 347, 348, 1834
 - name stamp protocol, 534
 - polytope, 1474
 - power sum, 1752
 - protocol, 534
 - relation, 1155
 - relational system, 1155
 - rounding, 1834
- symmetric submodular
 - function, 145
 - system, 145
- symmetric
 - threshold function, 166
 - traffic, 926
- symmetric traveling salesman
 - polytope, 1033, 2080
 - problem, 676

- symmetrical, 1746
 - network, 918
 - symmetrization, 2153
 - symmetry, 507, 671, 942, 1304, 1363, 1527, 1734, 1745, 1834, 2185
 - condition, 1092
 - group, 1527, 1745
 - presentation, 507
 - property of a function, 108
 - SYNCHEM2, 501
 - synchronization, 804
 - primitive, 973
 - synchronized alternating
 - finite automata, 804
 - machines, 804
 - multihead finite automata, 804
 - space, 804
 - synchronized
 - EOL form, 46
 - parallel algorithm, 261
 - synchronous, 1448, 1567, 1875
 - syndrome space, 819
 - syntactical congruence, 564
 - syntenic distance, 1923, 2200
 - synteny relation, 1923
 - synthesis
 - of a cascade of switching elements, 404
 - of a hardware structure, 1031
 - planning, 1745
 - routes of an organic molecule, 501
 - Syslo, M M, 853, 1635
 - system
 - of equations, 295
 - of inequalities, 269
 - system of linear
 - equations, 273, 539
 - inequalities, 335, 424, 450, 472
 - system saturation, 716
 - systolic
 - architecture, 820
 - linear array, 1946
 - Székely, L A, 1105
 - Szemerédi, E, 686
- T**
- t-ary trees, 203, 471
 - T-choice number, 2118
 - T-colouring, 1086
 - problem, 850
 - t-design, 1010
 - t-interval representation, 242
 - t-spanner of a graph, 1141
 - t-tough, 2024
 - T_0 basis, 726
 - table systems, 94
 - tabu list length, 1526
 - tabu search, 751, 868, 1163, 1164, 1358, 1526, 1766, 1776, 1892, 1896, 1905, 1979, 1988
 - algorithm, 1905
 - metaheuristic, 1163, 1765
 - technique, 868, 1776
 - tag system, 432, 1987
 - Takefuji, 1866
 - Tamassia, R, 962
 - Tan, 409, 1546
 - Tan, J J-M, 409
 - tangent, 784
 - cone algorithm, 823
 - Tanner algorithm, 820
 - B, 820
 - tardiness
 - cost, 375
 - problem, 995
 - tardy job, 1115, 1845, 1899
 - unit, 710
 - tardy task unit, 1362
 - Tarjan, R E, 888, 1096, 1659, 1665
 - task
 - duplication, 1157, 1633
 - reliability, 690
 - scheduling, 751
 - splitting, 1599
 - tautology, 742
 - taxon, 69
 - taxonomic principle of parsimony, 1004
 - taxonomy, 1004
 - Taylor expansion, 98
 - TC
 - Latin brick, 631
 - operation, 631
 - TCM, 830
 - TDI, 668, 1723
 - team game, 870
 - telecommunication, 504
 - network, 240, 1973
 - telephone problem, 606
 - telephonic switching centre network problem, 488
 - Tellegen theorem, 2172
 - TEMO, 510
 - Temperley, H N V, 227, 323, 1390
 - Teng, A, 661
 - Teng-Tucker algorithm, 661
 - tensegrity, 269
 - framework, 950
 - tensor product, 1555, 1861
 - tensor product of a cycle
 - with a cycle, 1861
 - with a path, 1861
 - tensor product
 - of a path with a path, 1861

- tensor product of graphs, 1861
- Terlaky, 2137
- term condition, 631
- term removal, 1884
- terminal
 - assignment, 345
 - network reliability measure, 1061
 - node, 205
- ternary
 - 4-cube, 1875
 - code, 1072
 - Golay code, 1634
 - ring structure, 1367
 - search problem, 596
 - string, 1860
 - [4,2] 1-Hamming code, 1426
- Tesnière, L, 882
- tessellation, 2009
 - automaton, 34
- test
 - pattern, 552
 - set, 325, 385, 596, 881, 1532, 1625
- testing
 - a graph property, 1488
 - connectivity preservation, 552
 - extendability, 256
 - feasibility, 692
 - graph isomorphism, 355
 - homotopy equivalence, 355
 - isomorphism of graphs, 181
 - of a combinational circuit, 1720
 - of a printed circuit, 1712
 - of biconnectivity, 941
 - the consecutive ones property, 2198
 - unavoidability, 256
- tetrahedral truss, 2165
- tetrahedron, 5
- tetrahedron inequality, 505
- text
 - processing, 540
 - retrieval, 619
- texture of an image, 992
- Thayse, A, 98
- theorem of the alternative, 432
- theoretical
 - complexity, 967
 - performance, 967
- theory
 - of elections, 105
 - of evolution, 418
 - of graphs, 772
 - of hyperforests, 1015
 - of linear inequalities, 1471
 - of measurement, 577
 - of traces, 351
 - theory of vertical statics, 811
 - thermodynamic equilibrium, 515
 - thermodynamical preference, 512
 - thermodynamics, 520
 - thin language, 1585
 - thinning, 552
 - algorithm, 552
 - third normal form, 1812
 - Thomas, 1493
 - Thomas, R, 522
 - Thomassen, 2031, 2245
 - Thomborson, 2223
 - three
 - axes theorem, 2165
 - counterfeit coins problem, 1132
 - three dimensional
 - assignment problem, 1767
 - configuration, 252
 - three dimensional matching, 2278
 - model, 2278
 - three dimensional planar transportation problem, 350
 - three index assignment, 1028
 - polytope, 610, 1028
 - problem, 1028
 - three
 - machine open shop problem, 956
 - person property, 1075
 - valued logic, 593
 - three valued logical
 - function, 726
 - functions preserving, 0, 726
 - threshold, 321, 360, 402, 556, 1059, 1166, 1168, 1422, 1868, 1872, 2127, 2150
 - access structure, 1957
 - threshold automaton, 245
 - with memory, 549
 - threshold
 - based algorithm, 360
 - decoding, 820
 - decomposition, 1731
 - threshold
 - digraph, 1935
 - dimension, 762
 - threshold function, 73, 166, 321, 779, 837, 1652, 1731
 - theory, 779
 - with separator, 73
 - threshold
 - graph, 425, 556, 709, 766, 1059, 1166, 1168, 1619, 1726, 1778, 1830, 1935, 1950, 2248
 - network, 340, 473
 - order, 779
 - parameter, 549
 - threshold phenomenon, 504
 - in a graph, 504

- threshold
 - recognition problem, 779
 - scheme, 1700, 1957
 - spectrum, 772
 - subgraph, 1166
 - synthesis, 321
 - system, 766
 - value, 766
- throughput, 904, 1025, 2210
 - of a network, 1025
- Thue system, 564
- Thue-Morse
 - sequence, 1104
 - word, 623
- tie breaking rule, 459, 1707
- Tietäväinen bound, 192, 447
- Tietäväinen, A., 447, 2128
- tight
 - approximation, 2039
 - optimal DLN, 1099
 - relaxation, 1371
 - schedule, 1780
 - upper bound, 696, 1135, 2270
 - value automorphism, 577
 - worst case bound, 211
- tiling, 4, 1367, 2009
- time and space complexity, 1043
- time complexity, 376, 454, 673, 941, 1078, 1370, 1434, 1623, 1658, 1664, 1665, 1669, 1794, 2004, 2018, 2171
 - of embedding, 501
- time dependent processing time, 1838, 1996
- time
 - expanded network algorithm, 397
 - lower bound, 885, 1991
 - optimal algorithm, 1991
 - table, *see* timetable
 - window, 751, 868, 1022, 1682, 1763
 - square model, 2227
- timestamp ordering, 616
- timetable, 866, 872, 873, 1772, 1809
 - construction, 866
 - polyhedron, 1772
- timetabling, 863, 873, 1791, 1975
 - algorithm, 864
 - problem, 876, 873, 1975
- Todd-Coxeter coset enumeration, 833
 - method, 833
- Toida, S., 626
- Toida-McKee characterization theorem, 626
- tolerance, 258, 768, 2189
 - chain graph, 1059
 - competition graph, 1727
 - digraph, 2013
 - graph, 258, 877, 1029, 1091, 1614, 2013, 2161
 - tolerance intersection, 1029
 - graph, 1059
 - of intervals, 1029
- tolerance
 - region, 2189
 - space, 196
- Tollis, I G., 962
- TOMATO, 1776
- Tomizawa, N., 977
- tool path
 - selection, 486
 - sequencing, 486
- top down greedy technique, 1713
- TOP SPIN, 1925
- top three elements, 120, 994
- topological
 - compactification, 517
 - design, 563
 - dual, 1045
 - effect on a molecular orbital, 510
- topological formula, 223
 - of linear network theory, 223
- topological
 - gelation criterion, 515
 - invariant, 511
 - ordering, 1762
 - pairing, 1531
 - plane sweep, 1368
 - space, 355
 - structure, 1045
 - tree, 158
- topologically
 - closed, 800
 - correct triangulation, 1910
 - equivalent, 590
- toroidal grid, 1693
- torus, 1435, 1753, 1994, 2023
 - graph, 1994
 - network, 1435
- total
 - colouring number of a graph, 705
 - completion time, 1475, 1894, 2167
 - convexity, 1863
 - cover, 2277
 - covering, 1168, 2277
- total dominating set, 1011
 - problem, 961
- total
 - domination, 1908, 2044
 - dual integrality, 1723, 1772
 - exchange broadcast, 2110
 - finishing time, 543, 755
- total graph, 961
 - of a tree, 961

- total matching, 1168, 2277
 - problem, 2277
- total
 - perfect domination, 1708
 - score, 65
- total tardiness, 2167
 - problem, 1787
- total
 - value greedy heuristic, 1524
 - variation, 2153
- total weighted completion time, 137, 892, 1142, 1813, 2167
 - problem, 459
- total weighted tardiness, 678, 995, 2167
 - problem, 995
 - scheduling problem, 678
- totally balanced
 - bipartite graph, 1718
 - hypergraph, 1806, 2028
 - matrix, 200, 446, 1048, 1049
- totally bounded
 - bitolerance digraph, 2013
 - metric space, 2148
- totally
 - convex set, 1863
 - dual integral system, 287, 668
- totally monotone
 - matrix, 682
 - partial matrix, 682
- totally ordered commutative
 - field, 125
 - semigroup, 157
- totally ordered set, 423, 841
- totally unimodular, 446, 668, 749, 1505, 1587
 - matrix, 446, 749, 1016
- Toth, 1676, 1844
- tough graph, 722, 2024
- toughness, 1989, 2024
- tour
 - cost, 1151
 - duration, 1022
 - in a graph, 163
 - of minimum length, 1520
- tournament, 740, 890, 991, 1075, 1452, 1612, 1645, 1827, 2007, 2031, 2032, 2057, 2121, 2245
 - design, 573
 - digraph, 991
 - game, 1645
- Toussaint, G T, 941
- Tovey conjecture, 665
- TR-formative
 - colouring, 406
 - edge colouring, 406
- trace, 313, 351
 - function, 329
- trace monoid, 807
- trace orthogonal normal basis, 1123
- track assignment, 1682
 - problem, 1682
- tractability, 360, 831
- tractable subclass, 1549
- traffic
 - jam configuration, 297
 - light scheduling, 1441
 - phasing, 979
- trail, 1563, 2135, 2229
- train shuttle service, 1067
- trajectory coincidence, 488
- trampoline, 2028
- transaction system, 973
- transducer, 802, 1541
- transfer matrix method, 227
- transferable utility, 2030
- transferring a subtree, 1918
- transformation, 1, 3, 66, 77, 129, 138, 193, 374, 457, 536, 613, 810, 848, 854, 949, 1047, 1127, 1371, 1479, 1713, 1728, 1745, 1757, 1811, 1866, 1902, 1976, 1980, 2034, 2082, 2260, 2278
 - complete, 810
 - completeness property, 810
 - graph, 1902
 - of a multiframe, 297
- transformer, 1865
- transient
 - length, 166, 354
 - point, 340
- transistor chaining, 2220
- transition
 - matrix, 838
 - rule, 226
- transitive
 - automorphism group, 645
 - closure, 156, 244, 400, 797, 1098
 - digraph, 312
 - orientation, 1632, 1893
 - reduction, 222, 232, 1098
 - series parallel digraph, 312
 - simple majority problem, 1803
 - tournament, 740, 2057, 2121
 - triple, 2163
- transitively orientable graph, 979
- translation, 269, 2236
 - equivalence class, 1032
 - mechanism, 957
- translocation, 1917, 1923, 2200
 - distance, 1917
- transmission, 1448, 1567, 1686, 1735, 1937, 1939, 2062
 - delay, 701
 - failure, 1436, 2101

- transmission
 - fault, 2101
 - link, 1995
 - parameter, 2176
 - path, 2098
 - schedule, 1937
- transmitting in the n-dimensional cube, 901
- transportation, 751, 1048, 2238
 - analysis, 1020
 - efficiency, 658
 - in a graph, 427
 - polytope, 350, 363
 - problem, 272, 350, 363, 364, 365, 373, 415, 710, 995, 1048, 1145, 1370, 1513, 1531, 1984
- transposition, 1923
 - graph, 2145
- transputer, 1358, 1447
 - network, 1358
- transshipment problem, 1048
- transversal, 54, 685, 764, 784, 1528, 1784, 2028, 2087
 - matroid, 54
 - partitioning, 2028
- trap, 746
- trapdoor
 - function, 546
 - predicate, 546
- trapezoid graph, 550, 1381, 1728, 1798, 1869, 1908, 1989, 2161
- trapezoidal matrix, 1514
- Tratch, S S, 1754
- Trautman, 1866
- traveling salesman, 380, 532, 1039, 1773, 1952, 2104
 - polytope, 1033, 1705, 1722
 - problem, 60, 147, 163, 366, 386, 487, 675, 676, 768, 799, 1022, 1110, 1147, 1358, 1474, 1518, 1520, 1644, 1773, 1790, 1979, 2080, 2123, 2182, 2189, 2205
 - tour, 768, 1151, 1507, 2189
 - traversal, 2205
- traveling salesmen, 1790
- travelling salesman, *see* traveling salesman
- traversal, 1991
 - problem, 2205
- tree, 8, 80, 82, 143, 146, 154, 174, 186, 202, 203, 230, 274, 309, 322, 342, 366, 371, 390, 446, 454, 466, 469, 471, 544, 594, 597, 606, 641, 645, 653, 671, 695, 697, 736, 747, 754, 763, 771, 801, 806, 812, 835, 850, 861, 892, 960, 961, 984, 985, 1004, 1014, 1029, 1053, 1055, 1056, 1061, 1073, 1091, 1105, 1109, 1126, 1152, 1155, 1307, 1363, 1381, 1427, 1430, 1442, 1453, 1493, 1496, 1509, 1615, 1625, 1659, 1670, 1674, 1693, 1712, 1713, 1734,
 - tree (*cont.*), 1762, 1777, 1784, 1790, 1792, 1805, 1814, 1835, 1878, 1886, 1894, 1901, 1916, 1918, 1927, 1941, 1942, 1952, 1971, 1975, 1991, 1993, 2006, 2030, 2048, 2062, 2066, 2068, 2078, 2062, 2082, 2084, 2091, 2103, 2108, 2112, 2164, 2175, 2183, 2193, 2202, 2203, 2213, 2214, 2219, 2222, 2224, 2232, 2235, 2248, 2249, 2253, 2260, 2270, 2276, 2282
 - 2-spanner of a graph, 1901
 - algorithm, 1991
 - alignment, 2213
 - cograph, 594
 - computation, 1991
 - constraint, 1548
 - cost, 1151
 - data structure, 322, 2198
 - decomposition, 1035, 1493
 - embedding problem, 2103
 - enterprise, 2030
 - graph, 1126
 - hierarchy, 2175
 - homomorphism, 1835
 - machine, 908
 - tree mapping, 2202
 - measure, 2202
 - tree
 - metric, 2260
 - network, 466, 659, 1152, 2006, 2048, 2253
 - number, 1060
 - packing problem, 861
 - partition, 2186
 - tree partitioning, 322, 1329
 - problem, 1329
 - tree reconstruction, 1991, 2214
 - tree representation, 80, 842, 857, 2079
 - of a graph, 80
 - of data, 205
 - tree
 - resolution, 1455
 - scheduling, 1157
 - tree search
 - algorithm, 1724
 - technique, 90
 - tree
 - searching, 714
 - shaped facility, 2193
 - structure, 8, 122, 148, 203, 471, 812, 2030, 2119
 - tree structured
 - graph, 1496
 - task system, 1157
 - tree
 - transformations, 1473
 - width, *see* treewidth
 - with pathwidth k, 882
- tree-like event, 2208

- tree-like graph, 1941
- trees with a perfect matching, 2282
- treewidth, 744, 1035, 1487, 1493, 1831, 2025, 2035, 2119, 2161, 2247
 - of a graph, 2247
- trellis
 - automaton, 405
 - coded modulation, 830
- tri-connected component, 359
- triadic code, 639
- triangle free, 167
 - competition, 728
 - edge splitting, 1476
 - graph, 728
 - subgraph polytope, 1723
- triangle
 - graph, 2036
 - inequality, 505, 1022, 1151, 1723, 1901, 2186, 2234, 2238
- triangulane, 1754
- triangular canonical form, 699
- triangularization, 268, 455
- triangulated graph, 406, 780, 1480, 1778, 1831, 1864, 2052, 2141, 2192
- triangulating
 - a multitolerance graph, 2161
 - graph with few P_4 's, 2247
 - the surface of a molecule, 1910
- triangulation, 1041, 1762, 1831, 1842, 1910, 2035, 2247
 - of the plane, 31
 - problem, 2035
- trie, 647
- trio, 118
- triple
 - helix configuration, 1920
 - system, 526, 2163
- triplet of amino acids, 1919
- trivalent
 - Cayley graph, 925
 - graph, 925
- trivially perfect graph, 2035
- Trotter, W T, 180, 233, 369, 1091, 1614
- Troxell, 1678
- Truemper, K, 409
- truncated cluster expansion, 1743
- truss, 2165
- TSP, 1022, 1850, 2189, 2205
 - ejection chain, 1979
 - polytope, 1033
- TSPLIB library, 2189
- Tucker, A, 661
- Turán theorem for graphs, 737
- Turing
 - machine, 251, 640, 2177
 - reducibility, 640
- turnpike
 - optimal strategy, 1668
 - solution, 1668
 - strategy, 1668
- turnstile, 1925
- Tutte
 - decomposition, 2198
 - planted plane tree result, 44
 - polynomial, 646, 1667
- Tutte, W T, 44, 145, 684
- Tverberg, 1622
- TWDM, 1937
- twig sequences, 1015
- twin shuffle language, 150
- two commodity flow, 1111
- two dimensional
 - framework, 155
 - grid, 1441, 2070
 - mesh, 916
 - random Ising ± 1 spin model, 1422
 - transportation problem, 1513
- two layer neural net, 2047
- two machine flow shop, 1850
 - scheduling problem, 304, 1545
- two machine
 - maximum flow time problem, 77
 - no wait flow shop, 1850
- two machine open shop scheduling, 1964
 - problem, 304, 1429
- two machine
 - shop scheduling problem, 304
 - unit time release date job shop schedule length problem, 1962
- two party election, 319
- two person game, 735, 1632
 - of perfect information, 735
- two phase locking, 616
 - algorithm, 616
- two processor problem, 543
- two state
 - automata, 757
 - Markov chain, 47
- two symbol grammar form, 91
- two terminal net, 981
 - channel routing, 966
- two
 - terminal reliability, 563
 - travelling salesmen on a tree, 1790
- two weight
 - code, 279
 - projective code, 279
- two-connected graph, 2029, 2081
- two-flow, 1847

- two-graph, 41, 99, 181, 238, 395, 848, 1504, 1555, 1745
 - partitioning problem, 1673
 - theorem, 238
- two-stage broadcast, 923
- two-valued logic, 774
- type partition, 44
- typed task system, 1427
- U**
- UET, 475, 1543
 - scheduling, 475
- Uhry, 428
- ultimately periodic, 1570
 - sequence, 1987
- unanimity property, 1165
- unary binary tree, 471
- unate
 - Boolean function, 390
 - function, 108, 1992
- unavoidability, 256
- unavoidable
 - idle time, 1548
 - repetition, 214
 - set, 256
- unborderd word, 2239
- unbounded
 - convex polyhedron, 412
 - delay, 570
 - domain, 976
 - fan, 734
- uncapacitated
 - single level economic lot sizing problem, 1087
 - plant location problem, 1152
- uncoded reference system, 830
- unconditional transfer, 94
- unconstrained flow, 1479
- uncorrelated
 - binary sequence, 696
 - sequence, 696
- uncorrelatedness, 1002
- undecidability of form equivalence, 11
- undecidable, 11, 802, 803
- underdiagonal
 - lattice path, 2258
 - path, 2258
- undetectable update, 815
- undirected
 - edge disjoint paths problem, 1568
 - graph, 14, 76, 154, 190, 224, 249, 261, 265, 285, 403, 493, 594, 604, 612, 645, 743, 754, 908, 946, 996, 1027, 1046, 1049, 1053, 1078, 1107, 1391, 1425, 1488, 1654, 1665, 1703, 1773, 1834, 1871, 2015, 2016, 2020, 2107, 2115, 2141
- undirected
 - network, 358, 1774
 - path graph, 1046, 1784
 - simple graph, 773
 - tree, 446, 1046, 1496
 - weighted graph, 768
- uni-antichain, 449
- unichain, 449
- unicyclic
 - graph, 880, 1003, 1393
 - network, 659
- uniform
 - balanced network flow problem, 2073
 - circuit, 640
 - closure operation, 663
 - constraint, 1672
 - cost location problem, 1304
 - distribution, 1856
- uniform duo processor, 707
 - system, 707
- uniform
 - graph, 1672
 - homomorphism, 2109
- uniform machine, 1641, 2132
 - scheduling, 2132
- uniform
 - matroid, 211, 1684
 - processors, 791
 - spanning tree, 537
- uniformly
 - dense matroid, 1600
 - packed code, 681
- unimodal, 614, 641, 786
 - numbering, 529
 - sequence, 641
 - simple polytope, 1622
- unimodular, 390, 414
 - function, 390, 749
 - matrix, 414, 446, 749, 1016
- uniprocessor task, 707
- unique
 - factorization, 403
 - representation in a number system, 117
- unique satisfiability, 1613
 - of a Horn set, 1613
- unique
 - sink, 296
 - source, 296
 - tree representation, 842, 857, 2114
- uniquely solvable, 306, 330
- uniqueness theory, 577
- unit
 - circle caterpillar, 1750
 - cycle, 613
 - distance graph, 789

- unit
 - execution time, 475, 1543, 1982
 - interval graph, 572
 - interval number of a graph, 572
 - processing time, 1548, 1966
 - unit time job, 130, 2132
 - shop, 2167
 - unit time job shop scheduling, 2167
 - problem, 2167
 - unit
 - time operation, 490, 1962, 1966, 2167
 - tolerance graph, 258, 1614
 - universal
 - algebra, 631
 - algorithm, 68
 - CA, 2257
 - chain problem, 1143
 - completeness criterion, 628
 - concept class, 2147
 - correlation theorems of Winkler and Brightwell, 955
 - universal cover, 1525
 - of a graph, 1525
 - universal
 - retrieval tree, 342
 - sequence, 683
 - unknotted, 655
 - unlabeled
 - difference graph, 1631
 - graph, 429, 732
 - network, 1640, 2181
 - planar graph, 241
 - tree, 671, 1734
 - unmixed polynomial ideal, 818
 - unoriented
 - Cayley network, 1640
 - cycle matroid, 99
 - edge, 2238
 - matroid, 1609
 - unquad cycle, 1718
 - unrank, 1946
 - unranking algorithm, 878
 - unreliable message, 1431
 - unrestricted
 - minimal lattice path, 793
 - steps, 2258
 - unsatisfiability, 575
 - of a formula, 472
 - unsatisfied clause, 1158
 - upper and lower bounds, 81, 236, 567, 619, 675, 771, 826, 886, 927, 928, 934, 947, 1038, 1057, 1072, 1145, 1522, 1578, 1739, 1759, 1805, 1925, 1936, 2166
 - upper bound, 53, 163, 174, 195, 236, 270, 348, 384, 431, 437, 447, 468, 572, 591, 620, 630, 741,
 - upper bound (*cont.*), 761, 813, 826, 909, 920, 921, 923, 927, 947, 958, 1035, 1037, 1057, 1072, 1080, 1090, 1123, 1128, 1135, 1154, 1159, 1382, 1423, 1432, 1435, 1439, 1445, 1455, 1487, 1522, 1557, 1578, 1579, 1580, 1586, 1592, 1604, 1639, 1697, 1780, 1808, 1887, 1888, 1905, 1934, 1985, 2025, 2039, 2061, 2096, 2117, 2123, 2128, 2189, 2133, 2157, 2166, 2200
 - graph, 1504
 - upper
 - bounding plane, 741
 - chromatic number, 1958
 - digraph, 530
 - upper domination, 1504
 - number, 1052
 - upper fractional domination, 697, 1504
 - upper irredundance, 1052, 1504
 - number, 1052
 - ups and downs in a permutation, 878
 - Urrutia, J., 693
 - utility
 - difference, 1803
 - maximization, 748
 - uv-backbone, 503
- V**
- V-cut segment, 1751
 - Vacroux, A G., 958
 - vacuum system, 377
 - Valdes, J., 341
 - valence bond Hamiltonian, 506
 - valency, 900
 - conservation, 512
 - Valiant
 - learning from examples model, 1365
 - model, 620
 - probably approximately correct framework, 1579
 - Valiant, L G., 686, 1365, 1579, 2015
 - valid inequality, 83, 384, 674, 679, 750, 948, 1566, 1796, 1900, 2180
 - validity proof, 1713
 - valuated matroid, 2083
 - valuation, 109
 - value
 - automorphism, 577
 - function, 264, 289
 - of a game, 332
 - valued graph, 795, 1696
 - van de Vate, 1597
 - van der Waerden number, 177
 - van Leeuwen, J., 1591
 - Van Lier sequences, 698
 - van Rees, G H J., 629

- Van Roy, 1955
- Van Scoy, 1949
- Vanstone, S A, 629
- Vapnik, V N, 1120, 1993
- Vapnik-Chervonenkis
 - class, 2147
 - dimension, 620, 1012, 1579, 1881, 1906, 1993, 2148, 2150, 2151, 2272
- variable deletion control set problem, 1884
- variable dimension, 357
- variable dimension homotopy, 357
 - algorithm, 357
 - on a network, 357
- variable
 - folding, 1381
 - profile, 1543
 - redefinition, 672
- variable sized bin packing, 585, 1874
 - problem, 1874
- variable upper bounding constraint, 1019
- variance
 - minimization, 1517, 2155
 - of a channel, 821
- variety
 - of finite semigroups, 2175
 - of monoids, 947
- Varshamov-Gilbert bound, 218
- Vartak, M N, 977
- VC-bound, 2152
- VC-dimension, 1579, 1881, 1906, 1993, 2147, 2150, 2151, 2152
- VC-entropy, 2152
- VCC, 278
- VCUAP, 454
- vector exchange property, 262
- vector partitioning, 2217
 - problem, 2217
- vehicle routing, 1333, 2068
 - problem, 1333, 1763
- vertex, 5, 20, 66, 82, 92, 138, 147, 154, 208, 217, 230, 242, 249, 252, 367, 368, 369, 377, 385, 387, 446, 457, 460, 462, 503, 524, 529, 568, 572, 574, 596, 597, 604, 611, 612, 617, 621, 634, 645, 656, 657, 682, 683, 694, 697, 739, 765, 777, 782, 809, 837, 842, 850, 874, 875, 876, 894, 909, 920, 938, 946, 959, 991, 1023, 1041, 1051, 1053, 1056, 1063, 1068, 1086, 1091, 1093, 1094, 1107, 1137, 1151, 1153, 1155, 1168, 1376, 1381, 1387, 1392, 1393, 1421, 1425, 1432, 1437, 1440, 1467, 1488, 1495, 1497, 1510, 1525, 1563, 1571, 1583, 1594, 1601, 1620, 1637, 1643, 1653, 1654, 1661, 1664, 1665, 1673, 1681, 1706, 1708, 1727, 1728, 1740, 1744, 1755, 1774, 1792, 1793, 1804, 1805, 1807, 1813, 1825, 1826,
 - vertex (*cont.*), 1830, 1831, 1832, 1834, 1835, 1843, 1847, 1873, 1901, 1944, 1953, 1959, 1983, 1993, 1997, 2002, 2006, 2007, 2009, 2015, 2017, 2019, 2020, 2021, 2040, 2042, 2052, 2056, 2057, 2062, 2063, 2064, 2066, 2067, 2068, 2084, 2100, 2108, 2111, 2115, 2118, 2120, 2121, 2125, 2127, 2130, 2139, 2146, 2176, 2178, 2180, 2190, 2191, 2192, 2194, 2224, 2225, 2235, 2247, 2253, 2274
 - adjacency, 2001
 - and edge capacitated, 1847
 - and ray enumeration, 1620
 - balancing algorithm, 1078
 - vertex bisection width, 2106, 2166
 - of a Kautz graph, 2166
 - vertex
 - capacitated planar graph, 1847
 - clique covering, 278
 - vertex coloured multigraph, 1755
 - vertex colouring, 1688, 1698, 2040, 2118, 2180
 - problem, 876
 - vertex
 - compression, 1023
 - connectivity, 454, 1833
 - convex polygon, 682
 - vertex cover, 183, 246, 274, 1021, 1497, 1878, 2104
 - problem, 246, 582, 946, 2017
 - vertex critical hypergraph, 1764
 - vertex degree, 133, 406, 539, 612, 1456, 1744, 1745
 - sequence, 133
 - vertex disjoint, 265, 669, 1434, 1453, 1661, 2098
 - cycles, 1703
 - paths, 996, 1027, 1661, 1674, 2106, 2115
 - trees, 861, 1674
 - vertex
 - elimination ordering, 2119
 - fault, 2100
 - independence number, 1097
 - integrity, 1989
 - labeled digraph, 1525
 - vertex labeling, 1103
 - BNLC grammar, 1103
 - vertex
 - neighborhood constraint, 1044
 - of minimum distance, 82
 - vertex packing, 60, 1039, 1482, 1692, 1970
 - in a finite graph, 60
 - polytope, 1662
 - problem, 60, 1970
 - vertex
 - partitioning, 338
 - ranking problem, 2035
 - restricted multifacility location problem, 1685
 - search number, 1487
 - separation number, 1487

- vertex
 - separator, 2255
 - splitting, 1728, 1981
- vertex symmetric, 1537, 1994
 - digraph, 1537
- vertex transitive, 778, 1628, 1954
 - automorphism group, 645
 - digraph, 2121
 - graph, 1954
- vertex weight, 186, 464, 1023, 2044
 - of a matching, 2130
- vertex weighted graph, 2064
 - hexagonal squeeze, 2064
- vertex weighting, 2007
- vertical L_1 regression, 2237
- very large scale integrated circuit, 2222
- Vial, J-P, 1150
- vicinal
 - order, 747
 - pre-order, 413
- video signal processing, 2244
- Vijayan, K, 906
- Vince, A, 977
- violated inequality, 384
- Vishkin, U, 686
- visibility, 780, 1842, 1885, 1931
 - graph, 780, 962, 1119, 1885, 1931, 2274
 - problem, 780
 - relation, 1931
- visibility representation, 1885, 1931
 - of a graph, 962, 1931
- visualizing
 - distance data, 1915
 - sequence data, 1915
- Vitushkin, 95
- Vizing, 1555
- VLSI, 177, 908, 962, 967, 1044, 1078, 1720, 1848, 2226
 - array, 2225
 - chip, 1044
- VLSI circuit, 1720, 2227
 - design, 2070
 - layout, 1560
 - partitioning, 2217
- VLSI design, 964, 965, 1154, 1674, 1848, 2145, 2224, 2246
- VLSI layout, 932, 978, 1117, 1381, 1491, 1560, 2227
 - design, 967
- VLSI
 - optimization problem, 2226
 - routing, 964
- Voloshin, 1958
- voltage graph, 99
- volume, 783, 1971
 - calculation, 1482
- von Arnim, 1649, 1900
- von Neumann, J, 1278
- Voronoi
 - cell, 1367, 2201
 - diagram, 713, 1045
- vote ratio, 319
- voter preference, 1803
 - ranking, 105
- voting
 - decision, 776
 - order, 776
 - paradox, 1956
 - rule, 584
- VPC transformation, 810
 - group, 810
- VRP, 1333
- vulnerability, 908, 1697, 1989
 - measure, 1701
- W**
 - W_4 -free graphs, 1705
 - Wagner, 1591, 2223
 - decomposition, 1630
 - Wagner, D K, 1042
 - Wagner, H M, 1087
 - Wagner-Whitin algorithm, 1087
 - waiting time, 410, 1809
 - Waksman, 2270
 - Wallis product approximation, 319
 - Walsh functio, 2236
 - Wang, 1579, 1601, 1900
 - Waring problem, 303
 - Warne, 2223
 - Watanabe, H, 977
 - wave front, 237
 - wavelength division multiplexing, 2131
 - wavelet, 1638
 - weak chain, 968
 - rule program, 968
 - weak
 - coding, 327
 - dependency, 159
 - equivalence of optimization problems, 157
 - hierarchy, 1736
 - integral closure, 817
 - linear separator, 1076
 - order, 1680
 - separation, 1076
 - spherical separator, 1076
 - subgraph, 1065
 - weakly
 - connected digraph, 403
 - cycle free order, 853

- weakly
 - pancyclic graph, 2026
 - sparse language, 547
 - triangulated, 1029, 2211
- weakly triangulated graph, 408, 780, 1029, 1553, 1864, 2052
- weaving, 371, 811
 - problem, 371
- Weber, 1037, 1094
- weight
 - assignment, 1134, 2170
 - circulation, 81
 - distribution, 816, 934
 - equivalence, 806
 - of a codeword, 856
 - of a dominating function, 697
- weighted
 - 2-center problem, 983
 - 2-threshold covering, 1166
 - 2-threshold partition, 1166
 - clique, 434, 1896
 - completion time, 137, 892, 1114, 1142, 1599
 - connected domination, 2044, 2194
 - digraph, 462, 1813
 - dominating set, 434
- weighted domination, 2044
 - problem, 2044
- weighted efficient edge domination problem, 2191
- weighted finite
 - automaton, 1541
 - transducer, 1541
- weighted graph, 1078, 1117, 1615, 1920
- weighted independent perfect domination, 1637
 - problem, 1637, 2044
- weighted independent set, 434, 1869
 - algorithm, 1869
- weighted
 - matroid intersection problem, 221
 - node covering problem, 1334
 - number of late jobs, 1966, 2167
 - parameter, 2087
 - perfect domination problem, 1708
 - shortest arborescence problem, 2092
 - stable set, 183, 689, 1334
 - sum of distances, 1685
 - tailored 2-partition problem, 983
 - tardiness problem, 995
 - trapezoid graph, 1908
- weighted vertex
 - cover, 1021
 - packing problem, 1692
- weighted
 - voting, 13
 - method, 1926
- Weinberg, L., 977
- Weingast, B., 776
- Welch, L R., 116
- well-connectedness, 427
- well-covered graph, 1687
- well-irredundant graph, 1643
- well-partial ordering, 251
- well-quasi-order, 87, 96
- well-rounded, 1515
- Welsh-Powell upper bound, 133
- Welzl, 1835
- Werman, M., 683
- WFA, 1541
 - image, 1541
- WFT, 1541
 - transformation, 1541
- Wheatstone net, 1494
- wheel, 771, 1554, 1723, 1806
 - free, 1718
- wheel graph, 760, 1554
 - with deleted outer edges, 1554
- wheel in a bipartite graph, 1718
- whispering, 555, 1432
- whispering broadcast, 555
 - scheme, 1432
- whist tournament, 1075, 1452, 1729, 2169
- Whitin, T M., 1087
- Whitney theorem, 191
- Whittle, P., 72
- wide exact linear separator, 1076
- wide sense nonblocking, 2010
 - self routing network, 922
- wide
 - separation of sets, 1076
 - weak linear separator, 1076
- Widmer, 1776
- width, 210, 323, 343, 417, 559, 612, 967, 1043, 1129, 1330, 1526, 1781, 1872, 1931, 2025, 2124, 2125, 2227, 2229
 - algorithm, 1043
 - of local minima, 1526
- Wiedemann, D., 1622
- Wiener
 - index, 1860, 2062, 2063
 - number, 1965, 2064, 2065
- Wierman, 1437, 1740
- Wig, M K., 339
- Wilf, 1648
- Williams, 1579
- Williamson, 2218
- windy postman problem, 249
- Winkler, P., 403
- Winkler, P M., 955
- Winkler, R P., 217

- winning
 - 2-set, 847
 - move, 1632
 - probability, 870
 - strategy, 332
 - t-set problem, 847
- winter gritting vehicle, 1144
- wire
 - cycle period, 209
 - layout, 966
 - routing, 964, 1674, 1848
- wireless network, 2079
- Woeginger, 1835
- Wolf, J K, 625
- Wolfram, 2257
- Wolfsthal, Y, 1044
- Wolsey, L A, 211, 1955
- women and cats versus mice and men, 720
- Wong, 1495
- Wong, C K, 1099
- Woodall, D R, 580
- word
 - coding a tree, 801
 - problem, 807
- work preserving emulation, 1610
- working time, 714
- Wormald, N C, 1105
- wormhole routing, 2097
- worst case analysis, 104, 324, 543, 680, 791, 1026, 1084, 1089, 1131, 1709, 1785, 1790, 1844, 1874, 2018, 2238
 - of an approximation algorithm, 680
- worst case
 - behaviour, 20, 324, 376, 607, 614, 1984
 - bound, 48, 147, 211, 585, 1084, 1151, 1838, 2113, 2238
 - complexity, 988, 1607
 - effectiveness, 77
- worst case error
 - bound, 1001
 - ratio, 464
- worst case
 - measure, 2103
 - number of tests, 889, 1135
- worst case performance, 175, 396, 666, 711, 716, 931, 1151, 1524, 1844, 1874, 2180, 2238
 - bound, 1891
 - ratio, 283, 754, 791, 1089, 1090, 2133
- worst case ratio, 284, 583, 1080, 1898
 - of 2, 585
- worst case relative error, 1790, 1952
 - bound, 482
 - complexity, 97, 539, 1517, 1875
- Wotschke, D, 168
- WP free balanced bipartite graph, 1718
- WPP, 249
- wrap around grid, 1693
- wrapped butterfly digraph, 2089
- wreath product, 110
- write
 - once memory, 625, 815
 - unidirectional memory, 625
- WUM, 625
- Wyner, A D, 625
- X**
 - X-deletable sets, 552
 - X-join, 14
 - XY-routing, 2097
- Y**
 - Y-sums, 1717
 - Yamasaki, M, 293
 - Yamashita, 1525
 - Yao, 1556, 1586
 - Yebra, 1697
 - Yokoi, S, 552
 - Young diagram, 1752
 - Younger, 1630
 - Yuster, 2005
- Z**
 - Z-cyclic whist tournament, 1452, 1729, 2169
 - Zaw Win, 2084
 - ZCPS-Wh(v), 1452, 2169
 - Zeckendorf expansion, 1855
 - Zefirov, 1745
 - Zelinka, 2084
 - Zelinka, B, 230
 - zero
 - dimensional intersection ideal, 818
 - knowledge proof, 1423
 - zero one integer program, 311
 - zero one integer programming, 440
 - problem, 1859
 - zero one
 - multiple knapsack problem, 90
 - nonlinear programming, 440
 - polynomial programming problem, 1371
 - principle, 774
 - zero one quadratic
 - problem, 193
 - programming, 1882
 - zero one, *see also* 0-1
 - zero
 - ramification index, 285
 - sum game, 2005
 - zeta function, 803
 - of a series, 803

$\zeta(3)$ limit, 480
Zhang, 1377
Zinoviev lower bound, 314
Zinoviev, V A, 314

Ziv, J, 625
Znám, 1833
zonotope, 2237
Zwick, 2005

Reference List of Indexed Articles

This Reference List of Indexed Articles belongs to the Subject Index Volumes 1–92 (pp. 3–120 of this issue).

1. R. Armstrong, A. Charnes and F. Phillips, Page cuts for integer interval linear programming 1 (1979) 1–14
2. A.S. Fraenkel and Y. Yesha, Complexity of problems in games, graphs and algebraic equations 1 (1979) 15–30
3. R.R. Meyer, Equivalent constraints for discrete sets 1 (1979) 31–50
4. M. Senechal, Color groups 1 (1979) 51–73
5. L.R. Foulds and D.F. Robinson, Construction properties of combinatorial deltahedra 1 (1979) 75–87
6. C.H. Kappauf and G.J. Koenhler, The mixed postman problem 1 (1979) 89–103
7. M.M. Klawe, Optimal strategies for a fair betting game 1 (1979) 105–115
8. D.E. Knuth, Lexicographic permutations with restrictions 1 (1979) 117–125
9. A. Thayse, Discrete function expansions in integer powers 1 (1979) 127–136
10. T.C. Wesselkamper, The algebraic representation of partial functions 1 (1979) 137–142
11. W. Ainhirn and H.A. Maurer, On ε productions for terminals in EOL forms 1 (1979) 155–166
12. U. Derigs, A generalized Hungarian method for solving minimum weight perfect matching problems with algebraic objective 1 (1979) 167–180
13. P.C. Fishburn, Heights of representative systems 1 (1979) 181–199
14. M. Habib and M.C. Maurer, On the X -join decompositions for undirected graphs 1 (1979) 201–207
15. W.-L. Hsu and G.L. Nemhauser, Easy and hard bottleneck location problems 1 (1979) 209–215
16. J.B. Saxe, On the number of range queries in k -space 1 (1979) 217–225
17. P.C. Fishburn, W.V. Gehrlein and E. Maskin, Condorcet proportions and Kelly's conjectures 1 (1979) 229–252
18. A.M. Frieze, An algorithm for algebraic assignment problems 1 (1979) 253–259
19. F. Giannessi, Continued fractions and explicit solutions of a particular discrete optimization problem 1 (1979) 261–275
20. D. Goldfarb and W.Y. Sit, Worst case behavior of the steepest edge simplex method 1 (1979) 277
21. J. Somers and I. Adler, The max-flow problem with parametric capacities 1 (1979) 287–300
22. M. Yamasaki, Maximization of input conductances of an infinite network 1 (1979) 301–309
23. J.-M. Autebert, J. Beauquier and L. Boasson, Languages sur des alphabets infinis 2 (1980) 1–20
24. H. Greenberg and I. Feldman, A better step-off algorithm for the knapsack problem 2 (1980) 21–25
25. H. Hamacher, Algebraic flows in regular matroids 2 (1980) 27–38
26. E.L. Johnson and U.H. Suhl, Experiments in integer programming 2 (1980) 39–55
27. J.S. Maybee, Sign solvable graphs 2 (1980) 57–63
28. D.A. Plaisted and S. Zaks, An NP-complete matching problem 2 (1980) 65–72
29. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Many-to-one simulation in EOL forms is decidable (*Communication*) 2 (1980) 73–76
30. S. Fujishige, Principal structures of submodular systems (*Communication*) 2 (1980) 77–79

31. J. Lehel, Deltahedra are realizable as simplicial convex polyhedra (*Communication*) 2 (1980) 81–84
32. R.W. Cottle, Observations on a class of nasty linear complementarity problems 2 (1980) 89–111
33. F. Esser and F. Harary, Digraphs with real and gaussian spectra 2 (1980) 113–124
34. M. Nasu, An interconnection of local maps inducing onto global maps 2 (1980) 125–150
35. P. Hansen, An $O(m \log D)$ algorithm for shortest paths (*Note*) 2 (1980) 151–153
36. T. Ibaraki, The number of additional variables required for the integer programming formulation (*Note*) 2 (1980) 155–158
37. A. Aiello, E. Burattini, A. Massarotti and F. Ventriglia, "A posteriori" evaluation of bin packing approximation algorithms (*Communication*) 2 (1980) 159–161
38. C. Marrazzini, Characterization of the inverse of a particular circulant matrix by means of a continued fraction (*Communication*) 2 (1980) 163–165
39. A. Rosenthal, Optimal mass production (*Communication*) 2 (1980) 167–170
40. C.E. Blair, Facial disjunctive programs and sequences of cutting-planes 2 (1980) 173–179
41. C.J. Colbourn and D.G. Corneil, On deciding switching equivalence of graphs 2 (1980) 181–184
42. A.M. Farley and A. Proskurowski, Computation of the center and diameter of outerplanar graphs 2 (1980) 185–191
43. E.Ya. Gabovich and I.I. Melamed, On constant discrete programming problems 2 (1980) 193–205
44. M. Gordon and J.A. Torkington, Enumeration of coloured plane trees with a given type partition 2 (1980) 207–223
45. G. Gunther and B.L. Hartnell, Optimal k -secure graphs 2 (1980) 225–231
46. G. Rozenberg and R. Verraedt, Synchronized and desynchronized EOL forms 2 (1980) 233–247
47. S.K. Bhattacharya and A.K. Gupta, Occupation times for two-state Markov chains (*Note*) 2 (1980) 249–250
48. F. Glover, D. Klingman, J. Mote and D. Whitman, An extended abstract of an indepth algorithmic and computational study for maximum flow problems (*Note*) 2 (1980) 251–254
49. M. Hucher, G. Sabatier and J. Grolier, Effectifs des diverses sequences de polyedres 3-valents convexes ayant moins de 11 faces et de polyedres sans face triangulaire ayant de 11 a 14 faces (*Communication*) 2 (1980) 255–257
50. A.I. Riihonen, A note on perfect Lee-codes (*Communication*) 2 (1980) 259–260
51. A. Volpentesta, Equi-assignments and explicit solutions of a particular discrete optimization problem (*Communication*) 2 (1980) 261–265
52. R.A. Cuninghame-Green and P.F.J. Meijer, An algebra for piecewise-linear minimax problems 2 (1980) 267–294
53. A.M. Frieze, Probabilistic analysis of some Euclidean clustering problems 2 (1980) 295–309
54. A. Recski and M. Iri, Network theory and transversal matroids 2 (1980) 311–326
55. D. de Werra, Geography, games and graphs 2 (1980) 327–337
56. M. Yamasaki, Quasiharmonic classification of infinite networks 2 (1980) 339–344
57. B.K. Dass and S.K. Muttou, A note on Reed-Muller codes (*Note*) 2 (1980) 345–348
58. S. Shinoda, On the characteristic polynomial of the adjacency matrix of the subdivision graph of a graph (*Note*) 2 (1980) 349–351
59. R. Dvornicich, On a problem of cyclic permutations of integers (*Communication*) 2 (1980) 353–355
60. R. Euler, On a classification of independence systems (*Communication*) 2 (1980) 357–360
61. T. Kikuno, N. Yoshida and Y. Kakuda, NP-completeness of some type of p -center problem (*Communication*) 2 (1980) 361–363
62. J. Beck and T. Fiala, "Integer-making" theorems 3 (1981) 1–8
63. F.T. Boesch and C.L. Suffel, Realizability of p -point graphs with prescribed minimum degree, maximum degree, and point-connectivity 3 (1981) 9–18
64. R.A. Cuninghame-Green, Integer programming by long division 3 (1981) 19–25
65. P.C. Fishburn, Inverted orders for monotone scoring rules 3 (1981) 27–36
66. R.M. Karp and J.B. Orlin, Parametric shortest path algorithms with an application to cyclic staffing 3 (1981) 37–45
67. D.A. Klarner, Mathematical crystal growth I 3 (1981) 47–52
68. A. Thayse, Universal algorithms for evaluating Boolean functions 3 (1981) 53–65
69. R.E. Krichevskii, B.Ya. Ryabko and A.Yu. Haritonov, Optimal key for taxons ordered in accordance with their frequencies (*Note*) 3 (1981) 67–72

70. T. Lepistö, A note on perfect Lee-codes over small alphabets (*Communication*) **3** (1981) 73–74
71. K. Takamizawa, T. Nishizeki and N. Saito, Combinatorial problems on series-parallel graphs (*Communication*) **3** (1981) 75–76
72. D. Durand and C.-M. Bruneau, Graph theory and molecular distribution **3** (1981) 79–91
73. E. Goles and J. Olivos, Comportement periodique des fonctions a seuil binaires et applications **3** (1981) 93–105
74. M.F. Janowitz, Continuous L -cluster methods **3** (1981) 107–112
75. D.A. Klarner, Mathematical crystal growth II **3** (1981) 113–117
76. H.A. Maurer, A. Salomaa and D. Wood, Colorings and interpretations: A connection between graphs and grammar forms **3** (1981) 119–135
77. C.L. Monma, Sequencing with general precedence constraints **3** (1981) 137–150
78. T. Watanabe, T. Ae and A. Nakamura, On the removal of forbidden graphs by edge-deletion or by edge-contraction (*Communication*) **3** (1981) 151–153
79. M.J. Colbourn and C.J. Colbourn, Concerning the complexity of deciding isomorphism of block designs **3** (1981) 155–162
80. D.G. Corneil, H. Lerchs and L. Stewart Burlingham, Complement reducible graphs **3** (1981) 163–174
81. D. Gale and T. Politof, Substitutes and complements in network flow problems **3** (1981) 175–186
82. P.J. Slater, Accretion centers: A generalization of branch weight centroids **3** (1981) 187–192
83. L.A. Wolsey, The b -hull of an integer program **3** (1981) 193–201
84. Z. Zeitlin, Minimization of maximum absolute deviation in integers **3** (1981) 203–220
85. D.B. Holdridge and J.A. Davis, Comment on "A note on perfect Lee-codes" (*Note*) **3** (1981) 221
86. J. Akiyama, D. Avis, V. Chvátal and H. Era, Balancing signed graphs **3** (1981) 227–233
87. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Basic formulas and languages. Part I. The theory **3** (1981) 235–255
88. A.S. Fraenkel, Planar kernel and grundy with $d \leq 3$, $d_{\text{out}} \leq 2$, $d_{\text{in}} \leq 2$ are NP-complete **3** (1981) 257–262
89. H. Ishii, S. Shiode, T. Nishida and Y. Namasuya, Stochastic spanning tree problem **3** (1981) 263–273
90. S. Martello and P. Toth, A Bound and Bound algorithm for the Zero-One Multiple Knapsack Problem **3** (1981) 275–288
91. H.A. Maurer, A. Salomaa and D. Wood, Decidability and density in two-symbol grammar forms **3** (1981) 289–299
92. S. Poljak, V. Rödl and D. Turzík, Complexity of representation of graphs by set systems **3** (1981) 301–312
93. G.V. Gens and E.V. Levner, Fast approximation algorithm for job sequencing with deadlines (*Note*) **3** (1981) 313–318
94. G. Rozenberg and A. Salomaa, Table systems with unconditional transfer (*Communication*) **3** (1981) 319–322
95. H. Abelson, A. Ehrenfeucht, J. Fickett and J. Mycielski, Compositional complexity of Boolean functions **4** (1982) 1–10
96. A. Ehrenfeucht, G. Rozenberg and R. Verraedt, Basic formulas and languages. Part II. Applications to EOL systems and forms **4** (1982) 11–22
97. G. Gallo and S. Pallottino, A new algorithm to find the shortest paths between all pairs of nodes **4** (1982) 23–35
98. C. Ghilezan, Les derivees partielles des fonctions pseudo-Booleennes generalisees **4** (1982) 37–45
99. T. Zaslavsky, Signed graphs **4** (1982) 47–74
100. D. Avis, On the complexity of finding the convex hull of a set of points **4** (1982) 81–86
101. F.M. Brown, Segmental solutions of Boolean equations **4** (1982) 87–96
102. G.J. Chang, F.K. Hwang and S. Lin, Group testing with two defectives **4** (1982) 97–102
103. C.J. Colbourn, M.J. Colbourn, K.T. Phelps and V. Rödl, Colouring Steiner quadruple systems **4** (1982) 103–111
104. C. Croitoru, An analysis of the greedy algorithm for partially ordered sets **4** (1982) 113–117
105. P.C. Fishburn, Monotonicity paradoxes in the theory of elections **4** (1982) 119–134
106. H.D. Sherali and C.M. Shetty, A finitely convergent procedure for facial disjunctive programs **4** (1982) 135–148

107. K. Culik, F.E. Fich and A. Salomaa, A homomorphic characterization of regular languages (*Note*) 4 (1982) 149–152
108. J. Henno, On equivalent sets of functions (*Note*) 4 (1982) 153–156
109. J. Dassow, Grammars with valuations – A discrete model for self-organization of biopolymers 4 (1982) 161–174
110. G. Gati, Maximizing a lower bound on the computational complexity 4 (1982) 175–180
111. F. Gavril and J. Schönheim, Characterization and algorithms of curve map graphs 4 (1982) 181–191
112. A. Mansfield, An algorithm for a merge recognition problem 4 (1982) 193–197
113. T.D. Rogers and J.R. Pounder, Cycle structure in discrete-density models 4 (1982) 199–210
114. J.F. Sallee, A note on minimal triangulations of an n -cube 4 (1982) 211–215
115. D. de Werra, Minimizing irregularities in sports schedules using graph theory 4 (1982) 217–226
116. J. Astola, A note on perfect Lee-codes over small alphabets (*Note*) 4 (1982) 227–228
117. J. Honkala, Unique representation in number systems and L codes (*Note*) 4 (1982) 229–232
118. J. Kortelainen, A result concerning the trios generated by commutative slip-languages (*Communication*) 4 (1982) 233–236
119. G. Rozenberg and R. Verraedt, A note on the similarity depth (*Communication*) 4 (1982) 237–241
120. M. Aigner, Selecting the top three elements 4 (1982) 247–267
121. E.Ya. Gabovich, On spectral theory in discrete programming 4 (1982) 269–280
122. T. Margush, Distances between trees 4 (1982) 281–290
123. A. Rosa and W.D. Wallis, Premature sets of 1-factors or how not to schedule round robin tournaments 4 (1982) 291–297
124. A. Tamir, On the solution of discrete bottleneck problems 4 (1982) 299–302
125. U. Zimmermann, Minimization on submodular flows 4 (1982) 303–323
126. D.S. Clark, A class of combinatorial identities (*Note*) 4 (1982) 325–327
127. G. D'atri and C. Puech, Probabilistic analysis of the subset-sum problem (*Note*) 4 (1982) 329–334
128. R. von Randow, The bank safe problem (*Note*) 4 (1982) 335–337
129. E.M.L. Beale, A mathematical programming model for the long-term development of an off-shore gas field 5 (1983) 1–9
130. J. Błażewicz, J.K. Lenstra and A.H.G. Rinnooy Kan, Scheduling subject to resource constraints: Classification and complexity 5 (1983) 11–24
131. T.B. Boffey and J.R. Green, Design of electricity supply networks 5 (1983) 25–38
132. P.M. Camerini, G. Galbiati and F. Maffioli, On the complexity of finding multi-constrained spanning trees 5 (1983) 39–50
133. C.S. Edwards and C.H. Elphick, Lower bounds for the clique and the chromatic numbers of a graph 5 (1983) 51–64
134. M.L. Fisher, B.J. Lageweg, J.K. Lenstra and A.H.G. Rinnooy Kan, Surrogate duality relaxation for job shop scheduling 5 (1983) 65–75
135. J. Franco and M. Paull, Probabilistic analysis of the Davis Putnam Procedure for solving the Satisfiability problem 5 (1983) 77–87
136. A.M. Frieze and J. Yadegar, On the quadratic assignment problem 5 (1983) 89–98
137. A.M.A. Hariri and C.N. Potts, An algorithm for single machine sequencing with release dates to minimize total weighted completion time 5 (1983) 99–109
138. R.W. Irving, NP-completeness of a family of graph-colouring problems 5 (1983) 111–117
139. A. Mansfield, On the computational complexity of a merge recognition problem 5 (1983) 119–122
140. C. McDiarmid, On the chromatic forcing number of a random graph 5 (1983) 123–132
141. D.J.A. Welsh, Randomised algorithms 5 (1983) 133–145
142. H.P. Williams, A characterisation of all feasible solutions to an integer program 5 (1983) 147–155
143. C.K. Bailey, E.M. Palmer and J.W. Kennedy, Points by degree and orbit size in chemical trees, II 5 (1983) 157–164
144. V. Chvátal, On the bicycle problem 5 (1983) 165–173
145. S. Fujishige, Canonical decompositions of symmetric submodular systems 5 (1983) 175–190
146. J.W. Kennedy and L.V. Quintas, Extremal f -trees and embedding spaces for molecular graphs 5 (1983) 191–209
147. T. Nishizeki, T. Asano and T. Watanabe, An approximation algorithm for the hamiltonian walk problem on maximal planar graphs 5 (1983) 211–222

148. H. Prodinger and F.J. Urbanek, On monotone functions of tree structures **5** (1983) 223–239
149. A.K. Pujari, A.K. Mittal and S.K. Gupta, A convex polytope of diameter one (*Note*) **5** (1983) 241–242
150. J. Karhumäki and M. Linna, A note on morphic characterization of languages (*Communication*) **5** (1983) 243–246
151. E. Balas, Erratum **5** (1983) 247–248
152. M. Davio and C. Ronse, Rotator design **5** (1983) 253–277
153. J. Karhumäki, On cube-free ω -words generated by binary morphisms **5** (1983) 279–297
154. T. Kikuno, N. Yoshida and Y. Kakuda, A linear algorithm for the domination number of a series-parallel graph **5** (1983) 299–311
155. K. Sugihara, A unifying approach to descriptive geometry and mechanisms **5** (1983) 313–328
156. B. Bollobás and A. Thomason, Parallel sorting **6** (1983) 1–11
157. M.S. Burgin and E.Ya. Gabovich, Equivalence among optimization problems on matrix sets **6** (1983) 13–24
158. N.G. de Bruijn, Denumerations of rooted trees and multisets **6** (1983) 25–33
159. J. Demetrovics and Gy. Gyepesi, Some generalized type functional dependencies formalized as equality set on matrices **6** (1983) 35–47
160. D.J. Kleitman and R.A. Lew, An algorithm for collapsing sign alternating sequences of real numbers **6** (1983) 49–53
161. H. Okamura, Multicommodity flows in graphs **6** (1983) 55–62
162. T. Watanabe, T. Ae and A. Nakamura, On the NP-hardness of edge-deletion and -contraction problems **6** (1983) 63–78
163. A.M. Frieze, An extension of christofides heuristic to the k -person travelling salesman problem (*Note*) **6** (1983) 79–83
164. T. Ichimori, H. Ishii and T. Nishida, Two routing problems with the limitation of fuel (*Note*) **6** (1983) 85–89
165. R.G. Karlsson and P.V. Poblete, An $O(m \log \log D)$ algorithm for shortest paths (*Note*) **6** (1983) 91–93
166. F. Fogelman, E. Goles and G. Weisbuch, Transient length in sequential iteration of threshold functions (*Communication*) **6** (1983) 95–98
167. C. Maas, Some results about the interval number of a graph (*Communication*) **6** (1983) 99–102
168. B. Alspach, P. Eades and G. Rose, A lower-bound for the number of productions required for a certain class of languages **6** (1983) 109–115
169. S.F. Assmann and D.J. Kleitman, The number of rounds needed to exchange information within a graph **6** (1983) 117–125
170. P.L. Buzysky and G.A. Freiman, An effective formula for the number of solutions of a system of two 0, 1-equations **6** (1983) 127–133
171. A.C. Hayes and D.G. Larman, The vertices of the Knapsack polytope **6** (1983) 135–138
172. R. Laskar and D. Shier, On powers and centers of chordal graphs **6** (1983) 139–147
173. C.-H.M. Lin and H.M. Salkin, An efficient algorithm for the complete set partitioning problem **6** (1983) 149–156
174. W. Maurer, Bivalent trees and forests or upper bounds for the probability of a union revisited **6** (1983) 157–171
175. I. Morihara, T. Ibaraki and T. Hasegawa, Bin packing and multiprocessors scheduling problems with side constraint on job types **6** (1983) 173–191
176. S. Poljak, A. Pultr and V. Rödl, On qualitatively independent partitions and related problems **6** (1983) 193–205
177. M.D. Beeler, A new van der Waerden number (*Note*) **6** (1983) 207
178. D. Dorninger and H. Länger, An explicit formula for the solution of the Fisher–Wright selection model in population genetics (*Note*) **6** (1983) 209–211
179. M.L. Kaushik, Comments on “A note on Reed–Muller codes” (*Note*) **6** (1983) 213–214
180. M.B. Cozzens and F.S. Roberts, Computing the boxicity of a graph by covering its complement by cointerval graphs **6** (1983) 217–228
181. M.K. Goldberg, A nonfactorial algorithm for testing isomorphism of two graphs **6** (1983) 229–236
182. P. Hansen, Recognizing sign solvable graphs **6** (1983) 237–241
183. D.S. Hochbaum, Efficient bounds for the stable set, vertex cover and set packing problems **6** (1983) 243–254

184. G. Markowsky and A. Wohlgemuth, Intersection-union systems 6 (1983) 255–262
185. G. Rozenberg and R. Verraedt, The goodness of S , a -EOL forms is decidable 6 (1983) 263–299
186. R. Schrader, Approximations to clustering and subgraph problems on trees 6 (1983) 301–309
187. M. Roubens and P. Vincke, Linear orders and semiorders close to an interval order (Note) 6 (1983) 311–314
188. R.D. Dutton and R.C. Brigham, A characterization of competition graphs (Note) 6 (1983) 315–317
189. J.R. Lundgren and J.S. Maybee, A characterization of graphs of competition number m (Note) 6 (1983) 319–322
190. F.S. Roberts and J.E. Steif, A characterization of competition graphs of arbitrary digraphs (Note) 6 (1983) 323–326
191. T. Asano, S. Kikuchi and N. Saito, A linear algorithm for finding Hamiltonian cycles in 4-connected maximal planar graphs 7 (1984) 1–15
192. J.T. Astola, The Tietäväinen bound for spherical codes 7 (1984) 17–21
193. M.W. Carter, The indefinite zero-one quadratic problem 7 (1984) 23–44
194. E.J. Farrell and S.A. Wahid, Matching in benzene chains 7 (1984) 45–54
195. H. Maehara, Space graphs and sphericity 7 (1984) 55–64
196. A. Muir and M.W. Warner, Lattice valued relations and automata 7 (1984) 65–78
197. E. Seneta and W.L. Steiger, A new lad curve-fitting algorithm: Slightly overdetermined equation systems in L_1 7 (1984) 79–91
198. H.P. Williams, A duality theorem for linear congruences 7 (1984) 93–103
199. S. Fujishige, A note on Frank's generalized polymatroids (Communication) 7 (1984) 105–109
200. M. Farber, Domination, independent domination, and duality in strongly chordal graphs 7 (1984) 115–130
201. P.C. Fishburn, Probabilities of dominant candidates based on first-place votes 7 (1984) 131–140
202. C.W. Haigh, J.W. Kennedy and L.V. Quintas, Counting and coding identity trees with fixed diameter and bounded degree 7 (1984) 141–160
203. P. Kirschenhofer, On the average shape of monotonically labelled tree structures 7 (1984) 161–181
204. A.L. Liestman and D. Richards, Toward optimal gossiping schemes with conference calls 7 (1984) 183–189
205. F. Murtagh, Counting dendrograms: A survey 7 (1984) 191–199
206. M. Skowrońska and M.M. Sysło, An algorithm to recognize a middle graph 7 (1984) 201–208
207. M.M. Sysło, Optimal constructions of reversible digraphs 7 (1984) 209–220
208. P.M. Winkler, Isometric embedding in products of complete graphs 7 (1984) 221–225
209. F.M. Brown and Y. Igarashi, On permutations of wires and states 7 (1984) 231–241
210. M. Chein and M. Habib, Jump number of dags having Dilworth number 2 7 (1984) 243–250
211. M. Conforti and G. Cornuéjols, Submodular set functions, matroids and the greedy algorithm: Tight worst-case bounds and some generalizations of the Rado–Edmonds theorem 7 (1984) 251–274
212. R.A. Cuninghame-Green, The absolute centre of a graph 7 (1984) 275–283
213. S. Even and A. Paz, A note on cake cutting 7 (1984) 285–296
214. J.-J. Pansiot, A propos d'une conjecture de F. Dejean sur les répétitions dans les mots 7 (1984) 297–311
215. A. Recski, A network theory approach to the rigidity of skeletal structures. Part I. Modelling and interconnection 7 (1984) 313–324
216. D.R. Shier, Some aspects of perfect elimination orderings in chordal graphs 7 (1984) 325–331
217. M. Aigner and M. Fromme, A game of cops and robbers 8 (1984) 1–12
218. J. Astola, On the asymptotic behaviour of Lee-codes 8 (1984) 13–23
219. C.J. Colbourn, The complexity of completing partial Latin squares 8 (1984) 25–30
220. E.J. Farrell and S.A. Wahid, Matchings in pentagonal chains 8 (1984) 31–40
221. D. Gusfield, Matroid optimization with the interleaving of two ordered sets 8 (1984) 41–50
222. H. Hashimoto, Transitive reduction of a nilpotent boolean matrix 8 (1984) 51–61
223. A. Recski, A network theory approach to the rigidity of skeletal structures. Part II. Laman's theorem and topological formulae 8 (1984) 63–68
224. D. Skrien, Chronological orderings of interval graphs 8 (1984) 69–83
225. C.A. Tovey, A simplified NP-complete satisfiability problem 8 (1984) 85–89
226. S.J. Willson, Cellular automata can generate fractals 8 (1984) 91–99

227. J.L. Hock and R.B. McQuistan, A note on the occupational degeneracy for dimers on a saturated two-dimensional lattice space (*Note*) **8** (1984) 101–104
228. S.F. Assmann and D.J. Kleitman, Characterization of curve map graphs **8** (1984) 109–124
229. D.A. Babayev and F. Glover, Aggregations of nonnegative integer-valued equations **8** (1984) 125–130
230. H.J. Bandelt and J.P. Barthélemy, Medians in median graphs **8** (1984) 131–142
231. P. Bertolazzi, C. Leporelli and M. Lucertini, Alternative group relaxation of integer programming problems **8** (1984) 143–151
232. H. Hashimoto, Transitive reduction of a rectangular boolean matrix **8** (1984) 153–161
233. L.B. Hopkins, W.T. Trotter and D.B. West, The interval number of a complete multipartite graph **8** (1984) 163–187
234. E.Q.V. Martins, An algorithm to determine a path with minimal cost/capacity ratio **8** (1984) 189–194
235. B. Péroche, NP-Completeness of some problems of partitioning and covering in graphs **8** (1984) 195–208
236. A. Sajo, On subword complexity functions (*Communication*) **8** (1984) 209–212
237. J.-P. Allouche and C. Reder, Oscillations spatio-temporelles engendrées par un automate cellulaire **8** (1984) 215–254
238. H.J. Greenberg, J.R. Lundgren and J.S. Maybee, Inverting graphs of rectangular matrices **8** (1984) 255–265
239. A. Naamad, D.T. Lee and W.-L. Hsu, On the maximum empty rectangle problem **8** (1984) 267–277
240. M. Paoli, Comparison of mean distance in superposed networks **8** (1984) 279–287
241. G. Turán, On the succinct representation of graphs **8** (1984) 289–294
242. D.B. West and D.B. Shmoys, Recognizing graphs with fixed interval number is NP-complete **8** (1984) 295–305
243. C.-Q. Zhang, Optimal alphabetic binary tree for a nonregular cost function **8** (1984) 307–312
244. A. Ehrenfeucht and G. Rozenberg, On regularity of languages generated by copying systems (*Note*) **8** (1984) 313–317
245. E. Goles and M. Tchuente, Iterative behaviour of one-dimensional threshold automata (*Communication*) **8** (1984) 319–322
246. R. Bar-Yehuda and S. Moran, On approximation problems related to the Independent Set and Vertex Cover problems **9** (1984) 1–10
247. C.E. Blair and R.G. Jeroslow, Extensions of a theorem of Balas **9** (1984) 11–26
248. D.G. Corneil and Y. Perl, Clustering and domination in perfect graphs **9** (1984) 27–39
249. M. Guan, On the windy postman problem **9** (1984) 41–46
250. D.A. Marcus, Gale diagrams of convex polytopes and positive spanning sets of vectors **9** (1984) 47–67
251. K. Ruohonen, A note on off-line machines with ‘Brownian’ input heads **9** (1984) 69–75
252. K. Sugihara, An algebraic and combinatorial approach to the analysis of line drawings of polyhedra **9** (1984) 77–104
253. P. Buser, On the bipartition of graphs (*Note*) **9** (1984) 105–109
254. T. Andreae, Note on a pursuit game played on graphs **9** (1984) 111–115
255. R. Chandrasekaran and A. Tamir, Polynomial testing of the query “Is $a^b \geq c^d$?” with application to finding a minimal cost reliability ratio spanning tree **9** (1984) 117–123
256. C. Choffrut and K. Culik, On extendibility of unavoidable sets **9** (1984) 125–137
257. F. Fogelman-Soulie, Frustration and stability in random boolean networks **9** (1984) 139–156
258. M.C. Golumbic, C.L. Monma and W.T. Trotter, Tolerance graphs **9** (1984) 157–170
259. D. Granot and F. Granot, Minimal covers, minimal sets and canonical facets of the posynomial knapsack polytope **9** (1984) 171–185
260. D. Miklós, Linear binary codes with intersection properties **9** (1984) 187–196
261. U. Vishkin, An optimal parallel connectivity algorithm **9** (1984) 197–207
262. U. Faigle, A vector exchange property of submodular systems (*Note*) **9** (1984) 209–211
263. Y. Kajitani and S. Ueno, A matroid generalization of theorems of Lewin and Gallai (*Note*) **9** (1984) 213–216
264. C.E. Blair and R.G. Jeroslow, Constructive characterizations of the value-function of a mixed-integer program I **9** (1984) 217–233
265. J.R. Mühlpacher, F.X. Steinparz and G. Tinhofer, On certain classes of fractional matchings **9** (1984) 235–244
266. C. Peyrat, Diameter vulnerability of graphs **9** (1984) 245–250

267. F.S. Roberts, Applications of Ramsey theory **9** (1984) 251–261
268. E. Toczyłowski, A perfect matching algorithm for sparse bipartite graphs **9** (1984) 263–268
269. W. Whiteley, A correspondence between scene analysis and motions of frameworks **9** (1984) 269–295
270. V. Keränen, On k -repetition freeness of length uniform morphisms over a binary alphabet (*Note*) **9** (1984) 297–300
271. M. Sniedovich, C-programming problems: A class of non-linear optimization problems (*Communication*) **9** (1984) 301–305
272. P. Brucker and W. Papenjohn, An out-of-kilter method for the algebraic circulation problem **10** (1985) 1–18
273. P. Butkovič, Necessary solvability conditions of systems of linear extremal equations **10** (1985) 19–26
274. D. Coppersmith and U. Vishkin, Solving NP-hard problems in ‘almost trees’: Vertex cover **10** (1985) 27–45
275. A.M. Frieze, On the value of a random minimum spanning tree problem **10** (1985) 47–56
276. A.M. Frieze and G.R. Grimmett, The shortest-path problem for graphs with random arc-lengths **10** (1985) 57–77
277. H. Imai, On combinatorial structures of line drawings of polyhedra **10** (1985) 79–92
278. F.S. Roberts, Applications of edge coverings by cliques **10** (1985) 93–109
279. A.E. Brouwer, Some new two-weight codes and strongly regular graphs (*Note*) **10** (1985) 111–114
280. W.W. Bein, P. Brucker and A. Tamir, Minimum cost flow algorithms for series-parallel networks **10** (1985) 117–124
281. C.C. Ribeiro and M. Minoux, A heuristic approach to hard constrained shortest path problems **10** (1985) 125–137
282. M.E. Dyer and A.M. Frieze, On the complexity of partitioning graphs into connected subgraphs **10** (1985) 139–153
283. C.N. Potts, Analysis of a linear programming heuristic for scheduling unrelated parallel machines **10** (1985) 155–164
284. M. Kunde and H. Steppat, First fit decreasing scheduling on uniform multiprocessors **10** (1985) 165–177
285. G.L. Thompson and S. Singhal, A successful algorithm for the undirected Hamiltonian Path problem **10** (1985) 179–195
286. C. McDiarmid, On some conditioning results in the probabilistic analysis of algorithms **10** (1985) 197–201
287. W. Cook, A note on matchings and separability **10** (1985) 203–209
288. E.W. Allender, On the number of cycles possible in digraphs with large girth **10** (1985) 211–225
289. C.E. Blair and R.G. Jeroslow, Constructive characterization of the value function of a mixed-integer program II **10** (1985) 227–240
290. J. Błażewicz and J.R. Nawrocki, Dynamic storage allocation with limited compaction – complexity and some practical implications **10** (1985) 241–253
291. C. Yung-ching (Zhu Youngjin), An extended result of Kleitman and Saks concerning binary trees **10** (1985) 255–259
292. N. Katoh and T. Ibaraki, An efficient algorithm for the parametric resource allocation problem **10** (1985) 261–274
293. T. Kayano, Extremal length of an infinite network related to an accessible boundary point **10** (1985) 275–285
294. B. Monien and E. Speckenmeyer, Solving satisfiability in less than 2^n steps **10** (1985) 287–295
295. K. Sugihara, Detection of structural inconsistency in systems of equations with degrees of freedom and its applications **10** (1985) 297–312
296. J.L. Szwarcfiter, R.C.M. Persiano and A.A.F. Oliveira, Orientations with single source and sink **10** (1985) 313–321
297. M.V. Lomonosov, Combinatorial approaches to multiflow problems **11** (1985) 1–93
298. J. Aráoz and J. Edmonds, A case of non-convergent dual changes in Assignment Problems **11** (1985) 95–102
299. J. Demetrovics, Z. Füredi and G.O.H. Katona, Minimum matrix representation of closure operations **11** (1985) 115–128
300. U. Derigs, Some basic exchange properties in combinatorial optimization and their application to constructing the k -best solutions **11** (1985) 129–141

302. M.H. El-Zahar and I. Rival, Greedy linear extensions to minimize jumps **11** (1985) 143–156
303. T. Hellese, On the covering radius of cyclic linear codes and arithmetic codes **11** (1985) 157–173
304. T. Masuda, H. Ishii and T. Nishida, The mixed shop scheduling problem **11** (1985) 175–186
305. T.T. Nguyen and A.R. Sampson, Counting the number of $p \times q$ integer matrices more concordant than a given matrix **11** (1985) 187–205
306. P. Butkovič and F. Hevery, A condition for the strong regularity of matrices in the minimax algebra **11** (1985) 209–222
307. D. Gale and M. Sotomayor, Some remarks on the stable matching problem **11** (1985) 223–232
308. G. Gunther, Neighbour-connectivity in regular graphs **11** (1985) 233–243
309. Y. Robert and M. Tchuente, Connection-graph and iteration-graph of monotone boolean functions **11** (1985) 245–253
310. P. Séébold, Sequences generated by infinitely iterated morphisms **11** (1985) 255–264
311. S. Sen and H.D. Sherali, A branch and bound algorithm for extreme point mathematical programming problems **11** (1985) 265–280
312. G. Steiner, A compact labeling scheme for series-parallel graphs **11** (1985) 281–297
313. I.J. Aalbersberg and G. Rozenberg, Traces, dependency graphs and DNLC grammars (*Note*) **11** (1985) 299–306
314. I. Honkala, H. Härmäläinen and M. Kaikkonen, A modification of the Zinoviev lower bound for constant weight codes (*Note*) **11** (1985) 307–310
315. G. Saviozzi, On degeneracy in linear complementarity problems (*Communication*) **11** (1985) 311–314
316. A. Billionnet and M. Minoux, Maximizing a supermodular pseudoboolean function: A polynomial algorithm for supermodular cubic functions **12** (1985) 1–11
317. R.V. Book, The base of the intersection of two free submonoids **12** (1985) 13–20
318. R.E. Burkard and U. Fincke, Probabilistic asymptotic properties of some combinatorial optimization problems **12** (1985) 21–29
319. J.S. Frame and D.C. Gilliland, Votes and a half-binomial **12** (1985) 31–40
320. F. Otto, Classes of regular and context-free languages over countably infinite alphabets **12** (1985) 41–56
321. U.N. Peled and B. Simeone, Polynomial-time algorithms for regular set-covering and threshold synthesis **12** (1985) 57–69
322. Y. Perl and U. Vishkin, Efficient implementation of a shifting algorithm **12** (1985) 71–80
323. R.P. Stanley, On dimer coverings of rectangles of fixed width **12** (1985) 81–87
324. J.P. Spinrad and G. Vijayan, Worst case analysis of a graph coloring algorithm (*Note*) **12** (1985) 89–92
325. C. Choffrut and J. Karhumäki, Test sets for morphisms with bounded delay **12** (1985) 93–101
326. S.M. Dodunekov and N.L. Manev, An improvement of the Griesmer bound for some small minimum distances **12** (1985) 103–114
327. A. Ehrenfeucht, G. Rozenberg and K. Ruohonen, A morphic representation of EOL languages and other ETOL languages **12** (1985) 115–122
328. J. Feigenbaum, J. Hersberger and A.A. Schäffer, A polynomial time algorithm for finding the prime factors of cartesian-product graphs **12** (1985) 123–138
329. R.A. Games, Crosscorrelation of M-sequences and GMW-sequences with the same primitive polynomial **12** (1985) 139–146
330. P. Hansen and B. Jaumard, Uniquely solvable quadratic boolean equations **12** (1985) 147–154
331. F. Harary, J.R. Lundgren and J.S. Maybee, On signed digraphs with all cycles negative **12** (1985) 155–164
332. A. Pultr and J. Úlehla, Remarks on strategies in combinatorial games **12** (1985) 165–173
333. G. Rozenberg and R. Verraedt, On erasing in EOL forms **12** (1985) 175–189
334. P.C. Fishburn, A characterization of uniquely representable interval graphs (*Note*) **12** (1985) 191–194
335. A.A. Bertossi and M.A. Bonucelli, A polynomial feasibility test for preemptive periodic scheduling of unrelated processors **12** (1985) 195–201
336. M.A. Bonucelli, Dominating sets and domatic number of circular arc graphs **12** (1985) 203–213
337. J.P. Bordat, Parcours dans les graphes: Un outil pour l'algorithmique des ensembles ordonnés **12** (1985) 215–231
338. D.G. Corneil, The complexity of generalized clique packing **12** (1985) 233–239
339. A.A. Elimam and S.E. Elmaghraby, On the reduction method for integer linear programs, II **12** (1985) 241–260

340. E. Goles-Chacc, F. Fogelman-Soulie and D. Pellegrin, Decreasing energy functions as a tool for studying threshold networks **12** (1985) 261–277
341. M. Habib and R. Jegou, N -free posets as generalizations of series-parallel posets **12** (1985) 279–291
342. R.E. Krichevsky and B.Ya. Ryabko, Universal retrieval trees **12** (1985) 293–302
343. T.-H. Lai and A. Sprague, On the complexity of a family of generalized matching problems **12** (1985) 303–318
344. R.P. Anstee, Invariant sets of arcs in network flow problems **13** (1986) 1–7
345. M.J. Atallah and S.E. Hambrusch, An assignment algorithm with applications to integrated circuit layout **13** (1986) 9–22
346. F. Barahona, A solvable case of quadratic 0–1 programming **13** (1986) 23–26
347. S. Poljak and D. Turzík, On an application of convexity to discrete systems **13** (1986) 27–32
348. S. Poljak and D. Turzík, On pre-periods of discrete influence systems **13** (1986) 33–39
349. I.G. Rosenberg, Structural rigidity II: Almost infinitesimally rigid bar frameworks **13** (1986) 41–59
350. M. Vlach, Conditions for the existence of solutions of the three-dimensional planar transportation problem **13** (1986) 61–78
351. I.J. Aalbersberg, G. Rozenberg and A. Ehrenfeucht, On the membership problem for regular DNLC grammars (*Note*) **13** (1986) 79–85
352. M.J. Atallah and G.N. Frederickson, A note on finding a maximum empty rectangle (*Note*) **13** (1986) 87–91
353. J. Bovet, Une amelioration de la methode de Dijkstra pour la recherche d'un plus court chemin dans un reseau (*Note*) **13** (1986) 93–96
354. E. Goles, Antisymmetrical neural networks (*Communication*) **13** (1986) 97–100
355. Y. Zalcstein and S.P. Franklin, Testing homotopy equivalence is isomorphism complete (*Communication*) **13** (1986) 101–104
356. O. Barros and A. Weintraub, Spatial market equilibrium problems as network models **13** (1986) 109–130
357. P.C. Jones, R. Saigal and M.H. Schneider, A variable-dimension homotopy on networks for computing linear spatial equilibria **13** (1986) 131–156
358. F. Granot and R. Hassin, Multi-terminal maximum flows in node-capacitated networks **13** (1986) 157–163
359. M.T. Shing and T.C. Hu, A decomposition algorithm for multi-terminal network flows **13** (1986) 165–181
360. D.D. Klingman and R.F. Schneider, Microcomputer-based algorithms for large scale shortest path problems **13** (1986) 183–206
361. N.V. Phillips, A new variant of the partitioning shortest path algorithm **13** (1986) 207–212
362. A.J. Goldman and P. Tiwari, Allowable processing orders in the accelerated cascade algorithm **13** (1986) 213–221
363. M.S. Hung, W.O. Rom and A.D. Waren, Degeneracy in transportation problems **13** (1986) 223–237
364. Y. Ikura and G.L. Nemhauser, Computational experience with a polynomial-time dual simplex algorithm for the transportation problem **13** (1986) 239–248
365. J. Mote, The family constrained network problem **13** (1986) 249–257
366. A.I. Ali and J.L. Kennington, The asymmetric M -travelling salesmen problem: A duality based branch-and-bound algorithm **13** (1986) 259–276
367. F. Glover and B. Novick, The 2-quasi-greedy algorithm for cardinality constrained matroid bases **13** (1986) 277–286
368. S.T. Hedetniemi, R. Laskar and J. Pfaff, A linear algorithm for finding a minimum dominating set in a cactus **13** (1986) 287–292
369. T. Andreae, On an extremal problem concerning the interval number of a graph **14** (1986) 1–9
370. R.H. Goetschel, Linear objective functions on certain classes of greedoids **14** (1986) 11–16
371. D.S. Hochbaum and E. Wigderson, The Linzertorte problem, or a unified approach to painting, baking and weaving **14** (1986) 17–32
372. H. Kaneko and M. Fushimi, A polymatroid associated with convex games **14** (1986) 33–45
373. T.F. Lin, A system of linear equations related to the transportation problem with application to probability theory **14** (1986) 47–56
374. A. Paz, A duality property for the set of all feasible solutions to an integer program **14** (1986) 57–66
375. F.J. Radermacher, Schedule-induced posets **14** (1986) 67–91

376. J.M. Steele and W.L. Steiger, Algorithms and complexity for least median of squares regression **14** (1986) 93–100
377. D.-Z. Du, An optimization problem on graphs (*Note*) **14** (1986) 101–104
378. A. De Luca and A. Massarotti, A decision procedure on partially commutative free monoids (*Communication*) **14** (1986) 105–108
379. A. Schrijver, Polyhedral proof methods in combinatorial optimization **14** (1986) 111–133
380. G.A.P. Kindervater and J.K. Lenstra, An introduction to parallelism in combinatorial optimization **14** (1986) 135–156
381. F. Maffioli, Randomized algorithms in combinatorial optimization: A survey **14** (1986) 157–170
382. A.H.G. Rinnooy Kan, An introduction to the analysis of approximation algorithms **14** (1986) 171–185
383. J.B.G. Frenk and A.H.G. Rinnooy Kan, The rate of convergence to optimality of the LPT rule **14** (1986) 187–197
384. T.J. Van Roy and L.A. Wolsey, Valid inequalities for mixed 0–1 programs **14** (1986) 199–213
385. M. Aigner, Search problems on graphs **14** (1986) 215–230
386. R. Chandrasekaran, Recognition of Gilmore–Gomory traveling salesman problem **14** (1986) 231–238
387. C.J. Colbourn, W.L. Kocay and D.R. Stinson, Some NP-complete problems for hypergraph degree sequences **14** (1986) 239–254
388. C. Cordes and K.B. Reid, Largest polygons with vertices in a given finite set **14** (1986) 255–262
389. H. Greenberg, On equivalent knapsack problems **14** (1986) 263–268
390. P. Hansen and B. Simeone, Unimodular functions **14** (1986) 269–281
391. B. Simeone, An asymptotically exact polynomial algorithm for equipartition problems **14** (1986) 283–293
392. M. Tchuente, Computation on binary tree-networks **14** (1986) 295–310
393. F.D. Anger, J. Sarmiento and R.V. Rodriguez, Representative graphs of r -regular partial planes and representation of orthomodular posets **15** (1986) 1–10
394. D. Babić, A. Graovac, B. Mohar and T. Pisanski, The matching polynomial of a polygraph **15** (1986) 11–24
395. I. Gutman and F. Zhang, On the ordering of graphs with respect to their matching numbers **15** (1986) 25–33
396. N.G. Hall and D.S. Hochbaum, A fast approximation algorithm for the multicovering problem **15** (1986) 35–40
397. H.W. Hamacher, Maximal dynamic polymatroid flows and applications **15** (1986) 41–54
398. T. Harju, J. Karhumäki and H.C.M. Kleijn, On morphic generation of regular languages **15** (1986) 55–60
399. B. Hedman, A polynomial algorithm for constructing the clique graph of a line graph **15** (1986) 61–66
400. W.F. McColl and K. Noshita, On the number of edges in the transitive closure of a graph **15** (1986) 67–73
401. Z. Palka and A. Ruciński, On the order of the largest induced tree in a random graph **15** (1986) 75–83
402. U. Zimmermann, Linear and combinatorial sharing problems **15** (1986) 85–104
403. J. Feigenbaum, Directed cartesian-product graphs have unique factorizations that can be computed in polynomial time (*Note*) **15** (1986) 105–110
404. D. Simovici and C. Reischer, Iterative characterizations of Boolean algebras (*Note*) **15** (1986) 111–116
405. S. Yu, A property of real-time trellis automata (*Note*) **15** (1986) 117–119
406. E. Balas, A fast algorithm for finding an edge-maximal subgraph with a TR-formative coloring **15** (1986) 123–134
407. W.W. Bein and P. Brucker, Greedy concepts for network flow problems **15** (1986) 135–144
408. C. Berge, New classes of perfect graphs **15** (1986) 145–154
409. R.E. Bixby and C.R. Coullard, On chains of 3-connected matroids **15** (1986) 155–166
410. R.E. Burkard, Optimal schedules for periodically recurring events **15** (1986) 167–180
411. P.M. Camerini, F. Maffioli, S. Martello and P. Toth, Most and least uniform spanning trees **15** (1986) 181–197
412. S.-J. Chung, K.G. Murty and S.Y. Chang, On K^A **15** (1986) 199–211
413. M. Cochand and D. de Werra, Generalized neighbourhoods and a class of perfectly orderable graphs **15** (1986) 213–220
414. Y. Crama, P.L. Hammer and T. Ibaraki, Strong unimodularity for matrices and hypergraphs **15** (1986) 221–239

415. U. Derigs, O. Goecke and R. Schrader, Monge sequences and a simple assignment algorithm **15** (1986) 241–248
416. U. Faigle, Exchange properties of combinatorial closure spaces **15** (1986) 249–260
417. U. Faigle and R. Schrader, On the computational complexity of the order polynomial **15** (1986) 261–269
418. L.R. Foulds, Testing the theory of evolution: A novel application of combinatorial optimization **15** (1986) 271–282
419. B. Korte and L. Lovász, Homomorphisms and ramsey properties of antimatroids **15** (1986) 283–290
420. E.L. Lawler and C.U. Martel, Polymatroidal flows with lower bounds **15** (1986) 291–313
421. K. Mehlhorn and B.H. Schmidt, On BF-orderable graphs **15** (1986) 315–327
422. F.T. Tseng and K. Truemper, A decomposition of the matroids with the max-flow min-cut property **15** (1986) 329–364
423. U. Zimmermann, Duality for balanced submodular flows **15** (1986) 365–376
424. M.v. Golitschek, The cost-to-time ratio problem for large or infinite graphs **16** (1987) 1–9
425. F. Harary and U. Peled, Hamiltonian threshold graphs **16** (1987) 11–15
426. K.-J. Lange and E. Welzl, String grammars with disconnecting or a basic root of the difficulty in graph grammar parsing **16** (1987) 17–30
427. C. Maas, Transportation in graphs and the admittance spectrum **16** (1987) 31–49
428. W.R. Pulleyblank, Fractional matchings and the Edmonds–Gallai theorem **16** (1987) 51–58
429. G. Rozenberg and E. Welzl, Combinatorial properties of boundary NLC graph languages **16** (1987) 59–73
430. A. Tietäväinen, On the covering radius of long binary BCH codes (*Note*) **16** (1987) 75–77
431. Y. Crama, Dualization of regular Boolean functions (*Communication*) **16** (1987) 79–85
432. D.C. Llewellyn, Min algebraic duality (*Communication*) **16** (1987) 87–90
433. F. Barahona and W.R. Pulleyblank, Exact arborescences, matchings and cycles **16** (1987) 91–99
434. A.A. Bertossi and M.A. Bonucelli, Some parallel algorithms on interval graphs **16** (1987) 101–111
435. D.P. Bovet and A. Panconesi, Inclusion relationships among permutation problems **16** (1987) 113–123
436. A.G. Chetwynd and A.J.W. Hilton, The edge-chromatic class of regular graphs of degree 4 and their complements **16** (1987) 125–134
437. M.E. Dyer and J. Walker, An algorithm for a separable integer programming problem with cumulatively bounded variables **16** (1987) 135–149
438. J. Hammer and D.G. Sarvate, Encryption using Hungarian rings **16** (1987) 151–155
439. S. Xie, Notes on de Bruijn sequences **16** (1987) 157–177
440. B. Kalantari and J.B. Rosen, Penalty formulation for zero-one nonlinear programming (*Note*) **16** (1987) 179–182
441. Z. Tuza, On two intersecting set systems and k -continuous Boolean functions (*Note*) **16** (1987) 183–185
442. H.J. Bandelt, A. Dählmann and H. Schütte, Absolute retracts of bipartite graphs **16** (1987) 191–215
443. G. Demange, D. Gale and M. Sotomayor, A further note on the stable matching problem **16** (1987) 217–222
444. P.C. Fishburn, Decomposing weighted digraphs into sums of chains **16** (1987) 223–238
445. T.Y. Kong, D.M. Mount and M. Werman, The decomposition of a square into rectangles of minimal perimeter **16** (1987) 239–243
446. A. Tamir, Totally balanced and totally unimodular matrices defined by center location problems **16** (1987) 245–263
447. H. Tarnanen, Upper bounds for constant weight and Lee codes slightly outside the Plotkin range **16** (1987) 265–277
448. D.S. Clark, Short proof of a discrete Gronwall inequality (*Note*) **16** (1987) 279–281
449. L.E. Trotter and D.B. West, Two easy duality theorems for product partial orders (*Note*) **16** (1987) 283–286
450. S. Fujishige, An out-of-kilter method for submodular flows **17** (1987) 3–16
451. M. Iri, A very personal reminiscence on the problem of computational complexity **17** (1987) 17–27
452. H. Ishii, T. Masuda and T. Nishida, Two machine mixed shop scheduling problem with controllable machine speeds **17** (1987) 29–38
453. N. Katoh and T. Ibaraki, A parametric characterization and an ε -approximation scheme for the minimization of a quasiconcave program **17** (1987) 39–66

454. T. Masuzawa, K. Hagihara and N. Tokura, An optimal time algorithm for the k -vertex-connectivity unweighted augmentation problem for rooted directed trees **17** (1987) 67–105
455. K. Murota, Menger-decomposition of a graph and its application to the structural analysis of a large-scale system of equations **17** (1987) 107–134
456. K. Murota, Homotopy base of acyclic graphs – A combinatorial analysis of commutative diagrams by means of preordered matroid **17** (1987) 135–155
457. K. Murota and S. Fujishige, Finding a homotopy base for directed paths in an acyclic graph **17** (1987) 157–162
458. T. Ozawa, The principal partition of a pair of graphs and its applications **17** (1987) 163–186
459. Y. Sekiguchi, A decomposition theory based on a dominance relation and composite jobs **17** (1987) 187–211
460. A. Ainouche and N. Christofides, Semi-independence number of a graph and the existence of hamiltonian circuits **17** (1987) 213–221
461. R.G. Jeroslow, Representability in mixed integer programming, I: Characterization results **17** (1987) 223–243
462. M. Kano, Ranking the vertices of an r -partite paired comparison digraph **17** (1987) 245–253
463. P.M. Pardalos and J.B. Rosen, Bounds for the solution set of linear complementarity problems **17** (1987) 255–261
464. J. Plesník, A heuristic for the p -center problem in graphs **17** (1987) 263–268
465. D.D. Scott, The competition-common enemy graph of a digraph **17** (1987) 269–280
466. P. Winter, Steiner problem in Halin networks **17** (1987) 281–294
467. J. Franco, J.M. Plotkin and J.W. Rosenthal, Correction to probabilistic analysis of the Davis Putnam Procedure for solving the satisfiability problem (*Note*) **17** (1987) 295–299
468. P. Frankl, Cops and robbers in graphs with large girth and Cayley graphs (*Note*) **17** (1987) 301–305
469. M. Maamoun and H. Meyniel, On a game of policemen and robber (*Note*) **17** (1987) 307–309
470. E.M. Arkin and E.B. Silverberg, Scheduling jobs with fixed start and end times **18** (1987) 1–8
471. J. Blieberger, Monotonically labelled Motzkin trees **18** (1987) 9–24
472. W. Cook, C.R. Coullard and Gy. Turán, On the complexity of cutting-plane proofs **18** (1987) 25–38
473. E. Goles Ch. and S. Martínez A., Properties of positive functions and the dynamics of associated automata networks **18** (1987) 39–46
474. T.A. McKee, Multiterminal duality and three-terminal series-parallelness **18** (1987) 47–53
475. V.J. Rayward-Smith, UET scheduling with unit interprocessor communication delays **18** (1987) 55–71
476. K. Uchimura, Divisor generating functions and insertion into a heap **18** (1987) 73–81
477. Ph. Borie, Réseaux et polynômes de dénombrement (*Communication*) **18** (1987) 83–86
478. S.W. Bent and U. Manber, On non-intersecting eulerian circuits (*Note*) **18** (1987) 87–94
479. I. Honkala, H. Hämäläinen and M. Kaikkonen, Some lower bounds for constant weight codes (*Note*) **18** (1987) 95–98
480. J.M. Steele, On Frieze's $\zeta(3)$ limit for lengths of minimal spanning trees (*Note*) **18** (1987) 99–103
481. P. Barcia, Constructive dual methods for discrete programming **18** (1987) 107–117
482. R.E. Campello and N.F. Maculan, Lagrangean relaxation for a lower bound to a set partitioning problem with side constraints: Properties and algorithms **18** (1987) 119–136
483. G. Carpaneto and P. Toth, Primal-dual algorithms for the assignment problem **18** (1987) 137–153
484. C.R. Chegireddy and H.W. Hamacher, Algorithms for finding K -best perfect matchings **18** (1987) 155–165
485. S. Holm, Adding activities to the dual instead of cuts to the primal problem **18** (1987) 167–174
486. A. Kusiak and G. Finke, Hierarchical approach to the process planning problem **18** (1987) 175–184
487. G. Laporte and H. Mercure, Generalized Travelling Salesman Problem through n sets of nodes: The asymmetrical case **18** (1987) 185–197
488. H.P.L. Luna, N. Ziviani and R.H.B. Cabral, The telephonic switching centre network problem: Formalization and computational experience **18** (1987) 199–210
489. C. Roucairol, A parallel branch and bound algorithm for the quadratic assignment problem **18** (1987) 211–225
490. J.L. Szwarcfiter, Job shop scheduling with unit time operations under resource constraints and release dates **18** (1987) 227–233
491. H.H. Yanasse and N.Y. Soma, A new enumeration scheme for the knapsack problem **18** (1987) 235–245

492. L. Borzacchini, Graphical partially ordered sets **18** (1987) 247–262
493. A.V. Karzanov, Half-integral five-terminus flows **18** (1987) 263–278
494. J. Spinrad, A. Brandstädt and L. Stewart, Bipartite permutation graphs **18** (1987) 279–292
495. Z. Tuza, On the context-free production complexity of finite languages **18** (1987) 293–304
496. Q. Ning, On a conjecture of Foulds and Robinson about deltahedra (*Note*) **18** (1987) 305–308
497. G. Larcher and R.F. Tichy, A note on Gray code and odd-even merge (*Communication*) **18** (1987) 309–313
498. I. Mezník, On some structural properties of a subclass of ∞ -regular languages (*Communication*) **18** (1987) 315–319
499. A.T. Balaban and I. Tomescu, Alternating 6-cycles in perfect matchings of graphs representing condensed benzenoid hydrocarbons **19** (1988) 5–16
500. S.C. Basak, V.R. Magnuson, G.J. Niemi and R.R. Regal, Determining structural similarity of chemicals using graph-theoretic indices **19** (1988) 17–44
501. J.D. Benstock, D.J. Berndt and K.K. Agarwal, Graph embedding in SYNCHEM2, an expert system for organic synthesis discovery **19** (1988) 45–63
502. S.H. Bertz, Branching in graphs and molecules **19** (1988) 65–83
503. F.M. Bhatti and J.W. Essam, Low density series expansions for backbone properties of percolation clusters **19** (1988) 85–112
504. J.E. Cohen, Threshold phenomena in random structures **19** (1988) 113–128
505. A.W.M. Dress and T.F. Havel, Shortest-path problems and molecular conformation **19** (1988) 129–144
506. S. El-Basil, Binomial-combinatorial properties of clar structures **19** (1988) 145–156
507. E. Flapan, Symmetries of knotted hypothetical molecular graphs **19** (1988) 157–166
508. H. Galina and M.M. Sysło, Some applications of graph theory to the study of polymer configuration **19** (1988) 167–176
509. R. Gross, M.L. Yarmush, J.W. Kennedy and L.V. Quintas, Antigenesis: A cascade-theoretical analysis of the size distributions of antigen–antibody complexes **19** (1988) 177–194
510. I. Gutman, A. Graovac and O.E. Polansky, Spectral properties of some structurally related graphs **19** (1988) 195–203
511. F. Harary and P.G. Mezey, Embedding and characterization of quantum chemical reaction graphs on two-dimensional orientable surfaces **19** (1988) 205–214
512. E.C. Hass and P.J. Plath, The principle of valency conservation. I. The skeleton influence on pericyclic reactions **19** (1988) 215–237
513. H. Hosoya, On some counting polynomials in chemistry **19** (1988) 239–257
514. A.D. Jovanovic, Combinatorial characterization of hexagonal systems **19** (1988) 259–270
515. W. Klonowski, Random hypergraphs and topological gelation criterion for crosslinked polymer systems **19** (1988) 271–288
516. E.K. Lloyd, Redfield's papers and their relevance to counting isomers and isomerizations **19** (1988) 289–304
517. L. Peusner, Space-time 'bonds', electromagnetism and graphs **19** (1988) 305–315
518. D.H. Rouvray, The challenge of characterizing branching in molecular species **19** (1988) 317–338
519. W.A. Seitz, D.J. Klein and G.E. Hite, Interacting dimers on a Sierpinski gasket **19** (1988) 339–348
520. Z. Slanina, Chemical graphs enumeration and chemical reactivity: Thermodynamic and kinetic considerations **19** (1988) 349–365
521. H.N.V. Temperley, New results on the enumeration of non-intersecting random walks **19** (1988) 367–379
522. R. Thomas and J. Richelle, Positive feedback loops and multistationarity **19** (1988) 381–396
523. T.P. Živković, Graphical representation of regular resonance structures and their linear dependence **19** (1988) 397–414
524. D. Bienstock, Broadcasting with random faults **20** (1988) 1–7
525. T. Bone, C. Jeffries and V. Klee, A qualitative analysis of $\dot{x} = Ax + b$ **20** (1988) 9–30
526. C.J. Colbourn, D. Jungnickel and A. Rosa, The strong chromatic number of partial triple systems **20** (1988) 31–38
527. O. Goetze, A greedy algorithm for hereditary set systems and a generalization of the Rado–Edmonds characterization of matroids **20** (1988) 39–49
528. H.D. Sherali and D.C. Myers, Dual formulations and subgradient optimization strategies for linear programming relaxations of mixed-integer programs **20** (1988) 51–68

529. K. Williamson Hoke, Completely unimodal numberings of a simple polytope **20** (1988) 69–81
530. G. Chaty, On signed digraphs with all cycles negative (*Note*) **20** (1988) 83–85
531. P. Brucker and W. Meyer, Scheduling two irregular polygons **20** (1988) 91–100
532. M. Chrobak and S. Poljak, On common edges in optimal solutions to traveling salesman and other optimization problems **20** (1988) 101–111
533. R.D. Dutton and R.C. Brigham, An extremal problem for edge domination insensitive graphs **20** (1988) 113–125
534. L. Pan, On the security of p -party protocols **20** (1988) 127–144
535. J.D. Parker, The period of the Fibonacci random number generator **20** (1988) 145–164
536. M. Tchuente, Cycles generated by sequential iterations **20** (1988) 165–172
537. Z. Galil and B. Schieber, On finding most uniform spanning trees (*Note*) **20** (1988) 173–175
538. K.G. Murty, A correction to a result in linear programming (*Note*) **20** (1988) 177–180
539. P.M. Dearing, D.R. Shier and D.D. Warner, Maximal chordal subgraphs **20** (1988) 181–190
540. A. Ehrenfeucht and D. Haussler, A new distance metric on strings computable in linear time **20** (1988) 191–203
541. S. Holm and J. Tind, A unified approach for price directive decomposition procedures in integer programming **20** (1988) 205–219
542. Y. Kobayashi, Enumeration of irreducible binary words **20** (1988) 221–232
543. C.-Y. Lee and J.D. Massey, Multiprocessor scheduling: Combining LPT and multifit **20** (1988) 233–242
544. H.M. Mahmoud and B. Pittel, On the joint distribution of the insertion path length and the number of comparisons in search trees **20** (1988) 243–251
545. F. Zhang and M. Zhou, Matching polynomials of two classes of graphs **20** (1988) 253–260
546. J. Vyskoč, Partial information in public key cryptography (*Note*) **20** (1988) 261–263
547. S. Yu, Can the catenation of two weakly sparse languages be dense? (*Note*) **20** (1988) 265–267
548. L. Caccetta and L.M. Giannini, An application of discrete mathematics in the design of an open pit mine **21** (1988) 1–19
549. M. Cosnard, E. Goles Chacc and D. Moumida, Bifurcation structure of a discrete neuronal equation **21** (1988) 21–34
550. İ. Dagan, M.C. Golumbic and R.Y. Pinter, Trapezoid graphs and their coloring **21** (1988) 35–46
551. D. de Werra, Some models of graphs for scheduling sports competitions **21** (1988) 47–65
552. C. Ronse, Minimal test patterns for connectivity preservation in parallel thinning algorithms for binary digital images **21** (1988) 67–79
553. S. Xie, The complexity of a periodic sequence over $GF(p)$ **21** (1988) 81–86
554. J.-P. Doignon and J.-C. Falmagne, Parametrization of knowledge structures **21** (1988) 87–100
555. P. Hell and A.L. Liestman, Broadcasting in one dimension **21** (1988) 101–111
556. N.V.R. Mahadev and U.N. Peled, Strict 2-threshold graphs **21** (1988) 113–131
557. D. Naddef and C. Santos, One-pass batching algorithms for the one-machine problem **21** (1988) 133–145
558. J.Y. Shao and Q. Li, On the index of maximum density for irreducible Boolean matrices **21** (1988) 147–156
559. N. Zaguia, Minimizing bumps for posets of width two **21** (1988) 157–162
560. J. Csirik and V. Totik, Online algorithms for a dual version of bin packing (*Note*) **21** (1988) 163–167
561. H. Greenberg, A new reduction method in integer programming (*Note*) **21** (1988) 169–172
562. M.J. Atallah, G.K. Manacher and J. Urrutia, Finding a minimum independent dominating set in a permutation graph **21** (1988) 177–183
563. T.B. Brecht and C.I. Colbourn, Lower bounds on two-terminal network reliability **21** (1988) 185–198
564. W. Bucher, A note on regular classes in special Thue systems **21** (1988) 199–205
565. D.A. Klarner, m -Recognizability of sets closed under certain affine functions **21** (1988) 207–214
566. C.J. Mitchell and F.C. Piper, Key storage in secure networks **21** (1988) 215–228
567. F.D. Murgolo, Anomalous behavior in bin packing algorithms **21** (1988) 229–243
568. M. Saks and R. Statman, An intersection problem for finite automata **21** (1988) 245–255
569. J. Gimbel, End vertices in interval graphs (*Note*) **21** (1988) 257–259
570. J. Honkala, A defect property of codes with unbounded delays (*Note*) **21** (1988) 261–264
571. J. Kari, A cryptanalytic observation concerning systems based on language theory (*Note*) **21** (1988) 265–268
572. T. Andreae, On the unit interval number of a graph **22** (1988/89) 1–7

573. D.C. Blest and D.G. Fitzgerald, Scheduling sports competitions with a given distribution of times **22** (1988/89) 9–19
574. G.J. Chang, Labeling algorithms for domination problems in sun-free chordal graphs **22** (1988/89) 21–34
575. J. Franco and Y.C. Ho, Probabilistic performance of a heuristic for the satisfiability problem **22** (1988/89) 35–51
576. T. Kayano and M. Yamasaki, Discrete Dirichlet integral formula **22** (1988/89) 53–68
577. F.S. Roberts and Z. Rosenbaum, Tight and loose value automorphisms **22** (1988/89) 69–79
578. A. Kelemenová, Regeneration in IL systems (*Note*) **22** (1988/89) 81–86
579. A. Lubiw, A note on odd/even cycles (*Note*) **22** (1988/89) 87–92
580. M. Skowrońska, The binding number of Halin graphs (*Note*) **22** (1988/89) 93–97
581. D.S. Clark and J.T. Lewis, Avoiding-sequences with minimum sum **22** (1988/89) 103–108
582. D.G. Corneil and J. Fonlupt, The complexity of generalized clique covering **22** (1988/89) 109–118
583. P.C. Fishburn and W.V. Gehrlein, Pick-and-choose heuristics for partial set covering **22** (1988/89) 119–132
584. R. Holzman, To vote or not to vote: What is the quota? **22** (1988/89) 133–141
585. N.G. Kinnarsley and M.A. Langston, Online variable-sized bin packing **22** (1988/89) 143–148
586. R.C. Mullin, I.M. Onyschuk, S.A. Vanstone and R.M. Wilson, Optimal normal bases in $GF(p^n)$ **22** (1988/89) 149–161
587. Y. Raz, Interactive L systems with a fast local growth **22** (1988/89) 163–179
588. M. Segal and D.M. Topkis, Acyclic k -connected subgraphs for distributed alternate routing in communications networks **22** (1988/89) 181–189
589. F. Tardella, On a class of functions attaining their maximum at the vertices of a polyhedron (*Communication*) **22** (1988/89) 191–195
590. J.C. Bermond, J.M. Fourneau and A. Jean-Marie, A graph theoretical approach to equivalence of multistage interconnection networks **22** (1988/89) 201–214
591. T.J. Marlowe and M.C. Paull, Least-cost partition algorithms **22** (1988/89) 215–239
592. K. Murota, Combinatorial dynamical system theory: General framework and controllability criteria **22** (1988/89) 241–265
593. I. Stojmenović, On Sheffer symmetric functions in three-valued logic **22** (1988/89) 267–274
594. G. Tinhofer, Strong tree-cographs are Birkhoff graphs **22** (1988/89) 275–288
595. A. Iványi, Construction of infinite de Bruijn arrays (*Communication*) **22** (1988/89) 289–293
596. T. Andreae, A ternary search problem on graphs **23** (1989) 1–10
597. S. Arnborg and A. Proskurowski, Linear time algorithms for NP-hard problems restricted to partial k -trees **23** (1989) 11–24
598. L. Aupperle and J.M. Keil, Polynomial algorithms for restricted Euclidean p -centre problems **23** (1989) 25–31
599. W. Bucher, On the generation of powers by OS schemes **23** (1989) 33–43
600. P. Butkovič and J. Plávka, On the dependence of the maximum cycle mean of a matrix on permutations of the rows and columns **23** (1989) 45–53
601. R.M. Capocelli and U. Vaccaro, Structure of decoders for multivalued encodings **23** (1989) 55–71
602. S. Zdrzałka and J. Grabowski, An algorithm for single machine sequencing with release dates to minimize maximum cost **23** (1989) 73–89
603. J.-M. Champarnaud and J.-E. Pin, A maxmin problem on finite automata (*Note*) **23** (1989) 91–96
604. M.C. Heydemann, J.C. Meyer and D. Sotteau, On forwarding indices of networks **23** (1989) 103–123
605. R.G. Jeroslow, Representability of functions **23** (1989) 125–137
606. R. Labahn, Extremal broadcasting problems **23** (1989) 139–155
607. D.C. Llewellyn, C. Tovey and M. Trick, Local optimization on graphs **23** (1989) 157–178
608. M. Miyakawa and I. Stojmenović, Classification of P_{k2} **23** (1989) 179–192
609. G. Zemor, On positive and negative atoms of Cayley digraphs (*Note*) **23** (1989) 193–195
610. E. Balas and M.J. Saltzman, Facets of the three-index assignment polytope **23** (1989) 201–229
611. C. Cable, K.F. Jones, J.R. Lundgren and S. Seager, Niche graphs **23** (1989) 231–241
612. F. Makedon and I.H. Sudborough, On minimizing width in linear layouts **23** (1989) 243–265
613. R. Shull, J.B. Orlin, A. Shuchat and M.L. Gardner, The structure of bases in bicircular matroids **23** (1989) 267–283

614. M.R. Emamy-K., The worst case behavior of a greedy algorithm for a class of pseudo-Boolean functions (Note) **23** (1989) 285–287
615. H. Krawczyk and A. Paz, The diophantine problem of Frobenius: A close bound (Note) **23** (1989) 289–291
616. D. Arquès, Combinatoire des mots et étude quantitative de la sérialisabilité: Application à la concurrence d'accès à une base de données **24** (1989) 3–23
617. C. Berge, A new color change to improve the coloring of a graph **24** (1989) 25–28
618. F. Bergeron, Algorithms for sequential generation of combinatorial structures **24** (1989) 29–35
619. A. Blumer, A. Ehrenfeucht and D. Haussler, Average sizes of suffix trees and DAWGs **24** (1989) 37–45
620. A. Blumer and N. Littlestone, Learning faster than promised by the Vapnik–Chervonenkis dimension **24** (1989) 47–53
621. A. Bouchet, Matchings and Δ -matroids **24** (1989) 55–62
622. J.-M. Bourjolly and W.R. Pulleyblank, König–Egerváry graphs, 2-bicritical graphs and fractional matchings **24** (1989) 63–82
623. S. Brlek, Enumeration of factors in the Thue–Morse word **24** (1989) 83–96
624. K. Cameron, Induced matchings **24** (1989) 97–102
625. G. Cohen and G. Simonyi, Coding for write-unidirectional memories and conflict resolution **24** (1989) 103–114
626. H. Fleischner, Elementary proofs of (relatively) recent characterizations of Eulerian graphs **24** (1989) 115–119
627. I. Guessarian, Fixpoint strategies for deductive databases **24** (1989) 121–131
628. L. Haddad and I.G. Rosenberg, Maximal partial clones determined by the areflexive relations **24** (1989) 133–143
629. M. Hall, Codes and matrices in studies on designs **24** (1989) 145–152
630. Y.O. Hamidoune, Factorisations courtes dans un groupe fini **24** (1989) 153–165
631. S. Hazan, TC operations and Latin bricks **24** (1989) 167–177
632. N. Homobono and C. Peyrat, Fault-tolerant routings in Kautz and de Bruijn networks **24** (1989) 179–186
633. M. Ito, H. Jürgensen, H.J. Shyr and G. Thierrin, Anti-commutative languages and n -codes **24** (1989) 187–196
634. J.-C. König, Extensions de réseaux de connexité donnée **24** (1989) 197–211
635. J. Labelle and Y.-N. Yen, Dyck paths of knight moves **24** (1989) 213–221
636. N. Saheb, Concurrency measure in commutation monoids **24** (1989) 223–236
637. R.E. Simion, Finite automata for languages of combinatorial interest: An order theoretical point of view **24** (1989) 237–246
638. D.A. Simovici and C. Reischer, An algebraic point of view of the data structures of database systems **24** (1989) 247–260
639. R.A. Brualdi and V.S. Pless, Polyadic codes **25** (1989) 3–17
640. J. Chen, A new complete language for DSPACE(log n) **25** (1989) 19–26
641. K.L. Collins, On a conjecture of Graham and Lovász about distance matrices **25** (1989) 27–35
642. P. Erdős and A. Hajnal, Ramsey-type theorems **25** (1989) 37–52
643. A.S. Fraenkel and M. Lorberbom, Epidemiography with various growth functions **25** (1989) 53–71
644. S. Friedland, Coherent algebras and the graph isomorphism problem **25** (1989) 73–98
645. W.M. Kantor, Some Cayley graphs for simple groups **25** (1989) 99–104
646. L.H. Kauffman, A Tutte polynomial for signed graphs **25** (1989) 105–127
647. P. Kirschenhofer, H. Prodinger and W. Szpankowski, On the variance of the external path length in a symmetric digital trie **25** (1989) 129–143
648. M.G. Main, Detecting leftmost maximal periodicities **25** (1989) 145–153
649. X. Shen, C.L. Liu, Y.Z. Cai and C.P. Kruskal, Generalized Latin squares I **25** (1989) 155–178
650. V.V. Vazirani and M. Yannakakis, Pfaffian orientations, 0–1 permanents, and even cycles in directed graphs **25** (1989) 179–190
651. D.W. Ash, I.F. Blake and S.A. Vanstone, Low complexity normal bases **25** (1989) 191–210
652. S.Y. Chang and K.G. Murty, The steepest descent gravitational method for linear programming **25** (1989) 211–239
653. N. Dershowitz and S. Zaks, Patterns in trees **25** (1989) 241–255
654. Y. Perl, Better understanding of Batchier's merging networks **25** (1989) 257–271

655. N. Pippenger, Knots in random walks **25** (1989) 273–278
656. M. Rosenfeld, On spanning subgraphs of 4-connected planar graphs **25** (1989) 279–287
657. E.R. Scheinerman and J.C. Wierman, Optimal and near-optimal broadcast in random graphs **25** (1989) 289–297
658. A. Vince, Scheduling periodic events **25** (1989) 299–310
659. P. Hämäläinen, The absolute center of a unicyclic network (*Note*) **25** (1989) 311–315
660. S.S. Ravi, On the orderability problem for PLA folding (*Note*) **25** (1989) 317–320
661. W.-K. Shih and W.-L. Hsu, An $O(n^{1.5})$ algorithm to color proper circular arcs (*Note*) **25** (1989) 321–323
662. J. Bang-Jensen and P. Hell, The effect of two cycles on the complexity of colourings by directed graphs **26** (1990) 1–23
663. F.E. Bennett and L. Wu, On minimum matrix representation of closure operations **26** (1990) 25–40
664. D. de Werra, L. Jacot-Descombes and P. Masson, A constrained sports scheduling problem **26** (1990) 41–49
665. O. Dubois, On the r, s -SAT satisfiability problem and a conjecture of Tovey **26** (1990) 51–60
666. M. Fischetti, A new linear storage, polynomial-time approximation scheme for the subset-sum problem **26** (1990) 61–77
667. F.H. Hao, The optimal procedures for quantitative group testing **26** (1990) 79–86
668. S.N. Kabadi and R. Chandrasekaran, On totally dual integral systems **26** (1990) 87–104
669. C.-L. Li, S.T. McCormick and D. Simchi-Levi, The complexity of finding two disjoint paths with min-max objective function **26** (1990) 105–115
670. A. Kelemenová, Size of context in regenerative il systems (*Note*) **26** (1990) 117–119
671. J.W. Kennedy, K.A. McKeon, E.M. Palmer and R.W. Robinson, Asymptotic number of symmetries in locally restricted trees (*Note*) **26** (1990) 121–124
672. R.G. Jeroslow, Two mixed integer programming formulations arising in manufacturing management **26** (1990) 137–157
673. M.E. Dyer and A.M. Frieze, On an optimization problem with nested constraints **26** (1990) 159–173
674. R. Aboudi and K. Jørnsten, Resource constrained assignment problems **26** (1990) 175–191
675. G. Laporte and S. Martello, The selective travelling salesman problem **26** (1990) 193–207
676. T.H.C. Smith, T.W.S. Meyer and G.L. Thompson, Lower bounds for the symmetric travelling salesman problem from Lagrangean relaxations **26** (1990) 209–217
677. W.L. Price and F.W. Woodhams, Combinatorial optimisation algorithms for a CAD workstation **26** (1990) 219–233
678. T.S. Abdul-Razaq, C.N. Potts and L.N. Van Wassenhove, A survey of algorithms for the single machine total weighted tardiness scheduling problem **26** (1990) 235–253
679. M.E. Dyer and L.A. Wolsey, Formulating the single machine sequencing problem with release dates as a mixed integer program **26** (1990) 255–270
680. E. Nowicki and S. Zdrzałka, A survey of results for sequencing problems with controllable processing times **26** (1990) 271–287
681. J. Rifà and L. Huguët, Classification of a class of distance-regular graphs via completely regular codes **26** (1990) 289–300
682. A. Aggarwal and M. Klawe, Applications of generalized matrix searching to geometric algorithms **27** (1990) 3–23
683. N. Alon, Y. Azar and Y. Ravid, Universal sequences for complete graphs **27** (1990) 25–28
684. R.P. Anstee, Simplified existence theorems for (g, f) -factors **27** (1990) 29–38
685. D. Avis and M. Doskas, Algorithms for high dimensional stabbing problems **27** (1990) 39–48
686. Y. Azar and N. Pippenger, Parallel selection **27** (1990) 49–58
687. F. Cheah and D.G. Corneil, The complexity of regular subgraph recognition **27** (1990) 59–68
688. N. Dadoun and D.G. Kirkpatrick, Parallel algorithms for fractional and maximal independent sets in planar graphs **27** (1990) 69–83
689. P.L. Hammer and F. Maffray, Completely separable graphs **27** (1990) 85–99
690. J.J. Harms and C.J. Colbourn, Probabilistic single processor scheduling **27** (1990) 101–112
691. D.W. Matula and F. Shahrokhi, Sparsest cuts and bottlenecks in graphs **27** (1990) 113–123
692. H. Nagamochi and T. Ibaraki, Multicommodity flows in certain planar directed networks **27** (1990) 125–145

693. R. Nowakowski, I. Rival and J. Urrutia, Representing orders on the plane by translating points and lines **27** (1990) 147–156
694. H. Suzuki, A. Ishiguro and T. Nishizeki, Edge-disjoint paths in a grid bounded by two nested rectangles **27** (1990) 157–178
695. P. Winkler, Mean distance in a tree **27** (1990) 179–185
696. A.J. Bromfield and F.C. Piper, Linear recursion properties of uncorrelated binary sequences **27** (1990) 187–193
697. G.A. Cheston, G. Fricke, S.T. Hedetniemi and D.P. Jacobs, On the computational complexity of upper fractional domination **27** (1990) 195–207
698. P.C. Fishburn, F.S. Roberts and H.M. Marcus-Roberts, Van Lier sequences **27** (1990) 209–220
699. K. Murota, Principal structure of layered mixed matrices **27** (1990) 221–234
700. A. Prékopa, The discrete moment problem and linear programming **27** (1990) 235–254
701. T. Soneoka, H. Nakada and M. Imase, Design of a d -connected digraph with a minimum number of edges and a quasiminimal diameter **27** (1990) 255–265
702. C. Williams and D. Richards, Efficient algorithms for path partitions **27** (1990) 267–276
703. M. Chaimovich, Subset-sum problems with different summands: Computation (*Note*) **27** (1990) 277–282
704. W.H. Cunningham, Computing the binding number of a graph (*Note*) **27** (1990) 283–285
705. J. Rayan, Fractional total colouring (*Communication*) **27** (1990) 287–292
706. A. von Arnim, U. Faigle and R. Schrader, The permutahedron of series-parallel posets **28** (1990) 3–9
707. J. Błażewicz, M. Drozdowski, G. Schmidt and D. de Werra, Scheduling independent two processor tasks on a uniform duo-processor system **28** (1990) 11–20
708. R.E. Burkard and E.-Y. Yao, Constrained partitioning problems **28** (1990) 21–34
709. P.L. Hammer, U.N. Peled and X. Sun, Difference graphs **28** (1990) 35–44
710. D.S. Hochbaum and R. Shamir, Minimizing the number of tardy job units under release time constraints **28** (1990) 45–57
711. S. Martello and P. Toth, Lower bounds and reduction procedures for the bin packing problem **28** (1990) 59–70
712. F. Yang and D.-Z. Du, The complexity of determinacy problem on group testing **28** (1990) 71–81
713. F. Aurenhammer, A relationship between Gale transforms and Voronoi diagrams **28** (1990) 83–91
714. R.S. Chang and R.C.T. Lee, On the continuous working problem **28** (1990) 93–109
715. P. Eades and N.C. Wormald, Fixed edge-length graph drawing in NP-hard **28** (1990) 111–134
716. M.A. Langston and M.P. Morford, Resource allocation under limited sharing **28** (1990) 135–147
717. C.T. Ryan and K.M. Ryan, The minimum weight of the Grassmann codes $C(k, n)$ **28** (1990) 149–156
718. Z. Yang, On optimal strategies for a betting game **28** (1990) 157–169
719. Z. Füredi, Perfect error-correcting databases (*Note*) **28** (1990) 171–176
720. Z. Wang, The solution of a nonlinear partial difference equation (*Note*) **28** (1990) 177–181
721. T. Watanabe and A. Nakamura, A smallest augmentation to 3-connect a graph (*Communication*) **28** (1990) 183–186
722. D. Bauer, S.L. Hakimi and E. Schmeichel, Recognizing tough graphs is NP-hard **28** (1990) 191–195
723. E.A. Boyd and U. Faigle, An algorithmic characterization of antimatroids **28** (1990) 197–205
724. J. Lee, Canonical equation sets for classes of concordant polytopes **28** (1990) 207–221
725. J.W. Mamer and K.E. Schilling, On the growth of random knapsacks **28** (1990) 223–230
726. M. Miyakawa, I.G. Rosenberg and I. Stojmenović, Classification of three-valued logical functions preserving 0 **28** (1990) 231–249
727. J. Ryan, The structure of an integral monoid and integer programming feasibility **28** (1990) 251–263
728. S.M. Seager, The double competition number of some triangle-free graphs **28** (1990) 265–269
729. M.J. Weinberger and A. Lempel, Factorization of symmetric circulant matrices in finite fields **28** (1990) 271–285
730. H. Wittenberg, Local medians in chordal graphs **28** (1990) 287–296
731. A. Idzik, Communication in m -connected graphs (*Note*) **28** (1990) 297–301
732. M. Naor, Succinct representation of general unlabeled graphs (*Note*) **28** (1990) 303–307
733. G.E. Séguin, Low complexity normal bases for $F_{2^{mn}}$ (*Communication*) **28** (1990) 308–312
734. P. Beame, Lower bounds for recognizing small cliques on CRCW PRAM's **29** (1990) 3–20
735. A.K. Chandra and M. Tompa, The complexity of short two-person games **29** (1990) 21–33

736. P.B. Gibbons, R.M. Karp, G.L. Miller and D. Soroker, Subtree isomorphism is in random NC **29** (1990) 35–62
737. V. Grolmusz and P. Ragde, Incomparability in parallel computation **29** (1990) 63–78
738. D.G. Kirkpatrick and T. Przytycka, Parallel recognition of complement reducible graphs and cotree construction **29** (1990) 79–96
739. B. Schieber and U. Vishkin, Finding all nearest neighbors for convex polygons in parallel: A new lower bound technique and a matching algorithm **29** (1990) 97–111
740. D. Soroker, Optimal parallel construction of prescribed tournaments **29** (1990) 113–125
741. W.E. Adams, A. Billionnet and A. Sutter, Unconstrained 0–1 optimization and Lagrangean relaxation **29** (1990) 131–142
742. M.A. Berger, A. Felzenbaum and A.S. Fraenkel, Irreducible disjoint covering systems (with an application to Boolean algebra) **29** (1990) 143–164
743. V. Chvátal and C. Ebenegger, A note on line digraphs and the directed max-cut problem **29** (1990) 165–170
744. Y. Crama, P. Hansen and B. Jaumard, The basic algorithm for pseudo-Boolean programming revisited **29** (1990) 171–185
745. P. Hansen, S.-H. Lu and B. Simeone, On the equivalence of paved-duality and standard linearization in nonlinear 0–1 optimization **29** (1990) 187–193
746. M. Minoux and K. Barkaoui, Deadlocks and traps in Petri nets as horn-satisfiability solutions and some related polynomially solvable problems **29** (1990) 195–210
747. U.N. Peled and M.K. Srinivasan, Vicinal orders of trees **29** (1990) 211–219
748. F.S. Roberts, Meaningfulness of conclusions from combinatorial optimization **29** (1990) 221–241
749. B. Simeone, D. de Werra and M. Cochand, Recognition of a class of unimodular functions **29** (1990) 243–250
750. L.A. Wolsey, Valid inequalities for 0–1 knapsacks and mips with generalised upper bound constraints **29** (1990) 251–261
751. J. Bovet, C. Constantin and D. de Werra, A convoy scheduling problem **30** (1991) 1–14
752. L. Cai and J.A. Ellis, NP-completeness of edge-colouring some restricted graphs **30** (1991) 15–27
753. R. Hassin and N. Megiddo, Approximation algorithms for hitting objects with straight lines **30** (1991) 29–42
754. A.V. Iyer, H.D. Ratliff and G. Vijayan, On an edge ranking problem of trees and graphs **30** (1991) 43–52
755. C.-Y. Lee, Parallel machines scheduling with nonsimultaneous machine available time **30** (1991) 53–61
756. F. Zhang and R. Chen, When each hexagon of a hexagonal system covers it **30** (1991) 63–75
757. Z. Ésik, A note on isomorphic simulation of automata by networks of two-state automata (*Note*) **30** (1991) 77–82
758. F.K. Hwang and S. Papastavridis, Binary vectors with exactly k nonoverlapping m -tuples of consecutive ones (*Note*) **30** (1991) 83–86
759. Y. Yamasaki, A difficulty in particular Shannon-like games (*Note*) **30** (1991) 87–90
760. S. Bowser and C.A. Cable, Some recent results on niche graphs **30** (1991) 101–108
761. P. Chretienne, The basic cyclic scheduling problem with deadlines **30** (1991) 109–123
762. M.B. Cozzens and M.D. Halsey, The relationship between the thresh-old dimension of split graphs and various dimensional parameters **30** (1991) 125–135
763. D. de Werra and F.S. Roberts, On the use of augmenting chains in chain packings **30** (1991) 137–149
764. P. Erdős and J. Spencer, Lopsided Lovász Local Lemma and Latin transversals **30** (1991) 151–154
765. A.S. Fraenkel and E.R. Scheinerman, A deletion game on hypergraphs **30** (1991) 155–162
766. P.L. Hammer, F. Maffray and M. Queyranne, Cut-threshold graphs **30** (1991) 163–179
767. P. Hansen, M. Labbé and B. Nicolas, The continuous center set of a network **30** (1991) 181–195
768. M. Libura, Sensitivity analysis for minimum Hamiltonian path and traveling salesman problems **30** (1991) 197–211
769. T. Łuczak, Holes in random graphs **30** (1991) 213–219
770. C. McDiarmid and Z. Miller, Lattice bandwidth of random graphs **30** (1991) 221–227
771. B.L. Piazza and R.D. Ringeisen, Connectivity of generalized prisms over G **30** (1991) 229–233
772. J. Spencer, Threshold spectra via the Ehrenfeucht game **30** (1991) 235–252
773. G. Tinhofer, A note on compact graphs **30** (1991) 253–264

774. D. Wagner and F. Wagner, A generalization of the zero-one principle for sorting algorithms **30** (1991) 265–273
775. J.G. Penaud, Matrice de ramification des arbres binaires **31** (1991) 1–21
776. K.B. Reid, The relationship between two algorithms for decisions via sophisticated majority voting with an agenda **31** (1991) 23–28
777. A.A. Schäffer, Recognizing brittle graphs: remarks on a paper of Hoàng and Khouzam **31** (1991) 29–35
778. P.M. Soardi and W. Woess, Uniqueness of currents in infinite resistive networks **31** (1991) 37–49
779. C. Wang and A.C. Williams, The threshold order of a Boolean function **31** (1991) 51–69
780. S.R. Arikati and C.P. Rangan, An efficient algorithm for finding a two-pair, and its applications (*Note*) **31** (1991) 71–74
781. S.S. Abhyankar, S. Chandrasekar and V. Chandru, Intersection of algebraic space curves **31** (1991) 81–96
782. P.K. Agarwal, A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, Computing external farthest neighbors for a simple polygon **31** (1991) 97–111
783. R.A. Dwyer, Convex hulls of samples from spherically symmetric distributions **31** (1991) 113–132
784. P. Egedy and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear time **31** (1991) 133–140
785. K. Fukuda, S. Saito and A. Tamura, Combinatorial face enumeration in arrangements and oriented matroids **31** (1991) 141–149
786. K. Fukuda, S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k -faces in arrangements of hyperplanes **31** (1991) 151–165
787. J.E. Goodman and R. Pollack, The complexity of points configurations **31** (1991) 167–180
788. J.W. Jaromczyk and M. Kowaluk, Constructing the relative neighborhood graph in 3-dimensional Euclidean space **31** (1991) 181–191
789. H. Maehara, Distances in a rigid unit-distance graph in the plane **31** (1991) 193–200
790. W.O.J. Moser, Problems, problems, problems **31** (1991) 201–225
791. B. Chen, Tighter bound for MULTIFIT scheduling on uniform processors **31** (1991) 227–260
792. K. Culik II and T. Harju, Splicing semigroups of dominoes and DNA **31** (1991) 261–277
793. S. Kaparthy and H.R. Rao, Higher dimensional restricted lattice paths with diagonal steps **31** (1991) 279–289
794. S. Olariu, Some aspects of the semi-perfect elimination **31** (1991) 291–298
795. M. Pirlot, Synthetic description of a semiorder **31** (1991) 299–308
796. F.B. Baulieu, Classification of normalized cluster methods in an order theoretic model **32** (1991) 1–29
797. J.-P. Bordat, Efficient polynomial algorithms for distributive lattices **32** (1991) 31–50
798. A. Brandstädt, Classes of bipartite graphs related to chordal graphs **32** (1991) 51–60
799. R.E. Burkard and W. Sandholzer, Efficiently solvable special cases of bottleneck travelling salesman problems **32** (1991) 61–76
800. K. Culik and S. Yu, Cellular automata, $\omega\omega$ -regular sets, and sofic systems **32** (1991) 85–101
801. A. Ehrenfeucht and G. Rozenberg, Grammatical codes of trees **32** (1991) 103–129
802. T. Harju and H.C.M. Kleijn, Decidability problems for unary output sequential transducers **32** (1991) 131–140
803. J. Honkala, On generalized zeta functions of formal languages and series **32** (1991) 141–153
804. J. Hromkovič, J. Karhumäki, B. Rován and A. Slobodová, On the power of synchronization in parallel computations **32** (1991) 155–182
805. V. Niemi, Power languages and density **32** (1991) 183–193
806. T. Ottmann and D. Wood, Defining families of trees with EOL grammars **32** (1991) 195–209
807. C. Wrathall, Trace monoids with some invertible generators: two decision problems **32** (1991) 211–222
808. C.R. Coullard, J.G. del Greco and D.K. Wagner, Representations of bicircular matroids **32** (1991) 223–240
809. K.A.S. Hefner, K.F. Jones, S. Kim, J.R. Lundgren and F.S. Roberts, (i, j) competition graphs **32** (1991) 241–262
810. S.C. Tai, M.W. Du and R.C.T. Lee, Transformation completeness properties of SVPC transformation sets **32** (1991) 263–273
811. W. Whiteley, Weavings, sections and projections of spherical polyhedra **32** (1991) 275–294
812. Z. Fuji and G. Xiaofeng, Directed tree structure of the set of Kekulé patterns of generalized polyhex graphs **32** (1991) 295–302

813. M.C. Bhandari and M.S. Garg, A note on the covering radius of optimum codes **33** (1991) 3–9
814. L. Caniglia, A. Galligo and J. Heintz, Equations for the projective closure and effective Nullstellensatz **33** (1991) 11–23
815. R.M. Capocelli, L. Gargano and U. Vaccaro, Efficient q -ary immutable codes **33** (1991) 25–41
816. J.T. Coffey, R.M. Goodman and P.G. Farrell, New approaches to reduced-complexity decoding **33** (1991) 43–60
817. P. Conti and C. Traverso, Computing the conductor of an integral extension **33** (1991) 61–72
818. A. Dickenstein, N. Fitchas, M. Giusti and C. Sessa, The membership problem for unmixed polynomial ideals is solvable in single exponential time **33** (1991) 73–94
819. A. Dür, Complete decoding of doubly-extended Reed-Solomon codes of minimum distance 5 and 6 **33** (1991) 95–107
820. K. Karplus and H. Krit, A semi-systolic decoder for the PDSC-73 error-correcting code **33** (1991) 109–128
821. R. Kohno and H. Imai, Combination of decoding of error-correcting codes and equalization for channels with intersymbol interference **33** (1991) 129–146
822. D. Lazard, A new method for solving algebraic systems of positive dimension **33** (1991) 147–160
823. T. Mora, La quête del Saint $\text{Gr}_a(\text{AL})$: A computational approach to local algebra **33** (1991) 161–190
824. S. Sakata, Two-dimensional shift register synthesis and Gröbner bases for polynomial ideals over an integer residue ring **33** (1991) 191–203
825. A.N. Skorobogatov, The parameters of subcodes of algebraic-geometric codes over prime subfields **33** (1991) 205–214
826. P. Solé and A. Ghafoor, The covering radius of doubled 2-designs in $2O_k$ **33** (1991) 215–224
827. W. Spangher, On Bayer's deformation and the associativity formula **33** (1991) 225–233
828. V.D. Tonchev, Self-dual codes and Hadamard matrices **33** (1991) 235–240
829. M.A. Tsfasman, Algebraic-geometric codes and asymptotic problems **33** (1991) 241–256
830. B. Vucetic and S. Lin, Block coded modulation and concatenated coding schemes for error control on fading channels **33** (1991) 257–269
831. K. Abrahamson, M.R. Fellows, M.A. Langston and B.M.E. Moret, Constructive complexity **34** (1991) 3–16
832. A.K. Agarwal, q -functional equations and some partition identities **34** (1991) 17–26
833. S. Akl, G. Labonté, M. Leeder and K. Qiu, On doing Todd-Coxeter coset enumeration in parallel **34** (1991) 27–35
834. R. Beigel and W.I. Gasarch, The Mapmaker's dilemma **34** (1991) 37–48
835. F. Bergeron, G. Labelle and P. Leroux, Computation of the expected number of leaves in a tree having a given automorphism, and related topics **34** (1991) 49–66
836. L.M. Butler, Generalized flags in finite Abelian p -groups **34** (1991) 67–81
837. L.H. Clark, R.C. Entringer and L.A. Székely, Threshold functions for local properties of graphs: triangles **34** (1991) 83–105
838. Ö. Eğecioğlu and J.B. Remmel, Brick tabloids and the connection matrices between bases of symmetric functions **34** (1991) 107–120
839. J. Gimbel and E.M. Palmer, Matching and cycle covers in random digraphs **34** (1991) 121–128
840. B. Greenblatt and W.R. Edwards, Semigroup automaton structure by homomorphism and domain partition **34** (1991) 129–143
841. T. Hibi, Linear and nonlinear inequalities concerning a certain combinatorial sequence which arises from counting the number of chains of a finite distributive lattice **34** (1991) 145–150
842. B. Jamison and S. Olariu, On a unique tree representation for P_4 -extendible graphs **34** (1991) 151–164
843. R.M. Karp, An introduction to randomized algorithms **34** (1991) 165–201
844. M.B. Richey, Improved bounds for harmonic-based bin packing algorithms **34** (1991) 203–227
845. L.W. Shapiro, S. Getu, W.-J. Woan and L.C. Woodson, The Riordan group **34** (1991) 229–239
846. R.P. Stanley, Some applications of algebra to combinatorics **34** (1991) 241–277
847. D.B. West, The maximum number of winning 2-sets **34** (1991) 279–284
848. V. Baláz, V. Kvasnička and J. Pospíchal, Two metrics in a graph theory modeling of organic chemistry **35** (1992) 1–19
849. D. Banković, Certain Boolean equations **35** (1992) 21–27
850. W. Gutjahr, E. Welzl and G. Woeginger, Polynomial graph-colorings **35** (1992) 29–45

851. S.J. Willson, Calculating growth rates and moments for additive cellular automata **35** (1992) 47–65
852. P. Damaschke, Distances in cocomparability graphs and their powers (*Note*) **35** (1992) 67–72
853. U. Faigle and R. Schrader, A greedy reduction algorithm for setup optimization (*Note*) **35** (1992) 73–79
854. C.T. Ryan, Linear sections of the general linear group: A geometric approach (*Note*) **35** (1992) 81–86
855. W. He, W. He and S. Xie, Algebraic expressions for Kekulé structure counts of nonbranched cata-condensed benzenoid **35** (1992) 91–106
856. T. Hellese, Legendre sums and codes related to QR codes **35** (1992) 107–113
857. B. Jamison and S. Olariu, A tree representation for P_4 -sparse graphs **35** (1992) 115–129
858. N. Katoh, An ε -approximation scheme for combinatorial optimization problems with minimum variance criterion **35** (1992) 131–141
859. N. Katoh, A fully polynomial time approximation scheme for minimum cost-reliability ratio problems **35** (1992) 143–155
860. P. Butkovic and R.A. Cuninghame-Green, An $O(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix (*Note*) **35** (1992) 157–162
861. S. Masuyama, On the tree packing problem (*Note*) **35** (1992) 163–166
862. O.J. Murphy, Computing independent sets in graphs with large girth (*Note*) **35** (1992) 167–170
863. M. Čangalović and J.A.M. Schreuder, Modelling and solving an acyclic multi-period timetabling problem **35** (1992) 177–195
864. J. Csimá and L. Lovász, A matching algorithm for regular bipartite graphs **35** (1992) 197–203
865. D. de Werra and J. Błażewicz, Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource **35** (1992) 205–219
866. R. Fabrion and G. Dollansky, Construction of university faculty timetables using logic programming techniques **35** (1992) 221–236
867. J.A. Ferland and A. Lavoie, Exchanges procedures for timetabling problems **35** (1992) 237–253
868. A. Hertz, Finding a feasible course schedule using Tabu search **35** (1992) 255–270
869. A.J.W. Hilton, Alternating Hamiltonian circuits in edge-coloured bipartite graphs **35** (1992) 271–273
870. N. Katoh, J. Koyanagi, M. Ohnishi and T. Ibaraki, Optimal strategies for some team games **35** (1992) 275–291
871. A. Rosa, On a class of completable partial edge-colourings **35** (1992) 293–299
872. J.A.M. Schreuder, Combinatorial aspects of construction of competition Dutch Professional Football Leagues **35** (1992) 301–312
873. A. Tripathy, Computerised decision aid for timetabling – a case analysis **35** (1992) 313–323
874. A. Apostolico, M.J. Atallah and S.E. Hambrusch, New clique and independent set algorithms for circle graphs **36** (1992) 1–24
875. J.M. Klein and D. Schaefer, An optimal algorithm for finding dominating cycles in circular-arc graphs **36** (1992) 25–34
876. M. Kubale, Some results concerning the complexity of restricted colorings of graphs **36** (1992) 35–46
877. G. Narasimhan and R. Manber, Stability number and chromatic number of tolerance graphs **36** (1992) 47–56
878. D. Roelants van Baronaigien and F. Ruskey, Generating permutations with given ups and downs **36** (1992) 57–65
879. Z. Fuji and Z. Maolin, Generalized hexagonal systems with each hexagon being resonant **36** (1992) 67–73
880. L. Cai and J.A. Ellis, Edge colouring line graphs of unicyclic graphs (*Note*) **36** (1992) 75–82
881. R. Franzke, A binary search problem on graphs (*Note*) **36** (1992) 83–86
882. A. Kornai and Z. Tuza, Narrowness, pathwidth, and their application in natural language processing (*Communication*) **36** (1992) 87–92
883. J.-C. Bermond, P. Hell, A.L. Liestman and J.G. Peters, Sparse broadcast graphs **36** (1992) 97–130
884. K. Edwards, The complexity of some graph colouring problems **36** (1992) 131–140
885. Y. Han, Y. Igarashi and M. Truszczynski, Indexing functions and time lower bounds for sorting on a mesh-connected computer **36** (1992) 141–152
886. M. Juvan and B. Mohar, Optimal linear labelings and eigenvalues of graphs **36** (1992) 153–168
887. B. Mohar, A domain monotonicity theorem for graphs and Hamiltonicity **36** (1992) 169–177
888. U. Zimmermann, Negative circuits for flows and submodular flows **36** (1992) 179–189

889. L. Gargano, J. Körner and U. Vaccaro, Search problems for two irregular coins with incomplete feedback: the underweight model (*Note*) **36** (1992) 191–197
890. Y. Manoussakis, A linear-time algorithm for finding Hamiltonian cycles in tournaments (*Note*) **36** (1992) 199–201
891. C. Pandu Rangan and R. Govindan, An $O(n \log n)$ algorithm for a maxmin location problem (*Note*) **36** (1992) 203–205
892. H. Belouadah, M.E. Posner and C.N. Potts, Scheduling with release dates on a single machine to minimize total weighted completion time **36** (1992) 213–231
893. S.T. Chakradhar and M.L. Bushnell, A solvable class of quadratic 0-1 programming **36** (1992) 233–251
894. J. Kratochvíl and S. Poljak, Compatible 2-factors **36** (1992) 253–266
895. C.-L. Li, S.T. McCormick and D. Simchi-Levi, The point-to-point delivery and connection problems: complexity and algorithms **36** (1992) 267–292
896. W.D. Morris, The maximum number of complementary facets of a simplicial polytope **36** (1992) 293–298
897. L. Gargano, V. Montuori, G. Setaro and U. Vaccaro, An improved algorithm for quantitative group testing (*Note*) **36** (1992) 299–306
898. F. Gécseg and B. Imreh, Finite isomorphically complete systems (*Note*) **36** (1992) 307–311
899. X. Zhu, A simple proof of the multiplicativity of directed cycles of prime power length (*Communication*) **36** (1992) 313–315
900. J. Allwright, New (Δ, D) graphs discovered by heuristic search **37/38** (1992) 3–8
901. N. Alon, Transmitting in the n -dimensional cube **37/38** (1992) 9–11
902. K.S. Bagga, L.W. Beineke, W.D. Goddard, M.J. Lipman and R.E. Pippert, A survey of integrity **37/38** (1992) 13–28
903. R. Bar-Yehuda and T. Etzion, Connections between two cycles – a new design of dense processor interconnection networks **37/38** (1992) 29–43
904. P. Camarda and M. Gerla, Design and analysis of fault-tolerant multibus interconnection networks **37/38** (1992) 45–64
905. L. Campbell, Dense group networks **37/38** (1992) 65–71
906. F.R.K. Chung, Graphs with small diameter after edge deletion **37/38** (1992) 73–94
907. G. Cooperman and L. Finkelstein, New methods for using Cayley graphs in interconnection networks **37/38** (1992) 95–118
908. S.K. Das, J. Ghosh and N. Deo, Stirling networks: a versatile combinatorial topology for multiprocessor systems **37/38** (1992) 119–146
909. W. Fernandez de la Vega and Y. Manoussakis, The forwarding index of communication networks with given connectivity **37/38** (1992) 147–155
910. C. Delorme, Examples of products giving large graphs with given degree and diameter **37/38** (1992) 157–167
911. D.-Z. Du, D.F. Hsu and G.W. Peck, Connectivity of consecutive- d digraphs **37/38** (1992) 169–177
912. R.J. Faudree, R.J. Gould and L.M. Lesniak, Generalized degrees and Menger path systems **37/38** (1992) 179–191
913. H. Fredricksen, A new look at the de Bruijn graph **37/38** (1992) 193–203
914. A. Ghafoor, Connectivity, persistence and fault diagnosis of interconnection networks based on O_k and $2O_k$ graphs **37/38** (1992) 205–226
915. J. Gómez, M.A. Fiol and J.L.A. Yebra, Graphs on alphabets as models for large interconnection networks **37/38** (1992) 227–243
916. J.M. Gordon, Analysis of minimal path routing schemes in the presence of faults **37/38** (1992) 245–263
917. N. Graham and F. Harary, Changing and unchanging the diameter of a hypercube **37/38** (1992) 265–274
918. Y.O. Hamidoune, A.S. Llado and O. Serra, The connectivity of hierarchical Cayley digraphs **37/38** (1992) 275–280
919. K. Heinrich, K. Kim and V.K. Prasanna Kumar, Perfect latin squares **37/38** (1992) 281–286
920. M.C. Heydemann, J.C. Meyer, J. Opatrny and D. Sotteau, Forwarding indices of k -connected graphs **37/38** (1992) 287–296
921. M.C. Heydemann, J. Opatrny and D. Sotteau, Broadcasting and spanning trees in de Bruijn and Kautz networks **37/38** (1992) 297–317
922. H.D.L. Hollmann and J.H. van Lint, Nonblocking self-routing switching networks **37/38** (1992) 319–340

923. X.D. Hu and F.K. Hwang, An improved upper bound for the subarray partial concentrators **37/38** (1992) 341–346
924. L.K. Jørgensen, Diameters of cubic graphs **37/38** (1992) 347–351
925. W.M. Kantor, Some large trivalent graphs having small diameters **37/38** (1992) 353–357
926. C.P. Kruskal and M. Snir, Cost-performance tradeoffs for interconnection networks **37/38** (1992) 359–385
927. E. Lazard, Broadcasting in DMA-bound bounded degree graphs **37/38** (1992) 387–400
928. A.L. Liestman and J.G. Peters, Minimum broadcast digraphs **37/38** (1992) 401–419
929. U.M. Maurer, Asymptotically-tight bounds on the number of cycles in generalized de Bruijn–Good graphs **37/38** (1992) 421–436
930. N. Pippenger, The asymptotic optimality of spider-web networks **37/38** (1992) 437–450
931. J. Plesník, Heuristics for the Steiner problem in graphs **37/38** (1992) 451–463
932. A.L. Rosenberg, Product-shuffle networks: toward reconciling shuffles and butterflies **37/38** (1992) 465–488
933. D.R. Shier, E.J. Valvo and R.E. Jamison, Generating the states of a binary stochastic system **37/38** (1992) 489–500
934. P. Solé, A. Ghafoor and S.A. Sheikh, The covering radius of Hadamard codes in odd graphs **37/38** (1992) 501–510
935. T. Soneoka, Super edge-connectivity of dense digraphs and graphs **37/38** (1992) 511–523
936. J.L. Villar, The underlying graph of a line digraph **37/38** (1992) 525–538
937. K. Wada and K. Kawaguchi, Efficient fault-tolerant fixed routings on $(k + 1)$ -connected digraphs **37/38** (1992) 539–552
938. G. Zémor and G.D. Cohen, Application of coding theory to interconnection networks **37/38** (1992) 553–562
939. G.W. Zimmerman and A.-H. Esfahanian, Chordal rings as fault-tolerant loops **37/38** (1992) 563–573
940. J.-C. Bermond, C. Delorme and J.J. Quisquater, Table of large (Δ, D) -graphs **37/38** (1992) 575–577
941. M.S. Chang, C.Y. Tang and R.C.T. Lee, Solving the Euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs **39** (1992) 1–12
942. J. Manning and M.J. Atallah, Fast detection and display of symmetry in outerplanar graphs **39** (1992) 13–35
943. R.L. Rardin and M. Sudit, Paroids: a canonical format for combinatorial optimization **39** (1992) 37–56
944. L. Shapiro, Random walks with absorbing points **39** (1992) 57–67
945. J.H. Vande Vate, Structural properties of matroid matchings **39** (1992) 69–85
946. M.V. Marathe, R. Ravi and C.P. Rangan, Generalized vertex covering in interval graphs (*Note*) **39** (1992) 87–93
947. F. Blanchet-Sadri, Games, equations and dot-depth two monoids **39** (1992) 99–111
948. D. Hartvigsen and E. Zemel, The complexity of lifted inequalities for the knapsack problem **39** (1992) 113–123
949. S. Ishii, Measure theoretic approach to the classification of cellular automata **39** (1992) 125–136
950. A. Recski and W. Schwärzler, One-story buildings as tensegrity frameworks III **39** (1992) 137–146
951. M.B. Richey and A.P. Punnen, Minimum perfect bipartite matchings and spanning trees under categorization **39** (1992) 147–153
952. C.M. Adams and S.E. Tavares, Generating bent sequences (*Note*) **39** (1992) 155–159
953. A. Björner, J. Karlander and B. Lindström, Communication complexity of two decision problems (*Note*) **39** (1992) 161–163
954. J.S. Deogun and G. Steiner, Hamiltonian cycle is polynomial on cocomparability graphs (*Communication*) **39** (1992) 165–172
955. P.C. Fishburn, Correlation in partially ordered sets (*Perspectives*) **39** (1992) 173–191
956. M. Dror, Openshop scheduling with machine dependent processing times **39** (1992) 197–205
957. P. Flajolet, D. Gardy and L. Thimonier, Birthday paradox, coupon collectors, caching algorithms and self-organizing search **39** (1992) 207–229
958. F.K. Hwang and G.W. Richards, The capacity of the subarray partial concentrators **39** (1992) 231–240
959. U.G. Rothblum, H. Schneider and M.H. Schneider, Characterizations of max-balanced flows **39** (1992) 241–261
960. J. Spinrad, P_4 -trees and substitution decomposition **39** (1992) 263–291

961. J. Aleš and R. Bačík, Strong elimination ordering of the total graph of a tree (*Communication*) **39** (1992) 293–295
962. T. Andreae, Some results on visibility graphs **40** (1992) 5–17
963. U. Faigle, R. Schrader and G. Turán, The communication complexity of interval orders **40** (1992) 19–28
964. P. Raghavan, Integer programming in VLSI design **40** (1992) 29–43
965. S. Voß, Steiner's problem in graphs: heuristic methods **40** (1992) 45–72
966. D. Wagner and F. Wagner, An efficient parallel logarithmic time algorithm for the channel routing problem **40** (1992) 73–81
967. C. Wieners-Lummer, A Manhattan channel router with good theoretical and practical performance **40** (1992) 83–104
968. F. Afrati, The parallel complexity of single rule logic programs **40** (1992) 107–126
969. J. Demetrovics, G.O.H. Katona and D. Miklós, Partial dependencies in relational databases and their realization **40** (1992) 127–138
970. J. Demetrovics, G.O.H. Katona and A. Sali, The characterization of branching dependencies **40** (1992) 139–153
971. J. Demetrovics, L. Libkin and I.B. Muchnik, Functional dependencies in relational databases: A lattice point of view **40** (1992) 155–185
972. G. Gottlob, M. Schrefl and M. Stumptner, Selective inheritance of attribute values in relational databases **40** (1992) 187–216
973. G. Lausen, Locking based on a pairwise decomposition of the transaction system **40** (1992) 217–236
974. H. Mannila and K.-J. Räihä, On the complexity of inferring functional dependencies **40** (1992) 237–243
975. Y. Sagiv and Y. Saraiya, Minimizing restricted-fanout queries **40** (1992) 245–264
976. B. Thalheim, The number of keys in relational and nested relational databases **40** (1992) 265–282
977. P.A. Catlin, J.W. Grossman, A.M. Hobbs and H.-J. Lai, Fractional arboricity, strength, and principal partitions in graphs and matroids **40** (1992) 285–302
978. I. Gederbaum, I. Koren and S. Wimer, Balanced block spacing for VLSI layout **40** (1992) 303–318
979. A. Raychaudhuri, Optimal multiple interval assignments in frequency assignment and traffic phasing **40** (1992) 319–332
980. S.T. Schibell and R.M. Stafford, Processor interconnection networks from Cayley graphs **40** (1992) 333–357
981. A. Frank, T. Nishizeki, N. Saito, H. Suzuki and É. Tardos, Algorithms for routing around a rectangle **40** (1992) 363–378
982. N. Katoh, T. Ibaraki and T. Kameda, A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control **40** (1992) 379–395
983. M.T. Ko and Y.T. Ching, Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞ -distance **40** (1992) 397–410
984. H.-M. Lee and G.J. Chang, Set to set broadcasting in communication networks **40** (1992) 411–421
985. C. Levcopoulos and O. Petersson, Matching parentheses in parallel **40** (1992) 423–431
986. R.D. Lou and M. Sarrafzadeh, Circular permutation graph family with applications **40** (1992) 433–457
987. R.J. Nowakowski, Search and sweep numbers of finite directed acyclic graphs **41** (93) 1–11
988. R. Shull, A. Shuchat, J.B. Orlin and M. Lepp, Recognizing hidden bicircular networks **41** (93) 13–53
989. F.W. Sinden, Coloring drawings of bipartite graphs: A problem in automated assembly **41** (93) 55–68
990. T. Arai, S. Ueno and Y. Kajitani, Generalization of a theorem on the parametric maximum flow problem (*Note*) **41** (93) 69–74
991. J. Bang-Jensen and P. Hell, Fast algorithms for finding Hamiltonian paths and cycles in in-tournament digraphs (*Note*) **41** (93) 75–79
992. K. Culik and S. Dube, Rational and affine expressions for image description **41** (93) 85–120
993. C. De Simone and A. Sassano, Stability number of bull- and chair-free graphs **41** (93) 121–129
994. J. Eusterbrock, Errata to "Selecting the top three elements" by M. Aigner: A result of a computer-assisted proof search **41** (93) 131–137
995. F. Granot and J. Skorin-Kapov, On polynomial solvability of the high multiplicity total weighted tardiness problem **41** (93) 139–146
996. E. Korach and A. Tal, General vertex disjoint paths in series-parallel graphs **41** (93) 147–164
997. N. Brand, S. Curran, S. Das and T. Jacob, Probability of diameter two for Steinhaus graphs (*Note*) **41** (93) 165–171

998. G. Galambos and J.B.G. Frenk, A simple proof of Liang's lower bound for on-line bin packing and the extension to the parametric case (*Note*) **41** (93) 173–178
999. E.A. Boyd, Polyhedral results for the precedence-constrained knapsack problem **41** (93) 185–201
1000. J. Franco, On the occurrence of null clauses in random instances of Satisfiability **41** (93) 203–209
1001. C.-Y. Lee and S. Danusaputro Liman, Capacitated two-parallel machines scheduling to minimize sum of job completion times **41** (93) 211–222
1002. S. Lloyd, Balance, uncorrelatedness and the strict avalanche criterion **41** (93) 223–233
1003. K.T. Siegrist, A.T. Amin and P.J. Slater, The optimal unicyclic graphs for pair-connected reliability **41** (93) 235–243
1004. M.A. Steel, Distributions on bicoloured binary trees arising from the principle of parsimony **41** (93) 245–261
1005. H. Zhou, The chromatic difference sequence of the Cartesian product of graphs: Part II **41** (93) 263–267
1006. J. Csima and L. Lovász, Dating to marriage (*Note*) **41** (93) 269–270
1007. A. Salomaa, Simple reductions between DOL language and sequence equivalence problems (*Note*) **41** (93) 271–274
1008. V. Estivill-Castro, H. Mannila and D. Wood, Right invariant metrics and measures of presortedness **42** (1993) 1–16
1009. M. Guignard, Solving makespan minimization problems with Lagrangean decomposition **42** (1993) 17–29
1010. A.S. Hedayat, G.B. Khosrovshahi and D. Majumdar, A prospect for a general method of constructing t -designs **42** (1993) 31–50
1011. J.M. Keil, The complexity of domination problems in circle graphs **42** (1993) 51–63
1012. J. Shawe-Taylor, M. Anthony and N.L. Biggs, Bounding sample size with the Vapnik–Chervonenkis dimension **42** (1993) 65–73
1013. V.S. Sunderam and P. Winkler, Fast information sharing in a complete network **42** (1993) 75–86
1014. B.M. Troutman and M.R. Karlinger, A note on subtrees rooted along the primary path of a binary tree **42** (1993) 87–93
1015. L. Zhang, Studies on hypergraphs I: hyperforests **42** (1993) 95–112
1016. M. Martelli and M. Pedrazzoli, On pseudounimodular matrices (*Communication*) **42** (1993) 113–117
1017. J. Błażewicz, W. Kubiak and S. Martello, Algorithms for minimizing maximum lateness with unit length tasks and resource constraints **42** (1993) 123–138
1018. S.-J. Chung, H.W. Hamacher, F. Maffioli and K.G. Murty, Note on combinatorial optimization with max-linear objective functions **42** (1993) 139–145
1019. B.L. Dietrich, L.F. Escudero and F. Chance, Efficient reformulation for 0-1 programs – methods and computational results **42** (1993) 147–175
1020. G. Gallo, G. Longo, S. Pallotino and S. Nguyen, Directed hypergraphs and applications **42** (1993) 177–201
1021. D.S. Hochbaum, Why should biconnected components be identified first **42** (1993) 203–210
1022. G. Kindervater, J.K. Lenstra and M. Savelsbergh, Sequential and parallel local search for the time-constrained traveling salesman problem **42** (1993) 211–225
1023. M. Lucertini, Y. Perl and B. Simeone, Most uniform path partitioning and its use in image processing **42** (1993) 227–256
1024. P. Michelon and N. Maculan, Lagrangean methods for 0-1 quadratic problems **42** (1993) 257–269
1025. C.H. Papadimitriou, P. Serafini and M. Yannakakis, Computing the throughput of a network with dedicated lines **42** (1993) 271–278
1026. A.H.G. Rinnooy Kan, L. Stougie and C. Vercellis, A class of generalized greedy algorithms for the multi-knapsack problem **42** (1993) 279–290
1027. L. Stougie, A fast randomized algorithm for partitioning a graph into paths of fixed length **42** (1993) 291–303
1028. E. Balas and L. Qi, Linear-time separation algorithms for the three-index assignment polytope **43** (1993) 1–12
1029. E. Bibelnicks and P.M. Dearing, Neighborhood subtree tolerance graphs **43** (1993) 13–26
1030. D.S. Clark and J.T. Lewis, Circular avoiding sequences with prescribed sum **43** (1993) 27–36
1031. K. Jansen, The allocation problem in hardware design **43** (1993) 37–46
1032. D. Lin and M. Liu, The equivalence classes of LR arrays **43** (1993) 47–61

1033. G. Sierksma, The skeleton of the symmetric Traveling Salesman Polytope **43** (1993) 63–74
1034. A. Wagner and D.G. Corneil, On the complexity of the embedding problem for hypercube related graphs **43** (1993) 75–95
1035. E. Korach and N. Solel, Tree-width, path-width, and cutwidth (Note) **43** (1993) 97–101
1036. I. Althöfer and K.-U. Koschnick, On the deterministic complexity of searching local maxima **43** (1993) 111–113
1037. W. Kern, On the depth of combinatorial optimization problems **43** (1993) 115–129
1038. D.C. Llewellyn and C.A. Tovey, Dividing and conquering the square **43** (1993) 131–153
1039. R.L. Rardin and M. Sudit, Paroid search: generic local combinatorial optimization **43** (1993) 155–174
1040. R.V. Vohra and N.G. Hall, A probabilistic analysis of the maximal covering location problem **43** (1993) 175–183
1041. R.J. Cimikowski, On certain Hamiltonian inner triangulations **43** (1993) 185–195
1042. C.R. Coullard, J.G.d. Greco and D.K. Wagner, Recognizing a class of bicircular matroids **43** (1993) 197–215
1043. M.E. Houle, H. Imai, K. Imai, J.-M. Robert and P. Yamamoto, Orthogonal weighted linear L_1 and L_∞ approximation and applications **43** (1993) 217–232
1044. S. Moran and Y. Wolfsthal, Two-page book embedding of trees under vertex-neighborhood constraints **43** (1993) 233–241
1045. T. Roos, Voronoi diagrams over dynamic scenes **43** (1993) 243–259
1046. A.A. Schäffer, A faster algorithm to recognize undirected path graphs **43** (1993) 261–295
1047. H.-J. Bandelt, M. Farber and P. Hell, Absolute reflexive retracts and absolute bipartite retracts **44** (1993) 9–20
1048. I. Adler, A.J. Hoffman and R. Shamir, Monge and feasibility sequences in general flow problems **44** (1993) 21–38
1049. V. Chvátal, Which claw-free graphs are perfectly orderable? **44** (1993) 39–63
1050. E.S. Elmallah and L.K. Stewart, Independence and domination in polygon graphs **44** (1993) 65–77
1051. M.C. Golumbic and R.C. Laskar, Irredundancy in circular arc graphs **44** (1993) 79–89
1052. M.S. Jacobson and K. Peters, A note on graphs which have upper irredundance equal to independence **44** (1993) 91–97
1053. P.J. Bernhard, S.T. Hedetniemi and D.P. Jacobs, Efficient sets in graphs **44** (1993) 99–108
1054. J.A. Telle and A. Proskurowski, Efficient sets in partial k -trees **44** (1993) 109–117
1055. J.R.S. Blair, The efficiency of AC graphs **44** (1993) 119–138
1056. L. Cai and F. Maffray, On the SPANNING k -TREE problem **44** (1993) 139–156
1057. G. Isaak, Bounded discrete representations of interval orders **44** (1993) 157–183
1058. S.R. Arikati and U.N. Peled, A linear algorithm for the group path problem on chordal graphs **44** (1993) 185–190
1059. M.S. Jacobson, J. Lehel and L.M. Lesniak, ϕ -threshold and ϕ -tolerance chain graphs **44** (1993) 191–203
1060. Y.-W. Chang, M.S. Jacobson, C.L. Monma and D.B. West, Subtree and substar intersection numbers **44** (1993) 205–220
1061. C.J. Colbourn, A. Satyanarayana, C. Suffel and K. Sutner, Computing residual connectedness reliability for restricted networks **44** (1993) 221–232
1062. E.R. Scheinerman and A. Trenk, On generalized perfect graphs: bounded degree and bounded edge perfection **44** (1993) 233–245
1063. R.P. Anstee, Minimum vertex weighted deficiency of (g, f) -factors: A greedy algorithm **44** (1993) 247–260
1064. P.C. Fishburn and F.S. Roberts, Elementary sequences, sub-Fibonacci sequences **44** (1993) 261–281
1065. H.J. Prömel and A. Steger, Excluding induced subgraphs II: extremal graphs **44** (1993) 283–294
1066. T.W. Haynes, R.C. Brigham and R.D. Dutton, Extremal graphs domination insensitive to the removal of k edges **44** (1993) 295–304
1067. A. Hartman and Y. Medan, Covering the complete graph with plane cycles **44** (1993) 305–310
1068. E. Agasi, R.I. Becker and Y. Perl, A shifting algorithm for constrained min-max partition on trees **45** (1993) 1–28
1069. J. Dassow and F. Hinz, Decision problems and regular chain code picture languages **45** (1993) 29–49
1070. J.S. Diamond and A.O. Mendelzon, Cycle structure of edge labelled graphs **45** (1993) 51–62
1071. P. Solé and T. Zaslavsky, The covering radius of the cycle code of a graph **45** (1993) 63–70

1072. R.J.M. Vaessens, E.H.L. Aarts and J.H. van Lint, Genetic algorithms in coding theory — a table for $A_3(n, d)$ **45** (1993) 71–87
1073. M. Akgül, A genuinely polynomial primal simplex algorithm for the assignment problem **45** (1993) 93–115
1074. D. Babić and A. Graovac, Enumeration of acyclic walks in a graph **45** (1993) 117–123
1075. N.J. Finizio, Whist tournaments — Three Person Property **45** (1993) 125–137
1076. M.E. Houle, Algorithms for weak and wide separation of sets **45** (1993) 139–159
1077. J. Klimó, On the minimal covering of infinite sets **45** (1993) 161–168
1078. S. Wimer, I. Koren and I. Cederbaum, On paths with the shortest average arc length in weighted graphs **45** (1993) 169–179
1079. N. Chakravarti, Sensitivity analysis in isotonic regression **45** (1993) 183–196
1080. J. Csirik, J.B.G. Frenk and M. Labbé, Two-dimensional rectangle packing: on-line methods and results **45** (1993) 197–204
1081. C.C. De Souza and C.C. Ribeiro, Heuristics for the minimum rectilinear Steiner tree problem: new algorithms and a computational study **45** (1993) 205–220
1082. D.Z. Du and F.K. Hwang, Competitive group testing **45** (1993) 221–232
1083. J. Gustedt, On the pathwidth of chordal graphs **45** (1993) 233–248
1084. H. Kellerer and G. Woeginger, A tight bound for 3-partitioning **45** (1993) 249–259
1085. D.C. Llewellyn and J. Ryan, A primal dual integer programming algorithm **45** (1993) 261–275
1086. B.A. Tesman, List T -colorings of graphs **45** (1993) 277–289
1087. S. Van Hoesel and A. Wagelmans, Sensitivity analysis of the economic lot-sizing problem **45** (1993) 291–312
1088. A. Klapper, A.H. Chan and M. Goresky, Cross-correlations of linearly and quadratically related geometric sequences and GMW sequences **46** (1993) 1–20
1089. E. Nowicki and C. Smutnicki, New results in the worst-case analysis for flow-shop scheduling **46** (1993) 21–41
1090. M. Queyranne and D. Sun, The performance ratio of grouping policies for the joint replenishment problem **46** (1993) 43–72
1091. T. Andreae, U. Hennig and A. Parra, On a problem concerning tolerance graphs (*Note*) **46** (1993) 73–78
1092. H.J. Broersma and L. Xueliang, On “The matching polynomial of a polygraph” (*Note*) **46** (1993) 79–86
1093. S. Kim, T.A. McKee, F.R. McMorris and F.S. Roberts, p -competition numbers (*Note*) **46** (1993) 87–92
1094. S. Bezrukov, N. Grünwald and K. Weber, On edge numberings of the n -cube graph **46** (1993) 99–116
1095. M. Cochand, A fixed point operator for the generalised maximum satisfiability problem **46** (1993) 117–132
1096. T.R. Ervolina and S.T. McCormick, Two strongly polynomial cut cancelling algorithms for minimum cost network flow **46** (1993) 133–165
1097. G. Gunther, B. Hartnell and D.F. Rall, Graphs whose vertex independence number is unaffected by single edge addition or deletion **46** (1993) 167–172
1098. P. Baldy and M. Morvan, A linear time and space algorithm to recognize interval orders (*Note*) **46** (1993) 173–178
1099. Q. Li, I.M. Xu and Z.L. Zhang, The infinite families of optimal double loop networks (*Communication*) **46** (1993) 179–183
1100. C.R. Coullard, J.G. del Greco and D.K. Wagner, Uncovering generalized-network structure in matrices **46** (1993) 191–220
1101. R. Hassin and M. Henig, Monotonicity and efficient computation of optimal dichotomous search **46** (1993) 221–234
1102. L. Hellerstein, Functions that are read-once on a subset of their inputs **46** (1993) 235–251
1103. W. Vogler, On hyperedge replacement and BNLC graph grammars **46** (1993) 253–273
1104. J. Berstel and P. Séébold, A characterization of overlap-free morphisms (*Note*) **46** (1993) 275–281
1105. P.L. Erdős and L.A. Székely, Counting bichromatic evolutionary trees **47** (1993) 1–8
1106. D. Goldfarb and J. Hao, On the maximum capacity augmentation algorithm for the maximum flow problem **47** (1993) 9–16
1107. N.-F. Huang, On the complexity of two circle connecting problems **47** (1993) 17–32
1108. P.G. Jeavons, Counting representable sets on simple graphs **47** (1993) 33–46

1109. F.R. McMorris and R.C. Powers, Consensus functions on trees that satisfy an independence axiom **47** (1993) 47–55
1110. J.A.A. van der Veen, An $O(n)$ algorithm to solve the Bottleneck Traveling Salesman Problem restricted to ordered product matrices **47** (1993) 57–75
1111. E. Korach and M. Penn, A fast algorithm for maximum integral two-commodity flow in planar graphs (Note) **47** (1993) 77–83
1112. S. Albers and P. Brucker, The complexity of one-machine batching problems **47** (1993) 87–107
1113. G. Dahl, Directed Steiner problems with connectivity constraints **47** (1993) 109–128
1114. L.A. Hall, A note on generalizing the maximum lateness criterion for scheduling **47** (1993) 129–137
1115. H.G. Kahlbacher and T.C.E. Cheng, Parallel machine scheduling to minimize costs for earliness and number of tardy jobs **47** (1993) 139–164
1116. H. Kellerer and G. Woeginger, On the Euclidean two parts problem **47** (1993) 165–173
1117. F. Malucelli, T. Ottmann and D. Pretolani, Efficient labelling algorithms for the maximum noncrossing matching problem **47** (1993) 175–179
1118. K.G. Murty, On the complexity of a special basis problem in LP **47** (1993) 181–185
1119. P. Winter, Euclidean Steiner minimal trees with obstacles and Steiner visibility graphs **47** (1993) 187–206
1120. M. Anthony and J. Shawe-Taylor, A result of Vapnik with applications **47** (1993) 207–217
1121. N. Hamada, T. Helleseth and Ø. Ytrehus, A new class of nonbinary codes meeting the Griesmer bound **47** (1993) 219–226
1122. Y. Ikebe, T. Matsui and A. Tamura, Adjacency of the best and second best valued solutions in combinatorial optimization problems **47** (1993) 227–232
1123. D. Jungnickel, Trace-orthogonal normal bases **47** (1993) 233–249
1124. Y. Kaufman and A. Tamir, Locating service centers with precedence constraints **47** (1993) 251–261
1125. M. Liu and Z. Li, Coset correlation of LR m -arrays **47** (1993) 263–273
1126. A. Tamir, A unifying location model on tree graphs based on submodularity properties **47** (1993) 275–283
1127. F. Zhang, X. Li and H. Zhang, Hexagonal systems with fixed bonds **47** (1993) 285–296
1128. W.P. Adams and P.M. Dearing, On the equivalence between roof duality and Lagrangian duality for unconstrained 0-1 quadratic programming problems **48** (1994) 1–20
1129. M. Bousquet-Mélou, Codage des polyominos convexes et équations pour l'énumération suivant l'aire **48** (1994) 21–43
1130. P. Butkovič, Strong regularity of matrices—a survey of results **48** (1994) 45–68
1131. E. Nowicki and C. Smutnicki, An approximation algorithm for a single-machine scheduling problem with release times and delivery times **48** (1994) 69–79
1132. I. Bošnjak, Some new results concerning three counterfeit coins problem (Note) **48** (1994) 81–85
1133. V. Bouchitté, R. Jégou and J.-X. Rampon, On the directionality of interval orders (Note) **48** (1994) 87–92
1134. Y. Zhu and D. Mutchler, On constructing the elimination tree (Note) **48** (1994) 93–98
1135. P. Damaschke, A tight upper bound for group testing in graphs **48** (1994) 101–109
1136. J. Gimbel, D. Kratsch and L. Stewart, On cocolorings and cochromatic numbers of graphs **48** (1994) 111–127
1137. D. Granot and D. Skorin-Kapov, On some optimization problems on k -trees and partial k -trees **48** (1994) 129–145
1138. X.D. Hu and F.K. Hwang, Cutting numbers for the forward loop backward hop network **48** (1994) 147–161
1139. K. Schilling, Random knapsacks with many constraints **48** (1994) 163–174
1140. A.P. Sprague and H. Tamaki, Routings for involutions of a hypercube **48** (1994) 175–186
1141. L. Cai, NP-completeness of minimum spanner problems (Note) **48** (1994) 187–194
1142. H. Belouadah and C.N. Potts, Scheduling identical parallel machines to minimize total weighted completion time **48** (1994) 201–218
1143. M. Dyer, On a universal chain problem **48** (1994) 219–229
1144. R.W. Eglese, Routeing winter gritting vehicles **48** (1994) 231–244
1145. M. Göthe-Lundgren and T. Larsson, A set covering reformulation of the pure fixed charge transportation problem **48** (1994) 245–259
1146. R.W. Irving, Stable marriage and indifference **48** (1994) 261–272

1147. A. Kolen and E. Pesch, Genetic local search in combinatorial optimization **48** (1994) 273–284
1148. M. Nakamura, An extension of elementary bipartite graphs to matroid pairs and its characterization **48** (1994) 285–288
1149. S. Van Hoesel, R. Kuik, M. Salomon and L.N. Van Wassenhove, The single-item discrete lotsizing and scheduling problem: Optimization by linear and dynamic programming **48** (1994) 289–303
1150. O. Bahn, J.L. Goffin, J.P. Vial and O. Du Merle, Experimental behavior of an interior point cutting plane algorithm for convex programming: an application to geometric programming **49** (1994) 3–23
1151. H.-J. Bandelt, Y. Crama and F.C.R. Spieksma, Approximation algorithms for multi-dimensional assignment problems with decomposable costs **49** (1994) 25–50
1152. A. Billionnet and M.-C. Costa, Solving the uncapacited plant location problem on trees **49** (1994) 51–59
1153. G.S. Bloom and S. Ruiz, Decompositions into linear forests and difference labelings of graphs **49** (1994) 61–75
1154. E. Boros, P.L. Hammer, M.E. Hartmann and R. Shamir, Balancing problems in acyclic networks **49** (1994) 77–93
1155. R. Brewster, The complexity of colouring symmetric relational systems **49** (1994) 95–105
1156. P. Brucker, B. Jurisch and B. Sievers, A branch and bound algorithm for the job-shop scheduling problem **49** (1994) 107–127
1157. P. Chretienne, Tree scheduling with communications delays **49** (1994) 129–141
1158. M. Cochand, Probabilistic estimates for the generalized maximum satisfiability problem **49** (1994) 143–163
1159. D. de Werra and Y. Gay, Chromatic scheduling and frequency assignment **49** (1994) 165–174
1160. D. Fayard and G. Plateau, An exact algorithm for the 0-1 collapsing knapsack problem **49** (1994) 175–187
1161. A. Freville and G. Plateau, An efficient preprocessing procedure for the multidimensional 0-1 knapsack problem **49** (1994) 189–212
1162. J.A. Gallian, A guide to the graph labeling zoo **49** (1994) 213–229
1163. F. Glover, Tabu search for nonlinear and parametric optimization (with links to genetic algorithms) **49** (1994) 231–255
1164. A. Hertz, B. Jaumard and M.P. de Aragão, Local optima topology for the k -coloring problem **49** (1994) 257–280
1165. B. Leclerc, Medians for weight metrics in the covering graphs of semilattices **49** (1994) 281–297
1166. F. Margot, Some complexity results about threshold graphs **49** (1994) 299–308
1167. U.N. Peled and B. Simeone, An $O(nm)$ -time algorithm for computing the dual of a regular Boolean function **49** (1994) 309–323
1168. U. Peled and F. Sun, Total matchings and total coverings of threshold graphs **49** (1994) 325–330
1169. F.S. Roberts and Y. Xu, On the optimal strongly connected orientations of city street graphs IV: Four east-west avenues or north-south streets **49** (1994) 331–356
1170. H.D. Sherali, S. Ramachandran and S. Kim, A localization and reformulation discrete programming approach for the rectilinear distance location-allocation problem **49** (1994) 357–378
1278. J. Rosenmüller and P. Sudhölter, The nucleolus of homogeneous games with steps **50** (1) (1994) 53–76
1303. F. Blanchet-Sadri, On a complete set of generators for dot-depth two **50** (1) (1994) 1–25
1304. C. Cooper, Probabilistic analysis of two k -cluster problems **50** (1) (1994) 27–51
1305. U. Zimmermann, On the complexity of the dual method for maximum balanced flows **50** (1) (1994) 77–88
1306. J. Leung and J. Lee, More facets from fences for linear ordering and acyclic subgraph polytopes **50** (2) (1994) 185–200
1307. M. Hasler, C. Marthy, A. Oberlin and D. de Werra, A discrete model for studying existence and uniqueness of solutions in nonlinear resistive circuits **50** (2) (1994) 169–184
1308. J. Czyzowicz, E. Rivera-Campo, N. Santoro, J. Urrutia and J. Zaks, Guarding rectangular art galleries **50** (2) (1994) 149–157
1309. D.G. Corneil, S. Masuyama and S.L. Hakimi, Edge-disjoint packings of graphs **50** (2) (1994) 135–148
1329. E.H. Aghezzaf and L.A. Wolsey, Modelling piecewise linear concave costs in a tree partitioning problem **50** (2) (1994) 101–109
1330. R.A. Brualdi, H.C. Jung and W.T. Trotter Jr, On the poset of all posets on n elements **50** (2) (1994) 111–123

1331. A. Conrad, T. Hindrichs, H. Morsy and I. Wegener, Solution of the knight's Hamiltonian path problem on chessboards **50** (2) (1994) 125–134
1332. D. Dorninger, Hamiltonian circuits determining the order of chromosomes **50** (2) (1994) 159–168
1333. M. Dror, G. Laporte and P. Trudeau, Vehicle routing with split deliveries **50** (3) (1994) 239–254
1334. A. Hertz, B. Jaumard and C.C. Ribeiro, A graph theory approach to subcontracting, machine duplication and intercell moves in cellular manufacturing **50** (3) (1994) 255–265
1335. S. Lakshminarayanan and R. Chandrasekaran, A rounding algorithm for integer programs **50** (3) (1994) 267–282
1336. T. Matsui, A. Tamura and Y. Ikebe, Algorithms for finding a K th best valued assignment **50** (3) (1994) 283–296
1356. D.A. Babayev and S.S. Mardanov, Sequential and simultaneous aggregation of diophantine equations **50** (3) (1994) 209–220
1357. P.N. Delivorias and R.J. Richter, Maximum path digraphs **50** (3) (1994) 221–237
1358. C.-N. Fiechter, A parallel tabu search algorithm for large traveling salesman problems **51** (3) (1994) 243–267
1359. G. Galbiati and F. Maffioli, On the computation of pfaffians **51** (3) (1994) 269–275
1360. M.X. Goemans, Arborescence polytopes for series-parallel graphs **51** (3) (1994) 277–289
1361. J. Korst, E. Aarts, J.K. Lenstra and J. Wessels, Periodic assignment and graph colouring **51** (3) (1994) 291–305
1362. J.Y.-T. Leung, V.K.M. Yu and W.-D. Wei, Minimizing the weighted number of tardy task units **51** (3) (1994) 307–316
1363. W.R. Schmitt and M.S. Waterman, Linear trees and RNA secondary structure **51** (3) (1994) 317–323
1364. N. Abu-Jaradeh and D.L. Powers, Heat conduction on graphs **52** (1) (1994) 1–16
1365. E. Amaldi, E. Mayoraz and D. de Werra, A review of combinatorial problems arising in feedforward neural network design **52** (2) (1994) 111–138
1366. A. Bar-Noy, F.K. Hwang, I. Kessler and S. Kutten, A new competitive algorithm for group testing **52** (1) (1994) 29–38
1367. W.Z. Kitto, A. Vince and D.C. Wilson, An isomorphism between the p -adic integers and a ring associated with a tiling of N -space by permutohedra **52** (1) (1994) 39–51
1368. A. Leblanc, Finding degeneracies among sets of lines **56** (1) (1995) 49–60
1369. S.T. McCormick and T.R. Ervolina, Computing maximum mean cuts **52** (1) (1994) 53–70
1370. R. Rudolf, Recognition of d -dimensional Monge arrays **52** (1) (1994) 71–82
1371. H.D. Sherali and W.P. Adams, A hierarchy of relaxations and convex hull characterizations for mixed-integer zero-one programming problems **52** (1) (1994) 83–106
1376. L. Babel and G. Tinhofer, Hard-to-color graphs for connected sequential colorings **51** (1-2) (1994) 3–25
1377. U. Baumann, On edge-hamiltonian Cayley graphs **51** (1-2) (1994) 27–37
1379. H.J. Broersma and I. Schiermeyer, Subgraphs, closures and hamiltonicity **51** (1-2) (1994) 39–46
1380. E. Dahlhaus, A parallel algorithm for computing Steiner trees in strongly chordal graphs **51** (1-2) (1994) 47–61
1381. P. Damaschke, PLA Folding in special graph classes **51** (1-2) (1994) 63–74
1382. P. Dankelmann, Average distance and independence number **51** (1-2) (1994) 75–83
1383. S. Felsner, J. Gustedt, M. Morvan and J.-X. Rampon, Constructing colorings for diagrams **51** (1-2) (1994) 85–93
1384. E. Flandrin, J.L. Fouquet and H. Li, Hamiltonicity of bipartite biclaw-free graphs **51** (1-2) (1994) 95–102
1385. J. Harant and H. Walther, A lower bound for the shortness coefficient of a class of graphs **51** (1-2) (1994) 103–105
1386. J. Nešetřil, On ordered graphs and graph orderings **51** (1-2) (1994) 113–116
1387. F. Pfeiffer, A note on the half-integral multiflow-problem restricted to minor-closed classes of graphs **51** (1-2) (1994) 127–135
1388. W. Poguntke, On reliable graphs with static routing plans **51** (1-2) (1994) 137–146
1389. E. Prisner, Algorithms for interval catch digraphs **51** (1-2) (1994) 147–157
1390. H. Sachs and H. Zernitz, Remark on the dimer problem **51** (1-2) (1994) 171–179
1391. G. Schaar, Remarks on Hamiltonian properties of powers of digraphs **51** (1-2) (1994) 181–186
1392. M. Voigt and H. Walther, Chromatic number of prime distance graphs **51** (1-2) (1994) 197–209
1393. L. Volkmann, On graphs with equal domination and covering numbers **51** (1-2) (1994) 211–217

1421. F. Aurenhammer, M. Formann, R.M. Idury, A.A. Schäffer and F. Wagner, Faster isometric embedding in products of complete graphs **52** (1) (1994) 17–28
1422. J. Bendisch, U. Derigs and A. Metz, An efficient matching algorithm applied in statistical physics **52** (2) (1994) 139–153
1423. J. Boyar, F. Fich and K.S. Larsen, Bounds on certain multiplications of affine combinations **52** (2) (1994) 155–167
1424. T. Cole, Some results on greedy algorithm conjectures **52** (2) (1994) 169–194
1425. F. Gavril and J. Urrutia, Intersection graphs of concatenable subtrees of graphs **52** (2) (1994) 195–209
1426. I. Honkala, On $(q,1)$ -subnormal q -ary covering codes **52** (3) (1994) 213–221
1427. K. Jansen, Analysis of scheduling problems with typed task systems **52** (3) (1994) 223–232
1428. J. Kratochvíl, A special planar satisfiability problem and a consequence of its NP-completeness **52** (3) (1994) 233–252
1429. T. Masuda and H. Ishii, Two machine open shop scheduling problem with bi-criteria **52** (3) (1994) 253–259
1430. J. Bruck, On optimal broadcasting in faulty hypercubes **53** (1-3) (1994) 3–13
1431. B.S. Chlebus, K. Diks and A. Pelc, Fast gossiping with short unreliable messages **53** (1-3) (1994) 15–24
1432. S. Djelloul, Broadcasting in m -dimensional grid graphs with a given neighborhood template **53** (1-3) (1994) 25–36
1433. A.M. Farley and A. Proskurowski, Bounded-call broadcasting **53** (1-3) (1994) 37–53
1434. R. Feldmann, J. Hromkovič, S. Madhavapeddy, B. Monien and P. Mysłiwietz, Optimal algorithms for dissemination of information in generalized communication modes **53** (1-3) (1994) 55–78
1435. P. Fraigniaud and E. Lazard, Methods and problems of communication in usual networks **53** (1-3) (1994) 79–133
1436. L. Gargano, A.L. Liestman, J.G. Peters and D. Richards, Reliable broadcasting **53** (1-3) (1994) 135–148
1437. A.V. Gerbessiotis, Broadcasting in random graphs **53** (1-3) (1994) 149–170
1438. C. GoweriSankaran, Broadcasting on recursively decomposable Cayley graphs **53** (1-3) (1994) 171–182
1439. R. Klasing, B. Monien, R. Peine and E.A. Stöhr, Broadcasting in butterfly and deBruijn networks **53** (1-3) (1994) 183–197
1440. J.-C. König and E. Lazard, Minimum k -broadcast graphs **53** (1-3) (1994) 199–209
1441. G. Kortsarz and D. Peleg, Traffic-light scheduling on the grid **53** (1-3) (1994) 211–234
1442. R. Labahn, S.T. Hedetniemi and R. Laskar, Periodic gossiping on trees **53** (1-3) (1994) 235–245
1443. R. Labahn, A minimum broadcast graph on 63 vertices **53** (1-3) (1994) 247–250
1444. S. Lennart Johnsson and C.-T. Ho, Optimal communication channel utilization for matrix transposition and related permutations on binary cubes **53** (1-3) (1994) 251–274
1445. M. Mahéo and J.-F. Saclé, Some minimum broadcast graphs **53** (1-3) (1994) 275–285
1446. M. Mahéo and J.-F. Saclé, Note on the problem of gossiping in multidimensional grids **53** (1-3) (1994) 287–290
1447. P. Michallon and D. Trystram, Practical experiments of broadcasting algorithms on a configurable parallel computer **53** (1-3) (1994) 291–298
1448. K. Ravishankar and S. Singh, Broadcasting on $[0, L]$ **53** (1-3) (1994) 299–319
1449. F.L. Van Scoy and J.A. Brooks, Broadcasting multiple messages in a grid **53** (1-3) (1994) 321–336
1450. E. Dahlhaus and P. Damaschke, The parallel solution of domination problems on chordal and strongly chordal graphs **52** (3) (1994) 261–273
1451. P. Enflo, A. Granville, J. Shallit and S. Yu, On sparse languages L such that $LL = \Sigma^*$ **52** (3) (1994) 275–285
1452. N.J. Finizio, Z -cyclic whist tournaments with a patterned starter initial round **52** (3) (1994) 287–293
1453. P. Hell, Y. Manoussakis and Z. Tuza, Packing problems in edge-colored graphs **52** (3) (1994) 295–306
1454. G. MacGillivray, Graph homomorphisms with infinite targets **54** (1) (1994) 29–35
1455. D.J. McClurkin, A lower bound for tree resolution **54** (1) (1994) 37–53
1456. J.S. Salowe, Euclidean spanner graphs with degree four **54** (1) (1994) 55–66
1457. I. Tomescu and M. Zimand, Minimum spanning hypertrees **54** (1) (1994) 67–76
1465. X. Li and F. Zhang, Hamiltonicity of a type of interchange graphs **51** (1-2) (1994) 107–111
1466. T. Nielsen, How to find overfull subgraphs in graphs with large maximum degree **51** (1-2) (1994) 117–125

1467. A. Quilliot and S.X. Chao, Algorithmic characterizations of interval ordered hypergraphs and applications **51** (1-2) (1994) 159–170
1468. Z. Tuza, Inequalities for minimal covering sets in set systems of given rank **51** (1-2) (1994) 187–195
1469. A. von Arnim and C. de la Higuera, Computing the jump number on semi-orders is polynomial **51** (1-2) (1994) 219–232
1470. M. Woźniak, Embedding graphs of small size **51** (1-2) (1994) 233–241
1471. H.G. Abeledo and U.G. Rothblum, Stable matchings and linear inequalities **54** (1) (1994) 1–27
1472. E. Boros, P.L. Hammer and X. Sun, Recognition of q-Horn formulae in linear time **55** (1) (1994) 1–13
1473. H. Cameron and D. Wood, Maximal path length of binary trees **55** (1) (1994) 15–35
1474. M. Fischetti, Clique tree inequalities define facets of the asymmetric traveling salesman polytope **56** (1) (1995) 9–18
1475. J.A. Hoogeveen, S.L. van de Velde and B. Veltman, Complexity of scheduling multiprocessor tasks with prespecified processor allocations **55** (3) (1994) 259–272
1476. R. Penne, Isostatic bar and joint frameworks in the plane with irreducible pure conditions **55** (1) (1994) 37–57
1477. S.V. Sevast'janov, On some geometric methods in scheduling theory: a survey **55** (1) (1994) 59–82
1478. A. Bar-Noy and S. Kipnis, Broadcasting multiple messages in simultaneous send/receive systems **55** (2) (1994) 95–105
1479. A. Gautier and F. Granot, On the equivalence of constrained and unconstrained flows **55** (2) (1994) 113–132
1480. C.T. Hoàng, Efficient algorithms for minimum weighted colouring of some classes of perfect graphs **55** (2) (1994) 133–143
1481. A.W.J. Kolen, A.H.G. Rinnooy Kan, C.P.M. van Hoesel and A.P.M. Wagelmans, Sensitivity analysis of list scheduling heuristics **55** (2) (1994) 145–162
1482. J. Lee and W.D. Morris Jr, Geometric comparison of combinatorial polytopes **55** (2) (1994) 163–182
1483. H. Yinnone, Maximum number of disjoint paths connecting specified terminals in a graph **55** (2) (1994) 183–195
1487. H.L. Bodlaender, Improved self-reduction algorithms for graphs with bounded treewidth **54** (2-3) (1994) 101–115
1488. B. Courcelle, The monadic second order logic of graphs VI: On several representations of graphs by relational structures **54** (2-3) (1994) 117–149
1489. D.L. Grinstead and P.J. Slater, A recurrence template for several parameters in series-parallel graphs **54** (2-3) (1994) 151–168
1491. N.G. Kinnersley and M.A. Langston, Obstruction set isolation for the gate matrix layout problem **54** (2-3) (1994) 169–213
1492. N.M. Korneyenko, Combinatorial algorithms on a class of graphs **54** (2-3) (1994) 215–217
1493. J. Lagergren, The nonexistence of reduction rules giving an embedding into a k -tree **54** (1994) 219–223
1494. P.A. Macmahon, The combinations of resistances **54** (1994) 225–228
1495. S. Mahajan and J.G. Peters, Regularity and locality in k -terminal graphs **54** (2-3) (1994) 229–250
1496. E. Wanke, k -NLC graphs and polynomial algorithms **54** (2-3) (1994) 251–266
1497. P. Winter and M.M. Syslo, Maximal outerplanar graphs with perfect face-independent vertex covers **54** (2-3) (1994) 267–280
1503. H.L. Bodlaender, K. Jansen and G.J. Woeginger, Scheduling with incompatible jobs **55** (3) (1994) 219–232
1504. G.A. Cheston and G. Fricke, Classes of graphs for which upper fractional domination equals independence, upper domination, and upper irredundance **55** (3) (1994) 241–258
1505. D. de Werra, On an optimization problem occurring in FMSs: A hypergraph-theoretical formulation **55** (2) (1994) 107–111
1506. G. Laffond, J.F. Laslier and M. Le Breton, The Copeland measure of Condorcet choice functions **55** (3) (1994) 273–279
1507. K.-T. Mak and A.J. Morton, Distances between traveling salesman tours **58** (3) (1995) 281–291
1508. T. Mautor and C. Roucairol, A new exact algorithm for the solution of quadratic assignment problems **55** (3) (1994) 281–293
1509. T. Nishizeki and S. Poljak, k -Connectivity and decomposition of graphs into forests **55** (3) (1994) 295–301

1510. P. Solé, Expanding and forwarding **58** (1) (1995) 67–78
1513. W.W. Bein, P. Brucker, J.K. Park and P.K. Pathak, A Monge property for the d -dimensional transportation problem **58** (2) (1995) 97–109
1514. K. Cechlárová, Trapezoidal matrices and the bottleneck assignment problem **58** (2) (1995) 111–116
1515. U. Faigle, N. Gademann and W. Kern, A random polynomial time algorithm for well-rounding convex bodies **58** (2) (1995) 117–144
1516. B. Jurisch, Lower bounds for the job-shop scheduling problem on multi-purpose machines **58** (2) (1995) 145–156
1517. W. Kubiak, New results on the completion time variance minimization **58** (2) (1995) 157–168
1518. Yu.N. Sotskov, V.K. Leontev and E.N. Gordeev, Some concepts of stability analysis in combinatorial optimization **58** (2) (1995) 169–190
1519. F. Werner and A. Winkler, Insertion techniques for the heuristic solution of the job shop problem **58** (2) (1995) 191–211
1520. E.M. Arkin and R. Hassin, Approximation algorithms for the Geometric Covering Salesman Problem **55** (3) (1994) 197–218
1521. M.-C. Cai, An algorithm for an Eulerian trail traversing specified edges in given order **55** (3) (1994) 233–239
1522. M. Cohn, On the channel capacity of read/write isolated memory **56** (1) (1995) 1–8
1523. S.B. Horton and R.G. Parker, On Halin subgraphs and supergraphs **56** (1) (1995) 19–35
1524. R. Kohli and R. Krishnamurti, Joint performance of greedy heuristics for the integer knapsack problem **56** (1) (1995) 37–48
1525. N. Norris, Universal covers of graphs: isomorphism to depth $n-1$ implies isomorphism to all depths **56** (1) (1995) 61–74
1526. J. Ryan, The depth and width of local minima in discrete solution spaces **56** (1) (1995) 75–82
1527. Y.S. Smetanich, Y.B. Kazanovich and V.V. Kornilov, A combinatorial approach to the problem of self-assembly **57** (1) (1995) 45–65
1528. N. Alon, J. Spencer and P. Tetali, Covering with latin transversals **57** (1) (1995) 1–10
1529. O. Berkman and U. Vishkin, Almost fully-parallel parentheses matching **57** (1) (1995) 11–28
1530. E. Dahlhaus, Efficient parallel recognition algorithms of cographs and distance hereditary graphs **57** (1) (1995) 29–44
1531. K.O. Kortanek and M. Yamasaki, Discrete infinite transportation problems **58** (1) (1995) 19–33
1532. L.A. Sanchis, Generating hard and diverse test sets for NP-hard graph problems **58** (1) (1995) 35–66
1537. F. Comellas and M.A. Fiol, Vertex-symmetric digraphs with small diameter **58** (1) (1995) 1–11
1540. A. Bar-Noy, S. Kipnis and B. Schieber, Optimal computation of census functions in the postal model **58** (3) (1995) 213–222
1541. K. Culik II and I. Friš, Weighted finite transducers in image processing **58** (3) (1995) 223–237
1542. K. Keeler and J. Westbrook, Short encodings of planar graphs and maps **58** (3) (1995) 239–252
1543. Z. Liu and E. Sanlaville, Preemptive scheduling with variable profile, precedence constraints and due dates **58** (3) (1995) 253–280
1544. Y. Pochet and L.A. Wolsey, Integer knapsack and flow covers with divisible coefficients: polyhedra, optimization and separation **59** (1) (1995) 57–74
1545. V.A. Strusevich, Two machine flow shop scheduling problem with no wait in process: Controllable machine speeds **59** (1) (1995) 75–86
1546. J.J.M. Tan and Y.-C. Hsueh, A generalization of the stable matching problem **59** (1) (1995) 87–102
1547. F.T. Boesch, X. Li and J. Rodriguez, Graphs with most number of three point induced connected subgraphs **59** (1) (1995) 1–10
1548. H. Bräsel, D. Kluge and F. Werner, A polynomial algorithm for an open shop problem with unit processing times and tree constraints **59** (1) (1995) 11–21
1549. T. Eiter, P. Kilpeläinen and H. Mannila, Recognizing renamable generalized propositional Horn formulas is NP-complete **59** (1) (1995) 23–31
1550. X. He and D.B. Sher, On determining non-isotopic configurations of points on a circle **59** (1) (1995) 33–50
1551. J. Karlander, Matrices generated by semilattices **59** (1) (1995) 51–56
1552. O. Petersson and A. Moffat, A framework for adaptive sorting **59** (2) (1995) 153–179
1553. J. Spinrad and R. Sritharan, Algorithms for weakly triangulated graphs **59** (2) (1995) 181–191

1554. J. Wunsch, The Shields–Harary number for wheel and broken wheel graphs **59** (2) (1995) 193–199
1555. D.C. Fisher, J. Ryan, G. Domke and A. Majumdar, Fractional domination of strong direct products (Note) **50** (1994) 89–91
1556. F.K. Hwang and U.G. Rothblum, Constrained partitioning problems **50** (1) (1994) 93–96
1557. J. Gómez, P. Morillo and C. Padró, Large (d, D, D', s) -bipartite digraphs **59** (2) (1995) 103–114
1558. S.W. Hadley, Approximation techniques for hypergraph partitioning problems **59** (2) (1995) 115–127
1559. S. Klavžar and N. Seifter, Dominating Cartesian products of cycles **59** (2) (1995) 129–136
1560. W. Liu and A. Vannelli, Generating lower bounds for the linear arrangement problem **59** (2) (1995) 137–151
1561. Y.N. Sotskov and N.V. Shakhlevich, NP-hardness of shop-scheduling problems with three jobs **59** (3) (1995) 237–266
1562. R.P. Swaminathan and D.K. Wagner, The arborescence-realization problem **59** (3) (1995) 267–283
1564. L.D. Andersen and H. Fleischner, The NP-completeness of finding A-trails in Eulerian graphs and of finding spanning trees in hypergraphs **59** (3) (1995) 203–214
1565. M. Benelli and R. Hassin, Optimal separable partitioning in the plane **59** (3) (1995) 215–224
1566. M.C. Carlisle and E.L. Lloyd, On the k -coloring of intervals **59** (3) (1995) 225–235
1567. S. Chopra and M.R. Rao, Facets of the k -partition polytope **61** (1) (1995) 27–48
1568. K. Ravishanker and S. Singh, Asymptotically optimal gossiping in radio networks **61** (1) (1995) 61–82
1569. J. Vygen, NP-completeness of some edge-disjoint paths problems **61** (1) (1995) 83–90
1570. J. Czyzowicz, E. Rivera-Campo and J. Urrutia, Separation of convex sets **51** (3) (1994) 325–328
1571. G. Istrate, Self-reading sequences **50** (2) (1994) 201–203
1572. J. Kratochvíl and Z. Tuza, Algorithmic complexity of list colorings **50** (3) (1994) 297–302
1578. M. Anthony, G. Brightwell and J. Shawe-Taylor, On specifying Boolean functions by labelled examples **61** (1) (1995) 1–25
1579. M. Anthony, Classification by polynomial surfaces **61** (2) (1995) 91–103
1580. D.S. Cohen and M. Blum, On the problem of sorting burnt pancakes **61** (2) (1995) 105–120
1581. A. De Bonis, L. Gargano and U. Vaccaro, Optimal detection of a counterfeit coin with multi-arms balances **61** (2) (1995) 121–131
1582. M. Fellows, P. Hell and K. Seyffarth, Large planar graphs with given diameter and maximum degree **61** (2) (1995) 133–153
1583. B. Jamison and S. Olariu, Linear time optimization algorithms for P_4 -sparse graphs **61** (2) (1995) 155–175
1584. K. Jansen, Scheduling of conditional executed jobs on unrelated processors **61** (3) (1995) 245–255
1585. G. Păun and A. Salomaa, Thin and slender languages **61** (3) (1995) 257–270
1586. M. Aigner and O. Schwarzkopf, Bounds on the size of merging networks **61** (3) (1995) 187–194
1587. R. Baldick, A unified approach to polynomially solvable cases of integer “non-separable” quadratic optimization **61** (3) (1995) 195–212
1588. M. Baumslag, An algebraic analysis of the connectivity of DeBruijn and shuffle-exchange digraphs **61** (3) (1995) 213–227
1589. S. Iwata and K. Murota, A theorem on the principal structure for independent matchings **61** (3) (1995) 229–244
1590. B. Klinz, R. Rudolf and G.J. Woeginger, On the recognition of permuted bottleneck Monge matrices **63** (1) (1995) 43–74
1591. M. Schäffter, Drawing graphs on rectangular grids **63** (1) (1995) 75–89
1592. U. Tamm, Deterministic communication complexity of set intersection **61** (3) (1995) 271–283
1593. F. Maffray and M. Preissmann, Linear recognition of pseudo-split graphs **52** (3) (1994) 307–312
1594. R. Motwani and M. Sudan, Computing roots of graphs is hard **54** (1) (1994) 81–88
1595. M. Valerio, L.E. Moser and P.M. Melliar-Smith, Classic squares and broadcast squares **54** (1) (1994) 89–96
1597. H. Abeledo and U.G. Rothblum, Paths to marriage stability **63** (1) (1995) 1–12
1598. J.O. Cerdeira, I. Faria and P. Bárcia, Establishing determinantal inequalities for positive-definite matrices **63** (1) (1995) 13–24
1599. M. Dell’Amico, S. Martello and D. Vigo, Minimizing the sum of weighted completion times with unrestricted weights **63** (1) (1995) 25–41
1600. H.-J. Lai and H. Lai, Every matroid is a submatroid of a uniformly dense matroid **63** (2) (1995) 151–160

1601. D. Sakai Troxell, No-hole k -tuple $(r+1)$ -distant colorings **64** (1) (1996) 67–85
1602. M.A. Srinivas, Matroid optimization with generalized constraints **63** (2) (1995) 161–174
1603. L.-H. Tsai, The modified differencing method for the set partitioning problem with cardinality constraints **63** (2) (1995) 175–180
1604. A. Frieze and M. Molloy, Broadcasting in random graphs **54** (1) (1994) 77–79
1605. G. Istrate and G. Păun, Some combinatorial properties of self-reading sequences **55** (1) (1994) 83–86
1606. S. Kryński, Graphs in which all Hamiltonian cycles have the same length **55** (1) (1994) 87–89
1607. A.P. Punnen and K.P.K. Nair, Improved complexity bound for the maximum cardinality bottleneck bipartite matching problem **55** (1) (1994) 91–93
1609. M. Alfter and W. Hochstättler, On pseudomodular matroids and adjoints **60** (1-3) (1995) 3–11
1610. F. Annexstein and J. Franco, Work-preserving emulations of shuffle-exchange networks: an analysis of the complex plane diagram **60** (1-3) (1995) 13–23
1611. A. Bagchi, B. Servatius and W. Shi, 2-satisfiability and diagnosing faulty processors in massively parallel computing systems **60** (1-3) (1995) 25–37
1612. J.-P. Barthélemy, O. Hudry, G. Isaak, F.S. Roberts and B. Tesman, The reversing number of a digraph **60** (1-3) (1995) 39–76
1613. K.A. Berman, J. Franco and J.S. Schlipf, Unique satisfiability of Horn sets can be solved in nearly linear time **60** (1-3) (1995) 77–91
1614. K.P. Bogart, P.C. Fishburn, G. Isaak and L. Langley, Proper and unit tolerance graphs **60** (1-3) (1995) 99–117
1615. D.-Z. Du, On component-size bounded Steiner trees **60** (1-3) (1995) 131–140
1616. P. Erdős and P.C. Fishburn, Multiplicities of interpoint distances in finite planar sets **60** (1-3) (1995) 141–147
1617. P. Erdős and P. Fishburn, Intervortex distances in convex polygons **60** (1-3) (1995) 149–158
1618. G. Gallo and D. Pretolani, A new algorithm for the propositional satisfiability problem **60** (1-3) (1995) 159–179
1619. P.L. Hammer and A.K. Kelmans, Laplacian spectra and spanning trees of threshold graphs **65** (1-3) (1996) 255–273
1620. P. Hansen, B. Jaumard and M.P. de Aragão, Boole's conditions of possible experience and reasoning under uncertainty **60** (1-3) (1995) 181–193
1621. A. Hertz, Polynomially solvable cases for the maximum stable set problem **60** (1-3) (1995) 195–210
1622. K. Hoke, Extending shelling orders and a hierarchy of functions of unimodal simple polytopes **60** (1-3) (1995) 211–217
1623. F.K. Hwang, The time complexity of deterministic broadcast radio networks **60** (1-3) (1995) 219–222
1624. B. Klinz, R. Rudolf and G.J. Woeginger, Permuting matrices to avoid forbidden submatrices **60** (1-3) (1995) 223–248
1625. A. Kogan, On the essential test sets of discrete matrices **60** (1-3) (1995) 249–255
1626. L.J. Langley, A recognition algorithm for orders of interval dimension two **60** (1-3) (1995) 257–266
1627. L.J. Langley, Irreflexive and reflexive dimension **60** (1-3) (1995) 267–273
1628. F. Lazebnik and V.A. Ustimenko, Explicit construction of graphs with an arbitrary large girth and of large size **60** (1-3) (1995) 275–284
1629. X. Lu, A note on biased and non-biased games **60** (1-3) (1995) 285–291
1630. Z. Nutov and M. Penn, On the integral dicycle packings and covers and the linear ordering polytope **60** (1-3) (1995) 293–309
1631. U.N. Peled and F. Sun, Enumeration of difference graphs **60** (1-3) (1995) 311–318
1632. S.G. Penrice, On-line algorithms for ordered sets and comparability graphs **60** (1-3) (1995) 319–329
1633. C. Picouleau, New complexity results on scheduling with small communication delays **60** (1-3) (1995) 331–342
1634. S. Rajpal, On paving matroids and a generalization of MDS codes **60** (1-3) (1995) 343–347
1635. M.M. Syslo, On some new types of greedy chains and greedy linear extensions of partially ordered sets **60** (1-3) (1995) 349–358
1636. A.N. Trenk, Generalized perfect graphs: Characterizations and inversion **60** (1-3) (1995) 359–387
1637. G.J. Chang, C. Pandu Rangan and S.R. Coorg, Weighted independent perfect domination on cocomparability graphs **63** (3) (1995) 215–222
1638. J.R. Driscoll, D.M. Healy and G.T. Isaak, Scheduling dyadic intervals **63** (2) (1995) 101–116

1639. F.Ö. Ergincan and D.A. Gregory, Directed Moore hypergraphs **63** (2) (1995) 117–127
1640. E. Kranakis and D. Krizanc, Labeled versus unlabeled distributed Cayley networks **63** (3) (1995) 223–236
1641. E. Nowicki and S. Zdrzalka, A bicriterion approach to preemptive scheduling of parallel machines with controllable job processing times **63** (3) (1995) 237–256
1642. W. Stadje, Selecting jobs for scheduling on a machine subject to failure **63** (3) (1995) 257–265
1643. J. Topp and P.D. Vestergaard, Well irredundant graphs **63** (3) (1995) 267–276
1644. D. Blokh and G. Gutin, Maximizing traveling salesman problem for special matrices **56** (1) (1995) 83–86
1645. D.C. Fisher and J. Ryan, Probabilities within optimal strategies for tournament games **56** (1) (1995) 87–91
1646. E. Prisner, Clique covering and clique partition in generalizations of line graphs **56** (1) (1995) 93–98
1647. K.R. Pruhs, Using local adaptations to reconfigure a spanning tree of a network **57** (1) (1995) 67–74
1648. F. Ruskey, M. Jiang and A. Weston, The Hamiltonicity of directed σ - τ Cayley graphs (Or: A tale of backtracking) **57** (1) (1995) 75–83
1649. A.S. Schulz, The permutahedron of series-parallel posets **57** (1) (1995) 85–90
1650. B. Spieker, The set of super-stable marriages forms a distributive lattice **58** (1) (1995) 79–84
1652. Y. Aoki, Probing the arrangement of hyperplanes **56** (2-3) (1995) 101–125
1653. D. Barth, J. Bond and A. Raspaud, Compatible eulerian circuits in K_n^{**} **56** (2-3) (1995) 127–136
1654. P. Cheng and S. Masuyama, A lower bound of the expected maximum number of edge-disjoint s - t paths on probabilistic graphs **56** (2-3) (1995) 137–155
1655. H. de Fraysseix, P. Ossona de Mendez and P. Rosenstiehl, Bipolar orientations revisited **56** (2-3) (1995) 157–179
1656. M. Deza and V.P. Grishukhin, L-polytopes and equiangular lines **56** (2-3) (1995) 181–214
1657. M. Deza and M. Laurent, Hypercube embedding of generalized bipartite metrics **56** (2-3) (1995) 215–230
1658. K. Fukuda and M. Namiki, Finding all common bases in two matroids **56** (2-3) (1995) 231–243
1659. M. Hanazawa, H. Narushima and N. Minaka, Generating most parsimonious reconstructions on a tree: A generalization of the Farris–Swofford–Maddison method **56** (2-3) (1995) 245–265
1660. A.V. Karzanov, Half-integral flows in a planar graph with four holes **56** (2-3) (1995) 267–295
1661. Y. Manoussakis, Alternating paths in edge-colored complete graphs **56** (2-3) (1995) 297–309
1662. T. Matsui and S. Tamura, Adjacency on combinatorial polyhedra **56** (2-3) (1995) 311–321
1663. S. Negami and K. Kawagoe, Polynomial invariants of graphs with state models **56** (2-3) (1995) 323–331
1664. M. Shigeno, Y. Saruwatari and T. Matsui, An algorithm for fractional assignment problems **56** (2-3) (1995) 333–343
1665. T. Matsui, The minimum spanning tree problem on a planar graph (*Communication*) **58** (1995) 91–94
1667. J.D. Annan, The complexities of the coefficients of the Tutte polynomial **57** (2-3) (1995) 93–103
1668. J.R. Birge and M.A.H. Dempster, Optimal match-up strategies in stochastic scheduling **57** (2-3) (1995) 105–120
1669. P. Butkovič, Regularity of matrices in min-algebra and its time-complexity **57** (2-3) (1995) 121–132
1670. K. Edwards and C. McDiarmid, The complexity of harmonious colouring for trees **57** (2-3) (1995) 133–144
1671. K.D. Glazebrook, Stochastic scheduling and forwards induction **57** (2-3) (1995) 145–165
1672. C. Hanen and A. Munier, A study of the cyclic scheduling problem on parallel processors **57** (2-3) (1995) 167–192
1673. L. Kučera, Expected complexity of graph partitioning problems **57** (2-3) (1995) 193–212
1674. B. Reed, Rooted routing in the plane **57** (1995) 213–227
1675. E. Sanlaville, Nearly on line scheduling of preemptive independent tasks **57** (2-3) (1995) 229–241
1676. N.Y. Soma, A.S.I. Zinober, H.H. Yanasse and P.J. Harley, A polynomial approximation scheme for the subset sum problem **57** (2-3) (1995) 243–253
1677. A. Srivastav and P. Stangier, Weighted fractional and integral k -matching in hypergraphs **57** (2-3) (1995) 255–269
1678. D.R. Guichard, No-hole k -tuple $(r+1)$ -distant colorings of odd cycles **64** (1) (1996) 87–92
1679. I. Vrt'o, Two remarks on "Expanding and Forwarding" by P. Solé **58** (1) (1995) 85–89
1680. K.P. Bogart, J. Bonin and J. Mitas, Interval orders based on weak orders **60** (1-3) (1995) 93–98

1681. C.J. Colbourn, J.S. Provan and D. Vertigan, A new approach to solving three combinatorial enumeration problems on planar graphs **60** (1-3) (1995) 119–129
1682. U. Faigle and W.M. Nawijn, Note on scheduling intervals on-line **58** (1) (1995) 13–17
1683. T. Soneoka, M. Imase and Y. Manabe, Design of a d -connected digraph with a minimum number of edges and a quasiminimal diameter: II **64** (3) (1996) 267–279
1684. I. Averbakh, O. Berman and A.P. Punnen, Constrained matroidal bottleneck problems **63** (3) (1995) 201–214
1685. V. Chepoi, A multifacility location problem on median spaces **64** (1) (1996) 1–29
1686. A.S. Fraenkel and S.T. Klein, Robust universal complete codes for transmission and compression **64** (1) (1996) 31–55
1687. B. Hartnell and M.D. Plummer, On 4-connected claw-free well-covered graphs **64** (1) (1996) 57–65
1688. M.V. Marathe, H.B. Hunt III and S.S. Ravi, Efficient approximation algorithms for domatic partition and on-line coloring of circular arc graphs **64** (2) (1996) 135–149
1689. A. Orlitsky and S.S. Venkatesh, On edge-colored interior planar graphs on a circle and the expected number of RNA secondary structures **64** (2) (1996) 151–178
1690. M. Urabe, On a partition into convex polygons **64** (2) (1996) 179–191
1691. X. Li and I. Gutman, A unified approach to the first derivatives of graph polynomials **58** (3) (1995) 293–297
1692. R.D. Armstrong and Z. Jin, Strongly polynomial simplex algorithm for bipartite vertex packing **64** (2) (1996) 97–103
1693. A. Bagchi, E.F. Schmeichel and S.L. Hakimi, Gossiping with multiple sends and receives **64** (2) (1996) 105–116
1694. R. Chen, Coronoid systems with perfect matchings **64** (2) (1996) 117–133
1695. M.B. Dillencourt, Finding Hamiltonian cycles in Delaunay triangulations is NP-complete **64** (3) (1996) 207–217
1696. A. Munier, The basic cyclic scheduling problem with linear precedence constraints **64** (3) (1996) 219–238
1697. C. Padró, P. Morillo and E. Llobet, Diameter-vulnerability of large bipartite digraphs **64** (3) (1996) 239–248
1698. G. Sajith and S. Saxena, Optimal parallel algorithm for Brooks' colouring bounded degree graphs in logarithmic time on EREW PRAM **64** (3) (1996) 249–265
1699. A.T. Benjamin, C. Converse and H.A. Krieger, How do I marry thee? Let me count the ways! **59** (3) (1995) 285–292
1700. M. Carpentieri, Some democratic secret sharing schemes **59** (3) (1995) 293–298
1701. H.-J. Lai, Large survivable nets and the generalized prisms **61** (2) (1995) 181–185
1702. J.-P. Allouche, F. von Haeseler, H.-O. Peitgen and G. Skordev, Linear cellular automata, finite automata and Pascal's triangle **66** (1) (1996) 1–22
1703. A. Brandstädt and H.-J. Voss, Short disjoint cycles in graphs with degree constraints **64** (3) (1996) 197–205
1704. R. Brewster and G. MacGillivray, Homomorphically full graphs **66** (1) (1996) 23–31
1705. C.R. Coullard, A. Rais, R.L. Rardin and D.K. Wagner, The dominant of the 2-connected-Steiner-subgraph polytope for W_4 -free graphs **66** (1) (1996) 33–43
1706. F. Gavril, Intersection graphs of Helly families of subtrees **66** (1) (1996) 45–56
1707. B. Mans and C. Roucairol, Performances of parallel branch and bound algorithms with best-first search **66** (1) (1996) 57–74
1708. C.-C. Yen and R.C.T. Lee, The weighted perfect domination problem and its variants **66** (2) (1996) 147–160
1709. S. Zdrzałka, A sequencing problem with family setup times **66** (2) (1996) 161–183
1712. G. Andreatta and F. Mason, Path covering problems and testing of printed circuits **62** (1-3) (1995) 5–13
1713. R.I. Becker and Y. Perl, The shifting algorithm technique for the partitioning of trees **62** (1-3) (1995) 15–34
1715. E. Boros, V. Gurvich, P.L. Hammer, T. Ibaraki and A. Kogan, Decomposability of partially defined Boolean functions **62** (1-3) (1995) 51–75
1716. P. Brucker, Efficient algorithms for some path partitioning problems **62** (1-3) (1995) 77–85
1717. S. Chopra, Compositions for matroids with the Fulkerson property **62** (1-3) (1995) 87–101

1718. M. Conforti, G. Cornuéjols and M.R. Rao, Decomposition of wheel-and-parachute-free balanced bipartite graphs **62** (1-3) (1995) 103–117
1719. D. Cvetković, P. Rowlinson and S. Simić, On some algorithmic investigations of star partitions of graphs **62** (1-3) (1995) 119–130
1720. M. Davis-Moradkhan and C. Roucairol, Graph partitioning applied to the logic testing of combinational circuits **62** (1-3) (1995) 131–165
1721. C.C. de Souza and M. Laurent, Some new classes of facets for the equicut polytope **62** (1-3) (1995) 167–191
1722. R. Euler and H. Le Verge, Complete linear descriptions of small asymmetric traveling salesman polytopes **62** (1-3) (1995) 193–208
1723. A.R. Mahjoub, A min–max relation for K_3 -covers in graphs noncontractible to $K_5 \setminus e$ **62** (1-3) (1995) 209–219
1724. A. Mingozzi, S. Ricciardelli and M. Spadoni, Partitioning a matrix to minimize the maximum cost **62** (1-3) (1995) 221–248
1725. S. Poljak and F. Rendl, Solving the max-cut problem using eigenvalues **62** (1-3) (1995) 249–278
1726. G. Tinhofer, Bin-packing and matchings in threshold graphs **62** (1-3) (1995) 279–289
1727. R.C. Brigham, F.R. McMorris and R.P. Vitray, Two- ϕ -tolerance competition graphs **66** (2) (1996) 101–108
1728. F. Cheah and D.G. Corneil, On the structure of trapezoid graphs **66** (2) (1996) 109–133
1729. N.J. Finizio, An infinite class of Z -cyclic whist tournaments on v players, $v \equiv 1 \pmod{4}$ **66** (2) (1996) 135–146
1730. M.X. Goemans, An approximation algorithm for scheduling on three dedicated machines **61** (1) (1995) 49–59
1731. T. Hegedűs and N. Megiddo, On the geometric separability of Boolean functions **66** (3) (1996) 205–218
1732. C.T. Hoàng, On the complexity of recognizing a class of perfectly orderable graphs **66** (3) (1996) 219–226
1733. T. Kämpke, Lower probabilities and function representation **66** (3) (1996) 227–243
1734. K.A. McKeon, The expected number of symmetries in locally restricted trees II **66** (3) (1996) 245–253
1735. D.B. Peters and J.G. Peters, Bounded depth broadcasting **66** (3) (1996) 255–270
1736. R.C. Powers, Arrow's Theorem for closed weak hierarchies **66** (3) (1996) 271–278
1737. H.L. Abbott and M.J. Smuga-Otto, Lower bounds for hypergraph Ramsey numbers **61** (2) (1995) 177–180
1739. L. Bianco, P. Dell'Olmo and M.G. Speranza, Scheduling independent tasks with multiple modes **62** (1-3) (1995) 35–50
1740. A.V. Gerbessiotis, Close-to-optimal and near-optimal broadcasting in random graphs **63** (2) (1995) 129–150
1742. B. Courcelle, Erratum to "The monadic second-order logic of graphs VI: On several representations of graphs by relational structures" [Discrete Applied Mathematics 54 (1994) 117–149] **63** (2) (1995) 199–200
1743. D. Babić and N. Trinajstić, Möbius inversion on a poset of a graph and its acyclic subgraphs **67** (1-3) (1996) 5–11
1744. K.T. Balińska, H. Galina, L.V. Quintas and J. Szymański, A kinetic approach to the random f -graph process. Paths, cycles and components **67** (1-3) (1996) 13–25
1745. I.P. Bangov, Generation of molecular graphs based on flexible utilization of the available structural information **67** (1996) 27–49
1746. T.J.N. Brown, R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes **67** (1-3) (1996) 51–66
1747. S.J. Cyvin, B.N. Cyvin, J. Brunvoll and E.K. Lloyd, Circumscribing certain polygonal systems **67** (1-3) (1996) 67–78
1748. J.R. Dias, Graph theoretical invariants and elementary subgraphs of polyhex and polypent/polyhex systems of chemical relevance **67** (1-3) (1996) 79–114
1749. R. Grund, A. Kerber and R. Laue, Construction of discrete structures, especially isomers **67** (1-3) (1996) 115–126
1750. F. Harary, W. Randolph and P.G. Mezey, A study of maximum unit-circle caterpillars – tools for the study of the shape of adsorption patterns **67** (1-3) (1996) 127–135

1751. H. Wenchen, H. Wenjie and H. Ying, Cut invariant d and bond orders of Kekuléan benzenoids **67** (1-3) (1996) 137–147
1752. J. Katriel, Explicit expressions for the central characters of the symmetric group **67** (1-3) (1996) 149–156
1753. D.J. Klein and H. Zhu, Resonance in elemental benzenoids **67** (1-3) (1996) 157–173
1754. M.E. Muzychuk, M.H. Klin and N.S. Zefirov, On the mathematical model of triangulanes **67** (1-3) (1996) 175–187
1755. J. Pospíchal and V. Kvasníčka, Pruning the search tree in the constructive enumeration of molecular graphs **67** (1-3) (1996) 189–207
1756. P. Rowlinson, The characteristic polynomials of modified graphs **67** (1-3) (1996) 209–219
1757. Y.-N. Yeh, I. Gutman and C.-M. Fu, Graph transformations which preserve the multiplicity of an eigenvalue **67** (1-3) (1996) 221–228
1759. A. Bouabdallah, C. Delorme and S. Djelloul, Edge deletion preserving the diameter of the hypercube **63** (1) (1995) 91–95
1760. A. Hertz, M. Queyranne and M. Widmer, Preface **65** (1-3) (1996) 1–3
1762. D. Avis and K. Fukuda, Reverse search for enumeration **65** (1-3) (1996) 21–46
1763. A. Bachem, W. Hochstättler and M. Malich, The simulated trading heuristic for solving vehicle routing problems **65** (1-3) (1996) 47–72
1764. C. Berge, Some properties of non-bicolorable hypergraphs and the four-color problem **65** (1-3) (1996) 73–79
1765. J. Błażewicz, M. Drozdowski, D. de Werra and J. Węglarz, Deadline scheduling of multiprocessor tasks **65** (1-3) (1996) 81–95
1766. P. Brucker, J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems—I **65** (1-3) (1996) 97–122
1767. R.E. Burkard, R. Rudolf and G.J. Woeginger, Three-dimensional axial assignment problems with decomposable cost coefficients **65** (1-3) (1996) 123–139
1768. J. Carlier and C. Lucet, A decomposition algorithm for network reliability evaluation **65** (1-3) (1996) 141–156
1769. M. Cochand and A. Gaillard, On preemptive scheduling: a general setting for the two-phase method **65** (1-3) (1996) 157–166
1770. Y. Dai, H. Imai, K. Iwano, N. Katoh, K. Ohtsuka and N. Yoshimura, A new unifying heuristic algorithm for the undirected minimum cut problems using minimum range cut algorithms **65** (1-3) (1996) 167–190
1771. M. Dell'Amico and F. Maffioli, On some multicriteria arborescence problems: complexity and algorithms **65** (1-3) (1996) 191–206
1772. R. Euler and H. Le Verge, Time-tables, polyhedra and the greedy algorithm **65** (1-3) (1996) 207–221
1773. F. Glover, Ejection chains, reference structures and alternating path methods for traveling salesman problems **65** (1-3) (1996) 223–253
1774. P. Hansen and M. Zheng, Shortest shortest path trees of a network **65** (1-3) (1996) 275–284
1775. A. Hertz, Y. Mottet and Y. Rochat, On a scheduling problem in a robotized analytical system **65** (1-3) (1996) 285–318
1776. A. Hertz and M. Widmer, An improved tabu search approach for solving the job shop scheduling problem with tooling constraints **65** (1-3) (1996) 319–345
1777. A.J.W. Hilton, J.P. Liu and C. Zhao, Graphs that admit 3-to-1 or 2-to-1 maps onto the circle **65** (1-3) (1996) 347–377
1778. C.T. Hoàng, A note on perfectly orderable graphs **65** (1-3) (1996) 379–386
1779. J. Lehel, F. Maffray and M. Preissmann, Graphs with largest number of minimum cuts **65** (1-3) (1996) 387–407
1780. M. Pattloch and G. Schmidt, Lot-size scheduling of two types of jobs on identical machines **65** (1-3) (1996) 409–419
1781. H. Shum and L.E. Trotter Jr, Cardinality-restricted chains and antichains in partially ordered sets **65** (1-3) (1996) 421–439
1782. J.-C. Bermond and F.Ö. Ergincan, Bus interconnection networks **68** (1-2) (1996) 1–15
1783. F. Blanchet-Sadri, Inclusion relations between some congruences related to the dot-depth hierarchy **68** (1-2) (1996) 33–71
1784. M.-S. Chang, Y.-H. Chen, G.J. Chang and J.-H. Yan, Algorithmic aspects of the generalized clique-transversal problem on chordal graphs **66** (3) (1996) 189–203

1785. C.-Y. Lee and C.-L. Li, On the fixed interval due-date scheduling problem **68** (1-2) (1996) 101–117
1786. A.L. Liestman, T.C. Shermer and C.R. Stolte, Degree-constrained spanners for multidimensional grids **68** (1-2) (1996) 119–144
1787. W. Yu, Augmentations of consistent partial orders for the one-machine total tardiness problem **68** (1-2) (1996) 189–202
1788. M.R. Brito, A simple a.s. correct algorithm for deciding if a graph has a perfect matching **63** (2) (1995) 181–185
1790. I. Averbakh and O. Berman, A heuristic with worst-case analysis for minimax routing of two travelling salesmen on a tree **68** (1-2) (1996) 17–32
1791. D. de Werra, A.J. Hoffman, N.V.R. Mahadev and U.N. Peled, Restrictions and preassignments in preemptive open shop scheduling **68** (1-2) (1996) 169–188
1792. J. Dunbar, W. Goddard, S. Hedetniemi, A. McRae and M.A. Henning, The algorithmic complexity of minus domination in graphs **68** (1-2) (1996) 73–84
1793. G.H. Fricke, M.A. Henning, O.R. Oellermann and H.C. Swart, An algorithm to find two distance domination parameters in a graph **68** (1-2) (1996) 85–91
1794. S. Klavžar and J. Žerovnik, Algebraic approach to fasciagraphs and rotagraphs **68** (1-2) (1996) 93–100
1795. D.R. Popescu and I. Tomescu, Negative cycles in complete signed graphs **68** (1-2) (1996) 145–152
1796. H.D. Sherali and Y. Lee, Tighter representations for set partitioning problems **68** (1-2) (1996) 153–167
1797. I.A. Stewart, Finding regular subgraphs in both arbitrary and planar graphs **68** (3) (1996) 223–235
1798. C. Flotow, On powers of m -trapezoid graphs **63** (2) (1995) 187–192
1799. L. Ilie, On subwords of infinite words **63** (3) (1995) 277–279
1800. M. Lipponen and G. Păun, Strongly prime PCP words **63** (2) (1995) 193–197
1801. C.R. Satyan and C. Pandu Rangan, The parity path problem on some subclasses of perfect graphs **68** (3) (1996) 293–302
1803. P.C. Fishburn, Decision theory and discrete mathematics **68** (3) (1996) 209–221
1804. K. Ando, S. Fujishige and T. Nemoto, Decomposition of a bidirected graph into strongly connected components and its signed poset structure **68** (3) (1996) 237–248
1805. L.W. Beineke, O.R. Oellermann and R.E. Pippert, On the Steiner median of a tree **68** (3) (1996) 249–258
1806. F.F. Dragan and V.I. Voloshin, Incidence graphs of biacyclic hypergraphs **68** (3) (1996) 259–266
1807. G.H. Fricke, S.T. Hedetniemi and D.P. Jacobs, Maximal irredundant functions **68** (3) (1996) 267–277
1808. Y. Manoussakis and Z. Tuza, The forwarding index of directed networks **68** (3) (1996) 279–291
1809. K. Nachtigall, Periodic network optimization with different arc frequencies **69** (1-2) (1996) 1–17
1810. M.P. Ng and N.C. Wormald, Reconstruction of rooted trees from subtrees **69** (1-2) (1996) 19–31
1811. J. Wood and J. Shawe-Taylor, Representation theory and invariant neural networks **69** (1-2) (1996) 33–60
1812. J. Demetrovics and V.D. Thi, Some results about normal forms for functional dependency in the relational datamodel **69** (1-2) (1996) 61–73
1813. G. Gutin and A. Yeo, Ranking the vertices of a complete multipartite paired comparison digraph **69** (1-2) (1996) 75–82
1814. H.-S. Lim, J.-H. Park and K.-Y. Chwa, Embedding trees in recursive circulants **69** (1-2) (1996) 83–99
1815. D. Pixton, Regularity of splicing languages **69** (1-2) (1996) 101–124
1816. P.W. Stephens, Gap strings and spanning forests for bridge graphs of biconnected graphs **69** (1-2) (1996) 125–145
1817. H. Zhang and F. Zhang, The Clar covering polynomial of hexagonal systems I **69** (1-2) (1996) 147–167
1822. S.R. Arikati and U.N. Peled, A polynomial algorithm for the parity path problem on perfectly orientable graphs **65** (1-3) (1996) 5–20
1823. C. Antoni and A. Dalena, On a problem of P. Erdős **66** (1) (1996) 75–79
1824. V. Balachandhran and C.P. Rangan, All-pairs-shortest-length on strongly chordal graphs **69** (1-2) (1996) 169–182
1825. Z.-Z. Chen and X. He, Parallel complexity of partitioning a planar graph into vertex-induced forests **69** (1-2) (1996) 183–198
1826. H. Everett, S. Klein and B. Reed, An algorithm for finding homogeneous pairs **72** (3) (1997) 209–218
1827. C. Flotow, On powers of circular arc graphs and proper circular arc graphs **69** (3) (1996) 197–205
1828. K. Makino and T. Ibaraki, Interior and exterior functions of Boolean functions **69** (3) (1996) 207–229
1829. L.A. Newberg, The number of clone orderings **69** (3) (1996) 231–243
1830. J.-H. Yan, J.-J. Chen and G.J. Chang, Quasi-threshold graphs **69** (3) (1996) 245–253

1831. R.H. Möhring, Triangulating graphs without asteroidal triples **64** (3) (1996) 281–287
1832. J.I. Brown, The complexity of generalized graph colorings **69** (3) (1996) 255–268
1833. J. Fàbrega and M.A. Fiol, Bipartite graphs and digraphs with maximum connectivity **69** (3) (1996) 269–277
1834. P. Hell, D. Kirkpatrick and B. Li, Rounding in symmetric matrices and undirected graphs **70** (1) (1996) 1–22
1835. P. Hell, J. Nešetřil and X. Zhu, Complexity of tree homomorphisms **70** (1) (1996) 23–36
1836. J. Hurink, Polygon scheduling **70** (1) (1996) 37–55
1837. G. Păun, On the splicing operation **70** (1) (1996) 57–79
1838. Z.-L. Chen, Parallel machine scheduling with time dependent processing times **70** (1) (1996) 81–93
1839. R.E. Burkard, B. Klinz and R. Rudolf, Perspectives of Monge properties in optimization **70** (2) (1996) 95–161
1840. T. Etzion and S. Bitan, On the chromatic number, colorings, and codes of the Johnson graph **70** (2) (1996) 163–175
1841. S. Khuller, B. Raghavachari and N. Young, On strongly connected digraphs with bounded cycle length **69** (3) (1996) 279–287
1842. S. Khuller, B. Raghavachari and A. Rosenfeld, Landmarks in graphs **70** (3) (1996) 217–229
1843. Z. Lonc, On the complexity of some edge-partition problems for graphs **70** (2) (1996) 177–183
1844. B. Chen and B. Srivastava, An improved lower bound for the bin packing problem **66** (1) (1996) 81–94
1845. T.C.E. Cheng and M.Y. Kovalyov, Batch scheduling and common due-date assignment on a single machine **70** (3) (1996) 231–245
1846. L. Finta and Z. Liu, Single machine scheduling subject to precedence delays **70** (3) (1996) 247–266
1847. F. Granot and M. Penn, Polynomial algorithms for (integral) maximum two-flows in vertex-capacitated planar graphs **70** (3) (1996) 267–283
1848. D.T. Lee, C.D. Yang and C.K. Wong, Rectilinear paths among rectilinear obstacles **70** (3) (1996) 185–215
1849. K. Park and S. Park, Lifting cover inequalities for the precedence-constrained knapsack problem **72** (3) (1997) 219–241
1850. A. Agnetis, D. Pacciarelli and F. Rossi, Batch scheduling in a two-machine flow shop with limited buffer **72** (3) (1997) 243–260
1851. J.D. Lamb, D.R. Woodall and G.M. Asher, Bond graphs I: Acausal equivalence **72** (3) (1997) 261–293
1852. X. Li, Hexagonal systems with forcing single edges **72** (3) (1997) 295–301
1853. L. O'Connor, Nondegenerate functions and permutations **73** (1) (1997) 41–57
1854. Z. Huaxiao, Z. Fuji and H. Qiongxiang, On the number of spanning trees and Eulerian tours in iterated line digraphs **73** (1) (1997) 59–67
1855. J. Grytczuk, Intertwined infinite binary words (Note) **66** (1996) 95–99
1856. E. Triesch, A group testing problem for hypergraphs of bounded rank **66** (2) (1996) 185–188
1857. B. Aldershof and O.M. Carducci, Stable matchings with couples **68** (1-2) (1996) 203–207
1858. B. Bollobás and G. Brightwell, Random walks and electrical resistances in products of graphs **73** (1) (1997) 69–79
1859. V. Chvátal, Resolution search **73** (1) (1997) 81–99
1860. W.-C. Huang, B.-Y. Yang and Y.-N. Yeh, From ternary strings to Wiener indices of benzenoid chains **73** (2) (1997) 113–131
1861. Y.-L. Lai and K. Williams, On bandwidth for the tensor product of paths and cycles **73** (2) (1997) 133–141
1862. J.D. Lamb, D.R. Woodall and G.M. Asher, Bond graphs II: Causality and singularity **73** (2) (1997) 143–173
1863. V. Chepoi, Peakless functions on graphs **73** (2) (1997) 175–189
1864. R.B. Hayward, Meyniel weakly triangulated graphs – I: co-perfect orderability **73** (3) (1997) 199–210
1865. J.D. Lamb, G.M. Asher and D.R. Woodall, Bond graphs III: Bond graphs and electrical networks **73** (3) (1997) 211–250
1866. I. Parberry, An efficient algorithm for the Knight's tour problem **73** (1997) 251–260
1867. M. Shigeno and S. Iwata, A cost-scaling algorithm for 0–1 submodular flows **73** (3) (1997) 261–273
1868. M. Aigner, Finding the maximum and minimum **74** (1) (1997) 1–12

1869. S. Felsner, R. Müller and L. Wernisch, Trapezoid graphs and generalizations, geometry and algorithms **74** (1) (1997) 13–32
1870. T.-H. Lai and S.-S. Wei, Bipartite permutation graphs with application to the minimum buffer size problem **74** (1) (1997) 33–55
1871. D. Nehme and G. Yu, The cardinality and precedence constrained maximum value sub-hypergraph problem and its applications **74** (1) (1997) 57–68
1872. D. Peleg and A. Wool, The availability of crumbling wall quorum systems **74** (1) (1997) 69–83
1873. H. Yinnone, On paths avoiding forbidden pairs of vertices in a graph **74** (1) (1997) 85–92
1874. G. Zhang, A new version of on-line variable-sized bin packing **72** (3) (1997) 193–197
1875. F.K. Hwang, Y.C. Yao and M.D. Grammatikakis, A d -move local permutation routing for the d -cube **72** (3) (1997) 199–207
1878. P.K. Jha, N. Agnihotri and R. Kumar, Long cycles and long paths in the Kronecker product of a cycle and a tree **74** (2) (1997) 101–121
1879. J. Honkala, A decision method for Parikh slenderness of context-free languages **73** (1) (1997) 1–4
1880. H. Zhang and F. Zhang, The rotation graphs of perfect matchings of plane bipartite graphs **73** (1) (1997) 5–12
1881. Y. Ishigami and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (2) (1997) 123–134
1882. A. Billionnet and A. Faye, A lower bound for a constrained quadratic 0–1 minimization problem **74** (2) (1997) 135–146
1883. R. Chen and F. Zhang, Regular coronoid systems **74** (2) (1997) 147–158
1884. Y. Crama, O. Ekin and P.L. Hammer, Variable and term removal from Boolean formulae **75** (3) (1997) 217–230
1885. A.M. Dean and J.P. Hutchinson, Rectangle-visibility representations of bipartite graphs **75** (1) (1997) 9–25
1886. O. Goldschmidt and D.S. Hochbaum, k -edge subgraph problems **74** (2) (1997) 159–169
1887. O. Kyek, I. Parberry and I. Wegener, Bounds on the number of knight's tours **74** (2) (1997) 171–181
1888. W.A. Webb, How to cut a cake fairly using a minimal number of cuts **74** (2) (1997) 183–190
1890. E. Bampis, F. Guinand and D. Trystram, Some models for scheduling parallel programs with communication delays **72** (1-2) (1997) 5–24
1891. L. Bianco, J. Błażewicz, P. Dell'Olmo and M. Drozdowski, Linear algorithms for preemptive scheduling of multiprocessor tasks subject to minimal lateness **72** (1-2) (1997) 25–46
1892. P. Brucker, J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems. Part II **72** (1-2) (1997) 47–69
1893. P. Dell'Olmo, M.G. Speranza and Zs. Tuza, Comparability graph augmentation for some multiprocessor scheduling problems **72** (1-2) (1997) 71–84
1894. G. Gallo and F. Piccinonno, b9000A 1/4 approximate algorithm for P2/tree/Cmax **72** (1-2) (1997) 85–98
1895. D.S. Hochbaum and D. Landy, Scheduling with batching: two job types **72** (1-2) (1997) 99–114
1896. B. Jurisch, W. Kubiak and J. Józefowska, Algorithms for minclique scheduling problems **72** (1-2) (1997) 115–139
1897. A.J. Orman and C.N. Potts, On the complexity of coupled-task scheduling **72** (1-2) (1997) 141–154
1898. M.W. Schäffter, Scheduling with forbidden sets **72** (1-2) (1997) 155–166
1899. G. Steiner, Minimizing the number of tardy jobs with precedence constraints and agreeable due dates **72** (1-2) (1997) 167–177
1900. A. von Arnim and A.S. Schulz, Facets of the generalized permutahedron of a poset **72** (1-2) (1997) 179–192
1901. L. Cai, On spanning 2-trees in a graph **74** (3) (1997) 203–216
1902. R. Chen and F. Zhang, Hamilton paths in Z-transformation graphs of perfect matchings of hexagonal systems **74** (2) (1997) 191–196
1903. G. Gambosi, M. Protasi and M. Talamo, Preserving approximation in the Min-Weighted Set Cover problem **73** (1) (1997) 13–22
1904. A.A. Melkman and S.E. Shimony, A note on approximate inclusion-exclusion **73** (1) (1997) 23–26
1905. R. Davies and G.F. Royle, Graph domination, tabu search and the football pool problem **74** (3) (1997) 217–228

1906. Y. Ishigami and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states **74** (3) (1997) 229–240
1908. Y. Daniel Liang, Parallel algorithms for the domination problems in trapezoid graphs **74** (3) (1997) 241–249
1909. K. Makino, K. Yano and T. Ibaraki, Positive and Horn decomposability of partially defined Boolean functions **74** (3) (1997) 251–274
1910. N. Akkiraju and H. Edelsbrunner, Triangulating the surface of a molecule **71** (1-3) (1996) 5–22
1911. J.E. Atkins and M. Middendorf, On Physical Mapping and the consecutive ones property for sparse matrices **71** (1-3) (1996) 23–40
1912. V. Bafna, B. Narayanan and R. Ravi, Nonoverlapping local alignments (weighted independent sets of axis-parallel rectangles) **71** (1-3) (1996) 41–53
1913. H.L. Bodlaender and B. de Fluiter, On intervalizing k -colored graphs for DNA physical mapping **71** (1-3) (1996) 55–77
1914. D. Boneh, C. Dunworth, R.J. Lipton and J. Sgall, On the computational power of DNA **71** (1-3) (1996) 79–94
1915. A. Dress, D. Huson and V. Moulton, Analyzing and visualizing sequence and distance data using SPLITSTREE **71** (1-3) (1996) 95–109
1916. L.A. Goldberg, P.W. Goldberg, C.A. Phillips, E. Sweedyk and T. Warnow, Minimizing phylogenetic number to find good evolutionary trees **71** (1-3) (1996) 111–136
1917. S. Hannenhalli, Polynomial-time algorithm for computing translocation distance between genomes **71** (1-3) (1996) 137–151
1918. J. Hein, T. Jiang, L. Wang and K. Zhang, On the complexity of comparing evolutionary trees **71** (1-3) (1996) 153–169
1919. D. Kandel, Y. Matias, R. Unger and P. Winkler, Shuffling biological sequences **71** (1-3) (1996) 171–185
1920. J.M. Smith and B. Toppur, Euclidean Steiner minimal trees, minimum energy configurations, and the embedding problem of weighted graphs in E^3 **71** (1-3) (1996) 187–215
1921. M. Paterson and T. Przytycka, On the complexity of string folding **71** (1-3) (1996) 217–230
1922. W.R. Pearson, G. Robins, D.E. Wrege and T. Zhang, On the primer selection problem in polymerase chain reaction experiments **71** (1-3) (1996) 231–246
1923. D. Sankoff and J.H. Nadeau, Conserved synteny as a measure of genomic distance **71** (1-3) (1996) 247–257
1924. T.D. Schneider and D.N. Mastronarde, Fast multiple alignment of ungapped DNA sequences using information theory and a relaxation method **71** (1-3) (1996) 259–268
1925. T. Chen and S.S. Skiena, Sorting with fixed-length reversals **71** (1-3) (1996) 269–295
1926. M. Vingron and M.S. Waterman, Alignment networks and electrical networks **71** (1-3) (1996) 297–309
1927. C. Phillips and T.J. Warnow, The asymmetric median tree – A new model for building consensus trees **71** (1-3) (1996) 311–335
1928. Z. Zhang, B. He and W. Miller, Local multiple alignment via subgraph enumeration **71** (1-3) (1996) 337–365
1929. S. Istrail, P. Pevzner and R. Shamir, Introduction **71** (1-3) (1996) 1–4
1930. L. Cai and B. Schieber, A linear-time algorithm for computing the intersection of all odd cycles in a graph **73** (1) (1997) 27–34
1931. K. Romanik, Directed rectangle-visibility graphs have unbounded dimension **73** (1) (1997) 35–39
1932. B. Bollobás and I. Leader, Matchings and paths in the cube **75** (1) (1997) 1–8
1933. R.A. Brualdi and J. Shao, Generalized exponents of primitive symmetric digraphs **74** (3) (1997) 275–293
1934. P. Firby and J. Haviland, Independence and average distance in graphs **75** (1) (1997) 27–37
1935. M. Gavalec, Computing matrix period in max–min algebra **75** (1) (1997) 63–70
1936. E. Kranakis, D. Krizanc, A. Maheshwari, M. Noy, J.-R. Sack and J. Urrutia, Stage-graph representations **75** (1) (1997) 71–80
1937. S.-K. Lee, A.D. Oh, H. Choi and H.-A. Choi, Optimal transmission schedules in TWDM optical passive star networks **75** (1) (1997) 81–91
1938. A.P. Punnen and Y.P. Aneja, Minimum dispersion problems **75** (1) (1997) 93–102
1939. P. Fishburn, P. Schwander, L. Shepp and R.J. Vanderbei, The discrete Radon transform and its approximate inversion via linear programming **75** (1) (1997) 39–61
1940. C. Garcia and C. Peyrat, Large Cayley graphs on an abelian group **75** (2) (1997) 125–133

1941. K. Jansen and P. Scheffer, Generalized coloring for tree-like graphs **75** (2) (1997) 135–155
1942. R. Labahn and A. Raspaud, Periodic gossiping in back-to-back trees **75** (2) (1997) 157–168
1943. S. Martello, F. Soumis and P. Toth, Exact and approximation algorithms for makespan minimization on unrelated parallel machines **75** (2) (1997) 169–188
1944. A.D. Scott, Better bounds for perpetual gossiping **75** (2) (1997) 189–197
1946. R.D. Prisco and A.D. Santis, Catastrophic faults in reconfigurable systolic linear arrays **75** (2) (1997) 105–123
1947. I. Fagnot, On the subword equivalence problem for morphic words **75** (3) (1997) 231–253
1948. J. Gorodkin, Orbits of Boolean functions **75** (3) (1997) 269–275
1949. Y. Roditty and B. Shoham, On broadcasting multiple messages in a d -dimensional grid **75** (3) (1997) 277–284
1950. C. Stivaros and K. Sutner, Computing optimal assignments for residual network reliability **75** (3) (1997) 285–295
1952. I. Averbakh and O. Berman, $(p-1)/(p+1)$ -approximate algorithms for p -traveling salesmen problems on a tree with minmax objective **75** (3) (1997) 201–216
1953. S. Fujita and A.M. Farley, Minimum-cost line broadcast in paths **75** (3) (1997) 255–268
1954. G. Gaucy, On quasi-Cayley graphs **77** (1) (1997) 43–58
1955. J.I.A. Stallaert, The complementary class of generalized flow cover inequalities **77** (1) (1997) 73–80
1956. D.R. Woodall, Monotonicity of single-seat preferential election rules **77** (1) (1997) 81–98
1957. C. Blundo and D.R. Stinson, Anonymous secret sharing schemes **77** (1) (1997) 13–28
1958. E. Bulgaru and V.I. Voloshin, Mixed interval hypergraphs **77** (1) (1997) 29–41
1959. K. Han, C.N. Sekharan and R. Sridhar, Unified all-pairs shortest path algorithms in the chordal hierarchy **77** (1) (1997) 59–71
1960. M. Matamala and E. Goles, Dynamic behavior of cyclic automata networks **77** (2) (1997) 161–184
1961. J.L.R. Alfonsín, On variations of the subset sum problem **81** (1-3) (1998) 1–7
1962. V.G. Timkovsky, A polynomial-time algorithm for the two-machine unit-time release-date job-shop schedule-length problem **77** (2) (1997) 185–200
1963. F. Zhang and H. Zhang, A note on the number of perfect matchings of bipartite graphs **73** (3) (1997) 275–282
1964. A.J. Vakharia and B. Çatay, Two machine openshop scheduling with machine-dependent processing times **73** (3) (1997) 283–288
1965. W.C. Shiu and P.C.B. Lam, The Wiener number of the hexagonal net **73** (2) (1997) 101–111
1966. A.A. Gladky, On complexity of minimizing weighted number of late jobs in unit time open shops **74** (2) (1997) 197–201
1967. A.A. Chernyak and Zh.A. Chernyak, Note on complexity of computing the domination of binary systems **73** (3) (1997) 289–295
1968. M. Liu and G.L. Mullen, Irreducible polynomials and linear recurring arrays **74** (1) (1997) 93–99
1970. P. Bertolazzi, C. De Simone and A. Galluccio, A nice class for the vertex packing problem **76** (1-3) (1997) 3–19
1971. J. Błażewicz and M. Drozdowski, Distributed processing of divisible jobs with communication startup costs **76** (1-3) (1997) 21–41
1972. P. Brucker, J. Hurink, B. Jurisch and B. Wöstmann, A branch & bound algorithm for the open-shop problem **76** (1-3) (1997) 43–59
1973. J. Carrier, Y. Li and J. Lutton, Reliability evaluation of large telecommunication networks **76** (1-3) (1997) 61–80
1974. M. Cochand, A. Gaillard and H. Gröflin, Optimum partitioning into intersections of ring families **76** (1-3) (1997) 81–91
1975. D. de Werra and N.V.R. Mahadev, Preassignment requirements in chromatic scheduling **76** (1-3) (1997) 93–101
1976. M. Dell'Amico and S. Martello, The k -cardinality assignment problem **76** (1-3) (1997) 103–121
1977. G. Finke and H. Jiang, A variant of the permutation flow shop model with variable processing times **76** (1-3) (1997) 123–140
1978. A. Gaillard, Switchdec polyhedra **76** (1-3) (1997) 141–163
1979. E. Pesch and F. Glover, TSP ejection chains **76** (1-3) (1997) 165–181

1980. A. Hertz, On the use of Boolean methods for the computation of the stability number **76** (1-3) (1997) 183–203
1981. A.J.W. Hilton and C. Zhao, Vertex-splitting and chromatic index critical graphs **76** (1-3) (1997) 205–211
1982. M. Kubale, Open shop problem with zero–one time operations and integer release date/deadline intervals **76** (1-3) (1997) 213–223
1983. N.V.R. Mahadev and F.S. Roberts, Amenable colorings **76** (1-3) (1997) 225–238
1984. M. Queyranne and F.C.R. Spieksma, Approximation algorithms for multi-index transportation problems with decomposable costs **76** (1-3) (1997) 239–253
1985. M. Anthony and J. Shawe-Taylor, A sufficient condition for polynomial distribution-dependent learnability **77** (1) (1997) 1–12
1986. D. Barth and M.-C. Heydemann, A new digraphs composition with applications to de Bruijn and generalized de Bruijn digraphs **77** (2) (1997) 99–118
1987. C. Bercoff, Uniform tag systems for paperfolding sequences **77** (2) (1997) 119–138
1988. M. Duque-Antón, Constructing efficient simulated annealing algorithms **77** (2) (1997) 139–159
1989. D. Kratsch, T. Kloks and H. Müller, Measuring the vulnerability for classes of intersection graphs **77** (3) (1997) 259–270
1990. U. Pfersch, D. Pisinger and G.J. Woeginger, Simple but efficient approaches for the collapsing knapsack problem **77** (3) (1997) 271–280
1991. D. Bhagavathi, V. Bokka, H. Gurla, S. Olariu and J.L. Schwing, Time-optimal tree computations on sparse meshes **77** (3) (1997) 201–220
1992. A. Feigelson and L. Hellerstein, The forbidden projections of unate functions **77** (3) (1997) 221–236
1993. E. Kranakis, D. Krizanc, B. Ruf, J. Urrutia and G. Woeginger, The VC-dimension of set systems defined by graphs **77** (3) (1997) 237–257
1994. I. Stojmenović, Multiplicative circulant networks Topological properties and communication algorithms **77** (3) (1997) 281–305
1995. J.P. Warners, T. Terlaky, C. Roos and B. Jansen, A potential reduction approach to the frequency assignment problem **78** (1-3) (1997) 251–282
1996. Z.-L. Chen, Erratum to “Parallel machine scheduling with time dependent processing times” [*Discrete Appl. Math.* 70 (1996) 81–93] **75** (1) (1997) 103
1997. S. Perennes, A proof of Jean de Rumeur’s conjecture **74** (3) (1997) 295–299
1998. T.J.N. Brown, R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes [*Discrete Applied Mathematics* 67 (1996) 51–66] **75** (2) (1997) 199–200
1999. J. Błażewicz, J. Carlier, A. Hertz and M. Widmer, Preface **76** (1-3) (1997) 1–2
2001. S.R. Arikati, A. Maheshwari and C.D. Zaroliagis, Efficient computation of implicit representations of sparse graphs **78** (1-3) (1997) 1–16
2002. P. Hansen, G. Storch and T. Vovor, Paths with minimum range and ratio of arc lengths **78** (1-3) (1997) 89–102
2003. T. Hasunuma and Y. Shibata, Embedding de Bruijn, Kautz and shuffle-exchange networks in books **78** (1-3) (1997) 103–116
2004. M. Natsu and S.-C. Fang, The point-to-point connection problem – analysis and algorithms **78** (1-3) (1997) 207–226
2005. B. von Stengel and R. Werchner, Complexity of searching an immobile hider in a graph **78** (1-3) (1997) 235–249
2006. J.-H. Yan, G.J. Chang, S.M. Hedetniemi and S.T. Hedetniemi, k -Path partitions in trees **78** (1-3) (1997) 227–233
2007. K.A. Berman and Y. Liu, Generalized bicycles **78** (1-3) (1997) 27–40
2008. M.-S. Chang and C.-C. Hsu, On minimum intersection of two minimum dominating sets of interval graphs **78** (1-3) (1997) 41–50
2009. J. Fàbrega and M. Zaragoza, Fault-tolerant routings in double fixed-step networks **78** (1-3) (1997) 61–74
2010. P. Fishburn, F.K. Hwang, D.Z. Du and B. Gao, On 1-rate wide-sense nonblocking for 3-stage Clos networks **78** (1-3) (1997) 75–87
2011. K.M. Koh and E.G. Tay, Optimal orientations of products of paths and cycles **78** (1-3) (1997) 163–174
2012. G.J. Kyparisis and C. Koulamas, Open shop scheduling with maximal machines **78** (1-3) (1997) 175–187
2013. R. Shull and A.N. Trenk, Cliques that are tolerance digraphs **80** (2-3) (1997) 119–134

2014. W.N. Li, Two-segmented channel routing is strong NP-complete **78** (1-3) (1997) 291–298
2015. A.V. Gerbessiotis, A graph-theoretic result for a model of neural computation **82** (1-3) (1998) 257–262
2016. T.M. Barnes and C.D. Savage, Efficient generation of graphical partitions **78** (1-3) (1997) 17–26
2017. D.-Z. Du, B. Gao and W. Wu, A special case for subset interconnection designs **78** (1-3) (1997) 51–60
2018. K.I.-J. Ho, J.Y.-T. Leung and W.-D. Wei, Scheduling imprecise computation tasks with 0/1-constraint **78** (1-3) (1997) 117–132
2019. G.Y. Katona, Edge disjoint Polyp Packing **78** (1-3) (1997) 133–152
2020. S.-R. Kim and F.S. Roberts, Competition numbers of graphs with a small number of triangles **78** (1-3) (1997) 153–162
2021. H. Müller, Recognizing interval digraphs and interval bigraphs in polynomial time **78** (1-3) (1997) 189–205
2023. T. Andreae, M. Hintz, M. Nölle, G. Schreiber, G.W. Schuster and H. Seng, Cartesian products of graphs as subgraphs of de Bruijn graphs of dimension at least three **79** (1-3) (1997) 3–34
2024. D. Bauer, J. van den Heuvel, A. Morgana and E. Schmeichel, The complexity of recognizing tough cubic graphs **79** (1-3) (1997) 35–44
2025. H.L. Bodlaender and D.M. Thilikos, Treewidth for graphs with small chordality **79** (1-3) (1997) 45–61
2026. S. Brandt, A sufficient condition for all short cycles **79** (1-3) (1997) 63–66
2027. M.-J. Jou and G.J. Chang, Maximal independent sets in graphs with at most one cycle **79** (1-3) (1997) 67–73
2028. E. Dahlhaus, J. Kratochvíl, P.D. Manuel and M. Miller, Transversal partitioning in balanced hypergraphs **79** (1-3) (1997) 75–89
2029. P. Dankelmann, H.C. Swart and O.R. Oellermann, On the average Steiner distance of graphs with prescribed properties **79** (1-3) (1997) 91–103
2030. T.S.H. Driessen, Tree enterprises and bankruptcy ventures A game theoretic similarity due to a graph theoretic proof **79** (1-3) (1997) 105–117
2031. Y. Guo, Spanning local tournaments in locally semicomplete digraphs **79** (1-3) (1997) 119–125
2032. Y. Guo and L. Volkmann, Bypaths in tournaments **79** (1-3) (1997) 127–135
2033. A. Mehrotra, Cardinality constrained Boolean quadratic polytope **79** (1-3) (1997) 137–154
2034. T. Niessen, Optimal channel allocation for several types of cellular radio networks **79** (1-3) (1997) 155–170
2035. A. Parra and P. Scheffler, Characterizations and algorithmic applications of chordal graph embeddings **79** (1-3) (1997) 171–188
2036. A. Schelten and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for connected graphs G of order seven **79** (1-3) (1997) 189–200
2037. U. Schelten and I. Schiermeyer, Small cycles in Hamiltonian graphs **79** (1-3) (1997) 201–211
2038. R. Schrader and G. Wambach, The setup polyhedron of series-parallel posets **79** (1-3) (1997) 213–221
2039. A. Srivastav and P. Stangier, Tight approximations for resource constrained scheduling and bin packing **79** (1-3) (1997) 223–245
2040. Zs. Tuza and M. Voigt, List colorings and reducibility **79** (1-3) (1997) 247–256
2041. H. Walther, Polyhedral graphs without hamiltonian cycles **79** (1-3) (1997) 257–263
2042. P. Wittmann, Vertex-distinguishing edge-colorings of 2-regular graphs **79** (1-3) (1997) 265–277
2043. A.P. Wojda and M. Zwonek, Coloring edges of self-complementary graphs **79** (1-3) (1997) 279–284
2044. M.-S. Chang, Weighted domination of cocomparability graphs **80** (2-3) (1997) 135–148
2045. F.E. Bennett and L. Wu, Minimum matrix representation of Sperner systems **81** (1-3) (1998) 9–17
2046. G. Gaubayac, Edge-forwarding index of star graphs and other Cayley graphs **80** (2-3) (1997) 149–160
2047. C.Z.W. Hassell Sweatman, G.J. Gibson and B. Mulgrew, Exact classification with two-layer neural nets in n dimensions **81** (1-3) (1998) 19–39
2048. C. Laforest, Broadcast and gossip in line-communication mode **80** (2-3) (1997) 161–176
2049. J.-Z. Wang and J.-X. Meng, The exponent of the primitive Cayley digraphs on finite Abelian groups **80** (2-3) (1997) 177–191
2052. R.B. Hayward, Meyniel weakly triangulated graphs II: A theorem of Dirac **78** (1-3) (1997) 283–289
2054. W. Sun and Y.X. Yang, Correlation functions of a family of generalized geometric sequences **80** (2-3) (1997) 193–201
2055. C. Calude and S. Yu, Language-theoretic complexity of disjunctive sequences **80** (2-3) (1997) 203–209

2056. J. Bang-Jensen, G. Gutin and A. Yeo, Properly coloured Hamiltonian paths in edge-coloured complete graphs **82** (1-3) (1998) 247–250
2057. I. Charon, O. Hudry and F. Woïrgard, A 16-vertex tournament for which Banks set and Slater set are disjoint **80** (2-3) (1997) 211–215
2058. A.J. Macula, Error-correcting nonadaptive group testing with d^e -disjunct matrices **80** (2-3) (1997) 217–222
2059. K. Maribor, I. Gutman, S. Klavžar and B. Mohar, Preface **80** (1) (1997) 1–2
2060. V. Chepoi, M. Deza and V. Grishukhin, Clin d'oeil on L_1 -embeddable planar graphs **80** (1) (1997) 3–19
2061. P. Dankelmann, Average distance and domination number **80** (1) (1997) 21–35
2062. C.A. Barefoot, R.C. Entringer and L.A. Székely, Extremal values for ratios of distances in trees **80** (1) (1997) 37–56
2063. M. Juvan, B. Mohar and J. Žerovnik, Distance-related invariants on polygraphs **80** (1) (1997) 57–71
2064. S. Klavžar and I. Gutman, Wiener number of vertex-weighted graphs and a chemical application **80** (1) (1997) 73–81
2065. W.C. Shiu, C.S. Tong and P.C.B. Lam, Wiener number of hexagonal jagged-rectangles **80** (1) (1997) 83–96
2066. H.M. Mulder, The majority strategy on graphs **80** (1) (1997) 97–105
2067. L. Pachter, Constructing status injective graphs **80** (1) (1997) 107–113
2068. D.J. Guan, Routing a vehicle of capacity greater than one **81** (1-3) (1998) 41–57
2069. P. Hliněný, The maximal clique and colourability of curve contact graphs **81** (1-3) (1998) 59–68
2070. Y. Liu, A. Morgana and B. Simeone, A linear algorithm for 2-bend embeddings of planar graphs in the two-dimensional grid **81** (1-3) (1998) 69–91
2071. C. Hanen and A. Munier, Performance of Coffman–Graham schedules in the presence of unit communication delays **81** (1-3) (1998) 93–108
2072. J. Oxley and D. Row, Panelling planar graphs **81** (1-3) (1998) 109–122
2073. M.G. Scutellà, A strongly polynomial algorithm for the uniform balanced network flow problem **81** (1-3) (1998) 123–131
2074. C. Blair, Sensitivity analysis for knapsack problems: a negative result **81** (1-3) (1998) 133–139
2075. D. Cao and G.L. Nemhauser, Polyhedral characterizations and perfection of line graphs **81** (1-3) (1998) 141–153
2076. A. Carpi, On the number of Abelian square-free words on four letters **81** (1-3) (1998) 155–167
2077. L.S. Heath and J.P.C. Vergara, Edge-packing planar graphs by cyclic graphs **81** (1-3) (1998) 169–180
2078. E. Kubicka, G. Kubicki and O.R. Oellermann, Steiner intervals in graphs **81** (1-3) (1998) 181–190
2079. R. Lin and S. Olariu, A fast parallel algorithm to recognize P4-sparse graphs **81** (1-3) (1998) 191–215
2080. G. Sierksma, Interchange graphs and the Hamiltonian cycle polytope **81** (1-3) (1998) 217–224
2081. C. De Simone and M. Jünger, On the two-connected planar spanning subgraph polytope **80** (2-3) (1997) 223–229
2082. H. Narushima and M. Hanazawa, A more efficient algorithm for MPR problems in phylogeny **80** (2-3) (1997) 231–238
2083. A. Shiourat, A constructive proof for the induction of M-convex functions through networks **82** (1-3) (1998) 271–278
2084. K.B. Reid, The k -ball l -path branch weight centroid **80** (2-3) (1997) 239–246
2085. S. Gravier and M. Mollard, On domination numbers of Cartesian product of paths **80** (2-3) (1997) 247–250
2086. M.Y. Kovalyov, Batch scheduling and common due date assignment problem: an NP-hard case **80** (2-3) (1997) 251–254
2087. V. Giakoumakis and I. Rusu, Weighted parameters in $(P_5, \overline{P_5})$ -free graphs **80** (2-3) (1997) 255–261
2088. C. McDiarmid, A doubly cyclic channel assignment problem **80** (2-3) (1997) 263–268
2089. J.-C. Bermond, E. Darrot, O. Delmas and S. Perennes, Hamilton circuits in the directed wrapped Butterfly network **84** (1-3) (1998) 21–42
2090. B. Chen and M. Guignard, Polyhedral analysis and decompositions for capacitated plant location-type problems **82** (1-3) (1998) 79–91
2091. R. Conti, P. Contucci and C. Falcolini, Polynomial invariants for trees A statistical mechanics approach **81** (1-3) (1998) 225–237

2092. Z. Hu and Z. Liu, A strongly polynomial algorithm for the inverse shortest arborescence problem **82** (1-3) (1998) 135–154
2093. K. Iwama and E. Miyano, Better approximations of non-Hamiltonian graphs **81** (1-3) (1998) 239–261
2094. F. Bao, Y. Igarashi and S.R. Öhring, Reliable broadcasting in product networks **83** (1-3) (1998) 3–20
2095. S. Bezrukov, B. Monien, W. Unger and G. Wechsung, Embedding ladders and caterpillars into the hypercube **83** (1-3) (1998) 21–29
2096. F. Comellas and M. Mitjana, Broadcasting in cycle prefix digraphs **83** (1-3) (1998) 31–39
2097. K.-S. Ding, C.-T. Ho and J.-J. Tsay, Matrix transpose on meshes with wormhole and XY routing **83** (1-3) (1998) 41–59
2098. A.M. Farley, A. Pelc and A. Proskurowski, Minimum-time multidrop broadcast **83** (1-3) (1998) 61–77
2099. P. Fragopoulou and S.G. Akl, Spanning subgraphs with applications to communication on a subclass of the Cayley-graph-based networks **83** (1-3) (1998) 79–96
2100. L. Gargano, A.A. Rescigno and U. Vaccaro, Minimum time broadcast in faulty star networks **83** (1-3) (1998) 97–119
2101. L. Gąsieniec and A. Pelc, Broadcasting with linearly bounded transmission faults **83** (1-3) (1998) 121–133
2102. A. Germa, M.-C. Heydemann and D. Sotteau, Cycles in the cube-connected cycles graph **83** (1-3) (1998) 135–155
2103. O. Gerstel, A. Wool and S. Zaks, Optimal layouts on a chain ATM network **83** (1-3) (1998) 157–178
2104. A. Jakoby, R. Reischuk and C. Schindelbauer, The complexity of broadcasting in planar and decomposable graphs **83** (1-3) (1998) 179–206
2105. J.O. Kane and J.G. Peters, Line broadcasting in cycles **83** (1-3) (1998) 207–228
2106. R. Klasing, The relationship between the gossip complexity in vertex-disjoint paths mode and the vertex bisection width **83** (1-3) (1998) 229–246
2107. S. Perennes, Broadcasting and gossiping on de Bruijn, shuffle-exchange and similar networks **83** (1-3) (1998) 247–262
2108. A. Shastri, Time-relaxed broadcasting in communication networks **83** (1-3) (1998) 263–278
2109. P. Tvrdik, R. Harbane and M.-C. Heydemann, Uniform homomorphisms of de Bruijn and Kautz networks **83** (1-3) (1998) 279–301
2110. E.A. Varvarigos, Optimal communication algorithms for Manhattan Street networks **83** (1-3) (1998) 303–326
2111. Z. Füredi, On the double competition number **82** (1-3) (1998) 251–255
2112. M. Klazar, On trees and noncrossing partitions **82** (1-3) (1998) 263–269
2113. S. Anily, C.A. Glass and R. Hassin, The scheduling of maintenance service **82** (1-3) (1998) 27–42
2114. L. Babel and S. Olariu, On the structure of graphs with few P_4 s **84** (1-3) (1998) 1–13
2115. T. Eilam-Tzoref, The disjoint shortest paths problem **85** (2) (1998) 113–138
2116. W. Martin, Fast equi-partitioning of rectangular domains using stripe decomposition **82** (1-3) (1998) 193–207
2117. N. Zhu and K. Broughan, On aggregating two linear Diophantine equations **82** (1-3) (1998) 231–246
2118. N. Alon and A. Zaks, T -choosability in graphs **82** (1-3) (1998) 1–13
2119. A. Brandstädt, V.D. Chepoi and F.F. Dragan, The algorithmic use of hypertree structure and maximum neighbourhood orderings **82** (1-3) (1998) 43–77
2120. D.C. Fisher, P.A. McKenna and E.D. Boyer, Hamiltonicity, diameter, domination, packing, and biclique partitions of Mycielski's graphs **84** (1-3) (1998) 93–105
2121. M.A. Henning and H. Maharaj, Some general aspects of the framing number of a digraph **82** (1-3) (1998) 115–133
2122. Z. Carmen Ortiz, N. Maculan and J.L. Szwarcfiter, Characterizing and edge-colouring split-indifference graphs **82** (1-3) (1998) 209–217
2123. E. Angel and V. Zissimopoulos, On the quality of local search for the quadratic assignment problem **82** (1-3) (1998) 15–25
2124. W. Fernandez de la Vega and V. Zissimopoulos, An approximation scheme for strip packing of rectangles with bounded dimensions **82** (1-3) (1998) 93–101
2125. F.V. Fomin, Helicopter search problems, bandwidth and pathwidth **85** (1) (1998) 59–70
2126. J. Harrison, T. Brennan and S. Gapinski, The Gergonne p -pile problem and the dynamics of the function $x \mapsto \lfloor (x+r)/p \rfloor$ **82** (1-3) (1998) 103–113

2127. M. Jerrum and G.B. Sorkin, The Metropolis algorithm for graph bisection **82** (1-3) (1998) 155–175
2128. S. Litsyn, P. Solé and R. Struik, On the covering radius of an unrestricted code as a function of the rate and dual distance **82** (1-3) (1998) 177–191
2129. H.J. Shyr and S.S. Yu, The single loop representations of regular languages **82** (1-3) (1998) 219–229
2130. M.B. Campêlo Neto and S. Klein, Maximum vertex-weighted matching in strongly chordal graphs **84** (1-3) (1998) 71–77
2131. B. Beauquier, P. Hell and S. Pérennes, Optimal wavelength-routed multicasting **84** (1-3) (1998) 15–20
2132. M.Y. Kovalyov and Y.M. Shafransky, Uniform machine scheduling of unit-time jobs subject to resource constraints **84** (1-3) (1998) 253–257
2133. G.-H. Lin, The exact bound of Lee's MLPT **85** (3) (1998) 251–254
2134. A. Shioura, Minimization of an M-convex function **84** (1-3) (1998) 215–220
2135. L.D. Andersen, H. Fleischner and S. Regner, Algorithms and outerplanar conditions for A-trails in plane Eulerian graphs **85** (2) (1998) 99–112
2136. W.-F. Chuan, A representation theorem of the suffixes of characteristic sequences **85** (1) (1998) 47–57
2137. K. Fukuda, M. Namiki and A. Tamura, EP theorems and linear complementarity problems **84** (1-3) (1998) 107–119
2138. A. Mateescu, Gh. Păun, G. Rozenberg and A. Salomaa, Simple splicing systems **84** (1-3) (1998) 145–163
2139. F.R. McMorris, H.M. Mulder and F.S. Roberts, The median procedure on median graphs **84** (1-3) (1998) 165–181
2140. P. Sarkar and R. Barua, The set of reversible 90/150 cellular automata is regular **84** (1-3) (1998) 199–213
2141. A. Berry and J.-P. Bordat, Separability generalizes Dirac's theorem **84** (1-3) (1998) 43–53
2142. E. Dahlhaus and M. Karpinski, Matching and multidimensional matching in chordal and strongly chordal graphs **84** (1-3) (1998) 79–91
2143. R. Grossi and E. Lodi, Simple planar graph partition into three forests **84** (1-3) (1998) 121–132
2144. S.-G. Hwang and A.R. Kräuter, Comparison of permanental bounds of (0,1)-matrices **84** (1-3) (1998) 133–144
2145. L. Stacho and I. Vrt'o, Bisection widths of transposition graphs **84** (1-3) (1998) 221–235
2146. H. Verrall, Compatible Euler tours of K_n^{**} **84** (1-3) (1998) 237–251
2147. S. Ben-David and A. Litman, Combinatorial variability of Vapnik–Chervonenkis classes with applications to sample compression schemes **86** (1) (1998) 3–25
2148. N. Cesa-Bianchi and D. Haussler, A graph-theoretic generalization of the Sauer–Shelah lemma **86** (1) (1998) 27–35
2149. M. Horváth and G. Lugosi, Scale-sensitive dimensions and skeleton estimates for classification **86** (1) (1998) 37–61
2150. P. Koiran and E.D. Sontag, Vapnik–Chervonenkis dimension of recurrent neural networks **86** (1) (1998) 63–79
2151. V. Maiorov and J. Ratsaby, The degree of approximation of sets in euclidean space using sets with bounded Vapnik–Chervonenkis dimension **86** (1) (1998) 81–93
2152. J. Sill, The capacity of monotonic functions **86** (1) (1998) 95–107
2153. D. Steinsaltz, Fluctuation bounds for sock-sorting and other stochastic processes **86** (1) (1998) 109–123
2155. X. Cai and T.C.E. Cheng, Multi-machine scheduling with variance minimization **84** (1-3) (1998) 55–70
2156. A. Aggarwal and T. Tokuyama, Consecutive interval query and dynamic programming on intervals **85** (1) (1998) 1–24
2157. J.-C. Bermond, L. Gargano and S. Pérennes, Optimal sequential gossiping by short messages **86** (2-3) (1998) 145–155
2159. S. Chopra, I. Gilboa and S. Trilochan Sastry, Source sink flows with capacity installation in batches **85** (3) (1998) 165–192
2160. A.D. Bonis, A predetermined algorithm for detecting a counterfeit coin with a multi-arms balance **86** (2-3) (1998) 181–200
2161. A. Parra, Triangulating multitolerance graphs **84** (1-3) (1998) 183–197
2162. M.O. Ball, J.N. Hagstrom and J.S. Provan, Two-path subsets: Efficient counting and applications to performability analysis **85** (1) (1998) 25–45
2163. A. Gyárfás and R.H. Schelp, A communication problem and directed triple systems **85** (2) (1998) 139–147
2164. T.W. Lam and F.L. Yue, Edge ranking of graphs is hard **85** (1) (1998) 71–86

2165. D. Palmer, D. Row, R. Stee and S. Wotherspoon, Rigidity of octahedral-tetrahedral trusses **86** (2-3) (1998) 249–262
2166. J. Rolim, P. Tvrđí, J. Trdlička and I. Vrto, Bisecting de Bruijn and Kautz graphs **85** (1) (1998) 87–97
2167. V.G. Timkovsky, Is a unit-time job shop not easier than identical parallel machines? **85** (2) (1998) 149–162
2169. N.J. Finizio and P.A. Leonard, More ZCPS-Wh(v) and several new infinite classes of Z-cyclic whist tournaments **85** (3) (1998) 193–202
2170. T. Fujito, A unified approximation algorithm for node-deletion problems **86** (2-3) (1998) 213–231
2171. D. Hartvigsen, The planar multiterminal cut problem **85** (3) (1998) 203–222
2172. J.D. Lamb, Efficient optimal equation formulation in lumped power-conserving systems **85** (3) (1998) 239–249
2173. A. Maes, Morphisms and almost-periodicity **86** (2-3) (1998) 233–248
2174. J. Amilhastre, M.C. Vilarem and P. Janssen, Complexity of minimum biclique cover and minimum biclique decomposition for bipartite domino-free graphs **86** (2-3) (1998) 125–144
2175. F. Blanchet-Sadri, Trees, congruences and varieties of finite semigroups **86** (2-3) (1998) 157–179
2176. W. Fernandez de la Vega, M. El Haddad, D. Barraez and O. Ordaz, The forwarding diameter of graphs **86** (2-3) (1998) 201–211
2177. S. Jukna and A. Razborov, Neither reading few bits twice nor reading illegally helps much **85** (3) (1998) 223–238
2178. D. Peleg, Size bounds for dynamic monopolies **86** (2-3) (1998) 263–273
2179. M. Ouyang, How good are branching rules in DPLL? **89** (1-3) (1998) 281–286
2180. A. Caprara, Properties of some ILP formulations of a class of partitioning problems **87** (1-3) (1998) 11–23
2181. K. Diks, E. Kranakis and A. Pelc, Perfect broadcasting in unlabeled networks **87** (1-3) (1998) 33–47
2182. H. Enomoto, Y. Oda and K. Ota, Pyramidal tours with step-backs and the asymmetric traveling salesman problem **87** (1-3) (1998) 57–65
2183. P.L. Erdős, A. Frank and L. Székely, Minimum multiway cuts in trees **87** (1-3) (1998) 67–75
2184. M.A. Fiol and E. Garriga, The alternating and adjacency polynomials, and their relation with the spectra and diameters of graphs **87** (1-3) (1998) 77–97
2185. P. Flocchini, A. Roncato and N. Santoro, Symmetries and sense of direction in labeled graphs **87** (1-3) (1998) 99–115
2186. N. Guttmann-Beck and R. Hassin, Approximation algorithms for minimum tree partition **87** (1-3) (1998) 117–137
2187. T. Head, Splicing representations of strictly locally testable languages **87** (1-3) (1998) 139–147
2188. E. Levner and V. Kats, A parametric critical path problem and an application for cyclic scheduling **87** (1-3) (1998) 149–158
2189. M. Libura, E.S. van der Poort, G. Sierksma and J.A.A. van der Veen, Stability aspects of the traveling salesman problem based on k -best solutions **87** (1-3) (1998) 159–185
2190. C.-M. Liu and M.-S. Yu, An optimal parallel algorithm for node ranking of cographs **87** (1-3) (1998) 187–201
2191. C.L. Lu and C.Y. Tang, Solving the weighted efficient edge domination problem on bipartite permutation graphs **87** (1-3) (1998) 203–211
2192. F.S. Roberts and L. Sheng, Phylogeny numbers **87** (1-3) (1998) 213–228
2193. A. Tamir, Fully polynomial approximation schemes for locating a tree-shaped facility: A generalization of the knapsack problem **87** (1-3) (1998) 229–243
2194. H.-G. Yeh and G.J. Chang, Weighted connected domination and Steiner trees in distance-hereditary graphs **87** (1-3) (1998) 245–253
2195. N. Zhu, A relation between the knapsack and group knapsack problems **87** (1-3) (1998) 255–268
2198. F. Annexstein and R. Swaminathan, On testing consecutive-ones property in parallel **88** (1-3) (1998) 7–28
2199. C. Armen and C. Stein, A $2\frac{2}{3}$ superstring approximation algorithm **88** (1-3) (1998) 29–57
2200. B. DasGupta, T. Jiang, S. Kannan, M. Li and E. Sweedyk, On the complexity and approximation of syntenic distance **88** (1-3) (1998) 59–82
2201. H. Edelsbrunner, M. Facello and J. Liang, On the definition and the construction of pockets in macromolecules **88** (1-3) (1998) 83–102

2202. O. Eulenstein and M. Vingron, On the equivalence of two tree mapping measures **88** (1-3) (1998) 103–128
2203. D. Fernández-Baca and J. Lagergren, On the approximability of the Steiner tree problem in phylogeny **88** (1-3) (1998) 129–145
2204. V. Grebinski and G. Kucherov, Reconstructing a Hamiltonian cycle by querying the graph: Application to DNA physical mapping **88** (1-3) (1998) 147–165
2205. D. Gusfield, R. Karp, L. Wang and P. Stelling, Graph traversals, genes and matroids: an efficient case of the travelling salesman problem **88** (1-3) (1998) 167–180
2206. L.S. Heath and J.P.C. Vergara, Sorting by bounded block-moves **88** (1-3) (1998) 181–206
2207. I.L. Hofacker, P. Schuster and P.F. Stadler, Combinatorics of RNA secondary structures **88** (1-3) (1998) 207–237
2208. J. Kececioğlu and D. Gusfield, Reconstructing a history of recombinations from a set of sequences **88** (1-3) (1998) 239–260
2209. E. Knill, W.J. Bruno and D.C. Torney, Non-adaptive group testing in the presence of errors **88** (1-3) (1998) 261–290
2210. G. Lancia and M. Perlin, Genotyping of pooled microsatellite markers by combinatorial optimization techniques **88** (1-3) (1998) 291–314
2211. F.R. McMorris, C. Wang and P. Zhang, On probe interval graphs **88** (1-3) (1998) 315–324
2212. J. Meidanis, O. Porto and G.P. Telles, On the consecutive ones property **88** (1-3) (1998) 325–354
2213. R. Ravi and J.D. Kececioğlu, Approximation algorithms for multiple sequence alignment under a fixed evolutionary tree **88** (1-3) (1998) 355–366
2214. M. Steel, M.D. Hendy and D. Penny, Reconstructing phylogenies from nucleotide pattern probabilities: A survey and some new results **88** (1-3) (1998) 367–396
2217. C.J. Alpert, A.B. Kahng and S.-Z. Yao, Spectral partitioning with multiple eigenvectors **90** (1-3) (1999) 3–26
2218. J.W. Berry and M.K. Goldberg, Path optimization for graph partitioning problems **90** (1-3) (1999) 27–50
2219. M. Borah, R.M. Owens and M.J. Irwin, A fast and simple Steiner routing heuristic **90** (1-3) (1999) 51–67
2220. B.S. Carlson, C.Y.R. Chen and D.S. Meliksetian, Transistor chaining in static CMOS functional cells of arbitrary planar topology **90** (1-3) (1999) 89–114
2221. S. Chopra and J.H. Owen, A note on formulations for the A -partition problem on hypergraphs **90** (1-3) (1999) 115–133
2222. M.J. Fischer and M.S. Paterson, Optimal layout of edge-weighted forests **90** (1-3) (1999) 135–159
2223. J.L. Ganley, Computing optimal rectilinear steiner trees: A survey and experimental evaluation **90** (1-3) (1999) 161–171
2224. E. Ihler, G. Reich and P. Widmayer, Class Steiner trees and VLSI-design **90** (1-3) (1999) 173–194
2225. J. Narasimhan, K. Nakajima and C.S. Rim, A graph theoretical approach for the yield enhancement of reconfigurable VLSI/WSI arrays **90** (1-3) (1999) 195–221
2226. C.-J. Shi and J.A. Brzozowski, A characterization of signed hypergraphs and its applications to VLSI via minimization and logic synthesis **90** (1-3) (1999) 223–243
2227. X. Tan and X. Song, Routing multiterminal nets on a hexagonal grid **90** (1-3) (1999) 245–255
2228. N. Abbas and L. Stewart, Clustering bipartite and chordal graphs: Complexity, sequential and parallel algorithms **91** (1-3) (1999) 1–23
2229. C. Alexopoulos, J.S. Provan, H.D. Ratliff and B.R. Stutzman, Minimal connected enclosures on an embedded planar graph **91** (1-3) (1999) 25–38
2230. E. Balas and M. Oosten, On the dimension of projected polyhedra **87** (1-3) (1998) 1–9
2231. Z. Bo and B. Liu, Matrices with maximum exponents in the class of doubly stochastic primitive matrices **91** (1-3) (1999) 53–66
2232. J.D. Chavez and R. Trapp, The cyclic cutwidth of trees **87** (1-3) (1998) 25–32
2233. R.D. Dutton, Inversions in k -sorted permutations **87** (1-3) (1998) 49–56
2234. N. Guttmann-Beck and R. Hassin, Approximation algorithms for min-sum p -clustering **89** (1-3) (1998) 125–142
2235. D.G. Kirkpatrick, K. Madhukar Reddy, C. Pandu Rangan and A. Srinivasan, Partial and perfect path covers of cographs **89** (1-3) (1998) 143–153
2236. B. Lenze, Linking discrete orthogonality with dilation and translation for incomplete sigma-pi neural networks of Hopfield-type **89** (1-3) (1998) 169–180

- 2237. H. Martini and A. Schöbel, Median hyperplanes in normed spaces – a survey **89** (1-3) (1998) 181–195
- 2238. G. Righini and M. Trubian, Data-dependent bounds for the general and the asymmetric Stacker–Crane problems **91** (1-3) (1999) 235–242
- 2239. S.S. Yu, d-minimal languages **89** (1-3) (1998) 243–262
- 2244. W.F.J. Verhaegh, P.E.R. Lippens, E.H.L. Aarts, J.L. van Meerbergen and A. van der Werf, The complexity of multidimensional periodic scheduling **89** (1-3) (1998) 213–242
- 2245. J. Huang, A note on spanning local tournaments in locally semicomplete digraphs **89** (1-3) (1998) 277–279
- 2246. E. Boros, P.L. Hammer, M. Minoux and D.J. Rader, Jr, Optimal cell flipping to minimize channel density in VLSI design and pseudo-Boolean optimization **90** (1-3) (1999) 69–88
- 2247. L. Babel, Triangulating graphs with few P_4 's **89** (1-3) (1998) 45–57
- 2248. A. Brandstädt, V. Bang Le and T. Szymczak, The complexity of some problems related to GRAPH 3-COLORABILITY **89** (1-3) (1998) 59–73
- 2249. H. Cameron, Fringe thickness and maximum path length of binary trees **89** (1-3) (1998) 75–97
- 2250. K. Ciebiera and A. Malinowski, Efficient broadcasting with linearly bounded faults **89** (1-3) (1998) 99–105
- 2251. P. Fischer, N. Klasner and I. Wegener, On the cut-off point for combinatorial group testing **91** (1-3) (1999) 83–92
- 2252. J. Gómez, C. Padró and S. Perennes, Large generalized cycles **89** (1-3) (1998) 107–123
- 2253. S.E. Hambrusch and H.-S. Lim, Minimizing broadcast costs under edge reductions in tree networks **91** (1-3) (1999) 93–117
- 2254. P. Horak, L. Branković and M. Miller, A combinatorial problem in database security **91** (1-3) (1999) 119–126
- 2255. P. Sreenivasa Kumar and C.E. Veni Madhavan, Minimal vertex separators of chordal graphs **89** (1-3) (1998) 155–168
- 2256. G. MacGillivray and M.-L. Yu, Generalized partitions of graphs **91** (1-3) (1999) 143–153
- 2257. J. Mazoyer and I. Rapaport, Inducing an order on cellular automata by a grouping operation **91** (1-3) (1999) 177–196
- 2258. D. Merlini, D.G. Rogers, R. Sprugnoli and M.C. Verri, Underdiagonal lattice paths with unrestricted steps **91** (1-3) (1999) 197–213
- 2259. D. Pisinger, A fast algorithm for strongly correlated knapsack problems **89** (1-3) (1998) 197–212
- 2260. V. Moulton and M. Steel, Retractions of finite distance functions onto tree metrics **91** (1-3) (1999) 215–233
- 2261. L.G. Tallini and U. Vaccaro, Efficient m -ary balanced codes **92** (1) (1999) 17–56
- 2262. H. Verrall, Compatible Hamilton decompositions of directed wrapped butterfly graphs **91** (1-3) (1999) 265–275
- 2263. Z. Shengyuan, On the nonexistence of extremal self-dual codes **91** (1-3) (1999) 277–286
- 2266. A. Hertz, On perfect switching classes **89** (1-3) (1998) 263–267
- 2268. E. Balas, Disjunctive programming: Properties of the convex hull of feasible points **89** (1-3) (1998) 3–44
- 2269. R.B. Borie and J.P. Spinrad, Construction of a simple elimination scheme for a chordal comparability graph in linear time **91** (1-3) (1999) 287–292
- 2270. A. Sebő and Z. Waksman, Optimal binary trees with order constraints **91** (1-3) (1999) 305–311
- 2271. C.M.H. de Figueiredo, J. Gimbel, C.P. Mello and J.L. Szwarcfiter, Even and odd pairs in comparability and in P_4 -comparability graphs **91** (1-3) (1999) 293–297
- 2272. N. Alon and S. Onn, Separable partitions **91** (1-3) (1999) 39–51
- 2274. H. Everett, F. Hurtado and M. Noy, Stabbing information of a simple polygon **91** (1-3) (1999) 67–82
- 2276. R.W. Irving and D.F. Manlove, The b-chromatic number of a graph **91** (1-3) (1999) 127–141
- 2277. D.F. Manlove, On the algorithmic complexity of twelve covering and independence parameters of graphs **91** (1-3) (1999) 155–175
- 2278. C. Arbib, D. Pacciarelli and S. Smriglio, A three-dimensional matching model for perishable production scheduling **92** (1) (1999) 1–15
- 2279. F. Tian, B. Wei and L. Zhang, Hamiltonicity in 3-domination-critical graphs with $\alpha=\delta+2$ **92** (1) (1999) 57–71
- 2280. K. Uemura, T. Yaku and K. Sugita, Induced permutation automata and coverings of strongly connected automata **91** (1-3) (1999) 243–249

- 2281. S. Van Hoesel and A. Wagelmans, On the complexity of postoptimality analysis of 0/1 programs **91** (1-3) (1999) 251–263
- 2282. F. Zhang and H. Li, On acyclic conjugated molecules with minimal energies **92** (1) (1999) 73–86



Cumulative Index Volumes 1-92

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

- Aalbersberg, I.J.J. and G. Rozenberg, Traces, dependency graphs and DNLC grammars (*Note*) **11** (1985) 299–306
- Aalbersberg, I.J.J., G. Rozenberg and A. Ehrenfeucht, On the membership problem for regular DNLC grammars (*Note*) **13** (1986) 79–85
- Aarts, E., *see* J. Korst **51** (3) (1994) 291–305
- Aarts, E.H.L., *see* R.J.M. Vaessens **45** (1993) 71–87
- Aarts, E.H.L., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213–242
- Abbas, N. and L. Stewart, Clustering bipartite and chordal graphs: Complexity, sequential and parallel algorithms **91** (1-3) (1999) 1–23
- Abbott, H.L. and M.J. Smuga-Otto, Lower bounds for hypergraph Ramsey numbers **61** (2) (1995) 177–180
- Abdul-Razaq, T.S., C.N. Potts and L.N. Van Wassenhove, A survey of algorithms for the single machine total weighted tardiness scheduling problem **26** (1990) 235–253
- Abeledo, H. and U.G. Rothblum, Paths to marriage stability **63** (1) (1995) 1–12
- Abeledo, H.G. and U.G. Rothblum, Stable matchings and linear inequalities **54** (1) (1994) 1–27
- Abelson, H., A. Ehrenfeucht, J. Fickett and J. Mycielski, Compositional complexity of Boolean functions **4** (1982) 1–10
- Abhyankar, S.S., S. Chandrasekar and V. Chandru, Intersection of algebraic space curves **31** (1991) 81–96
- Aboudi, R. and K. Jørnsten, Resource constrained assignment problems **26** (1990) 175–191
- Abrahamson, K., M.R. Fellows, M.A. Langston and B.M.E. Moret, Constructive complexity **34** (1991) 3–16
- Abu-Jaradeh, N. and D.L. Powers, Heat conduction on graphs **52** (1) (1994) 1–16
- Adams, C.M. and S.E. Tavares, Generating bent sequences (*Note*) **39** (1992) 155–159
- Adams, W.E., A. Billionnet and A. Sutter, Unconstrained 0–1 optimization and Lagrangean relaxation **29** (1990) 131–142
- Adams, W.P. and P.M. Dearing, On the equivalence between roof duality and Lagrangian duality for unconstrained 0–1 quadratic programming problems **48** (1994) 1–20
- Adams, W.P., *see* H.D. Sherali **52** (1) (1994) 83–106
- Adler, I., *see* J. Somers **1** (1979) 287–300
- Adler, I., A.J. Hoffman and R. Shamir, Monge and feasibility sequences in general flow problems **44** (1993) 21–38
- Ae, T., *see* T. Watanabe **3** (1981) 151–153
- Ae, T., *see* T. Watanabe **6** (1983) 63–78
- Afrati, F., The parallel complexity of single rule logic programs **40** (1992) 107–126
- Agarwal, A.K., q -functional equations and some partition identities **34** (1991) 17–26
- Agarwal, K.K., *see* J.D. Benstock **19** (1988) 45–63
- Agarwal, P.K., A. Aggarwal, B. Aronov, S.R. Kosaraju, B. Schieber and S. Suri, Computing external farthest neighbors for a simple polygon **31** (1991) 97–111

- Agasi, E., R.I. Becker and Y. Perl, A shifting algorithm for constrained min-max partition on trees **45** (1993) 1-28
- Aggarwal, A. and M. Klawe, Applications of generalized matrix searching to geometric algorithms **27** (1990) 3-23
- Aggarwal, A., *see* P.K. Agarwal **31** (1991) 97-111
- Aggarwal, A. and T. Tokuyama, Consecutive interval query and dynamic programming on intervals **85** (1) (1998) 1-24
- Aghezzaf, E.H. and L.A. Wolsey, Modelling piecewise linear concave costs in a tree partitioning problem **50** (2) (1994) 101-109
- Agnietis, A., D. Pacciarelli and F. Rossi, Batch scheduling in a two-machine flow shop with limited buffer **72** (3) (1997) 243-260
- Agnihotri, N., *see* P.K. Jha **74** (2) (1997) 101-121
- Aiello, A., E. Burattini, A. Massarotti and F. Ventriglia, "A posteriori" evaluation of bin packing approximation algorithms (*Communication*) **2** (1980) 159-161
- Aigner, M., Selecting the top three elements **4** (1982) 247-267
- Aigner, M. and M. Fromme, A game of cops and robbers **8** (1984) 1-12
- Aigner, M., Search problems on graphs **14** (1986) 215-230
- Aigner, M. and O. Schwarzkopf, Bounds on the size of merging networks **61** (3) (1995) 187-194
- Aigner, M., Finding the maximum and minimum **74** (1) (1997) 1-12
- Ainhirn, W. and H.A. Maurer, On ε productions for terminals in EOL forms **1** (1979) 155-166
- Ainouche, A. and N. Christofides, Semi-independence number of a graph and the existence of hamiltonian circuits **17** (1987) 213-221
- Akgül, M., A genuinely polynomial primal simplex algorithm for the assignment problem **45** (1993) 93-115
- Akiyama, J., D. Avis, V. Chvátal and H. Era, Balancing signed graphs **3** (1981) 227-233
- Akkiraju, N. and H. Edelsbrunner, Triangulating the surface of a molecule **71** (1-3) (1996) 5-22
- Akl, S., G. Labonté, M. Leeder and K. Qiu, On doing Todd-Coxeter coset enumeration in parallel **34** (1991) 27-35
- Akl, S.G., *see* P. Fragopoulou **83** (1-3) (1998) 79-96
- Albers, S. and P. Brucker, The complexity of one-machine batching problems **47** (1993) 87-107
- Aldershof, B. and O.M. Carducci, Stable matchings with couples **68** (1-2) (1996) 203-207
- Aleš, J. and R. Bačík, Strong elimination ordering of the total graph of a tree (*Communication*) **39** (1992) 293-295
- Alexopoulos, C., J.S. Provan, H.D. Ratliff and B.R. Stutzman, Minimal connected enclosures on an embedded planar graph **91** (1-3) (1999) 25-38
- Alfonsín, J.L.R., On variations of the subset sum problem **81** (1-3) (1998) 1-7
- Alfter, M. and W. Hochstättler, On pseudomodular matroids and adjoints **60** (1-3) (1995) 3-11
- Ali, A.I. and J.L. Kennington, The asymmetric M -travelling salesmen problem: A duality based branch-and-bound algorithm **13** (1986) 259-276
- Allender, E.W., On the number of cycles possible in digraphs with large girth **10** (1985) 211-225
- Allouche, J.-P. and C. Reder, Oscillations spatio-temporelles engendrées par un automate cellulaire **8** (1984) 215-254
- Allouche, J.-P., F. von Haeseler, H.-O. Peitgen and G. Skordev, Linear cellular automata, finite automata and Pascal's triangle **66** (1) (1996) 1-22
- Allwright, J., New (Δ, D) graphs discovered by heuristic search **37/38** (1992) 3-8
- Alon, N., Y. Azar and Y. Ravid, Universal sequences for complete graphs **27** (1990) 25-28
- Alon, N., Transmitting in the n -dimensional cube **37/38** (1992) 9-11
- Alon, N., J. Spencer and P. Tetali, Covering with latin transversals **57** (1) (1995) 1-10
- Alon, N. and A. Zaks, T -choosability in graphs **82** (1-3) (1998) 1-13
- Alon, N. and S. Onn, Separable partitions **91** (1-3) (1999) 39-51
- Alpert, C.J., A.B. Kahng and S.-Z. Yao, Spectral partitioning with multiple eigenvectors **90** (1-3) (1999) 3-26
- Alspach, B., P. Eades and G. Rose, A lower-bound for the number of productions required for a certain class of languages **6** (1983) 109-115
- Althöfer, I. and K.-U. Koschnick, On the deterministic complexity of searching local maxima **43** (1993) 111-113

- Amaldi, E., E. Mayoraz and D. de Werra, A review of combinatorial problems arising in feedforward neural network design **52** (2) (1994) 111-138
- Amilhastre, J., M.C. Vilem and P. Janssen, Complexity of minimum biclique cover and minimum biclique decomposition for bipartite domino-free graphs **86** (2-3) (1998) 125-144
- Amin, A.T., *see* K.T. Siegrist **41** (93) 235-243
- Andersen, L.D. and H. Fleischner, The NP-completeness of finding A-trails in Eulerian graphs and of finding spanning trees in hypergraphs **59** (3) (1995) 203-214
- Andersen, L.D., H. Fleischner and S. Regner, Algorithms and outerplanar conditions for A-trails in plane Eulerian graphs **85** (2) (1998) 99-112
- Ando, K., S. Fujishige and T. Nemoto, Decomposition of a bidirected graph into strongly connected components and its signed poset structure **68** (3) (1996) 237-248
- Andreae, T., Note on a pursuit game played on graphs **9** (1984) 111-115
- Andreae, T., On an extremal problem concerning the interval number of a graph **14** (1986) 1-9
- Andreae, T., On the unit interval number of a graph **22** (1988/89) 1-7
- Andreae, T., A ternary search problem on graphs **23** (1989) 1-10
- Andreae, T., Some results on visibility graphs **40** (1992) 5-17
- Andreae, T., U. Hennig and A. Parra, On a problem concerning tolerance graphs (*Note*) **46** (1993) 73-78
- Andreae, T., M. Hintz, M. Nölle, G. Schreiber, G.W. Schuster and H. Seng, Cartesian products of graphs as subgraphs of de Bruijn graphs of dimension at least three **79** (1-3) (1997) 3-34
- Andreatta, G. and F. Mason, Path covering problems and testing of printed circuits **62** (1-3) (1995) 5-13
- Aneja, Y.P., *see* A.P. Punnen **75** (1) (1997) 93-102
- Angel, E. and V. Zissimopoulos, On the quality of local search for the quadratic assignment problem **82** (1-3) (1998) 15-25
- Anger, F.D., J. Sarmiento and R.V. Rodriguez, Representative graphs of r -regular partial planes and representation of orthomodular posets **15** (1986) 1-10
- Anily, S., C.A. Glass and R. Hassin, The scheduling of maintenance service **82** (1-3) (1998) 27-42
- Annan, J.D., The complexities of the coefficients of the Tutte polynomial **57** (2-3) (1995) 93-103
- Annexstein, F. and J. Franco, Work-preserving emulations of shuffle-exchange networks: an analysis of the complex plane diagram **60** (1-3) (1995) 13-23
- Annexstein, F. and R. Swaminathan, On testing consecutive-ones property in parallel **88** (1-3) (1998) 7-28
- Anstee, R.P., Invariant sets of arcs in network flow problems **13** (1986) 1-7
- Anstee, R.P., Simplified existence theorems for (g, f) -factors **27** (1990) 29-38
- Anstee, R.P., Minimum vertex weighted deficiency of (g, f) -factors: A greedy algorithm **44** (1993) 247-260
- Anthony, M., *see* J. Shawe-Taylor **42** (1993) 65-73
- Anthony, M. and J. Shawe-Taylor, A result of Vapnik with applications **47** (1993) 207-217
- Anthony, M., G. Brightwell and J. Shawe-Taylor, On specifying Boolean functions by labelled examples **61** (1) (1995) 1-25
- Anthony, M., Classification by polynomial surfaces **61** (2) (1995) 91-103
- Anthony, M. and J. Shawe-Taylor, A sufficient condition for polynomial distribution-dependent learnability **77** (1) (1997) 1-12
- Antoni, C. and A. Dalena, On a problem of P. Erdős **66** (1) (1996) 75-79
- Aoki, Y., Probing the arrangement of hyperplanes **56** (2-3) (1995) 101-125
- Apostolico, A., M.J. Atallah and S.E. Hambrusch, New clique and independent set algorithms for circle graphs **36** (1992) 1-24
- Arai, T., S. Ueno and Y. Kajitani, Generalization of a theorem on the parametric maximum flow problem (*Note*) **41** (93) 69-74
- Aráoz, J. and J. Edmonds, A case of non-convergent dual changes in Assignment Problems **11** (1985) 95-102
- Arbib, C., D. Pacciarelli and S. Smriglio, A three-dimensional matching model for perishable production scheduling **92** (1) (1999) 1-15
- Arikati, S.R. and C.P. Rangan, An efficient algorithm for finding a two-pair, and its applications (*Note*) **31** (1991) 71-74
- Arikati, S.R. and U.N. Peled, A linear algorithm for the group path problem on chordal graphs **44** (1993) 185-190
- Arikati, S.R. and U.N. Peled, A polynomial algorithm for the parity path problem on perfectly orientable graphs **65** (1-3) (1996) 5-20

- Arikati, S.R., A. Maheshwari and C.D. Zaroliagis, Efficient computation of implicit representations of sparse graphs **78** (1-3) (1997) 1-16
- Arkin, E.M. and E.B. Silverberg, Scheduling jobs with fixed start and end times **18** (1987) 1-8
- Arkin, E.M. and R. Hassin, Approximation algorithms for the Geometric Covering Salesman Problem **55** (3) (1994) 197-218
- Armen, C. and C. Stein, A $2\frac{2}{3}$ superstring approximation algorithm **88** (1-3) (1998) 29-57
- Armstrong, R., A. Charnes and F. Phillips, Page cuts for integer interval linear programming **1** (1979) 1-14
- Armstrong, R.D. and Z. Jin, Strongly polynomial simplex algorithm for bipartite vertex packing **64** (2) (1996) 97-103
- Arnborg, S. and A. Proskurowski, Linear time algorithms for NP-hard problems restricted to partial k -trees **23** (1989) 11-24
- Aronov, B., *see* P.K. Agarwal **31** (1991) 97-111
- Arquès, D., Combinatoire des mots et étude quantitative de la sérialisabilité: Application à la concurrence d'accès à une base de données **24** (1989) 3-23
- Asano, T., *see* T. Nishizeki **5** (1983) 211-222
- Asano, T., S. Kikuchi and N. Saito, A linear algorithm for finding Hamiltonian cycles in 4-connected maximal planar graphs **7** (1984) 1-15
- Ash, D.W., I.F. Blake and S.A. Vanstone, Low complexity normal bases **25** (1989) 191-210
- Asher, G.M., *see* J.D. Lamb **72** (3) (1997) 261-293
- Asher, G.M., *see* J.D. Lamb **73** (2) (1997) 143-173
- Asher, G.M., *see* J.D. Lamb **73** (3) (1997) 211-250
- Assmann, S.F. and D.J. Kleitman, The number of rounds needed to exchange information within a graph **6** (1983) 117-125
- Assmann, S.F. and D.J. Kleitman, Characterization of curve map graphs **8** (1984) 109-124
- Astola, J., A note on perfect Lee-codes over small alphabets (*Note*) **4** (1982) 227-228
- Astola, J., On the asymptotic behaviour of Lee-codes **8** (1984) 13-23
- Astola, J.T., The Tietäväinen bound for spherical codes **7** (1984) 17-21
- Atallah, M.J. and S.E. Hambrusch, An assignment algorithm with applications to integrated circuit layout **13** (1986) 9-22
- Atallah, M.J. and G.N. Frederickson, A note on finding a maximum empty rectangle (*Note*) **13** (1986) 87-91
- Atallah, M.J., G.K. Manacher and J. Urrutia, Finding a minimum independent dominating set in a permutation graph **21** (1988) 177-183
- Atallah, M.J., *see* A. Apostolico **36** (1992) 1-24
- Atallah, M.J., *see* J. Manning **39** (1992) 13-35
- Atkins, J.E. and M. Middendorf, On Physical Mapping and the consecutive ones property for sparse matrices **71** (1-3) (1996) 23-40
- Aupperle, L. and J.M. Keil, Polynomial algorithms for restricted Euclidean p -centre problems **23** (1989) 25-31
- Aurenhammer, F., A relationship between Gale transforms and Voronoi diagrams **28** (1990) 83-91
- Aurenhammer, F., M. Formann, R.M. Idury, A.A. Schäffer and F. Wagner, Faster isometric embedding in products of complete graphs **52** (1) (1994) 17-28
- Autebert, J.-M., J. Beauquier and L. Boasson, Langages sur des alphabets infinis **2** (1980) 1-20
- Averbakh, I., O. Berman and A.P. Punnen, Constrained matroidal bottleneck problems **63** (3) (1995) 201-214
- Averbakh, I. and O. Berman, A heuristic with worst-case analysis for minimax routing of two travelling salesmen on a tree **68** (1-2) (1996) 17-32
- Averbakh, I. and O. Berman, $(p-1)/(p+1)$ -approximate algorithms for p -traveling salesmen problems on a tree with minmax objective **75** (3) (1997) 201-216
- Avis, D., *see* J. Akiyama **3** (1981) 227-233
- Avis, D., On the complexity of finding the convex hull of a set of points **4** (1982) 81-86
- Avis, D. and M. Doskas, Algorithms for high dimensional stabbing problems **27** (1990) 39-48
- Avis, D. and K. Fukuda, Reverse search for enumeration **65** (1-3) (1996) 21-46
- Azar, Y., *see* N. Alon **27** (1990) 25-28
- Azar, Y. and N. Pippenger, Parallel selection **27** (1990) 49-58
- Babayev, D.A. and F. Glover, Aggregations of nonnegative integer-valued equations **8** (1984) 125-130
- Babayev, D.A. and S.S. Mardanov, Sequential and simultaneous aggregation of diophantine equations **50** (3) (1994) 209-220

- Babel, L. and G. Tinhofer, Hard-to-color graphs for connected sequential colorings **51** (1-2) (1994) 3-25
- Babel, L. and S. Olariu, On the structure of graphs with few P_4 s **84** (1-3) (1998) 1-13
- Babel, L., Triangulating graphs with few P_4 's **89** (1-3) (1998) 45-57
- Babić, D., A. Graovac, B. Mohar and T. Pisanski, The matching polynomial of a polygraph **15** (1986) 11-24
- Babić, D. and A. Graovac, Enumeration of acyclic walks in a graph **45** (1993) 117-123
- Babić, D. and N. Trinajstić, Möbius inversion on a poset of a graph and its acyclic subgraphs **67** (1-3) (1996) 5-11
- Bachem, A., W. Hochstättler and M. Malich, The simulated trading heuristic for solving vehicle routing problems **65** (1-3) (1996) 47-72
- Bačik, R., *see* J. Aleš **39** (1992) 293-295
- Bafna, V., B. Narayanan and R. Ravi, Nonoverlapping local alignments (weighted independent sets of axis-parallel rectangles) **71** (1-3) (1996) 41-53
- Bagchi, A., B. Servatius and W. Shi, 2-satisfiability and diagnosing faulty processors in massively parallel computing systems **60** (1-3) (1995) 25-37
- Bagchi, A., E.F. Schmeichel and S.L. Hakimi, Gossiping with multiple sends and receives **64** (2) (1996) 105-116
- Bagga, K.S., L.W. Beineke, W.D. Goddard, M.J. Lipman and R.E. Pippert, A survey of integrity **37/38** (1992) 13-28
- Bahn, O., J.L. Goffin, J.P. Vial and O. Du Merle, Experimental behavior of an interior point cutting plane algorithm for convex programming: an application to geometric programming **49** (1994) 3-23
- Bailey, C.K., E.M. Palmer and J.W. Kennedy, Points by degree and orbit size in chemical trees, II **5** (1983) 157-164
- Balaban, A.T. and I. Tomescu, Alternating 6-cycles in perfect matchings of graphs representing condensed benzenoid hydrocarbons **19** (1988) 5-16
- Balachandhran, V. and C.P. Rangan, All-pairs-shortest-length on strongly chordal graphs **69** (1-2) (1996) 169-182
- Balas, E., Erratum **5** (1983) 247-248
- Balas, E., A fast algorithm for finding an edge-maximal subgraph with a TR-formative coloring **15** (1986) 123-134
- Balas, E. and M.J. Saltzman, Facets of the three-index assignment polytope **23** (1989) 201-229
- Balas, E. and L. Qi, Linear-time separation algorithms for the three-index assignment polytope **43** (1993) 1-12
- Balas, E. and M. Oosten, On the dimension of projected polyhedra **87** (1-3) (1998) 1-9
- Balas, E., Disjunctive programming: Properties of the convex hull of feasible points **89** (1-3) (1998) 3-44
- Baláž, V., V. Kvasnička and J. Pospíchal, Two metrics in a graph theory modeling of organic chemistry **35** (1992) 1-19
- Baldick, R., A unified approach to polynomially solvable cases of integer "non-separable" quadratic optimization **61** (3) (1995) 195-212
- Baldy, P. and M. Morvan, A linear time and space algorithm to recognize interval orders (*Note*) **46** (1993) 173-178
- Balińska, K.T., H. Galina, L.V. Quintas and J. Szymański, A kinetic approach to the random f -graph process. Paths, cycles and components **67** (1-3) (1996) 13-25
- Ball, M.O., J.N. Hagstrom and J.S. Provan, Two-path subsets: Efficient counting and applications to performability analysis **85** (1) (1998) 25-45
- Bampis, E., F. Guinand and D. Trystram, Some models for scheduling parallel programs with communication delays **72** (1-2) (1997) 5-24
- Bandelt, H.J. and J.P. Barthélemy, Medians in median graphs **8** (1984) 131-142
- Bandelt, H.J., A. Dählmann and H. Schütte, Absolute retracts of bipartite graphs **16** (1987) 191-215
- Bandelt, H.-J., M. Farber and P. Hell, Absolute reflexive retracts and absolute bipartite retracts **44** (1993) 9-20
- Bandelt, H.-J., Y. Crama and F.C.R. Spieksma, Approximation algorithms for multi-dimensional assignment problems with decomposable costs **49** (1994) 25-50
- Bang-Jensen, J. and P. Hell, The effect of two cycles on the complexity of colourings by directed graphs **26** (1990) 1-23
- Bang-Jensen, J. and P. Hell, Fast algorithms for finding Hamiltonian paths and cycles in in-tournament digraphs (*Note*) **41** (93) 75-79

- Bang-Jensen, J., G. Gutin and A. Yeo, Properly coloured Hamiltonian paths in edge-coloured complete graphs **82** (1-3) (1998) 247-250
- Bang Le, V., *see* A. Brandstädt **89** (1-3) (1998) 59-73
- Bangov, I.P., Generation of molecular graphs based on flexible utilization of the available structural information **67** (1996) 27-49
- Banković, D., Certain Boolean equations **35** (1992) 21-27
- Bao, F., Y. Igarashi and S.R. Öhring, Reliable broadcasting in product networks **83** (1-3) (1998) 3-20
- Barahona, F., A solvable case of quadratic 0-1 programming **13** (1986) 23-26
- Barahona, F. and W.R. Pulleyblank, Exact arborescences, matchings and cycles **16** (1987) 91-99
- Barcia, P., Constructive dual methods for discrete programming **18** (1987) 107-117
- Bárcia, P., *see* J.O. Cerdeira **63** (1) (1995) 13-24
- Barefoot, C.A., R.C. Entringer and L.A. Székely, Extremal values for ratios of distances in trees **80** (1) (1997) 37-56
- Barkaoui, K., *see* M. Minoux **29** (1990) 195-210
- Barnes, T.M. and C.D. Savage, Efficient generation of graphical partitions **78** (1-3) (1997) 17-26
- Bar-Noy, A., F.K. Hwang, I. Kessler and S. Kutten, A new competitive algorithm for group testing **52** (1) (1994) 29-38
- Bar-Noy, A. and S. Kipnis, Broadcasting multiple messages in simultaneous send/receive systems **55** (2) (1994) 95-105
- Bar-Noy, A., S. Kipnis and B. Schieber, Optimal computation of census functions in the postal model **58** (3) (1995) 213-222
- Barraez, D., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201-211
- Barros, O. and A. Weintraub, Spatial market equilibrium problems as network models **13** (1986) 109-130
- Barth, D., J. Bond and A. Raspaud, Compatible eulerian circuits in K_n^{**} **56** (2-3) (1995) 127-136
- Barth, D. and M.-C. Heydemann, A new digraphs composition with applications to de Bruijn and generalized de Bruijn digraphs **77** (2) (1997) 99-118
- Barthélemy, J.P., *see* H.J. Bandelt **8** (1984) 131-142
- Barthélemy, J.-P., O. Hudry, G. Isaak, F.S. Roberts and B. Tesman, The reversing number of a digraph **60** (1-3) (1995) 39-76
- Barua, R., *see* P. Sarkar **84** (1-3) (1998) 199-213
- Bar-Yehuda, R. and S. Moran, On approximation problems related to the Independent Set and Vertex Cover problems **9** (1984) 1-10
- Bar-Yehuda, R. and T. Etzion, Connections between two cycles - a new design of dense processor interconnection networks **37/38** (1992) 29-43
- Basak, S.C., V.R. Magnuson, G.J. Niemi and R.R. Regal, Determining structural similarity of chemicals using graph-theoretic indices **19** (1988) 17-44
- Bauer, D., S.L. Hakimi and E. Schmeichel, Recognizing tough graphs is NP-hard **28** (1990) 191-195
- Bauer, D., J. van den Heuvel, A. Morgana and E. Schmeichel, The complexity of recognizing tough cubic graphs **79** (1-3) (1997) 35-44
- Baulieu, F.B., Classification of normalized cluster methods in an order theoretic model **32** (1991) 1-29
- Baumann, U., On edge-hamiltonian Cayley graphs **51** (1-2) (1994) 27-37
- Baumslag, M., An algebraic analysis of the connectivity of DeBruijn and shuffle-exchange digraphs **61** (3) (1995) 213-227
- Beale, E.M.L., A mathematical programming model for the long-term development of an off-shore gas field **5** (1983) 1-9
- Beame, P., Lower bounds for recognizing small cliques on CRCW PRAM's **29** (1990) 3-20
- Beauquier, B., P. Hell and S. Pérennes, Optimal wavelength-routed multicasting **84** (1-3) (1998) 15-20
- Beauquier, J., *see* J.-M. Autebert **2** (1980) 1-20
- Beck, J. and T. Fiala, "Integer-making" theorems **3** (1981) 1-8
- Becker, R.I., *see* E. Agasi **45** (1993) 1-28
- Becker, R.I. and Y. Perl, The shifting algorithm technique for the partitioning of trees **62** (1-3) (1995) 15-34
- Beeler, M.D., A new van der Waerden number (Note) **6** (1983) 207
- Beigel, R. and W.I. Gasarch, The Mapmaker's dilemma **34** (1991) 37-48
- Bein, W.W., P. Brucker and A. Tamir, Minimum cost flow algorithms for series-parallel networks **10** (1985) 117-124

- Bein, W.W. and P. Brucker, Greedy concepts for network flow problems **15** (1986) 135-144
- Bein, W.W., P. Brucker, J.K. Park and P.K. Pathak, A Monge property for the d -dimensional transportation problem **58** (2) (1995) 97-109
- Beineke, L.W., *see* K.S. Bagga **37/38** (1992) 13-28
- Beineke, L.W., O.R. Oellermann and R.E. Pippert, On the Steiner median of a tree **68** (3) (1996) 249-258
- Belouadah, H., M.E. Posner and C.N. Potts, Scheduling with release dates on a single machine to minimize total weighted completion time **36** (1992) 213-231
- Belouadah, H. and C.N. Potts, Scheduling identical parallel machines to minimize total weighted completion time **48** (1994) 201-218
- Ben-David, S. and A. Litman, Combinatorial variability of Vapnik-Chervonenkis classes with applications to sample compression schemes **86** (1) (1998) 3-25
- Bendisch, J., U. Derigs and A. Metz, An efficient matching algorithm applied in statistical physics **52** (2) (1994) 139-153
- Benelli, M. and R. Hassin, Optimal separable partitioning in the plane **59** (3) (1995) 215-224
- Benjamin, A.T., C. Converse and H.A. Krieger, How do I marry thee? Let me count the ways! **59** (3) (1995) 285-292
- Bennett, F.E. and L. Wu, On minimum matrix representation of closure operations **26** (1990) 25-40
- Bennett, F.E. and L. Wu, Minimum matrix representation of Sperner systems **81** (1-3) (1998) 9-17
- Benstock, J.D., D.J. Berndt and K.K. Agarwal, Graph embedding in SYNCHEM2, an expert system for organic synthesis discovery **19** (1988) 45-63
- Bent, S.W. and U. Manber, On non-intersecting eulerian circuits (*Note*) **18** (1987) 87-94
- Bercoff, C., Uniform tag systems for paperfolding sequences **77** (2) (1997) 119-138
- Berge, C., New classes of perfect graphs **15** (1986) 145-154
- Berge, C., A new color change to improve the coloring of a graph **24** (1989) 25-28
- Berge, C., Some properties of non-bicolorable hypergraphs and the four-color problem **65** (1-3) (1996) 73-79
- Berger, M.A., A. Felzenbaum and A.S. Fraenkel, Irreducible disjoint covering systems (with an application to Boolean algebra) **29** (1990) 143-164
- Bergeron, F., Algorithms for sequential generation of combinatorial structures **24** (1989) 29-35
- Bergeron, F., G. Labelle and P. Leroux, Computation of the expected number of leaves in a tree having a given automorphism, and related topics **34** (1991) 49-66
- Berkman, O. and U. Vishkin, Almost fully-parallel parentheses matching **57** (1) (1995) 11-28
- Berman, K.A., J. Franco and J.S. Schlipf, Unique satisfiability of Horn sets can be solved in nearly linear time **60** (1-3) (1995) 77-91
- Berman, K.A. and Y. Liu, Generalized bicycles **78** (1-3) (1997) 27-40
- Berman, O., *see* I. Averbakh **63** (3) (1995) 201-214
- Berman, O., *see* I. Averbakh **68** (1-2) (1996) 17-32
- Berman, O., *see* I. Averbakh **75** (3) (1997) 201-216
- Bermond, J.C., J.M. Fourneau and A. Jean-Marie, A graph theoretical approach to equivalence of multistage interconnection networks **22** (1988/89) 201-214
- Bermond, J.-C., P. Hell, A.L. Liestman and J.G. Peters, Sparse broadcast graphs **36** (1992) 97-130
- Bermond, J.-C., C. Delorme and J.J. Quisquater, Table of large (Δ, D) -graphs **37/38** (1992) 575-577
- Bermond, J.-C. and F.Ö. Ergincan, Bus interconnection networks **68** (1-2) (1996) 1-15
- Bermond, J.-C., E. Darrot, O. Delmas and S. Perennes, Hamilton circuits in the directed wrapped Butterfly network **84** (1-3) (1998) 21-42
- Bermond, J.-C., L. Gargano and S. Perennes, Optimal sequential gossiping by short messages **86** (2-3) (1998) 145-155
- Berndt, D.J., *see* J.D. Benstock **19** (1988) 45-63
- Bernhard, P.J., S.T. Hedetniemi and D.P. Jacobs, Efficient sets in graphs **44** (1993) 99-108
- Berry, A. and J.-P. Bordat, Separability generalizes Dirac's theorem **84** (1-3) (1998) 43-53
- Berry, J.W. and M.K. Goldberg, Path optimization for graph partitioning problems **90** (1-3) (1999) 27-50
- Berstel, J. and P. Séébold, A characterization of overlap-free morphisms (*Note*) **46** (1993) 275-281
- Bertolazzi, P., C. Leporelli and M. Lucertini, Alternative group relaxation of integer programming problems **8** (1984) 143-151
- Bertolazzi, P., C. De Simone and A. Galluccio, A nice class for the vertex packing problem **76** (1-3) (1997) 3-19

- Bertossi, A.A. and M.A. Bonuccelli, A polynomial feasibility test for preemptive periodic scheduling of unrelated processors **12** (1985) 195-201
- Bertossi, A.A. and M.A. Bonuccelli, Some parallel algorithms on interval graphs **16** (1987) 101-111
- Bertz, S.H., Branching in graphs and molecules **19** (1988) 65-83
- Bezrukov, S., N. Grünwald and K. Weber, On edge numberings of the n -cube graph **46** (1993) 99-116
- Bezrukov, S., B. Monien, W. Unger and G. Wechsung, Embedding ladders and caterpillars into the hypercube **83** (1-3) (1998) 21-29
- Bhagavathi, D., V. Bokka, H. Gurla, S. Olariu and J.L. Schwing, Time-optimal tree computations on sparse meshes **77** (3) (1997) 201-220
- Bhandari, M.C. and M.S. Garg, A note on the covering radius of optimum codes **33** (1991) 3-9
- Bhattacharya, S.K. and A.K. Gupta, Occupation times for two-state Markov chains (*Note*) **2** (1980) 249-250
- Bhatti, F.M. and J.W. Essam, Low density series expansions for backbone properties of percolation clusters **19** (1988) 85-112
- Bianco, L., P. Dell'Olmo and M.G. Speranza, Scheduling independent tasks with multiple modes **62** (1-3) (1995) 35-50
- Bianco, L., J. Błażewicz, P. Dell'Olmo and M. Drozdowski, Linear algorithms for preemptive scheduling of multiprocessor tasks subject to minimal lateness **72** (1-2) (1997) 25-46
- Bibelnieks, E. and P.M. Dearing, Neighborhood subtree tolerance graphs **43** (1993) 13-26
- Bienstock, D., Broadcasting with random faults **20** (1988) 1-7
- Biggs, N.L., *see* J. Shawe-Taylor **42** (1993) 65-73
- Billionnet, A. and M. Minoux, Maximizing a supermodular pseudoboolean function: A polynomial algorithm for supermodular cubic functions **12** (1985) 1-11
- Billionnet, A., *see* W.E. Adams **29** (1990) 131-142
- Billionnet, A. and M.-C. Costa, Solving the uncapacitated plant location problem on trees **49** (1994) 51-59
- Billionnet, A. and A. Faye, A lower bound for a constrained quadratic 0-1 minimization problem **74** (2) (1997) 135-146
- Birge, J.R. and M.A.H. Dempster, Optimal match-up strategies in stochastic scheduling **57** (2-3) (1995) 105-120
- Bitan, S., *see* T. Etzion **70** (2) (1996) 163-175
- Bixby, R.E. and C.R. Coullard, On chains of 3-connected matroids **15** (1986) 155-166
- Björner, A., J. Karlander and B. Lindström, Communication complexity of two decision problems (*Note*) **39** (1992) 161-163
- Blair, C., Sensitivity analysis for knapsack problems: a negative result **81** (1-3) (1998) 133-139
- Blair, C.E., Facial disjunctive programs and sequences of cutting-planes **2** (1980) 173-179
- Blair, C.E. and R.G. Jeroslow, Extensions of a theorem of Balas **9** (1984) 11-26
- Blair, C.E. and R.G. Jeroslow, Constructive characterizations of the value-function of a mixed-integer program I **9** (1984) 217-233
- Blair, C.E. and R.G. Jeroslow, Constructive characterization of the value function of a mixed-integer program II **10** (1985) 227-240
- Blair, J.R.S., The efficiency of AC graphs **44** (1993) 119-138
- Blake, I.F., *see* D.W. Ash **25** (1989) 191-210
- Blanchet-Sadri, F., Games, equations and dot-depth two monoids **39** (1992) 99-111
- Blanchet-Sadri, F., On a complete set of generators for dot-depth two **50** (1) (1994) 1-25
- Blanchet-Sadri, F., Inclusion relations between some congruences related to the dot-depth hierarchy **68** (1-2) (1996) 33-71
- Blanchet-Sadri, F., Trees, congruences and varieties of finite semigroups **86** (2-3) (1998) 157-179
- Błażewicz, J., J.K. Lenstra and A.H.G. Rinnooy Kan, Scheduling subject to resource constraints: Classification and complexity **5** (1983) 11-24
- Błażewicz, J. and J.R. Nawrocki, Dynamic storage allocation with limited compaction - complexity and some practical implications **10** (1985) 241-253
- Błażewicz, J., M. Drozdowski, G. Schmidt and D. de Werra, Scheduling independent two processor tasks on a uniform duo-processor system **28** (1990) 11-20
- Błażewicz, J., *see* D. de Werra **35** (1992) 205-219
- Błażewicz, J., W. Kubiak and S. Martello, Algorithms for minimizing maximum lateness with unit length tasks and resource constraints **42** (1993) 123-138

- Błażewicz, J., M. Drozdowski, D. de Werra and J. Węglarz, Deadline scheduling of multiprocessor tasks **65** (1-3) (1996) 81-95
- Błażewicz, J., *see* L. Bianco **72** (1-2) (1997) 25-46
- Błażewicz, J., J. Carlier, A. Hertz and M. Widmer, Preface **76** (1-3) (1997) 1-2
- Błażewicz, J. and M. Drozdowski, Distributed processing of divisible jobs with communication startup costs **76** (1-3) (1997) 21-41
- Blest, D.C. and D.G. Fitzgerald, Scheduling sports competitions with a given distribution of times **22** (1988/89) 9-19
- Blieberger, J., Monotonically labelled Motzkin trees **18** (1987) 9-24
- Blokh, D. and G. Gutin, Maximizing traveling salesman problem for special matrices **56** (1) (1995) 83-86
- Bloom, G.S. and S. Ruiz, Decompositions into linear forests and difference labelings of graphs **49** (1994) 61-75
- Blum, M., *see* D.S. Cohen **61** (2) (1995) 105-120
- Blumer, A., A. Ehrenfeucht and D. Haussler, Average sizes of suffix trees and DAWGs **24** (1989) 37-45
- Blumer, A. and N. Littlestone, Learning faster than promised by the Vapnik-Chervonenkis dimension **24** (1989) 47-53
- Blundo, C. and D.R. Stinson, Anonymous secret sharing schemes **77** (1) (1997) 13-28
- Bo, Z. and B. Liu, Matrices with maximum exponents in the class of doubly stochastic primitive matrices **91** (1-3) (1999) 53-66
- Boasson, L., *see* J.-M. Autebert **2** (1980) 1-20
- Bodlaender, H.L., Improved self-reduction algorithms for graphs with bounded treewidth **54** (2-3) (1994) 101-115
- Bodlaender, H.L., K. Jansen and G.J. Woeginger, Scheduling with incompatible jobs **55** (3) (1994) 219-232
- Bodlaender, H.L. and B. de Fluiter, On intervalizing k -colored graphs for DNA physical mapping **71** (1-3) (1996) 55-77
- Bodlaender, H.L. and D.M. Thilikos, Treewidth for graphs with small chordality **79** (1-3) (1997) 45-61
- Boesch, F.T. and C.L. Suffel, Realizability of p -point graphs with prescribed minimum degree, maximum degree, and point-connectivity **3** (1981) 9-18
- Boesch, F.T., X. Li and J. Rodriguez, Graphs with most number of three point induced connected subgraphs **59** (1) (1995) 1-10
- Boffey, T.B. and J.R. Green, Design of electricity supply networks **5** (1983) 25-38
- Bogart, K.P., J. Bonin and J. Mitas, Interval orders based on weak orders **60** (1-3) (1995) 93-98
- Bogart, K.P., P.C. Fishburn, G. Isaak and L. Langley, Proper and unit tolerance graphs **60** (1-3) (1995) 99-117
- Bokka, V., *see* D. Bhagavathi **77** (3) (1997) 201-220
- Bollobás, B. and A. Thomason, Parallel sorting **6** (1983) 1-11
- Bollobás, B. and G. Brightwell, Random walks and electrical resistances in products of graphs **73** (1) (1997) 69-79
- Bollobás, B. and I. Leader, Matchings and paths in the cube **75** (1) (1997) 1-8
- Bond, J., *see* D. Barth **56** (2-3) (1995) 127-136
- Bone, T., C. Jeffries and V. Klee, A qualitative analysis of $\dot{x} = Ax + b$ **20** (1988) 9-30
- Boneh, D., C. Dunworth, R.J. Lipton and J. Sgall, On the computational power of DNA **71** (1-3) (1996) 79-94
- Bonin, J., *see* K.P. Bogart **60** (1-3) (1995) 93-98
- Bonis, A.D., A predetermined algorithm for detecting a counterfeit coin with a multi-arms balance **86** (2-3) (1998) 181-200
- Bonuccelli, M.A., *see* A.A. Bertossi **12** (1985) 195-201
- Bonuccelli, M.A., Dominating sets and domatic number of circular arc graphs **12** (1985) 203-213
- Bonuccelli, M.A., *see* A.A. Bertossi **16** (1987) 101-111
- Book, R.V., The base of the intersection of two free submonoids **12** (1985) 13-20
- Borah, M., R.M. Owens and M.J. Irwin, A fast and simple Steiner routing heuristic **90** (1-3) (1999) 51-67
- Bordat, J.P., Parcours dans les graphes: Un outil pour l'algorithmique des ensembles ordonnés **12** (1985) 215-231
- Bordat, J.-P., Efficient polynomial algorithms for distributive lattices **32** (1991) 31-50
- Bordat, J.-P., *see* A. Berry **84** (1-3) (1998) 43-53
- Borie, Ph., Réseaux et polynômes de dénombrement (*Communication*) **18** (1987) 83-86
- Borie, R.B. and J.P. Spinrad, Construction of a simple elimination scheme for a chordal comparability graph in linear time **91** (1-3) (1999) 287-292

- Boros, E., P.L. Hammer, M.E. Hartmann and R. Shamir, Balancing problems in acyclic networks **49** (1994) 77-93
- Boros, E., P.L. Hammer and X. Sun, Recognition of q-Horn formulae in linear time **55** (1) (1994) 1-13
- Boros, E., V. Gurvich, P.L. Hammer, T. Ibaraki and A. Kogan, Decomposability of partially defined Boolean functions **62** (1-3) (1995) 51-75
- Boros, E., P.L. Hammer, M. Minoux and D.J. Rader, Jr, Optimal cell flipping to minimize channel density in VLSI design and pseudo-Boolean optimization **90** (1-3) (1999) 69-88
- Borzacchini, L., Graphical partially ordered sets **18** (1987) 247-262
- Bošnjak, I., Some new results concerning three counterfeit coins problem (Note) **48** (1994) 81-85
- Bouabdallah, A., C. Delorme and S. Djelloul, Edge deletion preserving the diameter of the hypercube **63** (1) (1995) 91-95
- Bouchet, A., Matchings and Δ -matroids **24** (1989) 55-62
- Bouchitté, V., R. Jégou and J.-X. Rampon, On the directionality of interval orders (Note) **48** (1994) 87-92
- Bourjolly, J.-M. and W.R. Pulleyblank, König-Egerváry graphs, 2-bicritical graphs and fractional matchings **24** (1989) 63-82
- Bousquet-Mélou, M., Codage des polyominos convexes et équations pour l'énumération suivant l'aire **48** (1994) 21-43
- Bovet, D.P. and A. Panconesi, Inclusion relationships among permutation problems **16** (1987) 113-123
- Bovet, J., Une amélioration de la méthode de Dijkstra pour la recherche d'un plus court chemin dans un réseau (Note) **13** (1986) 93-96
- Bovet, J., C. Constantin and D. de Werra, A convoy scheduling problem **30** (1991) 1-14
- Bowser, S. and C.A. Cable, Some recent results on niche graphs **30** (1991) 101-108
- Boyar, J., F. Fich and K.S. Larsen, Bounds on certain multiplications of affine combinations **52** (2) (1994) 155-167
- Boyd, E.A. and U. Faigle, An algorithmic characterization of antimatroids **28** (1990) 197-205
- Boyd, E.A., Polyhedral results for the precedence-constrained knapsack problem **41** (93) 185-201
- Boyer, E.D., *see* D.C. Fisher **84** (1-3) (1998) 93-105
- Brand, N., S. Curran, S. Das and T. Jacob, Probability of diameter two for Steinhaus graphs (Note) **41** (93) 165-171
- Brandstädt, A., *see* J. Spinrad **18** (1987) 279-292
- Brandstädt, A., Classes of bipartite graphs related to chordal graphs **32** (1991) 51-60
- Brandstädt, A. and H.-J. Voss, Short disjoint cycles in graphs with degree constraints **64** (3) (1996) 197-205
- Brandstädt, A., V.D. Chepoi and F.F. Dragan, The algorithmic use of hypertree structure and maximum neighbourhood orderings **82** (1-3) (1998) 43-77
- Brandstädt, A., V. Bang Le and T. Szymczak, The complexity of some problems related to GRAPH 3-COLORABILITY **89** (1-3) (1998) 59-73
- Brandt, S., A sufficient condition for all short cycles **79** (1-3) (1997) 63-66
- Branković, L., *see* P. Horak **91** (1-3) (1999) 119-126
- Bräsel, H., D. Kluge and F. Werner, A polynomial algorithm for an open shop problem with unit processing times and tree constraints **59** (1) (1995) 11-21
- Brecht, T.B. and C.I. Colbourn, Lower bounds on two-terminal network reliability **21** (1988) 185-198
- Brennan, T., *see* J. Harrison **82** (1-3) (1998) 103-113
- Brewster, R., The complexity of colouring symmetric relational systems **49** (1994) 95-105
- Brewster, R. and G. MacGillivray, Homomorphically full graphs **66** (1) (1996) 23-31
- Brigham, R.C., *see* R.D. Dutton **6** (1983) 315-317
- Brigham, R.C., *see* R.D. Dutton **20** (1988) 113-125
- Brigham, R.C., *see* T.W. Haynes **44** (1993) 295-304
- Brigham, R.C., F.R. McMorris and R.P. Vitray, Two- ϕ -tolerance competition graphs **66** (2) (1996) 101-108
- Brightwell, G., *see* M. Anthony **61** (1) (1995) 1-25
- Brightwell, G., *see* B. Bollobás **73** (1) (1997) 69-79
- Brito, M.R., A simple a.s. correct algorithm for deciding if a graph has a perfect matching **63** (2) (1995) 181-185
- Brek, S., Enumeration of factors in the Thue-Morse word **24** (1989) 83-96
- Broersma, H.J. and I. Schiermeyer, Subgraphs, closures and hamiltonicity **51** (1-2) (1994) 39-46
- Broersma, H.J. and L. Xueliang, On "The matching polynomial of a polygraph" (Note) **46** (1993) 79-86

- Bromfield, A.J. and F.C. Piper, Linear recursion properties of uncorrelated binary sequences **27** (1990) 187-193
- Brooks, J.A., *see* F.L. Van Scoy **53** (1-3) (1994) 321-336
- Broughan, K., *see* N. Zhu **82** (1-3) (1998) 231-246
- Brouwer, A.E., Some new two-weight codes and strongly regular graphs (*Note*) **10** (1985) 111-114
- Brown, F.M., Segmental solutions of Boolean equations **4** (1982) 87-96
- Brown, F.M. and Y. Igarashi, On permutations of wires and states **7** (1984) 231-241
- Brown, J.I., The complexity of generalized graph colorings **69** (3) (1996) 255-268
- Brown, T.J.N., R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes **67** (1-3) (1996) 51-66
- Brown, T.J.N., R.B. Mallion, P. Pollak and A. Roth, Some methods for counting the spanning trees in labelled molecular graphs, examined in relation to certain fullerenes [Discrete Applied Mathematics 67 (1996) 51-66] **75** (2) (1997) 199-200
- Brualdi, R.A. and V.S. Pless, Polyadic codes **25** (1989) 3-17
- Brualdi, R.A., H.C. Jung and W.T. Trotter Jr, On the poset of all posets on n elements **50** (2) (1994) 111-123
- Brualdi, R.A. and J. Shao, Generalized exponents of primitive symmetric digraphs **74** (3) (1997) 275-293
- Bruck, J., On optimal broadcasting in faulty hypercubes **53** (1-3) (1994) 3-13
- Brucker, P. and W. Papenjohann, An out-of-kilter method for the algebraic circulation problem **10** (1985) 1-18
- Brucker, P., *see* W.W. Bein **10** (1985) 117-124
- Brucker, P., *see* W.W. Bein **15** (1986) 135-144
- Brucker, P. and W. Meyer, Scheduling two irregular polygons **20** (1988) 91-100
- Brucker, P., *see* S. Albers **47** (1993) 87-107
- Brucker, P., B. Jurisch and B. Sievers, A branch and bound algorithm for the job-shop scheduling problem **49** (1994) 107-127
- Brucker, P., *see* W.W. Bein **58** (2) (1995) 97-109
- Brucker, P., Efficient algorithms for some path partitioning problems **62** (1-3) (1995) 77-85
- Brucker, P., J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems—I **65** (1-3) (1996) 97-122
- Brucker, P., J. Hurink and F. Werner, Improving local search heuristics for some scheduling problems. Part II **72** (1-2) (1997) 47-69
- Brucker, P., J. Hurink, B. Jurisch and B. Wöstmann, A branch & bound algorithm for the open-shop problem **76** (1-3) (1997) 43-59
- Bruneau, C.-M., *see* D. Durand **3** (1981) 79-91
- Bruno, W.J., *see* E. Knill **88** (1-3) (1998) 261-290
- Brunvoll, J., *see* S.J. Cyvin **67** (1-3) (1996) 67-78
- Brzozowski, J.A., *see* C.-J. Shi **90** (1-3) (1999) 223-243
- Bucher, W., A note on regular classes in special Thue systems **21** (1988) 199-205
- Bucher, W., On the generation of powers by OS schemes **23** (1989) 33-43
- Bulgaru, E. and V.I. Voloshin, Mixed interval hypergraphs **77** (1) (1997) 29-41
- Burattini, E., *see* A. Aiello **2** (1980) 159-161
- Burgin, M.S. and E.Ya. Gabovich, Equivalence among optimization problems on matrix sets **6** (1983) 13-24
- Burkard, R.E. and U. Fincke, Probabilistic asymptotic properties of some combinatorial optimization problems **12** (1985) 21-29
- Burkard, R.E., Optimal schedules for periodically recurring events **15** (1986) 167-180
- Burkard, R.E. and E.-Y. Yao, Constrained partitioning problems **28** (1990) 21-34
- Burkard, R.E. and W. Sandholzer, Efficiently solvable special cases of bottleneck travelling salesman problems **32** (1991) 61-76
- Burkard, R.E., R. Rudolf and G.J. Woeginger, Three-dimensional axial assignment problems with decomposable cost coefficients **65** (1-3) (1996) 123-139
- Burkard, R.E., B. Klinz and R. Rudolf, Perspectives of Monge properties in optimization **70** (2) (1996) 95-161
- Buser, P., On the bipartition of graphs (*Note*) **9** (1984) 105-109
- Bushnell, M.L., *see* S.T. Chakradhar **36** (1992) 233-251
- Butkovič, P., Necessary solvability conditions of systems of linear extremal equations **10** (1985) 19-26
- Butkovič, P. and F. Hevery, A condition for the strong regularity of matrices in the minimax algebra **11** (1985) 209-222

- Butkovič, P. and J. Plávka, On the dependence of the maximum cycle mean of a matrix on permutations of the rows and columns **23** (1989) 45-53
- Butkovic, P. and R.A. Cuninghame-Green, An $O(n^2)$ algorithm for the maximum cycle mean of an $n \times n$ bivalent matrix (Note) **35** (1992) 157-162
- Butkovič, P., Strong regularity of matrices—a survey of results **48** (1994) 45-68
- Butkovič, P., Regularity of matrices in min-algebra and its time-complexity **57** (2-3) (1995) 121-132
- Butler, L.M., Generalized flags in finite Abelian p -groups **34** (1991) 67-81
- Buzytsky, P.L. and G.A. Freiman, An effective formula for the number of solutions of a system of two 0, 1-equations **6** (1983) 127-133
- Cable, C., K.F. Jones, J.R. Lundgren and S. Seager, Niche graphs **23** (1989) 231-241
- Cable, C.A., *see* S. Bowser **30** (1991) 101-108
- Cabral, R.H.B., *see* H.P.L. Luna **18** (1987) 199-210
- Caccetta, L. and L.M. Giannini, An application of discrete mathematics in the design of an open pit mine **21** (1988) 1-19
- Cai, L. and J.A. Ellis, NP-completeness of edge-colouring some restricted graphs **30** (1991) 15-27
- Cai, L. and J.A. Ellis, Edge colouring line graphs of unicyclic graphs (Note) **36** (1992) 75-82
- Cai, L. and F. Maffray, On the SPANNING k -TREE problem **44** (1993) 139-156
- Cai, L., NP-completeness of minimum spanner problems (Note) **48** (1994) 187-194
- Cai, L. and B. Schieber, A linear-time algorithm for computing the intersection of all odd cycles in a graph **73** (1) (1997) 27-34
- Cai, L., On spanning 2-trees in a graph **74** (3) (1997) 203-216
- Cai, M.-C., An algorithm for an Eulerian trail traversing specified edges in given order **55** (3) (1994) 233-239
- Cai, X. and T.C.E. Cheng, Multi-machine scheduling with variance minimization **84** (1-3) (1998) 55-70
- Cai, Y.Z., *see* X. Shen **25** (1989) 155-178
- Calude, C. and S. Yu, Language-theoretic complexity of disjunctive sequences **80** (2-3) (1997) 203-209
- Camarda, P. and M. Gerla, Design and analysis of fault-tolerant multibus interconnection networks **37/38** (1992) 45-64
- Camerini, P.M., G. Galbiati and F. Maffioli, On the complexity of finding multi-constrained spanning trees **5** (1983) 39-50
- Camerini, P.M., F. Maffioli, S. Martello and P. Toth, Most and least uniform spanning trees **15** (1986) 181-197
- Cameron, H. and D. Wood, Maximal path length of binary trees **55** (1) (1994) 15-35
- Cameron, H., Fringe thickness and maximum path length of binary trees **89** (1-3) (1998) 75-97
- Cameron, K., Induced matchings **24** (1989) 97-102
- Campbell, L., Dense group networks **37/38** (1992) 65-71
- Campello, R.E. and N.F. Maculan, Lagrangean relaxation for a lower bound to a set partitioning problem with side constraints: Properties and algorithms **18** (1987) 119-136
- Campêlo Neto, M.B. and S. Klein, Maximum vertex-weighted matching in strongly chordal graphs **84** (1-3) (1998) 71-77
- Čangalović, M. and J.A.M. Schreuder, Modelling and solving an acyclic multi-period timetabling problem **35** (1992) 177-195
- Caniglia, L., A. Galligo and J. Heintz, Equations for the projective closure and effective Nullstellensatz **33** (1991) 11-23
- Cao, D. and G.L. Nemhauser, Polyhedral characterizations and perfection of line graphs **81** (1-3) (1998) 141-153
- Capocelli, R.M. and U. Vaccaro, Structure of decoders for multivalued encodings **23** (1989) 55-71
- Capocelli, R.M., L. Gargano and U. Vaccaro, Efficient q -ary immutable codes **33** (1991) 25-41
- Caprara, A., Properties of some ILP formulations of a class of partitioning problems **87** (1-3) (1998) 11-23
- Carducci, O.M., *see* B. Aldershof **68** (1-2) (1996) 203-207
- Carlier, J. and C. Lucet, A decomposition algorithm for network reliability evaluation **65** (1-3) (1996) 141-156
- Carlier, J., *see* J. Błażewicz **76** (1-3) (1997) 1-2
- Carlier, J., Y. Li and J. Lutton, Reliability evaluation of large telecommunication networks **76** (1-3) (1997) 61-80
- Carlisle, M.C. and E.L. Lloyd, On the k -coloring of intervals **59** (3) (1995) 225-235
- Carlson, B.S., C.Y.R. Chen and D.S. Meliksetian, Transistor chaining in static CMOS functional cells of arbitrary planar topology **90** (1-3) (1999) 89-114

- Carmen Ortiz, Z., N. Maculan and J.L. Szwarcfiter, Characterizing and edge-colouring split-indifference graphs **82** (1-3) (1998) 209-217
- Carpaneto, G. and P. Toth, Primal-dual algorithms for the assignment problem **18** (1987) 137-153
- Carpentieri, M., Some democratic secret sharing schemes **59** (3) (1995) 293-298
- Carpi, A., On the number of Abelian square-free words on four letters **81** (1-3) (1998) 155-167
- Carter, M.W., The indefinite zero-one quadratic problem **7** (1984) 23-44
- Çatay, B., *see* A.J. Vakharia **73** (3) (1997) 283-288
- Catlin, P.A., J.W. Grossman, A.M. Hobbs and H.-J. Lai, Fractional arboricity, strength, and principal partitions in graphs and matroids **40** (1992) 285-302
- Cechlárová, K., Trapezoidal matrices and the bottleneck assignment problem **58** (2) (1995) 111-116
- Cederbaum, L., *see* S. Wimer **45** (1993) 169-179
- Cerdeira, J.O., I. Faria and P. Bárcia, Establishing determinantal inequalities for positive-definite matrices **63** (1) (1995) 13-24
- Cesa-Bianchi, N. and D. Haussler, A graph-theoretic generalization of the Sauer-Shelah lemma **86** (1) (1998) 27-35
- Chaimovich, M., Subset-sum problems with different summands: Computation (*Note*) **27** (1990) 277-282
- Chakradhar, S.T. and M.L. Bushnell, A solvable class of quadratic 0-1 programming **36** (1992) 233-251
- Chakravarti, N., Sensitivity analysis in isotonic regression **45** (1993) 183-196
- Champarnaud, J.-M. and J.-E. Pin, A maxmin problem on finite automata (*Note*) **23** (1989) 91-96
- Chan, A.H., *see* A. Klapper **46** (1993) 1-20
- Chance, F., *see* B.L. Dietrich **42** (1993) 147-175
- Chandra, A.K. and M. Tompa, The complexity of short two-person games **29** (1990) 21-33
- Chandrasekar, S., *see* S.S. Abhyankar **31** (1991) 81-96
- Chandrasekaran, R. and A. Tamir, Polynomial testing of the query "Is $a^b \geq c^d$?" with application to finding a minimal cost reliability ratio spanning tree **9** (1984) 117-123
- Chandrasekaran, R., Recognition of Gilmore-Gomory traveling salesman problem **14** (1986) 231-238
- Chandrasekaran, R., *see* S.N. Kabadi **26** (1990) 87-104
- Chandrasekaran, R., *see* S. Lakshminarayanan **50** (3) (1994) 267-282
- Chandru, V., *see* S.S. Abhyankar **31** (1991) 81-96
- Chang, G.J., F.K. Hwang and S. Lin, Group testing with two defectives **4** (1982) 97-102
- Chang, G.J., Labeling algorithms for domination problems in sun-free chordal graphs **22** (1988/89) 21-34
- Chang, G.J., *see* H.-M. Lee **40** (1992) 411-421
- Chang, G.J., C. Pandu Rangan and S.R. Coorg, Weighted independent perfect domination on cocomparability graphs **63** (3) (1995) 215-222
- Chang, G.J., *see* M.-S. Chang **66** (3) (1996) 189-203
- Chang, G.J., *see* J.-H. Yan **69** (3) (1996) 245-253
- Chang, G.J., *see* J.-H. Yan **78** (1-3) (1997) 227-233
- Chang, G.J., *see* M.-J. Jou **79** (1-3) (1997) 67-73
- Chang, G.J., *see* H.-G. Yeh **87** (1-3) (1998) 245-253
- Chang, M.-S., C.Y. Tang and R.C.T. Lee, Solving the Euclidean bottleneck biconnected edge subgraph problem by 2-relative neighborhood graphs **39** (1992) 1-12
- Chang, M.-S., Y.-H. Chen, G.J. Chang and J.-H. Yan, Algorithmic aspects of the generalized clique-transversal problem on chordal graphs **66** (3) (1996) 189-203
- Chang, M.-S. and C.-C. Hsu, On minimum intersection of two minimum dominating sets of interval graphs **78** (1-3) (1997) 41-50
- Chang, M.-S., Weighted domination of cocomparability graphs **80** (2-3) (1997) 135-148
- Chang, R.S. and R.C.T. Lee, On the continuous working problem **28** (1990) 93-109
- Chang, S.Y., *see* S.-J. Chung **15** (1986) 199-211
- Chang, S.Y. and K.G. Murty, The steepest descent gravitational method for linear programming **25** (1989) 211-239
- Chang, Y.-W., M.S. Jacobson, C.L. Monma and D.B. West, Subtree and substar intersection numbers **44** (1993) 205-220
- Chao, S.X., *see* A. Quilliot **51** (1-2) (1994) 159-170
- Charnes, A., *see* R. Armstrong **1** (1979) 1-14

- Charon, I., O. Hudry and F. Woïgard, A 16-vertex tournament for which Banks set and Slater set are disjoint **80** (2-3) (1997) 211-215
- Chaty, G., On signed digraphs with all cycles negative (*Note*) **20** (1988) 83-85
- Chavez, J.D. and R. Trapp, The cyclic cutwidth of trees **87** (1-3) (1998) 25-32
- Cheah, F. and D.G. Corneil, The complexity of regular subgraph recognition **27** (1990) 59-68
- Cheah, F. and D.G. Corneil, On the structure of trapezoid graphs **66** (2) (1996) 109-133
- Chegireddy, C.R. and H.W. Hamacher, Algorithms for finding K -best perfect matchings **18** (1987) 155-165
- Chein, M. and M. Habib, Jump number of dags having Dilworth number 2 **7** (1984) 243-250
- Chen, B., Tighter bound for MULTIFIT scheduling on uniform processors **31** (1991) 227-260
- Chen, B. and B. Srivastava, An improved lower bound for the bin packing problem **66** (1) (1996) 81-94
- Chen, B. and M. Guignard, Polyhedral analysis and decompositions for capacitated plant location-type problems **82** (1-3) (1998) 79-91
- Chen, C.Y.R., *see* B.S. Carlson **90** (1-3) (1999) 89-114
- Chen, J., A new complete language for DSPACE($\log n$) **25** (1989) 19-26
- Chen, J.-J., *see* J.-H. Yan **69** (3) (1996) 245-253
- Chen, R., *see* F. Zhang **30** (1991) 63-75
- Chen, R., Coronoid systems with perfect matchings **64** (2) (1996) 117-133
- Chen, R. and F. Zhang, Regular coronoid systems **74** (2) (1997) 147-158
- Chen, R. and F. Zhang, Hamilton paths in Z -transformation graphs of perfect matchings of hexagonal systems **74** (2) (1997) 191-196
- Chen, T. and S.S. Skiena, Sorting with fixed-length reversals **71** (1-3) (1996) 269-295
- Chen, Y.-H., *see* M.-S. Chang **66** (3) (1996) 189-203
- Chen, Z.-L., Parallel machine scheduling with time dependent processing times **70** (1) (1996) 81-93
- Chen, Z.-L., Erratum to "Parallel machine scheduling with time dependent processing times" [Discrete Appl. Math. **70** (1996) 81-93] **75** (1) (1997) 103
- Chen, Z.-Z. and X. He, Parallel complexity of partitioning a planar graph into vertex-induced forests **69** (1-2) (1996) 183-198
- Cheng, P. and S. Masuyama, A lower bound of the expected maximum number of edge-disjoint s - t paths on probabilistic graphs **56** (2-3) (1995) 137-155
- Cheng, T.C.E., *see* H.G. Kahlbacher **47** (1993) 139-164
- Cheng, T.C.E. and M.Y. Kovalyov, Batch scheduling and common due-date assignment on a single machine **70** (3) (1996) 231-245
- Cheng, T.C.E., *see* X. Cai **84** (1-3) (1998) 55-70
- Chepoi, V., A multifacility location problem on median spaces **64** (1) (1996) 1-29
- Chepoi, V., Peakless functions on graphs **73** (2) (1997) 175-189
- Chepoi, V., M. Deza and V. Grishukhin, Clin d'oeil on L_1 -embeddable planar graphs **80** (1) (1997) 3-19
- Chepoi, V.D., *see* A. Brandstädt **82** (1-3) (1998) 43-77
- Chernyak, A.A. and Zh.A. Chernyak, Note on complexity of computing the domination of binary systems **73** (3) (1997) 289-295
- Chernyak, Zh.A., *see* A.A. Chernyak **73** (3) (1997) 289-295
- Cheston, G.A., G. Fricke, S.T. Hedetniemi and D.P. Jacobs, On the computational complexity of upper fractional domination **27** (1990) 195-207
- Cheston, G.A. and G. Fricke, Classes of graphs for which upper fractional domination equals independence, upper domination, and upper irredundance **55** (3) (1994) 241-258
- Chetwynd, A.G. and A.J.W. Hilton, The edge-chromatic class of regular graphs of degree 4 and their complements **16** (1987) 125-134
- Ching, Y.T., *see* M.T. Ko **40** (1992) 397-410
- Chlebus, B.S., K. Diks and A. Pelc, Fast gossiping with short unreliable messages **53** (1-3) (1994) 15-24
- Choffrut, C. and K. Culik, On extendibility of unavoidable sets **9** (1984) 125-137
- Choffrut, C. and J. Karhumäki, Test sets for morphisms with bounded delay **12** (1985) 93-101
- Choi, H., *see* S.-K. Lee **75** (1) (1997) 81-91
- Choi, H.-A., *see* S.-K. Lee **75** (1) (1997) 81-91
- Chopra, S. and M.R. Rao, Facets of the k -partition polytope **61** (1) (1995) 27-48
- Chopra, S., Compositions for matroids with the Fulkerson property **62** (1-3) (1995) 87-101

- Chopra, S., I. Gilboa and S. Trilochan Sastry, Source sink flows with capacity installation in batches **85** (3) (1998) 165-192
- Chopra, S. and J.H. Owen, A note on formulations for the A -partition problem on hypergraphs **90** (1-3) (1999) 115-133
- Chretienne, P., The basic cyclic scheduling problem with deadlines **30** (1991) 109-123
- Chretienne, P., Tree scheduling with communications delays **49** (1994) 129-141
- Christofides, N., *see* A. Ainouche **17** (1987) 213-221
- Chrobak, M. and S. Poljak, On common edges in optimal solutions to traveling salesman and other optimization problems **20** (1988) 101-111
- Chuan, W.-F., A representation theorem of the suffixes of characteristic sequences **85** (1) (1998) 47-57
- Chung, F.R.K., Graphs with small diameter after edge deletion **37/38** (1992) 73-94
- Chung, S.-J., K.G. Murty and S.Y. Chang, On K^Δ **15** (1986) 199-211
- Chung, S.-J., H.W. Hamacher, F. Maffioli and K.G. Murty, Note on combinatorial optimization with max-linear objective functions **42** (1993) 139-145
- Chvátal, V., *see* J. Akiyama **3** (1981) 227-233
- Chvátal, V., On the bicycle problem **5** (1983) 165-173
- Chvátal, V. and C. Ebenegger, A note on line digraphs and the directed max-cut problem **29** (1990) 165-170
- Chvátal, V., Which claw-free graphs are perfectly orderable? **44** (1993) 39-63
- Chvátal, V., Resolution search **73** (1) (1997) 81-99
- Chwa, K.-Y., *see* H.-S. Lim **69** (1-2) (1996) 83-99
- Ciebiaera, K. and A. Malinowski, Efficient broadcasting with linearly bounded faults **89** (1-3) (1998) 99-105
- Cimikowski, R.J., On certain Hamiltonian inner triangulations **43** (1993) 185-195
- Clark, D.S., A class of combinatorial identities (Note) **4** (1982) 325-327
- Clark, D.S., Short proof of a discrete Gronwall inequality (Note) **16** (1987) 279-281
- Clark, D.S. and J.T. Lewis, Avoiding-sequences with minimum sum **22** (1988/89) 103-108
- Clark, D.S. and J.T. Lewis, Circular avoiding sequences with prescribed sum **43** (1993) 27-36
- Clark, L.H., R.C. Entringer and L.A. Székely, Threshold functions for local properties of graphs: triangles **34** (1991) 83-105
- Cochand, M. and D. de Werra, Generalized neighbourhoods and a class of perfectly orderable graphs **15** (1986) 213-220
- Cochand, M., *see* B. Simeone **29** (1990) 243-250
- Cochand, M., A fixed point operator for the generalised maximum satisfiability problem **46** (1993) 117-132
- Cochand, M., Probabilistic estimates for the generalized maximum satisfiability problem **49** (1994) 143-163
- Cochand, M. and A. Gaillard, On preemptive scheduling: a general setting for the two-phase method **65** (1-3) (1996) 157-166
- Cochand, M., A. Gaillard and H. Gröflin, Optimum partitioning into intersections of ring families **76** (1-3) (1997) 81-91
- Coffey, J.T., R.M. Goodman and P.G. Farrell, New approaches to reduced-complexity decoding **33** (1991) 43-60
- Cohen, D.S. and M. Blum, On the problem of sorting burnt pancakes **61** (2) (1995) 105-120
- Cohen, G. and G. Simonyi, Coding for write-unidirectional memories and conflict resolution **24** (1989) 103-114
- Cohen, G.D., *see* G. Zémor **37/38** (1992) 553-562
- Cohen, J.E., Threshold phenomena in random structures **19** (1988) 113-128
- Cohn, M., On the channel capacity of read/write isolated memory **56** (1) (1995) 1-8
- Colbourn, C.J., *see* T.B. Brecht **21** (1988) 185-198
- Colbourn, C.J. and D.G. Corneil, On deciding switching equivalence of graphs **2** (1980) 181-184
- Colbourn, C.J., *see* M.J. Colbourn **3** (1981) 155-162
- Colbourn, C.J., M.J. Colbourn, K.T. Phelps and V. Rödl, Colouring Steiner quadruple systems **4** (1982) 103-111
- Colbourn, C.J., The complexity of completing partial Latin squares **8** (1984) 25-30
- Colbourn, C.J., W.L. Kocay and D.R. Stinson, Some NP-complete problems for hypergraph degree sequences **14** (1986) 239-254
- Colbourn, C.J., D. Jungnickel and A. Rosa, The strong chromatic number of partial triple systems **20** (1988) 31-38
- Colbourn, C.J., *see* J.J. Harms **27** (1990) 101-112

- Colbourn, C.J., A. Satyanarayana, C. Suffel and K. Sutner, Computing residual connectedness reliability for restricted networks **44** (1993) 221-232
- Colbourn, C.J., J.S. Provan and D. Vertigan, A new approach to solving three combinatorial enumeration problems on planar graphs **60** (1-3) (1995) 119-129
- Colbourn, M.J. and C.J. Colbourn, Concerning the complexity of deciding isomorphism of block designs **3** (1981) 155-162
- Colbourn, M.J., *see* C.J. Colbourn **4** (1982) 103-111
- Cole, T., Some results on greedy algorithm conjectures **52** (2) (1994) 169-194
- Collins, K.L., On a conjecture of Graham and Lovász about distance matrices **25** (1989) 27-35
- Comellas, F. and M.A. Fiol, Vertex-symmetric digraphs with small diameter **58** (1) (1995) 1-11
- Comellas, F. and M. Mitjana, Broadcasting in cycle prefix digraphs **83** (1-3) (1998) 31-39
- Conforti, M. and G. Cornuéjols, Submodular set functions, matroids and the greedy algorithm: Tight worst-case bounds and some generalizations of the Rado-Edmonds theorem **7** (1984) 251-274
- Conforti, M., G. Cornuéjols and M.R. Rao, Decomposition of wheel-and-parachute-free balanced bipartite graphs **62** (1-3) (1995) 103-117
- Conrad, A., T. Hindrichs, H. Morsy and I. Wegener, Solution of the knight's Hamiltonian path problem on chessboards **50** (2) (1994) 125-134
- Constantin, C., *see* J. Bovet **30** (1991) 1-14
- Conti, P. and C. Traverso, Computing the conductor of an integral extension **33** (1991) 61-72
- Conti, R., P. Contucci and C. Falcolini, Polynomial invariants for trees A statistical mechanics approach **81** (1-3) (1998) 225-237
- Contucci, P., *see* R. Conti **81** (1-3) (1998) 225-237
- Converse, C., *see* A.T. Benjamin **59** (3) (1995) 285-292
- Cook, W., A note on matchings and separability **10** (1985) 203-209
- Cook, W., C.R. Coullard and Gy. Turán, On the complexity of cutting-plane proofs **18** (1987) 25-38
- Cooper, C., Probabilistic analysis of two k -cluster problems **50** (1) (1994) 27-51
- Cooperman, G. and L. Finkelstein, New methods for using Cayley graphs in interconnection networks **37/38** (1992) 95-118
- Coorg, S.R., *see* G.J. Chang **63** (3) (1995) 215-222
- Coppersmith, D. and U. Vishkin, Solving NP-hard problems in 'almost trees': Vertex cover **10** (1985) 27-45
- Cordes, C. and K.B. Reid, Largest polygons with vertices in a given finite set **14** (1986) 255-262
- Corneil, D.G., *see* C.J. Colbourn **2** (1980) 181-184
- Corneil, D.G., H. Lerchs and L. Stewart Burlingham, Complement reducible graphs **3** (1981) 163-174
- Corneil, D.G. and Y. Perl, Clustering and domination in perfect graphs **9** (1984) 27-39
- Corneil, D.G., The complexity of generalized clique packing **12** (1985) 233-239
- Corneil, D.G. and J. Fonlupt, The complexity of generalized clique covering **22** (1988/89) 109-118
- Corneil, D.G., *see* F. Cheah **27** (1990) 59-68
- Corneil, D.G., *see* A. Wagner **43** (1993) 75-95
- Corneil, D.G., S. Masuyama and S.L. Hakimi, Edge-disjoint packings of graphs **50** (2) (1994) 135-148
- Corneil, D.G., *see* F. Cheah **66** (2) (1996) 109-133
- Cornuéjols, G., *see* M. Conforti **7** (1984) 251-274
- Cornuéjols, G., *see* M. Conforti **62** (1-3) (1995) 103-117
- Cosnard, M., E. Goles Chacc and D. Moumida, Bifurcation structure of a discrete neuronal equation **21** (1988) 21-34
- Costa, M.-C., *see* A. Billionnet **49** (1994) 51-59
- Cottle, R.W., Observations on a class of nasty linear complementarity problems **2** (1980) 89-111
- Coullard, C.R., *see* R.E. Bixby **15** (1986) 155-166
- Coullard, C.R., *see* W. Cook **18** (1987) 25-38
- Coullard, C.R., J.G. del Greco and D.K. Wagner, Representations of bicircular matroids **32** (1991) 223-240
- Coullard, C.R., J.G.d. Greco and D.K. Wagner, Recognizing a class of bicircular matroids **43** (1993) 197-215
- Coullard, C.R., J.G. del Greco and D.K. Wagner, Uncovering generalized-network structure in matrices **46** (1993) 191-220
- Coullard, C.R., A. Rais, R.L. Rardin and D.K. Wagner, The dominant of the 2-connected-Steiner-subgraph polytope for W_4 -free graphs **66** (1) (1996) 33-43

- Courcelle, B., The monadic second order logic of graphs VI: On several representations of graphs by relational structures **54** (2-3) (1994) 117-149
- Courcelle, B., Erratum to "The monadic second-order logic of graphs VI: On several representations of graphs by relational structures" [Discrete Applied Mathematics 54 (1994) 117-149] **63** (2) (1995) 199-200
- Cozzens, M.B. and F.S. Roberts, Computing the boxicity of a graph by covering its complement by cointerval graphs **6** (1983) 217-228
- Cozzens, M.B. and M.D. Halsey, The relationship between the thresh-old dimension of split graphs and various dimensional parameters **30** (1991) 125-135
- Crama, Y., P.L. Hammer and T. Ibaraki, Strong unimodularity for matrices and hypergraphs **15** (1986) 221-239
- Crama, Y., Dualization of regular Boolean functions (*Communication*) **16** (1987) 79-85
- Crama, Y., P. Hansen and B. Jaumard, The basic algorithm for pseudo-Boolean programming revisited **29** (1990) 171-185
- Crama, Y., *see* H.-J. Bandelt **49** (1994) 25-50
- Crama, Y., O. Ekin and P.L. Hammer, Variable and term removal from Boolean formulae **75** (3) (1997) 217-230
- Croitoru, C., An analysis of the greedy algorithm for partially ordered sets **4** (1982) 113-117
- Csima, J. and L. Lovász, A matching algorithm for regular bipartite graphs **35** (1992) 197-203
- Csima, J. and L. Lovász, Dating to marriage (*Note*) **41** (93) 269-270
- Csirik, J. and V. Totik, Online algorithms for a dual version of bin packing (*Note*) **21** (1988) 163-167
- Csirik, J., J.B.G. Frenk and M. Labbé, Two-dimensional rectangle packing: on-line methods and results **45** (1993) 197-204
- Culik, K., F.E. Fich and A. Salomaa, A homomorphic characterization of regular languages (*Note*) **4** (1982) 149-152
- Culik, K., *see* C. Choffrut **9** (1984) 125-137
- Culik, K. and S. Yu, Cellular automata, $\omega\omega$ -regular sets, and sofic systems **32** (1991) 85-101
- Culik, K. and S. Dube, Rational and affine expressions for image description **41** (93) 85-120
- Culik II, K. and T. Harju, Splicing semigroups of dominoes and DNA **31** (1991) 261-277
- Culik II, K. and I. Friš, Weighted finite transducers in image processing **58** (3) (1995) 223-237
- Cuninghame-Green, R.A. and P.F.J. Meijer, An algebra for piecewise-linear minimax problems **2** (1980) 267-294
- Cuninghame-Green, R.A., Integer programming by long division **3** (1981) 19-25
- Cuninghame-Green, R.A., The absolute centre of a graph **7** (1984) 275-283
- Cuninghame-Green, R.A., *see* P. Butkovic **35** (1992) 157-162
- Cunningham, W.H., Computing the binding number of a graph (*Note*) **27** (1990) 283-285
- Curran, S., *see* N. Brand **41** (93) 165-171
- Cvetković, D., P. Rowlinson and S. Simić, On some algorithmic investigations of star partitions of graphs **62** (1-3) (1995) 119-130
- Cyvin, B.N., *see* S.J. Cyvin **67** (1-3) (1996) 67-78
- Cyvin, S.J., B.N. Cyvin, J. Brunvoll and E.K. Lloyd, Circumscribing certain polygonal systems **67** (1-3) (1996) 67-78
- Czyzowicz, J., E. Rivera-Campo, N. Santoro, J. Urrutia and J. Zaks, Guarding rectangular art galleries **50** (2) (1994) 149-157
- Czyzowicz, J., E. Rivera-Campo and J. Urrutia, Separation of convex sets **51** (3) (1994) 325-328
- Dadoun, N. and D.G. Kirkpatrick, Parallel algorithms for fractional and maximal independent sets in planar graphs **27** (1990) 69-83
- Dagan, I., M.C. Golumbic and R.Y. Pinter, Trapezoid graphs and their coloring **21** (1988) 35-46
- Dahl, G., Directed Steiner problems with connectivity constraints **47** (1993) 109-128
- Dahlhaus, E., A parallel algorithm for computing Steiner trees in strongly chordal graphs **51** (1-2) (1994) 47-61
- Dahlhaus, E. and P. Damaschke, The parallel solution of domination problems on chordal and strongly chordal graphs **52** (3) (1994) 261-273
- Dahlhaus, E., Efficient parallel recognition algorithms of cographs and distance hereditary graphs **57** (1) (1995) 29-44
- Dahlhaus, E., J. Kratochvíl, P.D. Manuel and M. Miller, Transversal partitioning in balanced hypergraphs **79** (1-3) (1997) 75-89
- Dahlhaus, E. and M. Karpinski, Matching and multidimensional matching in chordal and strongly chordal graphs **84** (1-3) (1998) 79-91

- Dählmann, A., *see* H.J. Bandelt 16 (1987) 191-215
- Dai, Y., H. Imai, K. Iwano, N. Katoh, K. Ohtsuka and N. Yoshimura, A new unifying heuristic algorithm for the undirected minimum cut problems using minimum range cut algorithms 65 (1-3) (1996) 167-190
- Dalena, A., *see* C. Antoni 66 (1) (1996) 75-79
- Damaschke, P., Distances in cocomparability graphs and their powers (Note) 35 (1992) 67-72
- Damaschke, P., A tight upper bound for group testing in graphs 48 (1994) 101-109
- Damaschke, P., PLA Folding in special graph classes 51 (1-2) (1994) 63-74
- Damaschke, P., *see* E. Dahlhaus 52 (3) (1994) 261-273
- Daniel Liang, Y., Parallel algorithms for the domination problems in trapezoid graphs 74 (3) (1997) 241-249
- Dankelmann, P., Average distance and independence number 51 (1-2) (1994) 75-83
- Dankelmann, P., H.C. Swart and O.R. Oellermann, On the average Steiner distance of graphs with prescribed properties 79 (1-3) (1997) 91-103
- Dankelmann, P., Average distance and domination number 80 (1) (1997) 21-35
- Danusaputro Liman, S., *see* C.-Y. Lee 41 (93) 211-222
- Darrot, E., *see* J.-C. Bermond 84 (1-3) (1998) 21-42
- Das, S., *see* N. Brand 41 (93) 165-171
- Das, S.K., J. Ghosh and N. Deo, Stirling networks: a versatile combinatorial topology for multiprocessor systems 37/38 (1992) 119-146
- DasGupta, B., T. Jiang, S. Kannan, M. Li and E. Sweedyk, On the complexity and approximation of syntenic distance 88 (1-3) (1998) 59-82
- Dass, B.K. and S.K. Mutoo, A note on Reed-Muller codes (Note) 2 (1980) 345-348
- Dassow, J., Grammars with valuations - A discrete model for self-organization of biopolymers 4 (1982) 161-174
- Dassow, J. and F. Hinz, Decision problems and regular chain code picture languages 45 (1993) 29-49
- D'atri, G. and C. Puech, Probabilistic analysis of the subset-sum problem (Note) 4 (1982) 329-334
- Davies, R. and G.F. Royle, Graph domination, tabu search and the football pool problem 74 (3) (1997) 217-228
- Davio, M. and C. Ronse, Rotator design 5 (1983) 253-277
- Davis, J.A., *see* D.B. Holdridge 3 (1981) 221
- Davis-Moradkhan, M. and C. Roucairol, Graph partitioning applied to the logic testing of combinational circuits 62 (1-3) (1995) 131-165
- Dean, A.M. and J.P. Hutchinson, Rectangle-visibility representations of bipartite graphs 75 (1) (1997) 9-25
- De Aragão, M.P., *see* A. Hertz 49 (1994) 257-280
- De Aragão, M.P., *see* P. Hansen 60 (1-3) (1995) 181-193
- Dearing, P.M., D.R. Shier and D.D. Warner, Maximal chordal subgraphs 20 (1988) 181-190
- Dearing, P.M., *see* E. Bibelnicks 43 (1993) 13-26
- Dearing, P.M., *see* W.P. Adams 48 (1994) 1-20
- De Bonis, A., L. Gargano and U. Vaccaro, Optimal detection of a counterfeit coin with multi-arms balances 61 (2) (1995) 121-131
- De Bruijn, N.G., Denumerations of rooted trees and multisets 6 (1983) 25-33
- De Figueiredo, C.M.H., J. Gimbel, C.P. Mello and J.L. Szwarcfiter, Even and odd pairs in comparability and in P_4 -comparability graphs 91 (1-3) (1999) 293-297
- De Fluiter, B., *see* H.L. Bodlaender 71 (1-3) (1996) 55-77
- De Fraysseix, H., P. Ossona de Mendez and P. Rosenstiehl, Bipolar orientations revisited 56 (2-3) (1995) 157-179
- De la Higuera, C., *see* A. von Arnim 51 (1-2) (1994) 219-232
- Del Greco, J.G., *see* C.R. Coullard 32 (1991) 223-240
- Del Greco, J.G., *see* C.R. Coullard 46 (1993) 191-220
- Delivorias, P.N. and R.J. Richter, Maximum path digraphs 50 (3) (1994) 221-237
- Dell'Amico, M., S. Martello and D. Vigo, Minimizing the sum of weighted completion times with unrestricted weights 63 (1) (1995) 25-41
- Dell'Amico, M. and F. Maffioli, On some multicriteria arborescence problems: complexity and algorithms 65 (1-3) (1996) 191-206
- Dell'Amico, M. and S. Martello, The k -cardinality assignment problem 76 (1-3) (1997) 103-121
- Dell'Olmo, P., *see* L. Bianco 62 (1-3) (1995) 35-50
- Dell'Olmo, P., *see* L. Bianco 72 (1-2) (1997) 25-46

- Dell'Olmo, P., M.G. Speranza and Zs. Tuza, Comparability graph augmentation for some multiprocessor scheduling problems **72** (1-2) (1997) 71-84
- Delmas, O., *see* J.-C. Bermond **84** (1-3) (1998) 21-42
- Delorme, C., Examples of products giving large graphs with given degree and diameter **37/38** (1992) 157-167
- Delorme, C., *see* J.-C. Bermond **37/38** (1992) 575-577
- Delorme, C., *see* A. Bouabdallah **63** (1) (1995) 91-95
- De Luca, A. and A. Massarotti, A decision procedure on partially commutative free monoids (*Communication*) **14** (1986) 105-108
- Demange, G., D. Gale and M. Sotomayor, A further note on the stable matching problem **16** (1987) 217-222
- Demetrovics, J. and Gy. Gyepesi, Some generalized type functional dependencies formalized as equality set on matrices **6** (1983) 35-47
- Demetrovics, J., Z. Füredi and G.O.H. Katona, Minimum matrix representation of closure operations **11** (1985) 115-128
- Demetrovics, J., G.O.H. Katona and D. Miklós, Partial dependencies in relational databases and their realization **40** (1992) 127-138
- Demetrovics, J., G.O.H. Katona and A. Sali, The characterization of branching dependencies **40** (1992) 139-153
- Demetrovics, J., L. Libkin and I.B. Muchnik, Functional dependencies in relational databases: A lattice point of view **40** (1992) 155-185
- Demetrovics, J. and V.D. Thi, Some results about normal forms for functional dependency in the relational datamodel **69** (1-2) (1996) 61-73
- Dempster, M.A.H., *see* J.R. Birge **57** (2-3) (1995) 105-120
- Deo, N., *see* S.K. Das **37/38** (1992) 119-146
- Deogun, J.S. and G. Steiner, Hamiltonian cycle is polynomial on cocomparability graphs (*Communication*) **39** (1992) 165-172
- Derigs, U., A generalized Hungarian method for solving minimum weight perfect matching problems with algebraic objective **1** (1979) 167-180
- Derigs, U., Some basic exchange properties in combinatorial optimization and their application to constructing the k -best solutions **11** (1985) 129-141
- Derigs, U., O. Goecke and R. Schrader, Monge sequences and a simple assignment algorithm **15** (1986) 241-248
- Derigs, U., *see* J. Bendisch **52** (2) (1994) 139-153
- Dershowitz, N. and S. Zaks, Patterns in trees **25** (1989) 241-255
- De Simone, C. and A. Sassano, Stability number of bull- and chair-free graphs **41** (93) 121-129
- De Simone, C., *see* P. Bertolazzi **76** (1-3) (1997) 3-19
- De Simone, C. and M. Jünger, On the two-connected planar spanning subgraph polytope **80** (2-3) (1997) 223-229
- De Souza, C.C. and C.C. Ribeiro, Heuristics for the minimum rectilinear Steiner tree problem: new algorithms and a computational study **45** (1993) 205-220
- De Souza, C.C. and M. Laurent, Some new classes of facets for the equicut polytope **62** (1-3) (1995) 167-191
- De Werra, D., Geography, games and graphs **2** (1980) 327-337
- De Werra, D., Minimizing irregularities in sports schedules using graph theory **4** (1982) 217-226
- De Werra, D., *see* M. Cochand **15** (1986) 213-220
- De Werra, D., Some models of graphs for scheduling sports competitions **21** (1988) 47-65
- De Werra, D., L. Jacot-Descombes and P. Masson, A constrained sports scheduling problem **26** (1990) 41-49
- De Werra, D., *see* J. Błażewicz **28** (1990) 11-20
- De Werra, D., *see* B. Simeone **29** (1990) 243-250
- De Werra, D., *see* J. Bovet **30** (1991) 1-14
- De Werra, D. and F.S. Roberts, On the use of augmenting chains in chain packings **30** (1991) 137-149
- De Werra, D. and J. Błażewicz, Some preemptive open shop scheduling problems with a renewable or a nonrenewable resource **35** (1992) 205-219
- De Werra, D. and Y. Gay, Chromatic scheduling and frequency assignment **49** (1994) 165-174
- De Werra, D., *see* M. Hasler **50** (2) (1994) 169-184
- De Werra, D., *see* E. Amaldi **52** (2) (1994) 111-138

- De Werra, D., On an optimization problem occurring in FMSs: A hypergraph-theoretical formulation **55** (2) (1994) 107-111
- De Werra, D., *see* J. Błażewicz **65** (1-3) (1996) 81-95
- De Werra, D., A.J. Hoffman, N.V.R. Mahadev and U.N. Peled, Restrictions and preassignments in preemptive open shop scheduling **68** (1-2) (1996) 169-188
- De Werra, D. and N.V.R. Mahadev, Preassignment requirements in chromatic scheduling **76** (1-3) (1997) 93-101
- Deza, M. and V.P. Grishukhin, L-polytopes and equiangular lines **56** (2-3) (1995) 181-214
- Deza, M. and M. Laurent, Hypercube embedding of generalized bipartite metrics **56** (2-3) (1995) 215-230
- Deza, M., *see* V. Chepoi **80** (1) (1997) 3-19
- Diamond, J.S. and A.O. Mendelzon, Cycle structure of edge labelled graphs **45** (1993) 51-62
- Dias, J.R., Graph theoretical invariants and elementary subgraphs of polyhex and polypent/polyhex systems of chemical relevance **67** (1-3) (1996) 79-114
- Dickenstein, A., N. Fitchas, M. Giusti and C. Sessa, The membership problem for unmixed polynomial ideals is solvable in single exponential time **33** (1991) 73-94
- Dietrich, B.L., L.F. Escudero and F. Chance, Efficient reformulation for 0-1 programs - methods and computational results **42** (1993) 147-175
- Diks, K., *see* B.S. Chlebus **53** (1-3) (1994) 15-24
- Diks, K., E. Kranakis and A. Pelc, Perfect broadcasting in unlabeled networks **87** (1-3) (1998) 33-47
- Dillencourt, M.B., Finding Hamiltonian cycles in Delaunay triangulations is NP-complete **64** (3) (1996) 207-217
- Ding, K.-S., C.-T. Ho and J.-J. Tsay, Matrix transpose on meshes with wormhole and XY routing **83** (1-3) (1998) 41-59
- Djelloul, S., Broadcasting in m -dimensional grid graphs with a given neighborhood template **53** (1-3) (1994) 25-36
- Djelloul, S., *see* A. Bouabdallah **63** (1) (1995) 91-95
- Dodunekov, S.M. and N.L. Manev, An improvement of the Griesmer bound for some small minimum distances **12** (1985) 103-114
- Doignon, J.-P. and J.-C. Falmagne, Parametrization of knowledge structures **21** (1988) 87-100
- Dollansky, G., *see* R. Fabryon **35** (1992) 221-236
- Domke, G., *see* D.C. Fisher **50** (1994) 89-91
- Dorninger, D. and H. Länger, An explicit formula for the solution of the Fisher-Wright selection model in population genetics (*Note*) **6** (1983) 209-211
- Dorninger, D., Hamiltonian circuits determining the order of chromosomes **50** (2) (1994) 159-168
- Doskas, M., *see* D. Avis **27** (1990) 39-48
- Dragan, F.F. and V.I. Voloshin, Incidence graphs of biacyclic hypergraphs **68** (3) (1996) 259-266
- Dragan, F.F., *see* A. Brandstädt **82** (1-3) (1998) 43-77
- Dress, A., D. Huson and V. Moulton, Analyzing and visualizing sequence and distance data using SPLITSTREE **71** (1-3) (1996) 95-109
- Dress, A.W.M. and T.F. Havel, Shortest-path problems and molecular conformation **19** (1988) 129-144
- Driessen, T.S.H., Tree enterprises and bankruptcy ventures A game theoretic similarity due to a graph theoretic proof **79** (1-3) (1997) 105-117
- Driscoll, J.R., D.M. Healy and G.T. Isaak, Scheduling dyadic intervals **63** (2) (1995) 101-116
- Dror, M., Openshop scheduling with machine dependent processing times **39** (1992) 197-205
- Dror, M., G. Laporte and P. Trudeau, Vehicle routing with split deliveries **50** (3) (1994) 239-254
- Drozdowski, M., *see* J. Błażewicz **28** (1990) 11-20
- Drozdowski, M., *see* J. Błażewicz **65** (1-3) (1996) 81-95
- Drozdowski, M., *see* L. Bianco **72** (1-2) (1997) 25-46
- Drozdowski, M., *see* J. Błażewicz **76** (1-3) (1997) 21-41
- Du, D.-Z., An optimization problem on graphs (*Note*) **14** (1986) 101-104
- Du, D.-Z., *see* F. Yang **28** (1990) 71-81
- Du, D.-Z., D.F. Hsu and G.W. Peck, Connectivity of consecutive- d digraphs **37/38** (1992) 169-177
- Du, D.-Z. and F.K. Hwang, Competitive group testing **45** (1993) 221-232
- Du, D.-Z., On component-size bounded Steiner trees **60** (1-3) (1995) 131-140
- Du, D.-Z., B. Gao and W. Wu, A special case for subset interconnection designs **78** (1-3) (1997) 51-60

- Du, D.Z., *see* P. Fishburn **78** (1-3) (1997) 75-87
- Du, M.W., *see* S.C. Tai **32** (1991) 263-273
- Dube, S., *see* K. Culik **41** (93) 85-120
- Dubois, O., On the r, s -SAT satisfiability problem and a conjecture of Tovey **26** (1990) 51-60
- Du Merle, O., *see* O. Bahn **49** (1994) 3-23
- Dunbar, J., W. Goddard, S. Hedetniemi, A. McRae and M.A. Henning, The algorithmic complexity of minus domination in graphs **68** (1-2) (1996) 73-84
- Dunworth, C., *see* D. Boneh **71** (1-3) (1996) 79-94
- Duque-Antón, M., Constructing efficient simulated annealing algorithms **77** (2) (1997) 139-159
- Dür, A., Complete decoding of doubly-extended Reed-Solomon codes of minimum distance 5 and 6 **33** (1991) 95-107
- Durand, D. and C.-M. Bruneau, Graph theory and molecular distribution **3** (1981) 79-91
- Dutton, R.D. and R.C. Brigham, A characterization of competition graphs (*Note*) **6** (1983) 315-317
- Dutton, R.D. and R.C. Brigham, An extremal problem for edge domination insensitive graphs **20** (1988) 113-125
- Dutton, R.D., *see* T.W. Haynes **44** (1993) 295-304
- Dutton, R.D., Inversions in k -sorted permutations **87** (1-3) (1998) 49-56
- Dvornicich, R., On a problem of cyclic permutations of integers (*Communication*) **2** (1980) 353-355
- Dwyer, R.A., Convex hulls of samples from spherically symmetric distributions **31** (1991) 113-132
- Dyer, M., On a universal chain problem **48** (1994) 219-229
- Dyer, M.E. and A.M. Frieze, On the complexity of partitioning graphs into connected subgraphs **10** (1985) 139-153
- Dyer, M.E. and J. Walker, An algorithm for a separable integer programming problem with cumulatively bounded variables **16** (1987) 135-149
- Dyer, M.E. and A.M. Frieze, On an optimization problem with nested constraints **26** (1990) 159-173
- Dyer, M.E. and L.A. Wolsey, Formulating the single machine sequencing problem with release dates as a mixed integer program **26** (1990) 255-270
- Eades, P., *see* B. Alspach **6** (1983) 109-115
- Eades, P. and N.C. Wormald, Fixed edge-length graph drawing in NP-hard **28** (1990) 111-134
- Ebenegger, C., *see* V. Chvátal **29** (1990) 165-170
- Edelsbrunner, H., *see* N. Akkiraju **71** (1-3) (1996) 5-22
- Edelsbrunner, H., M. Facello and J. Liang, On the definition and the construction of pockets in macromolecules **88** (1-3) (1998) 83-102
- Edmonds, J., *see* J. Aráoz **11** (1985) 95-102
- Edwards, C.S. and C.H. Elphick, Lower bounds for the clique and the chromatic numbers of a graph **5** (1983) 51-64
- Edwards, K., The complexity of some graph colouring problems **36** (1992) 131-140
- Edwards, K. and C. McDiarmid, The complexity of harmonious colouring for trees **57** (2-3) (1995) 133-144
- Edwards, W.R., *see* B. Greenblatt **34** (1991) 129-143
- Eğecioğlu, Ö. and J.B. Remmel, Brick tabloids and the connection matrices between bases of symmetric functions **34** (1991) 107-120
- Eglese, R.W., Routeing winter gritting vehicles **48** (1994) 231-244
- Egyed, P. and R. Wenger, Ordered stabbing of pairwise disjoint convex sets in linear time **31** (1991) 133-140
- Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Many-to-one simulation in EOL forms is decidable (*Communication*) **2** (1980) 73-76
- Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Basic formulas and languages. Part I. The theory **3** (1981) 235-255
- Ehrenfeucht, A., *see* H. Abelson **4** (1982) 1-10
- Ehrenfeucht, A., G. Rozenberg and R. Verraedt, Basic formulas and languages. Part II. Applications to EOL systems and forms **4** (1982) 11-22
- Ehrenfeucht, A. and G. Rozenberg, On regularity of languages generated by copying systems (*Note*) **8** (1984) 313-317
- Ehrenfeucht, A., G. Rozenberg and K. Ruohonen, A morphic representation of EOL languages and other ETOL languages **12** (1985) 115-122
- Ehrenfeucht, A., *see* I.J.J. Aalbersberg **13** (1986) 79-85

- Ehrenfeucht, A. and D. Haussler, A new distance metric on strings computable in linear time **20** (1988) 191-203
- Ehrenfeucht, A., *see* A. Blumer **24** (1989) 37-45
- Ehrenfeucht, A. and G. Rozenberg, Grammatical codes of trees **32** (1991) 103-129
- Eilam-Tzoref, T., The disjoint shortest paths problem **85** (2) (1998) 113-138
- Eiter, T., P. Kilpeläinen and H. Mannila, Recognizing renamable generalized propositional Horn formulas is NP-complete **59** (1) (1995) 23-31
- Ekin, O., *see* Y. Crama **75** (3) (1997) 217-230
- El-Basil, S., Binomial-combinatorial properties of clat structures **19** (1988) 145-156
- El Haddad, M., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201-211
- Elimam, A.A. and S.E. Elmaghraby, On the reduction method for integer linear programs, II **12** (1985) 241-260
- Ellis, J.A., *see* L. Cai **30** (1991) 15-27
- Ellis, J.A., *see* L. Cai **36** (1992) 75-82
- Elmaghraby, S.E., *see* A.A. Elimam **12** (1985) 241-260
- Elmallah, E.S. and L.K. Stewart, Independence and domination in polygon graphs **44** (1993) 65-77
- Elphick, C.H., *see* C.S. Edwards **5** (1983) 51-64
- El-Zahar, M.H. and I. Rival, Greedy linear extensions to minimize jumps **11** (1985) 143-156
- Emamy-K., M.R., The worst case behavior of a greedy algorithm for a class of pseudo-Boolean functions (*Note*) **23** (1989) 285-287
- Enflo, P., A. Granville, J. Shallit and S. Yu, On sparse languages L such that $LL = \Sigma^*$ **52** (3) (1994) 275-285
- Enomoto, H., Y. Oda and K. Ota, Pyramidal tours with step-backs and the asymmetric traveling salesman problem **87** (1-3) (1998) 57-65
- Entringer, R.C., *see* L.H. Clark **34** (1991) 83-105
- Entringer, R.C., *see* C.A. Barefoot **80** (1) (1997) 37-56
- Era, H., *see* J. Akiyama **3** (1981) 227-233
- Erdős, P. and A. Hajnal, Ramsey-type theorems **25** (1989) 37-52
- Erdős, P. and J. Spencer, Lopsided Lovász Local Lemma and Latin transversals **30** (1991) 151-154
- Erdős, P. and P.C. Fishburn, Multiplicities of interpoint distances in finite planar sets **60** (1-3) (1995) 141-147
- Erdős, P. and P. Fishburn, Intervortex distances in convex polygons **60** (1-3) (1995) 149-158
- Erdős, P.L. and L.A. Székely, Counting bichromatic evolutionary trees **47** (1993) 1-8
- Erdős, P.L., A. Frank and L. Székely, Minimum multiway cuts in trees **87** (1-3) (1998) 67-75
- Ergincan, F.Ö. and D.A. Gregory, Directed Moore hypergraphs **63** (2) (1995) 117-127
- Ergincan, F.Ö., *see* J.-C. Bermond **68** (1-2) (1996) 1-15
- Ervolina, T.R. and S.T. McCormick, Two strongly polynomial cut cancelling algorithms for minimum cost network flow **46** (1993) 133-165
- Ervolina, T.R., *see* S.T. McCormick **52** (1) (1994) 53-70
- Escudero, L.F., *see* B.L. Dietrich **42** (1993) 147-175
- Esfahanian, A.-H., *see* G.W. Zimmerman **37/38** (1992) 563-573
- Ésik, Z., A note on isomorphic simulation of automata by networks of two-state automata (*Note*) **30** (1991) 77-82
- Essam, J.W., *see* F.M. Bhatti **19** (1988) 85-112
- Esser, F. and F. Harary, Digraphs with real and gaussian spectra **2** (1980) 113-124
- Estivill-Castro, V., H. Mannila and D. Wood, Right invariant metrics and measures of presortedness **42** (1993) 1-16
- Etzion, T., *see* R. Bar-Yehuda **37/38** (1992) 29-43
- Etzion, T. and S. Bitan, On the chromatic number, colorings, and codes of the Johnson graph **70** (2) (1996) 163-175
- Eulenstein, O. and M. Vingron, On the equivalence of two tree mapping measures **88** (1-3) (1998) 103-128
- Euler, R., On a classification of independence systems (*Communication*) **2** (1980) 357-360
- Euler, R. and H. Le Verge, Complete linear descriptions of small asymmetric traveling salesman polytopes **62** (1-3) (1995) 193-208
- Euler, R. and H. Le Verge, Time-tables, polyhedra and the greedy algorithm **65** (1-3) (1996) 207-221
- Eusterbrock, J., Errata to "Selecting the top three elements" by M. Aigner: A result of a computer-assisted proof search **41** (93) 131-137
- Even, S. and A. Paz, A note on cake cutting **7** (1984) 285-296
- Everett, H., S. Klein and B. Reed, An algorithm for finding homogeneous pairs **72** (3) (1997) 209-218

- Everett, H., F. Hurtado and M. Noy, Stabbing information of a simple polygon **91** (1-3) (1999) 67-82
- Fàbrega, J. and M.A. Fiol, Bipartite graphs and digraphs with maximum connectivity **69** (3) (1996) 269-277
- Fàbrega, J. and M. Zaragoza, Fault-tolerant routings in double fixed-step networks **78** (1-3) (1997) 61-74
- Fabrion, R. and G. Dollansky, Construction of university faculty timetables using logic programming techniques **35** (1992) 221-236
- Facello, M., *see* H. Edelsbrunner **88** (1-3) (1998) 83-102
- Fagnot, I., On the subword equivalence problem for morphic words **75** (3) (1997) 231-253
- Faigle, U., A vector exchange property of submodular systems (*Note*) **9** (1984) 209-211
- Faigle, U., Exchange properties of combinatorial closure spaces **15** (1986) 249-260
- Faigle, U. and R. Schrader, On the computational complexity of the order polynomial **15** (1986) 261-269
- Faigle, U., *see* A. von Arnim **28** (1990) 3-9
- Faigle, U., *see* E.A. Boyd **28** (1990) 197-205
- Faigle, U. and R. Schrader, A greedy reduction algorithm for setup optimization (*Note*) **35** (1992) 73-79
- Faigle, U., R. Schrader and G. Turán, The communication complexity of interval orders **40** (1992) 19-28
- Faigle, U. and W.M. Nawijn, Note on scheduling intervals on-line **58** (1) (1995) 13-17
- Faigle, U., N. Gademann and W. Kern, A random polynomial time algorithm for well-rounding convex bodies **58** (2) (1995) 117-144
- Falcolini, C., *see* R. Conti **81** (1-3) (1998) 225-237
- Falmagne, J.-C., *see* J.-P. Doignon **21** (1988) 87-100
- Fang, S.-C., *see* M. Natu **78** (1-3) (1997) 207-226
- Farber, M., Domination, independent domination, and duality in strongly chordal graphs **7** (1984) 115-130
- Farber, M., *see* H.-J. Bandelt **44** (1993) 9-20
- Faria, I., *see* J.O. Cerdeira **63** (1) (1995) 13-24
- Farley, A.M. and A. Proskurowski, Computation of the center and diameter of outerplanar graphs **2** (1980) 185-191
- Farley, A.M. and A. Proskurowski, Bounded-call broadcasting **53** (1-3) (1994) 37-53
- Farley, A.M., *see* S. Fujita **75** (3) (1997) 255-268
- Farley, A.M., A. Pelc and A. Proskurowski, Minimum-time multidrop broadcast **83** (1-3) (1998) 61-77
- Farrell, E.J. and S.A. Wahid, Matching in benzene chains **7** (1984) 45-54
- Farrell, E.J. and S.A. Wahid, Matchings in pentagonal chains **8** (1984) 31-40
- Farrell, P.G., *see* J.T. Coffey **33** (1991) 43-60
- Faudree, R.J., R.J. Gould and L.M. Lesniak, Generalized degrees and Menger path systems **37/38** (1992) 179-191
- Fayard, D. and G. Plateau, An exact algorithm for the 0-1 collapsing knapsack problem **49** (1994) 175-187
- Faye, A., *see* A. Billionnet **74** (2) (1997) 135-146
- Feigelson, A. and L. Hellerstein, The forbidden projections of unate functions **77** (3) (1997) 221-236
- Feigenbaum, J., J. Hershberger and A.A. Schäffer, A polynomial time algorithm for finding the prime factors of cartesian-product graphs **12** (1985) 123-138
- Feigenbaum, J., Directed cartesian-product graphs have unique factorizations that can be computed in polynomial time (*Note*) **15** (1986) 105-110
- Feldman, I., *see* H. Greenberg **2** (1980) 21-25
- Feldmann, R., J. Hromkovič, S. Madhavapeddy, B. Monien and P. Mysłiwietz, Optimal algorithms for dissemination of information in generalized communication modes **53** (1-3) (1994) 55-78
- Fellows, M., P. Hell and K. Seyffarth, Large planar graphs with given diameter and maximum degree **61** (2) (1995) 133-153
- Fellows, M.R., *see* K. Abrahamson **34** (1991) 3-16
- Felsner, S., J. Gustedt, M. Morvan and J.-X. Rampon, Constructing colorings for diagrams **51** (1-2) (1994) 85-93
- Felsner, S., R. Müller and L. Wernisch, Trapezoid graphs and generalizations, geometry and algorithms **74** (1) (1997) 13-32
- Felzenbaum, A., *see* M.A. Berger **29** (1990) 143-164
- Ferland, J.A. and A. Lavoie, Exchanges procedures for timetabling problems **35** (1992) 237-253
- Fernández-Baca, D. and J. Lagergren, On the approximability of the Steiner tree problem in phylogeny **88** (1-3) (1998) 129-145

- Fernandez de la Vega, W. and Y. Manoussakis, The forwarding index of communication networks with given connectivity **37/38** (1992) 147-155
- Fernandez de la Vega, W. and V. Zissimopoulos, An approximation scheme for strip packing of rectangles with bounded dimensions **82** (1-3) (1998) 93-101
- Fernandez de la Vega, W., M. El Haddad, D. Barraez and O. Ordaz, The forwarding diameter of graphs **86** (2-3) (1998) 201-211
- Fiala, T., *see* J. Beck **3** (1981) 1-8
- Fich, F., *see* J. Boyar **52** (2) (1994) 155-167
- Fich, F.E., *see* K. Culik **4** (1982) 149-152
- Fickett, J., *see* H. Abelson **4** (1982) 1-10
- Fiechter, C.-N., A parallel tabu search algorithm for large traveling salesman problems **51** (3) (1994) 243-267
- Fincke, U., *see* R.E. Burkard **12** (1985) 21-29
- Finizio, N.J., Whist tournaments — Three Person Property **45** (1993) 125-137
- Finizio, N.J., Z-cyclic whist tournaments with a patterned starter initial round **52** (3) (1994) 287-293
- Finizio, N.J., An infinite class of Z-cyclic whist tournaments on v players, $v \equiv 1 \pmod{4}$ **66** (2) (1996) 135-146
- Finizio, N.J. and P.A. Leonard, More ZCPS-Wh(v) and several new infinite classes of Z-cyclic whist tournaments **85** (3) (1998) 193-202
- Finke, G., *see* A. Kusiak **18** (1987) 175-184
- Finke, G. and H. Jiang, A variant of the permutation flow shop model with variable processing times **76** (1-3) (1997) 123-140
- Finkelstein, L., *see* G. Cooperman **37/38** (1992) 95-118
- Finta, L. and Z. Liu, Single machine scheduling subject to precedence delays **70** (3) (1996) 247-266
- Fiol, M.A., *see* J. Gómez **37/38** (1992) 227-243
- Fiol, M.A., *see* F. Comellas **58** (1) (1995) 1-11
- Fiol, M.A., *see* J. Fàbrega **69** (3) (1996) 269-277
- Fiol, M.A. and E. Garriga, The alternating and adjacency polynomials, and their relation with the spectra and diameters of graphs **87** (1-3) (1998) 77-97
- Firby, P. and J. Haviland, Independence and average distance in graphs **75** (1) (1997) 27-37
- Fischer, M.J. and M.S. Paterson, Optimal layout of edge-weighted forests **90** (1-3) (1999) 135-159
- Fischer, P., N. Klasner and I. Wegener, On the cut-off point for combinatorial group testing **91** (1-3) (1999) 83-92
- Fischetti, M., A new linear storage, polynomial-time approximation scheme for the subset-sum problem **26** (1990) 61-77
- Fischetti, M., Clique tree inequalities define facets of the asymmetric traveling salesman polytope **56** (1) (1995) 9-18
- Fishburn, P., *see* P. Erdős **60** (1-3) (1995) 149-158
- Fishburn, P., P. Schwander, L. Shepp and R.J. Vanderbei, The discrete Radon transform and its approximate inversion via linear programming **75** (1) (1997) 39-61
- Fishburn, P., F.K. Hwang, D.Z. Du and B. Gao, On 1-rate wide-sense nonblocking for 3-stage Clos networks **78** (1-3) (1997) 75-87
- Fishburn, P.C., Heights of representative systems **1** (1979) 181-199
- Fishburn, P.C., W.V. Gehrlein and E. Maskin, Condorcet proportions and Kelly's conjectures **1** (1979) 229-252
- Fishburn, P.C., Inverted orders for monotone scoring rules **3** (1981) 27-36
- Fishburn, P.C., Monotonicity paradoxes in the theory of elections **4** (1982) 119-134
- Fishburn, P.C., Probabilities of dominant candidates based on first-place votes **7** (1984) 131-140
- Fishburn, P.C., A characterization of uniquely representable interval graphs (*Note*) **12** (1985) 191-194
- Fishburn, P.C., Decomposing weighted digraphs into sums of chains **16** (1987) 223-238
- Fishburn, P.C. and W.V. Gehrlein, Pick-and-choose heuristics for partial set covering **22** (1988/89) 119-132
- Fishburn, P.C., F.S. Roberts and H.M. Marcus-Roberts, Van Lier sequences **27** (1990) 209-220
- Fishburn, P.C., Correlation in partially ordered sets (*Perspectives*) **39** (1992) 173-191
- Fishburn, P.C. and F.S. Roberts, Elementary sequences, sub-Fibonacci sequences **44** (1993) 261-281
- Fishburn, P.C., *see* K.P. Bogart **60** (1-3) (1995) 99-117
- Fishburn, P.C., *see* P. Erdős **60** (1-3) (1995) 141-147
- Fishburn, P.C., Decision theory and discrete mathematics **68** (3) (1996) 209-221

- Fisher, D.C., J. Ryan, G. Domke and A. Majumdar, Fractional domination of strong direct products (*Note*) **50** (1994) 89-91
- Fisher, D.C. and J. Ryan, Probabilities within optimal strategies for tournament games **56** (1) (1995) 87-91
- Fisher, D.C., P.A. McKenna and E.D. Boyer, Hamiltonicity, diameter, domination, packing, and biclique partitions of Mycielski's graphs **84** (1-3) (1998) 93-105
- Fisher, M.L., B.J. Lageweg, J.K. Lenstra and A.H.G. Rinnooy Kan, Surrogate duality relaxation for job shop scheduling **5** (1983) 65-75
- Fitchas, N., *see* A. Dickenstein **33** (1991) 73-94
- Fitzgerald, D.G., *see* D.C. Blest **22** (1988/89) 9-19
- Flajolet, P., D. Gardy and L. Thimonier, Birthday paradox, coupon collectors, caching algorithms and self-organizing search **39** (1992) 207-229
- Flandrin, E., J.L. Fouquet and H. Li, Hamiltonicity of bipartite biclaw-free graphs **51** (1-2) (1994) 95-102
- Flapan, E., Symmetries of knotted hypothetical molecular graphs **19** (1988) 157-166
- Fleischner, H., Elementary proofs of (relatively) recent characterizations of Eulerian graphs **24** (1989) 115-119
- Fleischner, H., *see* L.D. Andersen **59** (3) (1995) 203-214
- Fleischner, H., *see* L.D. Andersen **85** (2) (1998) 99-112
- Flocchini, P., A. Roncato and N. Santoro, Symmetries and sense of direction in labeled graphs **87** (1-3) (1998) 99-115
- Flotow, C., On powers of m -trapezoid graphs **63** (2) (1995) 187-192
- Flotow, C., On powers of circular arc graphs and proper circular arc graphs **69** (3) (1996) 197-205
- Fogelman, F., E. Goles and G. Weisbuch, Transient length in sequential iteration of threshold functions (*Communication*) **6** (1983) 95-98
- Fogelman-Soulie, F., Frustration and stability in random boolean networks **9** (1984) 139-156
- Fogelman-Soulie, F., *see* E. Goles-Chacc **12** (1985) 261-277
- Fomin, F.V., Helicopter search problems, bandwidth and pathwidth **85** (1) (1998) 59-70
- Fonlupt, J., *see* D.G. Corneil **22** (1988/89) 109-118
- Formann, M., *see* F. Aurenhammer **52** (1) (1994) 17-28
- Foulds, L.R. and D.F. Robinson, Construction properties of combinatorial deltahedra **1** (1979) 75-87
- Foulds, L.R., Testing the theory of evolution: A novel application of combinatorial optimization **15** (1986) 271-282
- Fouquet, J.L., *see* E. Flandrin **51** (1-2) (1994) 95-102
- Fourneau, J.M., *see* J.C. Bermond **22** (1988/89) 201-214
- Fraenkel, A.S. and Y. Yesha, Complexity of problems in games, graphs and algebraic equations **1** (1979) 15-30
- Fraenkel, A.S., Planar kernel and grundy with $d \leq 3$, $d_{out} \leq 2$, $d_{in} \leq 2$ are NP-complete **3** (1981) 257-262
- Fraenkel, A.S. and M. Lorberbom, Epidemiography with various growth functions **25** (1989) 53-71
- Fraenkel, A.S., *see* M.A. Berger **29** (1990) 143-164
- Fraenkel, A.S. and E.R. Scheinerman, A deletion game on hypergraphs **30** (1991) 155-162
- Fraenkel, A.S. and S.T. Klein, Robust universal complete codes for transmission and compression **64** (1) (1996) 31-55
- Fragopoulou, P. and S.G. Akl, Spanning subgraphs with applications to communication on a subclass of the Cayley-graph-based networks **83** (1-3) (1998) 79-96
- Fraigniaud, P. and E. Lazard, Methods and problems of communication in usual networks **53** (1-3) (1994) 79-133
- Frame, J.S. and D.C. Gilliland, Votes and a half-binomial **12** (1985) 31-40
- Franco, J. and M. Paull, Probabilistic analysis of the Davis Putnam Procedure for solving the Satisfiability problem **5** (1983) 77-87
- Franco, J., J.M. Plotkin and J.W. Rosenthal, Correction to probabilistic analysis of the Davis Putnam Procedure for solving the satisfiability problem (*Note*) **17** (1987) 295-299
- Franco, J. and Y.C. Ho, Probabilistic performance of a heuristic for the satisfiability problem **22** (1988/89) 35-51
- Franco, J., On the occurrence of null clauses in random instances of Satisfiability **41** (93) 203-209
- Franco, J., *see* F. Annexstein **60** (1-3) (1995) 13-23
- Franco, J., *see* K.A. Berman **60** (1-3) (1995) 77-91
- Frank, A., T. Nishizeki, N. Saito, H. Suzuki and É. Tardos, Algorithms for routing around a rectangle **40** (1992) 363-378

- Frank, A., *see* P.L. Erdős 87 (1-3) (1998) 67-75
- Frankl, P., Cops and robbers in graphs with large girth and Cayley graphs (*Note*) 17 (1987) 301-305
- Franklin, S.P., *see* Y. Zalcstein 13 (1986) 101-104
- Franzkeit, R., A binary search problem on graphs (*Note*) 36 (1992) 83-86
- Frederickson, G.N., *see* M.J. Atallah 13 (1986) 87-91
- Fredricksen, H., A new look at the de Bruijn graph 37/38 (1992) 193-203
- Freiman, G.A., *see* P.L. Buzysky 6 (1983) 127-133
- Frenk, J.B.G. and A.H.G. Rinnooy Kan, The rate of convergence to optimality of the LPT rule 14 (1986) 187-197
- Frenk, J.B.G., *see* G. Galambos 41 (93) 173-178
- Frenk, J.B.G., *see* J. Csirik 45 (1993) 197-204
- Freville, A. and G. Plateau, An efficient preprocessing procedure for the multidimensional 0-1 knapsack problem 49 (1994) 189-212
- Fricke, G., *see* G.A. Cheston 27 (1990) 195-207
- Fricke, G., *see* G.A. Cheston 55 (3) (1994) 241-258
- Fricke, G.H., S.T. Hedetniemi and D.P. Jacobs, Maximal irredundant functions 68 (3) (1996) 267-277
- Fricke, G.H., M.A. Henning, O.R. Oellermann and H.C. Swart, An algorithm to find two distance domination parameters in a graph 68 (1-2) (1996) 85-91
- Friedland, S., Coherent algebras and the graph isomorphism problem 25 (1989) 73-98
- Frieze, A. and M. Molloy, Broadcasting in random graphs 54 (1) (1994) 77-79
- Frieze, A.M., An algorithm for algebraic assignment problems 1 (1979) 253-259
- Frieze, A.M., Probabilistic analysis of some Euclidean clustering problems 2 (1980) 295-309
- Frieze, A.M. and J. Yadegar, On the quadratic assignment problem 5 (1983) 89-98
- Frieze, A.M., An extension of christofides heuristic to the k -person travelling salesman problem (*Note*) 6 (1983) 79-83
- Frieze, A.M., On the value of a random minimum spanning tree problem 10 (1985) 47-56
- Frieze, A.M. and G.R. Grimmett, The shortest-path problem for graphs with random arc-lengths 10 (1985) 57-77
- Frieze, A.M., *see* M.E. Dyer 10 (1985) 139-153
- Frieze, A.M., *see* M.E. Dyer 26 (1990) 159-173
- Friš, I., *see* K. Culik II 58 (3) (1995) 223-237
- Fromme, M., *see* M. Aigner 8 (1984) 1-12
- Fu, C.-M., *see* Y.-N. Yeh 67 (1-3) (1996) 221-228
- Fuji, Z. and G. Xiaofeng, Directed tree structure of the set of Kekulé patterns of generalized polyhex graphs 32 (1991) 295-302
- Fuji, Z. and Z. Maolin, Generalized hexagonal systems with each hexagon being resonant 36 (1992) 67-73
- Fuji, Z., *see* Z. Huaxiao 73 (1) (1997) 59-67
- Fujishige, S., Principal structures of submodular systems (*Communication*) 2 (1980) 77-79
- Fujishige, S., Canonical decompositions of symmetric submodular systems 5 (1983) 175-190
- Fujishige, S., A note on Frank's generalized polymatroids (*Communication*) 7 (1984) 105-109
- Fujishige, S., An out-of-kilter method for submodular flows 17 (1987) 3-16
- Fujishige, S., *see* K. Murota 17 (1987) 157-162
- Fujishige, S., *see* K. Ando 68 (3) (1996) 237-248
- Fujita, S. and A.M. Farley, Minimum-cost line broadcast in paths 75 (3) (1997) 255-268
- Fujito, T., A unified approximation algorithm for node-deletion problems 86 (2-3) (1998) 213-231
- Fukuda, K., S. Saito and A. Tamura, Combinatorial face enumeration in arrangements and oriented matroids 31 (1991) 141-149
- Fukuda, K., S. Saito, A. Tamura and T. Tokuyama, Bounding the number of k -faces in arrangements of hyperplanes 31 (1991) 151-165
- Fukuda, K. and M. Namiki, Finding all common bases in two matroids 56 (2-3) (1995) 231-243
- Fukuda, K., *see* D. Avis 65 (1-3) (1996) 21-46
- Fukuda, K., M. Namiki and A. Tamura, EP theorems and linear complementarity problems 84 (1-3) (1998) 107-119
- Füredi, Z., *see* J. Demetrovics 11 (1985) 115-128
- Füredi, Z., Perfect error-correcting databases (*Note*) 28 (1990) 171-176

- Füredi, Z., On the double competition number **82** (1-3) (1998) 251-255
- Fushimi, M., *see* H. Kaneko **14** (1986) 33-45
- Gabovich, E. Ya. and I.I. Melamed, On constant discrete programming problems **2** (1980) 193-205
- Gabovich, E. Ya., On spectral theory in discrete programming **4** (1982) 269-280
- Gabovich, E. Ya., *see* M.S. Burgin **6** (1983) 13-24
- Gademann, N., *see* U. Faigle **58** (2) (1995) 117-144
- Gaillard, A., *see* M. Cochand **65** (1-3) (1996) 157-166
- Gaillard, A., *see* M. Cochand **76** (1-3) (1997) 81-91
- Gaillard, A., Switchdec polyhedra **76** (1-3) (1997) 141-163
- Galambos, G. and J.B.G. Frenk, A simple proof of Liang's lower bound for on-line bin packing and the extension to the parametric case (*Note*) **41** (93) 173-178
- Galbiati, G., *see* P.M. Camerini **5** (1983) 39-50
- Galbiati, G. and F. Maffioli, On the computation of pfaffians **51** (3) (1994) 269-275
- Gale, D. and T. Politof, Substitutes and complements in network flow problems **3** (1981) 175-186
- Gale, D. and M. Sotomayor, Some remarks on the stable matching problem **11** (1985) 223-232
- Gale, D., *see* G. Demange **16** (1987) 217-222
- Galil, Z. and B. Schieber, On finding most uniform spanning trees (*Note*) **20** (1988) 173-175
- Galina, H. and M.M. Syslo, Some applications of graph theory to the study of polymer configuration **19** (1988) 167-176
- Galina, H., *see* K.T. Balińska **67** (1-3) (1996) 13-25
- Gallian, J.A., A guide to the graph labeling zoo **49** (1994) 213-229
- Galligo, A., *see* L. Caniglia **33** (1991) 11-23
- Gallo, G. and S. Pallottino, A new algorithm to find the shortest paths between all pairs of nodes **4** (1982) 23-35
- Gallo, G., G. Longo, S. Pallotino and S. Nguyen, Directed hypergraphs and applications **42** (1993) 177-201
- Gallo, G. and D. Pretolani, A new algorithm for the propositional satisfiability problem **60** (1-3) (1995) 159-179
- Gallo, G. and F. Piccinonno, b9000A 1/4 approximate algorithm for P2/tree/Cmax **72** (1-2) (1997) 85-98
- Galluccio, A., *see* P. Bertolazzi **76** (1-3) (1997) 3-19
- Gambosi, G., M. Protasi and M. Talamo, Preserving approximation in the Min-Weighted Set Cover problem **73** (1) (1997) 13-22
- Games, R.A., Crosscorrelation of M-sequences and GMW-sequences with the same primitive polynomial **12** (1985) 139-146
- Ganley, J.L., Computing optimal rectilinear steiner trees: A survey and experimental evaluation **90** (1-3) (1999) 161-171
- Gao, B., *see* D.-Z. Du **78** (1-3) (1997) 51-60
- Gao, B., *see* P. Fishburn **78** (1-3) (1997) 75-87
- Gapinski, S., *see* J. Harrison **82** (1-3) (1998) 103-113
- Garcia, C. and C. Peyrat, Large Cayley graphs on an abelian group **75** (2) (1997) 125-133
- Gardner, M.L., *see* R. Shull **23** (1989) 267-283
- Gardy, D., *see* P. Flajolet **39** (1992) 207-229
- Garg, M.S., *see* M.C. Bhandari **33** (1991) 3-9
- Gargano, L., *see* R.M. Capocelli **33** (1991) 25-41
- Gargano, L., J. Körner and U. Vaccaro, Search problems for two irregular coins with incomplete feedback: the underweight model (*Note*) **36** (1992) 191-197
- Gargano, L., V. Montuori, G. Setaro and U. Vaccaro, An improved algorithm for quantitative group testing (*Note*) **36** (1992) 299-306
- Gargano, L., A.L. Liestman, J.G. Peters and D. Richards, Reliable broadcasting **53** (1-3) (1994) 135-148
- Gargano, L., *see* A. De Bonis **61** (2) (1995) 121-131
- Gargano, L., A.A. Rescigno and U. Vaccaro, Minimum time broadcast in faulty star networks **83** (1-3) (1998) 97-119
- Gargano, L., *see* J.-C. Bermond **86** (2-3) (1998) 145-155
- Garriga, E., *see* M.A. Fiol **87** (1-3) (1998) 77-97
- Gasarch, W.I., *see* R. Beigel **34** (1991) 37-48
- Gąsieniec, L. and A. Pelc, Broadcasting with linearly bounded transmission faults **83** (1-3) (1998) 121-133
- Gati, G., Maximizing a lower bound on the computational complexity **4** (1982) 175-180
- Gautier, A. and F. Granot, On the equivalence of constrained and unconstrained flows **55** (2) (1994) 113-132

- Gauyacq, G., On quasi-Cayley graphs **77** (1) (1997) 43-58
- Gauyacq, G., Edge-forwarding index of star graphs and other Cayley graphs **80** (2-3) (1997) 149-160
- Gavalec, M., Computing matrix period in max-min algebra **75** (1) (1997) 63-70
- Gavril, F. and J. Schönheim, Characterization and algorithms of curve map graphs **4** (1982) 181-191
- Gavril, F. and J. Urrutia, Intersection graphs of concatenable subtrees of graphs **52** (2) (1994) 195-209
- Gavril, F., Intersection graphs of Helly families of subtrees **66** (1) (1996) 45-56
- Gay, Y., *see* D. de Werra **49** (1994) 165-174
- Gécseg, F. and B. Imreh, Finite isomorphically complete systems (Note) **36** (1992) 307-311
- Gederbaum, I., I. Koren and S. Wimer, Balanced block spacing for VLSI layout **40** (1992) 303-318
- Gehrlein, W.V., *see* P.C. Fishburn **1** (1979) 229-252
- Gehrlein, W.V., *see* P.C. Fishburn **22** (1988/89) 119-132
- Gens, G.V. and E.V. Levner, Fast approximation algorithm for job sequencing with deadlines (Note) **3** (1981) 313-318
- Gerbessiotis, A.V., Broadcasting in random graphs **53** (1-3) (1994) 149-170
- Gerbessiotis, A.V., Close-to-optimal and near-optimal broadcasting in random graphs **63** (2) (1995) 129-150
- Gerbessiotis, A.V., A graph-theoretic result for a model of neural computation **82** (1-3) (1998) 257-262
- Gerla, M., *see* P. Camarda **37/38** (1992) 45-64
- Germa, A., M.-C. Heydemann and D. Sotteau, Cycles in the cube-connected cycles graph **83** (1-3) (1998) 135-155
- Gerstel, O., A. Wool and S. Zaks, Optimal layouts on a chain ATM network **83** (1-3) (1998) 157-178
- Getu, S., *see* L.W. Shapiro **34** (1991) 229-239
- Ghafoor, A., *see* P. Solé **33** (1991) 215-224
- Ghafoor, A., Connectivity, persistence and fault diagnosis of interconnection networks based on O_k and $2O_k$ graphs **37/38** (1992) 205-226
- Ghafoor, A., *see* P. Solé **37/38** (1992) 501-510
- Ghilezan, C., Les derivees partielles des fonctions pseudo-Booleennes generalisees **4** (1982) 37-45
- Ghosh, J., *see* S.K. Das **37/38** (1992) 119-146
- Giakoumakis, V. and I. Rusu, Weighted parameters in (P_5, \overline{P}_5) -free graphs **80** (2-3) (1997) 255-261
- Giannessi, F., Continued fractions and explicit solutions of a particular discrete optimization problem **1** (1979) 261-275
- Giannini, L.M., *see* L. Caccetta **21** (1988) 1-19
- Gibbons, P.B., R.M. Karp, G.L. Miller and D. Soroaker, Subtree isomorphism is in random NC **29** (1990) 35-62
- Gibson, G.J., *see* C.Z.W. Hassell Sweatman **81** (1-3) (1998) 19-39
- Gilboa, I., *see* S. Chopra **85** (3) (1998) 165-192
- Gilliland, D.C., *see* J.S. Frame **12** (1985) 31-40
- Gimbel, J., End vertices in interval graphs (Note) **21** (1988) 257-259
- Gimbel, J. and E.M. Palmer, Matching and cycle covers in random digraphs **34** (1991) 121-128
- Gimbel, J., D. Kratsch and L. Stewart, On cocolorings and cochromatic numbers of graphs **48** (1994) 111-127
- Gimbel, J., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293-297
- Giusti, M., *see* A. Dickstein **33** (1991) 73-94
- Gladky, A.A., On complexity of minimizing weighted number of late jobs in unit time open shops **74** (2) (1997) 197-201
- Glass, C.A., *see* S. Anily **82** (1-3) (1998) 27-42
- Glazebrook, K.D., Stochastic scheduling and forwards induction **57** (2-3) (1995) 145-165
- Glover, F., D. Klingman, J. Mote and D. Whitman, An extended abstract of an indepth algorithmic and computational study for maximum flow problems (Note) **2** (1980) 251-254
- Glover, F., *see* D.A. Babayev **8** (1984) 125-130
- Glover, F. and B. Novick, The 2-quasi-greedy algorithm for cardinality constrained matroid bases **13** (1986) 277-286
- Glover, F., Tabu search for nonlinear and parametric optimization (with links to genetic algorithms) **49** (1994) 231-255
- Glover, F., Ejection chains, reference structures and alternating path methods for traveling salesman problems **65** (1-3) (1996) 223-253
- Glover, F., *see* E. Pesch **76** (1-3) (1997) 165-181
- Goddard, W., *see* J. Dunbar **68** (1-2) (1996) 73-84

- Goddard, W.D., *see* K.S. Bagga 37/38 (1992) 13-28
- Goecke, O., *see* U. Derigs 15 (1986) 241-248
- Goecke, O., A greedy algorithm for hereditary set systems and a generalization of the Rado-Edmonds characterization of matroids 20 (1988) 39-49
- Goemans, M.X., Arboriness polytopes for series-parallel graphs 51 (3) (1994) 277-289
- Goemans, M.X., An approximation algorithm for scheduling on three dedicated machines 61 (1) (1995) 49-59
- Goetschel, R.H., Linear objective functions on certain classes of greedoids 14 (1986) 11-16
- Goffin, J.L., *see* O. Bahn 49 (1994) 3-23
- Goldberg, L.A., P.W. Goldberg, C.A. Phillips, E. Sweedyk and T. Warnow, Minimizing phylogenetic number to find good evolutionary trees 71 (1-3) (1996) 111-136
- Goldberg, M.K., A nonfactorial algorithm for testing isomorphism of two graphs 6 (1983) 229-236
- Goldberg, M.K., *see* J.W. Berry 90 (1-3) (1999) 27-50
- Goldberg, P.W., *see* L.A. Goldberg 71 (1-3) (1996) 111-136
- Goldfarb, D. and W.Y. Sit, Worst case behavior of the steepest edge simplex method 1 (1979) 277
- Goldfarb, D. and J. Hao, On the maximum capacity augmentation algorithm for the maximum flow problem 47 (1993) 9-16
- Goldman, A.J. and P. Tiwari, Allowable processing orders in the accelerated cascade algorithm 13 (1986) 213-221
- Goldschmidt, O. and D.S. Hochbaum, k -edge subgraph problems 74 (2) (1997) 159-169
- Goles, E. and J. Olivos, Comportement periodique des fonctions a seuil binaires et applications 3 (1981) 93-105
- Goles, E., *see* F. Fogelman 6 (1983) 95-98
- Goles, E. and M. Tchente, Iterative behaviour of one-dimensional threshold automata (*Communication*) 8 (1984) 319-322
- Goles, E., Antisymmetrical neural networks (*Communication*) 13 (1986) 97-100
- Goles, E., *see* M. Matamala 77 (2) (1997) 161-184
- Goles Ch., E. and S. Martínez A., Properties of positive functions and the dynamics of associated automata networks 18 (1987) 39-46
- Goles-Chacc, E., F. Fogelman-Soulie and D. Pellegrin, Decreasing energy functions as a tool for studying threshold networks 12 (1985) 261-277
- Goles Chacc, E., *see* M. Cosnard 21 (1988) 21-34
- Golitschek, M.v., The cost-to-time ratio problem for large or infinite graphs 16 (1987) 1-9
- Golumbic, M.C., C.L. Monma and W.T. Trotter, Tolerance graphs 9 (1984) 157-170
- Golumbic, M.C., *see* I. Dagan 21 (1988) 35-46
- Golumbic, M.C. and R.C. Laskar, Irredundancy in circular arc graphs 44 (1993) 79-89
- Gómez, J., M.A. Fiol and J.L.A. Yebra, Graphs on alphabets as models for large interconnection networks 37/38 (1992) 227-243
- Gómez, J., P. Morillo and C. Padró, Large (d, D, D', s) -bipartite digraphs 59 (2) (1995) 103-114
- Gómez, J., C. Padró and S. Perennes, Large generalized cycles 89 (1-3) (1998) 107-123
- Goodman, J.E. and R. Pollack, The complexity of points configurations 31 (1991) 167-180
- Goodman, R.M., *see* J.T. Coffey 33 (1991) 43-60
- Gordeev, E.N., *see* Yu.N. Sotskov 58 (2) (1995) 169-190
- Gordon, J.M., Analysis of minimal path routing schemes in the presence of faults 37/38 (1992) 245-263
- Gordon, M. and J.A. Torkington, Enumeration of coloured plane trees with a given type partition 2 (1980) 207-223
- Goresky, M., *see* A. Klapper 46 (1993) 1-20
- Gorodkin, J., Orbits of Boolean functions 75 (3) (1997) 269-275
- Göthe-Lundgren, M. and T. Larsson, A set covering reformulation of the pure fixed charge transportation problem 48 (1994) 245-259
- Gottlob, G., M. Schrefl and M. Stumptner, Selective inheritance of attribute values in relational databases 40 (1992) 187-216
- Gould, R.J., *see* R.J. Faudree 37/38 (1992) 179-191
- Govindan, R., *see* C. Pandu Rangan 36 (1992) 203-205
- GowriSankaran, C., Broadcasting on recursively decomposable Cayley graphs 53 (1-3) (1994) 171-182
- Grabowski, J., *see* S. Zdrzałka 23 (1989) 73-89
- Graham, N. and F. Harary, Changing and unchanging the diameter of a hypercube 37/38 (1992) 265-274

- Grammatikakis, M.D., *see* F.K. Hwang 72 (3) (1997) 199-207
- Granot, D. and F. Granot, Minimal covers, minimal sets and canonical facets of the posynomial knapsack polytope 9 (1984) 171-185
- Granot, D. and D. Skorin-Kapov, On some optimization problems on k -trees and partial k -trees 48 (1994) 129-145
- Granot, F., *see* D. Granot 9 (1984) 171-185
- Granot, F. and R. Hassin, Multi-terminal maximum flows in node-capacitated networks 13 (1986) 157-163
- Granot, F. and J. Skorin-Kapov, On polynomial solvability of the high multiplicity total weighted tardiness problem 41 (93) 139-146
- Granot, F., *see* A. Gautier 55 (2) (1994) 113-132
- Granot, F. and M. Penn, Polynomial algorithms for (integral) maximum two-flows in vertex-capacitated planar graphs 70 (3) (1996) 267-283
- Granville, A., *see* P. Enflo 52 (3) (1994) 275-285
- Graovac, A., *see* D. Babić 15 (1986) 11-24
- Graovac, A., *see* I. Gutman 19 (1988) 195-203
- Graovac, A., *see* D. Babić 45 (1993) 117-123
- Gravier, S. and M. Mollard, On domination numbers of Cartesian product of paths 80 (2-3) (1997) 247-250
- Grebinski, V. and G. Kucherov, Reconstructing a Hamiltonian cycle by querying the graph: Application to DNA physical mapping 88 (1-3) (1998) 147-165
- Greco, J.G.d., *see* C.R. Coullard 43 (1993) 197-215
- Green, J.R., *see* T.B. Boffey 5 (1983) 25-38
- Greenberg, H. and I. Feldman, A better step-off algorithm for the knapsack problem 2 (1980) 21-25
- Greenberg, H., On equivalent knapsack problems 14 (1986) 263-268
- Greenberg, H., A new reduction method in integer programming (Note) 21 (1988) 169-172
- Greenberg, H.J., J.R. Lundgren and J.S. Maybee, Inverting graphs of rectangular matrices 8 (1984) 255-265
- Greenblatt, B. and W.R. Edwards, Semigroup automaton structure by homomorphism and domain partition 34 (1991) 129-143
- Gregory, D.A., *see* F.Ö. Ergincan 63 (2) (1995) 117-127
- Grimmett, G.R., *see* A.M. Frieze 10 (1985) 57-77
- Grinstead, D.L. and P.J. Slater, A recurrence template for several parameters in series-parallel graphs 54 (2-3) (1994) 151-168
- Grishukhin, V., *see* V. Chepoi 80 (1) (1997) 3-19
- Grishukhin, V.P., *see* M. Deza 56 (2-3) (1995) 181-214
- Gröflin, H., *see* M. Cochand 76 (1-3) (1997) 81-91
- Grolier, J., *see* M. Hucher 2 (1980) 255-257
- Grolmusz, V. and P. Ragde, Incomparability in parallel computation 29 (1990) 63-78
- Gross, R., M.L. Yarmush, J.W. Kennedy and L.V. Quintas, Antigenesis: A cascade-theoretical analysis of the size distributions of antigen-antibody complexes 19 (1988) 177-194
- Grossi, R. and E. Lodi, Simple planar graph partition into three forests 84 (1-3) (1998) 121-132
- Grossman, J.W., *see* P.A. Catlin 40 (1992) 285-302
- Grund, R., A. Kerber and R. Laue, Construction of discrete structures, especially isomers 67 (1-3) (1996) 115-126
- Grünwald, N., *see* S. Bezrukov 46 (1993) 99-116
- Grytczuk, J., Intertwined infinite binary words (Note) 66 (1996) 95-99
- Guan, D.J., Routing a vehicle of capacity greater than one 81 (1-3) (1998) 41-57
- Guan, M., On the windy postman problem 9 (1984) 41-46
- Guessarian, I., Fixpoint strategies for deductive databases 24 (1989) 121-131
- Guichard, D.R., No-hole k -tuple $(r+1)$ -distant colorings of odd cycles 64 (1) (1996) 87-92
- Guignard, M., Solving makespan minimization problems with Lagrangean decomposition 42 (1993) 17-29
- Guignard, M., *see* B. Chen 82 (1-3) (1998) 79-91
- Guinand, F., *see* E. Bampis 72 (1-2) (1997) 5-24
- Gunther, G. and B.L. Hartnell, Optimal k -secure graphs 2 (1980) 225-231
- Gunther, G., Neighbour-connectivity in regular graphs 11 (1985) 233-243
- Gunther, G., B. Hartnell and D.F. Rall, Graphs whose vertex independence number is unaffected by single edge addition or deletion 46 (1993) 167-172

- Guo, Y., Spanning local tournaments in locally semicomplete digraphs **79** (1-3) (1997) 119-125
- Guo, Y. and L. Volkmann, Bypaths in tournaments **79** (1-3) (1997) 127-135
- Gupta, A.K., *see* S.K. Bhattacharya **2** (1980) 249-250
- Gupta, S.K., *see* A.K. Pujari **5** (1983) 241-242
- Gurla, H., *see* D. Bhagavathi **77** (3) (1997) 201-220
- Gurvich, V., *see* E. Boros **62** (1-3) (1995) 51-75
- Gusfield, D., Matroid optimization with the interleaving of two ordered sets **8** (1984) 41-50
- Gusfield, D., R. Karp, L. Wang and P. Stelling, Graph traversals, genes and matroids: an efficient case of the travelling salesman problem **88** (1-3) (1998) 167-180
- Gusfield, D., *see* J. Kececioglu **88** (1-3) (1998) 239-260
- Gustedt, J., On the pathwidth of chordal graphs **45** (1993) 233-248
- Gustedt, J., *see* S. Felsner **51** (1-2) (1994) 85-93
- Gutin, G., *see* D. Blokh **56** (1) (1995) 83-86
- Gutin, G. and A. Yeo, Ranking the vertices of a complete multipartite paired comparison digraph **69** (1-2) (1996) 75-82
- Gutin, G., *see* J. Bang-Jensen **82** (1-3) (1998) 247-250
- Gutjahr, W., E. Welzl and G. Woeginger, Polynomial graph-colorings **35** (1992) 29-45
- Gutman, I. and F. Zhang, On the ordering of graphs with respect to their matching numbers **15** (1986) 25-33
- Gutman, I., A. Graovac and O.E. Polansky, Spectral properties of some structurally related graphs **19** (1988) 195-203
- Gutman, I., *see* X. Li **58** (3) (1995) 293-297
- Gutman, I., *see* Y.-N. Yeh **67** (1-3) (1996) 221-228
- Gutman, I., *see* K. Maribor **80** (1) (1997) 1-2
- Gutman, I., *see* S. Klavžar **80** (1) (1997) 73-81
- Guttmann-Beck, N. and R. Hassin, Approximation algorithms for minimum tree partition **87** (1-3) (1998) 117-137
- Guttmann-Beck, N. and R. Hassin, Approximation algorithms for min-sum p -clustering **89** (1-3) (1998) 125-142
- Gyárfás, A. and R.H. Schelp, A communication problem and directed triple systems **85** (2) (1998) 139-147
- Gyepesi, Gy., *see* J. Demetrovics **6** (1983) 35-47
- Habib, M. and M.C. Maurer, On the X -join decompositions for undirected graphs **1** (1979) 201-207
- Habib, M., *see* M. Chein **7** (1984) 243-250
- Habib, M. and R. Jegou, N -free posets as generalizations of series-parallel posets **12** (1985) 279-291
- Haddad, L. and I.G. Rosenberg, Maximal partial clones determined by the areflexive relations **24** (1989) 133-143
- Hadley, S.W., Approximation techniques for hypergraph partitioning problems **59** (2) (1995) 115-127
- Hagihara, K., *see* T. Masuzawa **17** (1987) 67-105
- Hagstrom, J.N., *see* M.O. Ball **85** (1) (1998) 25-45
- Haigh, C.W., J.W. Kennedy and L.V. Quintas, Counting and coding identity trees with fixed diameter and bounded degree **7** (1984) 141-160
- Hajnal, A., *see* P. Erdős **25** (1989) 37-52
- Hakimi, S.L., *see* D. Bauer **28** (1990) 191-195
- Hakimi, S.L., *see* D.G. Corneil **50** (2) (1994) 135-148
- Hakimi, S.L., *see* A. Bagchi **64** (2) (1996) 105-116
- Hall, L.A., A note on generalizing the maximum lateness criterion for scheduling **47** (1993) 129-137
- Hall, M., Codes and matrices in studies on designs **24** (1989) 145-152
- Hall, N.G. and D.S. Hochbaum, A fast approximation algorithm for the multicovering problem **15** (1986) 35-40
- Hall, N.G., *see* R.V. Vohra **43** (1993) 175-183
- Halsey, M.D., *see* M.B. Cozzens **30** (1991) 125-135
- Hamacher, H., Algebraic flows in regular matroids **2** (1980) 27-38
- Hamacher, H.W., Maximal dynamic polymatroid flows and applications **15** (1986) 41-54
- Hamacher, H.W., *see* C.R. Chegireddy **18** (1987) 155-165
- Hamacher, H.W., *see* S.-J. Chung **42** (1993) 139-145
- Hamada, N., T. Hellese and Ø. Ytrehus, A new class of nonbinary codes meeting the Griesmer bound **47** (1993) 219-226

- Hämäläinen, H., *see* I. Honkala **11** (1985) 307-310
- Hämäläinen, H., *see* I. Honkala **18** (1987) 95-98
- Hämäläinen, P., The absolute center of a unicyclic network (*Note*) **25** (1989) 311-315
- Hambruch, S.E., *see* M.J. Atallah **13** (1986) 9-22
- Hambruch, S.E., *see* A. Apostolico **36** (1992) 1-24
- Hambruch, S.E. and H.-S. Lim, Minimizing broadcast costs under edge reductions in tree networks **91** (1-3) (1999) 93-117
- Hamidoune, Y.O., Factorisations courtes dans un groupe fini **24** (1989) 153-165
- Hamidoune, Y.O., A.S. Llado and O. Serra, The connectivity of hierarchical Cayley digraphs **37/38** (1992) 275-280
- Hammer, J. and D.G. Sarvate, Encryption using Hungarian rings **16** (1987) 151-155
- Hammer, P.L., *see* Y. Crama **15** (1986) 221-239
- Hammer, P.L. and F. Maffray, Completely separable graphs **27** (1990) 85-99
- Hammer, P.L., U.N. Peled and X. Sun, Difference graphs **28** (1990) 35-44
- Hammer, P.L., F. Maffray and M. Queyranne, Cut-threshold graphs **30** (1991) 163-179
- Hammer, P.L., *see* E. Boros **49** (1994) 77-93
- Hammer, P.L., *see* E. Boros **55** (1) (1994) 1-13
- Hammer, P.L., *see* E. Boros **62** (1-3) (1995) 51-75
- Hammer, P.L. and A.K. Kelmans, Laplacian spectra and spanning trees of threshold graphs **65** (1-3) (1996) 255-273
- Hammer, P.L., *see* Y. Crama **75** (3) (1997) 217-230
- Hammer, P.L., *see* E. Boros **90** (1-3) (1999) 69-88
- Han, K., C.N. Sekharan and R. Sridhar, Unified all-pairs shortest path algorithms in the chordal hierarchy **77** (1) (1997) 59-71
- Han, Y., Y. Igarashi and M. Truszczynski, Indexing functions and time lower bounds for sorting on a mesh-connected computer **36** (1992) 141-152
- Hanazawa, M., H. Narushima and N. Minaka, Generating most parsimonious reconstructions on a tree: A generalization of the Farris-Swofford-Maddison method **56** (2-3) (1995) 245-265
- Hanazawa, M., *see* H. Narushima **80** (2-3) (1997) 231-238
- Hanen, C. and A. Munier, A study of the cyclic scheduling problem on parallel processors **57** (2-3) (1995) 167-192
- Hanen, C. and A. Munier, Performance of Coffman-Graham schedules in the presence of unit communication delays **81** (1-3) (1998) 93-108
- Hannenhalli, S., Polynomial-time algorithm for computing translocation distance between genomes **71** (1-3) (1996) 137-151
- Hansen, P., An $O(m \log D)$ algorithm for shortest paths (*Note*) **2** (1980) 151-153
- Hansen, P., Recognizing sign solvable graphs **6** (1983) 237-241
- Hansen, P. and B. Jaumard, Uniquely solvable quadratic boolean equations **12** (1985) 147-154
- Hansen, P. and B. Simeone, Unimodular functions **14** (1986) 269-281
- Hansen, P., *see* Y. Crama **29** (1990) 171-185
- Hansen, P., S.-H. Lu and B. Simeone, On the equivalence of paved-duality and standard linearization in nonlinear 0-1 optimization **29** (1990) 187-193
- Hansen, P., M. Labbé and B. Nicolas, The continuous center set of a network **30** (1991) 181-195
- Hansen, P., B. Jaumard and M.P. de Aragão, Boole's conditions of possible experience and reasoning under uncertainty **60** (1-3) (1995) 181-193
- Hansen, P. and M. Zheng, Shortest shortest path trees of a network **65** (1-3) (1996) 275-284
- Hansen, P., G. Storch and T. Vovor, Paths with minimum range and ratio of arc lengths **78** (1-3) (1997) 89-102
- Hao, F.H., The optimal procedures for quantitative group testing **26** (1990) 79-86
- Hao, J., *see* D. Goldfarb **47** (1993) 9-16
- Harant, J. and H. Walther, A lower bound for the shortness coefficient of a class of graphs **51** (1-2) (1994) 103-105
- Harary, F., *see* F. Esser **2** (1980) 113-124
- Harary, F., J.R. Lundgren and J.S. Maybee, On signed digraphs with all cycles negative **12** (1985) 155-164
- Harary, F. and U. Peled, Hamiltonian threshold graphs **16** (1987) 11-15

- Harary, F. and P.G. Mezey, Embedding and characterization of quantum chemical reaction graphs on two-dimensional orientable surfaces **19** (1988) 205-214
- Harary, F., *see* N. Graham **37/38** (1992) 265-274
- Harary, F., W. Randolph and P.G. Mezey, A study of maximum unit-circle caterpillars – tools for the study of the shape of adsorption patterns **67** (1-3) (1996) 127-135
- Harbane, R., *see* P. Tvrdik **83** (1-3) (1998) 279-301
- Hariri, A.M.A. and C.N. Potts, An algorithm for single machine sequencing with release dates to minimize total weighted completion time **5** (1983) 99-109
- Haritonov, A.Yu., *see* R.E. Krichevskii **3** (1981) 67-72
- Harju, T., J. Karhumäki and H.C.M. Kleijn, On morphic generation of regular languages **15** (1986) 55-60
- Harju, T., *see* K. Culik II **31** (1991) 261-277
- Harju, T. and H.C.M. Kleijn, Decidability problems for unary output sequential transducers **32** (1991) 131-140
- Harley, P.J., *see* N.Y. Soma **57** (2-3) (1995) 243-253
- Harms, J.J. and C.J. Colbourn, Probabilistic single processor scheduling **27** (1990) 101-112
- Harrison, J., T. Brennan and S. Gapinski, The Gergonne p -pile problem and the dynamics of the function $x \mapsto \lfloor (x+r)/p \rfloor$ **82** (1-3) (1998) 103-113
- Hartman, A. and Y. Medan, Covering the complete graph with plane cycles **44** (1993) 305-310
- Hartmann, M.E., *see* E. Boros **49** (1994) 77-93
- Hartnell, B., *see* G. Gunther **46** (1993) 167-172
- Hartnell, B. and M.D. Plummer, On 4-connected claw-free well-covered graphs **64** (1) (1996) 57-65
- Hartnell, B.L., *see* G. Gunther **2** (1980) 225-231
- Hartvigsen, D. and E. Zemel, The complexity of lifted inequalities for the knapsack problem **39** (1992) 113-123
- Hartvigsen, D., The planar multiterminal cut problem **85** (3) (1998) 203-222
- Hasegawa, T., *see* I. Morihara **6** (1983) 173-191
- Hashimoto, H., Transitive reduction of a nilpotent boolean matrix **8** (1984) 51-61
- Hashimoto, H., Transitive reduction of a rectangular boolean matrix **8** (1984) 153-161
- Hasler, M., C. Marthy, A. Oberlin and D. de Werra, A discrete model for studying existence and uniqueness of solutions in nonlinear resistive circuits **50** (2) (1994) 169-184
- Hass, E.C. and P.J. Plath, The principle of valency conservation. I. The skeleton influence on pericyclic reactions **19** (1988) 215-237
- Hassell Sweatman, C.Z.W., G.J. Gibson and B. Mulgrew, Exact classification with two-layer neural nets in n dimensions **81** (1-3) (1998) 19-39
- Hassin, R., *see* F. Granot **13** (1986) 157-163
- Hassin, R. and N. Megiddo, Approximation algorithms for hitting objects with straight lines **30** (1991) 29-42
- Hassin, R. and M. Henig, Monotonicity and efficient computation of optimal dichotomous search **46** (1993) 221-234
- Hassin, R., *see* E.M. Arkin **55** (3) (1994) 197-218
- Hassin, R., *see* M. Benelli **59** (3) (1995) 215-224
- Hassin, R., *see* S. Anily **82** (1-3) (1998) 27-42
- Hassin, R., *see* N. Guttmann-Beck **87** (1-3) (1998) 117-137
- Hassin, R., *see* N. Guttmann-Beck **89** (1-3) (1998) 125-142
- Hasunuma, T. and Y. Shibata, Embedding de Bruijn, Kautz and shuffle-exchange networks in books **78** (1-3) (1997) 103-116
- Haussler, D., *see* A. Ehrenfeucht **20** (1988) 191-203
- Haussler, D., *see* A. Blumer **24** (1989) 37-45
- Haussler, D., *see* N. Cesa-Bianchi **86** (1) (1998) 27-35
- Havel, T.F., *see* A.W.M. Dress **19** (1988) 129-144
- Haviland, J., *see* P. Firby **75** (1) (1997) 27-37
- Hayes, A.C. and D.G. Larman, The vertices of the Knapsack polytope **6** (1983) 135-138
- Haynes, T.W., R.C. Brigham and R.D. Dutton, Extremal graphs domination insensitive to the removal of k edges **44** (1993) 295-304
- Hayward, R.B., Meyniel weakly triangulated graphs – I: co-perfect orderability **73** (3) (1997) 199-210
- Hayward, R.B., Meyniel weakly triangulated graphs II: A theorem of Dirac **78** (1-3) (1997) 283-289
- Hazan, S., TC operations and Latin bricks **24** (1989) 167-177
- He, B., *see* Z. Zhang **71** (1-3) (1996) 337-365

- He, W., *see* W. He 35 (1992) 91-106
- He, X. and D.B. Sher, On determining non-isotopic configurations of points on a circle 59 (1) (1995) 33-50
- He, X., *see* Z.-Z. Chen 69 (1-2) (1996) 183-198
- Head, T., Splicing representations of strictly locally testable languages 87 (1-3) (1998) 139-147
- Healy, D.M., *see* J.R. Driscoll 63 (2) (1995) 101-116
- Heath, L.S. and J.P.C. Vergara, Edge-packing planar graphs by cyclic graphs 81 (1-3) (1998) 169-180
- Heath, L.S. and J.P.C. Vergara, Sorting by bounded block-moves 88 (1-3) (1998) 181-206
- Hedayat, A.S., G.B. Khosrovshahi and D. Majumdar, A prospect for a general method of constructing t -designs 42 (1993) 31-50
- Hedetniemi, S., *see* J. Dunbar 68 (1-2) (1996) 73-84
- Hedetniemi, S.M., *see* J.-H. Yan 78 (1-3) (1997) 227-233
- Hedetniemi, S.T., R. Laskar and J. Pfaff, A linear algorithm for finding a minimum dominating set in a cactus 13 (1986) 287-292
- Hedetniemi, S.T., *see* G.A. Cheston 27 (1990) 195-207
- Hedetniemi, S.T., *see* P.J. Bernhard 44 (1993) 99-108
- Hedetniemi, S.T., *see* R. Labahn 53 (1-3) (1994) 235-245
- Hedetniemi, S.T., *see* G.H. Fricke 68 (3) (1996) 267-277
- Hedetniemi, S.T., *see* J.-H. Yan 78 (1-3) (1997) 227-233
- Hedman, B., A polynomial algorithm for constructing the clique graph of a line graph 15 (1986) 61-66
- Hefner, K.A.S., K.F. Jones, S. Kim, J.R. Lundgren and F.S. Roberts, (i, j) competition graphs 32 (1991) 241-262
- Hegedűs, T. and N. Megiddo, On the geometric separability of Boolean functions 66 (3) (1996) 205-218
- Hein, J., T. Jiang, L. Wang and K. Zhang, On the complexity of comparing evolutionary trees 71 (1-3) (1996) 153-169
- Heinrich, K., K. Kim and V.K. Prasanna Kumar, Perfect latin squares 37/38 (1992) 281-286
- Heintz, J., *see* L. Caniglia 33 (1991) 11-23
- Hell, P. and A.L. Liestman, Broadcasting in one dimension 21 (1988) 101-111
- Hell, P., *see* J. Bang-Jensen 26 (1990) 1-23
- Hell, P., *see* J.-C. Bermond 36 (1992) 97-130
- Hell, P., *see* J. Bang-Jensen 41 (93) 75-79
- Hell, P., *see* H.-J. Bandelt 44 (1993) 9-20
- Hell, P., Y. Manoussakis and Z. Tuza, Packing problems in edge-colored graphs 52 (3) (1994) 295-306
- Hell, P., *see* M. Fellows 61 (2) (1995) 133-153
- Hell, P., D. Kirkpatrick and B. Li, Rounding in symmetric matrices and undirected graphs 70 (1) (1996) 1-22
- Hell, P., J. Nešetřil and X. Zhu, Complexity of tree homomorphisms 70 (1) (1996) 23-36
- Hell, P., *see* B. Beauquier 84 (1-3) (1998) 15-20
- Hellerstein, L., Functions that are read-once on a subset of their inputs 46 (1993) 235-251
- Hellerstein, L., *see* A. Feigelson 77 (3) (1997) 221-236
- Helleseth, T., On the covering radius of cyclic linear codes and arithmetic codes 11 (1985) 157-173
- Helleseth, T., Legendre sums and codes related to QR codes 35 (1992) 107-113
- Helleseth, T., *see* N. Hamada 47 (1993) 219-226
- Hendy, M.D., *see* M. Steel 88 (1-3) (1998) 367-396
- Henig, M., *see* R. Hassin 46 (1993) 221-234
- Hennig, U., *see* T. Andreae 46 (1993) 73-78
- Henning, M.A., *see* J. Dunbar 68 (1-2) (1996) 73-84
- Henning, M.A., *see* G.H. Fricke 68 (1-2) (1996) 85-91
- Henning, M.A. and H. Maharaj, Some general aspects of the framing number of a digraph 82 (1-3) (1998) 115-133
- Henno, J., On equivalent sets of functions (Note) 4 (1982) 153-156
- Hershberger, J., *see* J. Feigenbaum 12 (1985) 123-138
- Hertz, A., Finding a feasible course schedule using Tabu search 35 (1992) 255-270
- Hertz, A., B. Jaumard and M.P. de Aragão, Local optima topology for the k -coloring problem 49 (1994) 257-280
- Hertz, A., B. Jaumard and C.C. Ribeiro, A graph theory approach to subcontracting, machine duplication and intercell moves in cellular manufacturing 50 (3) (1994) 255-265

- Hertz, A., Polynomially solvable cases for the maximum stable set problem **60** (1-3) (1995) 195-210
- Hertz, A., M. Queyranne and M. Widmer, Preface **65** (1-3) (1996) 1-3
- Hertz, A., Y. Mottet and Y. Rochat, On a scheduling problem in a robotized analytical system **65** (1-3) (1996) 285-318
- Hertz, A. and M. Widmer, An improved tabu search approach for solving the job shop scheduling problem with tooling constraints **65** (1-3) (1996) 319-345
- Hertz, A., *see* J. Błażewicz **76** (1-3) (1997) 1-2
- Hertz, A., On the use of Boolean methods for the computation of the stability number **76** (1-3) (1997) 183-203
- Hertz, A., On perfect switching classes **89** (1-3) (1998) 263-267
- Hevery, F., *see* P. Butkovič **11** (1985) 209-222
- Heydemann, M.C., J.C. Meyer and D. Sotteau, On forwarding indices of networks **23** (1989) 103-123
- Heydemann, M.C., J.C. Meyer, J. Opatrny and D. Sotteau, Forwarding indices of k -connected graphs **37/38** (1992) 287-296
- Heydemann, M.C., J. Opatrny and D. Sotteau, Broadcasting and spanning trees in de Bruijn and Kautz networks **37/38** (1992) 297-317
- Heydemann, M.-C., *see* D. Barth **77** (2) (1997) 99-118
- Heydemann, M.-C., *see* A. Germa **83** (1-3) (1998) 135-155
- Heydemann, M.-C., *see* P. Tvrdik **83** (1-3) (1998) 279-301
- Hibi, T., Linear and nonlinear inequalities concerning a certain combinatorial sequence which arises from counting the number of chains of a finite distributive lattice **34** (1991) 145-150
- Hilton, A.J.W., *see* A.G. Chetwynd **16** (1987) 125-134
- Hilton, A.J.W., Alternating Hamiltonian circuits in edge-coloured bipartite graphs **35** (1992) 271-273
- Hilton, A.J.W., J.P. Liu and C. Zhao, Graphs that admit 3-to-1 or 2-to-1 maps onto the circle **65** (1-3) (1996) 347-377
- Hilton, A.J.W. and C. Zhao, Vertex-splitting and chromatic index critical graphs **76** (1-3) (1997) 205-211
- Hindrichs, T., *see* A. Conrad **50** (2) (1994) 125-134
- Hintz, M., *see* T. Andreae **79** (1-3) (1997) 3-34
- Hinz, F., *see* J. Dassow **45** (1993) 29-49
- Hite, G.E., *see* W.A. Seitz **19** (1988) 339-348
- Hliněný, P., The maximal clique and colourability of curve contact graphs **81** (1-3) (1998) 59-68
- Ho, C.-T., *see* S. Lennart Johnsson **53** (1-3) (1994) 251-274
- Ho, C.-T., *see* K.-S. Ding **83** (1-3) (1998) 41-59
- Ho, K.I.-J., J.Y.-T. Leung and W.-D. Wei, Scheduling imprecise computation tasks with 0/1-constraint **78** (1-3) (1997) 117-132
- Ho, Y.C., *see* J. Franco **22** (1988/89) 35-51
- Hoàng, C.T., Efficient algorithms for minimum weighted colouring of some classes of perfect graphs **55** (2) (1994) 133-143
- Hoàng, C.T., A note on perfectly orderable graphs **65** (1-3) (1996) 379-386
- Hoàng, C.T., On the complexity of recognizing a class of perfectly orderable graphs **66** (3) (1996) 219-226
- Hobbs, A.M., *see* P.A. Catlin **40** (1992) 285-302
- Hochbaum, D.S., Efficient bounds for the stable set, vertex cover and set packing problems **6** (1983) 243-254
- Hochbaum, D.S. and E. Wigderson, The Linzertorte problem, or a unified approach to painting, baking and weaving **14** (1986) 17-32
- Hochbaum, D.S., *see* N.G. Hall **15** (1986) 35-40
- Hochbaum, D.S. and R. Shamir, Minimizing the number of tardy job units under release time constraints **28** (1990) 45-57
- Hochbaum, D.S., Why should biconnected components be identified first **42** (1993) 203-210
- Hochbaum, D.S. and D. Landy, Scheduling with batching: two job types **72** (1-2) (1997) 99-114
- Hochbaum, D.S., *see* O. Goldschmidt **74** (2) (1997) 159-169
- Hochstättler, W., *see* M. Alfter **60** (1-3) (1995) 3-11
- Hochstättler, W., *see* A. Bachem **65** (1-3) (1996) 47-72
- Hock, J.L. and R.B. McQuistan, A note on the occupational degeneracy for dimers on a saturated two-dimensional lattice space (Note) **8** (1984) 101-104
- Hofacker, I.L., P. Schuster and P.F. Stadler, Combinatorics of RNA secondary structures **88** (1-3) (1998) 207-237

- Hoffman, A.J., *see* I. Adler 44 (1993) 21-38
- Hoffman, A.J., *see* D. de Werra 68 (1-2) (1996) 169-188
- Hoke, K., Extending shelling orders and a hierarchy of functions of unimodal simple polytopes 60 (1-3) (1995) 211-217
- Holdridge, D.B. and J.A. Davis, Comment on "A note on perfect Lee-codes" (Note) 3 (1981) 221
- Hollmann, H.D.L. and J.H. van Lint, Nonblocking self-routing switching networks 37/38 (1992) 319-340
- Holm, S., Adding activities to the dual instead of cuts to the primal problem 18 (1987) 167-174
- Holm, S. and J. Tind, A unified approach for price directive decomposition procedures in integer programming 20 (1988) 205-219
- Holzman, R., To vote or not to vote: What is the quota? 22 (1988/89) 133-141
- Homobono, N. and C. Peyrat, Fault-tolerant routings in Kautz and de Bruijn networks 24 (1989) 179-186
- Honkala, I., H. Hämäläinen and M. Kaikkonen, A modification of the Zinoviev lower bound for constant weight codes (Note) 11 (1985) 307-310
- Honkala, I., H. Hämäläinen and M. Kaikkonen, Some lower bounds for constant weight codes (Note) 18 (1987) 95-98
- Honkala, I., On $(q,1)$ -subnormal q -ary covering codes 52 (3) (1994) 213-221
- Honkala, J., Unique representation in number systems and L codes (Note) 4 (1982) 229-232
- Honkala, J., A defect property of codes with unbounded delays (Note) 21 (1988) 261-264
- Honkala, J., On generalized zeta functions of formal languages and series 32 (1991) 141-153
- Honkala, J., A decision method for Parikh slenderness of context-free languages 73 (1) (1997) 1-4
- Hoogeveen, J.A., S.L. van de Velde and B. Veltman, Complexity of scheduling multiprocessor tasks with prespecified processor allocations 55 (3) (1994) 259-272
- Hopkins, L.B., W.T. Trotter and D.B. West, The interval number of a complete multipartite graph 8 (1984) 163-187
- Horak, P., L. Branković and M. Miller, A combinatorial problem in database security 91 (1-3) (1999) 119-126
- Horton, S.B. and R.G. Parker, On Halin subgraphs and supergraphs 56 (1) (1995) 19-35
- Horváth, M. and G. Lugosi, Scale-sensitive dimensions and skeleton estimates for classification 86 (1) (1998) 37-61
- Hosoya, H., On some counting polynomials in chemistry 19 (1988) 239-257
- Houle, M.E., H. Imai, K. Imai, J.-M. Robert and P. Yamamoto, Orthogonal weighted linear L_1 and L_∞ approximation and applications 43 (1993) 217-232
- Houle, M.E., Algorithms for weak and wide separation of sets 45 (1993) 139-159
- Hromkovič, J., J. Karhumäki, B. Rován and A. Slobodová, On the power of synchronization in parallel computations 32 (1991) 155-182
- Hromkovič, J., *see* R. Feldmann 53 (1-3) (1994) 55-78
- Hsu, C.-C., *see* M.-S. Chang 78 (1-3) (1997) 41-50
- Hsu, D.F., *see* D.-Z. Du 37/38 (1992) 169-177
- Hsu, W.-L. and G.L. Nemhauser, Easy and hard bottleneck location problems 1 (1979) 209-215
- Hsu, W.-L., *see* A. Naamad 8 (1984) 267-277
- Hsu, W.-L., *see* W.-K. Shih 25 (1989) 321-323
- Hsueh, Y.-C., *see* J.J.M. Tan 59 (1) (1995) 87-102
- Hu, T.C., *see* M.T. Shing 13 (1986) 165-181
- Hu, X.D. and F.K. Hwang, An improved upper bound for the subarray partial concentrators 37/38 (1992) 341-346
- Hu, X.D. and F.K. Hwang, Cutting numbers for the forward loop backward hop network 48 (1994) 147-161
- Hu, Z. and Z. Liu, A strongly polynomial algorithm for the inverse shortest arborescence problem 82 (1-3) (1998) 135-154
- Huang, J., A note on spanning local tournaments in locally semicomplete digraphs 89 (1-3) (1998) 277-279
- Huang, N.-F., On the complexity of two circle connecting problems 47 (1993) 17-32
- Huang, W.-C., B.-Y. Yang and Y.-N. Yeh, From ternary strings to Wiener indices of benzenoid chains 73 (2) (1997) 113-131
- Huaxiao, Z., Z. Fuji and H. Qiongxian, On the number of spanning trees and Eulerian tours in iterated line digraphs 73 (1) (1997) 59-67

- Hucher, M., G. Sabatier and J. Grolier, Effectifs des diverses sequences de polyedres 3-valents convexes ayant moins de 11 faces et de polyedres sans face triangulaire ayant de 11 a 14 faces (*Communication*) **2** (1980) 255-257
- Hudry, O., *see* J.-P. Barthélemy **60** (1-3) (1995) 39-76
- Hudry, O., *see* I. Charon **80** (2-3) (1997) 211-215
- Huguët, L., *see* J. Rifa **26** (1990) 289-300
- Hung, M.S., W.O. Rom and A.D. Waren, Degeneracy in transportation problems **13** (1986) 223-237
- Hunt III, H.B., *see* M.V. Marathe **64** (2) (1996) 135-149
- Hurink, J., *see* P. Brucker **65** (1-3) (1996) 97-122
- Hurink, J., Polygon scheduling **70** (1) (1996) 37-55
- Hurink, J., *see* P. Brucker **72** (1-2) (1997) 47-69
- Hurink, J., *see* P. Brucker **76** (1-3) (1997) 43-59
- Hurtado, F., *see* H. Everett **91** (1-3) (1999) 67-82
- Huson, D., *see* A. Dress **71** (1-3) (1996) 95-109
- Hutchinson, J.P., *see* A.M. Dean **75** (1) (1997) 9-25
- Hwang, F.K., *see* G.J. Chang **4** (1982) 97-102
- Hwang, F.K. and S. Papastavridis, Binary vectors with exactly k nonoverlapping m -tuples of consecutive ones (*Note*) **30** (1991) 83-86
- Hwang, F.K., *see* X.D. Hu **37/38** (1992) 341-346
- Hwang, F.K. and G.W. Richards, The capacity of the subarray partial concentrators **39** (1992) 231-240
- Hwang, F.K., *see* D.Z. Du **45** (1993) 221-232
- Hwang, F.K., *see* X.D. Hu **48** (1994) 147-161
- Hwang, F.K. and U.G. Rothblum, Constrained partitioning problems **50** (1) (1994) 93-96
- Hwang, F.K., *see* A. Bar-Noy **52** (1) (1994) 29-38
- Hwang, F.K., The time complexity of deterministic broadcast radio networks **60** (1-3) (1995) 219-222
- Hwang, F.K., Y.C. Yao and M.D. Grammatikakis, A d -move local permutation routing for the d -cube **72** (3) (1997) 199-207
- Hwang, F.K., *see* P. Fishburn **78** (1-3) (1997) 75-87
- Hwang, S.-G. and A.R. Kräuter, Comparison of permanental bounds of $(0,1)$ -matrices **84** (1-3) (1998) 133-144
- Ibaraki, T., The number of additional variables required for the integer programming formulation (*Note*) **2** (1980) 155-158
- Ibaraki, T., *see* I. Morihara **6** (1983) 173-191
- Ibaraki, T., *see* N. Katoh **10** (1985) 261-274
- Ibaraki, T., *see* Y. Crama **15** (1986) 221-239
- Ibaraki, T., *see* N. Katoh **17** (1987) 39-66
- Ibaraki, T., *see* H. Nagamochi **27** (1990) 125-145
- Ibaraki, T., *see* N. Katoh **35** (1992) 275-291
- Ibaraki, T., *see* N. Katoh **40** (1992) 379-395
- Ibaraki, T., *see* E. Boros **62** (1-3) (1995) 51-75
- Ibaraki, T., *see* K. Makino **69** (3) (1996) 207-229
- Ibaraki, T., *see* K. Makino **74** (3) (1997) 251-274
- Ichimori, T., H. Ishii and T. Nishida, Two routing problems with the limitation of fuel (*Note*) **6** (1983) 85-89
- Idury, R.M., *see* F. Aurenhammer **52** (1) (1994) 17-28
- Idzik, A., Communication in m -connected graphs (*Note*) **28** (1990) 297-301
- Igarashi, Y., *see* F.M. Brown **7** (1984) 231-241
- Igarashi, Y., *see* Y. Han **36** (1992) 141-152
- Igarashi, Y., *see* F. Bao **83** (1-3) (1998) 3-20
- Ihler, E., G. Reich and P. Widmayer, Class Steiner trees and VLSI-design **90** (1-3) (1999) 173-194
- Ikebe, Y., T. Matsui and A. Tamura, Adjacency of the best and second best valued solutions in combinatorial optimization problems **47** (1993) 227-232
- Ikebe, Y., *see* T. Matsui **50** (3) (1994) 283-296
- Ikura, Y. and G.L. Nemhauser, Computational experience with a polynomial-time dual simplex algorithm for the transportation problem **13** (1986) 239-248
- Ilie, L., On subwords of infinite words **63** (3) (1995) 277-279
- Imai, H., On combinatorial structures of line drawings of polyhedra **10** (1985) 79-92

- Imai, H., *see* R. Kohno 33 (1991) 129-146
 Imai, H., *see* M.E. Houle 43 (1993) 217-232
 Imai, H., *see* Y. Dai 65 (1-3) (1996) 167-190
 Imai, K., *see* M.E. Houle 43 (1993) 217-232
 Imase, M., *see* T. Soneoka 27 (1990) 255-265
 Imase, M., *see* T. Soneoka 64 (3) (1996) 267-279
 Imreh, B., *see* F. Gécseg 36 (1992) 307-311
 Iri, M., *see* A. Recski 2 (1980) 311-326
 Iri, M., A very personal reminiscence on the problem of computational complexity 17 (1987) 17-27
 Irving, R.W., NP-completeness of a family of graph-colouring problems 5 (1983) 111-117
 Irving, R.W., Stable marriage and indifference 48 (1994) 261-272
 Irving, R.W. and D.F. Manlove, The b-chromatic number of a graph 91 (1-3) (1999) 127-141
 Irwin, M.J., *see* M. Borah 90 (1-3) (1999) 51-67
 Isaak, G., Bounded discrete representations of interval orders 44 (1993) 157-183
 Isaak, G., *see* J.-P. Barthélemy 60 (1-3) (1995) 39-76
 Isaak, G., *see* K.P. Bogart 60 (1-3) (1995) 99-117
 Isaak, G.T., *see* J.R. Driscoll 63 (2) (1995) 101-116
 Ishigami, Y. and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states 74 (2) (1997) 123-134
 Ishigami, Y. and S. Tani, VC-dimensions of finite automata and commutative finite automata with k letters and n states 74 (3) (1997) 229-240
 Ishiguro, A., *see* H. Suzuki 27 (1990) 157-178
 Ishii, H., S. Shiode, T. Nishida and Y. Namasuya, Stochastic spanning tree problem 3 (1981) 263-273
 Ishii, H., *see* T. Ichimori 6 (1983) 85-89
 Ishii, H., *see* T. Masuda 11 (1985) 175-186
 Ishii, H., T. Masuda and T. Nishida, Two machine mixed shop scheduling problem with controllable machine speeds 17 (1987) 29-38
 Ishii, H., *see* T. Masuda 52 (3) (1994) 253-259
 Ishii, S., Measure theoretic approach to the classification of cellular automata 39 (1992) 125-136
 Istrail, S., P. Pevzner and R. Shamir, Introduction 71 (1-3) (1996) 1-4
 Istrate, G., Self-reading sequences 50 (2) (1994) 201-203
 Istrate, G. and G. Păun, Some combinatorial properties of self-reading sequences 55 (1) (1994) 83-86
 Ito, M., H. Jürgensen, H.J. Shyr and G. Thierrin, Anti-commutative languages and n -codes 24 (1989) 187-196
 Iványi, A., Construction of infinite de Bruijn arrays (*Communication*) 22 (1988/89) 289-293
 Iwama, K. and E. Miyano, Better approximations of non-Hamiltonian graphs 81 (1-3) (1998) 239-261
 Iwano, K., *see* Y. Dai 65 (1-3) (1996) 167-190
 Iwata, S. and K. Murota, A theorem on the principal structure for independent matchings 61 (3) (1995) 229-244
 Iwata, S., *see* M. Shigeno 73 (3) (1997) 261-273
 Iyer, A.V., H.D. Ratliff and G. Vijayan, On an edge ranking problem of trees and graphs 30 (1991) 43-52
 Jacob, T., *see* N. Brand 41 (93) 165-171
 Jacobs, D.P., *see* G.A. Cheston 27 (1990) 195-207
 Jacobs, D.P., *see* P.J. Bernhard 44 (1993) 99-108
 Jacobs, D.P., *see* G.H. Fricke 68 (3) (1996) 267-277
 Jacobson, M.S. and K. Peters, A note on graphs which have upper irredundance equal to independence 44 (1993) 91-97
 Jacobson, M.S., J. Lehel and L.M. Lesniak, ϕ -threshold and ϕ -tolerance chain graphs 44 (1993) 191-203
 Jacobson, M.S., *see* Y.-W. Chang 44 (1993) 205-220
 Jacot-Descombes, L., *see* D. de Werra 26 (1990) 41-49
 Jakoby, A., R. Reischuk and C. Schindelbauer, The complexity of broadcasting in planar and decomposable graphs 83 (1-3) (1998) 179-206
 Jamison, B. and S. Olariu, On a unique tree representation for P_4 -extendible graphs 34 (1991) 151-164
 Jamison, B. and S. Olariu, A tree representation for P_4 -sparse graphs 35 (1992) 115-129
 Jamison, B. and S. Olariu, Linear time optimization algorithms for P_4 -sparse graphs 61 (2) (1995) 155-175
 Jamison, R.E., *see* D.R. Shier 37/38 (1992) 489-500
 Janowitz, M.F., Continuous L -cluster methods 3 (1981) 107-112

- Jansen, B., *see* J.P. Warners 78 (1-3) (1997) 251-282
- Jansen, K., The allocation problem in hardware design 43 (1993) 37-46
- Jansen, K., Analysis of scheduling problems with typed task systems 52 (3) (1994) 223-232
- Jansen, K., *see* H.L. Bodlaender 55 (3) (1994) 219-232
- Jansen, K., Scheduling of conditional executed jobs on unrelated processors 61 (3) (1995) 245-255
- Jansen, K. and P. Scheffer, Generalized coloring for tree-like graphs 75 (2) (1997) 135-155
- Janssen, P., *see* J. Amilhastre 86 (2-3) (1998) 125-144
- Jaromczyk, J.W. and M. Kowaluk, Constructing the relative neighborhood graph in 3-dimensional Euclidean space 31 (1991) 181-191
- Jaumard, B., *see* P. Hansen 12 (1985) 147-154
- Jaumard, B., *see* Y. Crama 29 (1990) 171-185
- Jaumard, B., *see* A. Hertz 49 (1994) 257-280
- Jaumard, B., *see* A. Hertz 50 (3) (1994) 255-265
- Jaumard, B., *see* P. Hansen 60 (1-3) (1995) 181-193
- Jean-Marie, A., *see* J.C. Bermond 22 (1988/89) 201-214
- Jeavons, P.G., Counting representable sets on simple graphs 47 (1993) 33-46
- Jeffries, C., *see* T. Bone 20 (1988) 9-30
- Jegou, R., *see* M. Habib 12 (1985) 279-291
- Jégou, R., *see* V. Bouchitté 48 (1994) 87-92
- Jeroslow, R.G., *see* C.E. Blair 9 (1984) 11-26
- Jeroslow, R.G., *see* C.E. Blair 9 (1984) 217-233
- Jeroslow, R.G., *see* C.E. Blair 10 (1985) 227-240
- Jeroslow, R.G., Representability in mixed integer programming, I: Characterization results 17 (1987) 223-243
- Jeroslow, R.G., Representability of functions 23 (1989) 125-137
- Jeroslow, R.G., Two mixed integer programming formulations arising in manufacturing management 26 (1990) 137-157
- Jerrum, M. and G.B. Sorkin, The Metropolis algorithm for graph bisection 82 (1-3) (1998) 155-175
- Jha, P.K., N. Agnihotri and R. Kumar, Long cycles and long paths in the Kronecker product of a cycle and a tree 74 (2) (1997) 101-121
- Jiang, H., *see* G. Finke 76 (1-3) (1997) 123-140
- Jiang, M., *see* F. Ruskey 57 (1) (1995) 75-83
- Jiang, T., *see* J. Hein 71 (1-3) (1996) 153-169
- Jiang, T., *see* B. DasGupta 88 (1-3) (1998) 59-82
- Jin, Z., *see* R.D. Armstrong 64 (2) (1996) 97-103
- Johnson, E.L. and U.H. Suhl, Experiments in integer programming 2 (1980) 39-55
- Jones, K.F., *see* C. Cable 23 (1989) 231-241
- Jones, K.F., *see* K.A.S. Hefner 32 (1991) 241-262
- Jones, P.C., R. Saigal and M.H. Schneider, A variable-dimension homotopy on networks for computing linear spatial equilibria 13 (1986) 131-156
- Jørgensen, L.K., Diameters of cubic graphs 37/38 (1992) 347-351
- Jørnsten, K., *see* R. Aboudi 26 (1990) 175-191
- Jou, M.-J. and G.J. Chang, Maximal independent sets in graphs with at most one cycle 79 (1-3) (1997) 67-73
- Jovanovic, A.D., Combinatorial characterization of hexagonal systems 19 (1988) 259-270
- Józefowska, J., *see* B. Jurisch 72 (1-2) (1997) 115-139
- Jukna, S. and A. Razborov, Neither reading few bits twice nor reading illegally helps much 85 (3) (1998) 223-238
- Jung, H.C., *see* R.A. Brualdi 50 (2) (1994) 111-123
- Jünger, M., *see* C. De Simone 80 (2-3) (1997) 223-229
- Jungnickel, D., *see* C.J. Colbourn 20 (1988) 31-38
- Jungnickel, D., Trace-orthogonal normal bases 47 (1993) 233-249
- Jürgensen, H., *see* M. Ito 24 (1989) 187-196
- Jurisch, B., *see* P. Brucker 49 (1994) 107-127
- Jurisch, B., Lower bounds for the job-shop scheduling problem on multi-purpose machines 58 (2) (1995) 145-156

- Jurisch, B., W. Kubiak and J. Józefowska, Algorithms for minclique scheduling problems **72** (1-2) (1997) 115-139
- Jurisch, B., *see* P. Brucker **76** (1-3) (1997) 43-59
- Juvan, M. and B. Mohar, Optimal linear labelings and eigenvalues of graphs **36** (1992) 153-168
- Juvan, M., B. Mohar and J. Žerovnik, Distance-related invariants on polygraphs **80** (1) (1997) 57-71
- Kabadi, S.N. and R. Chandrasekaran, On totally dual integral systems **26** (1990) 87-104
- Kahlbacher, H.G. and T.C.E. Cheng, Parallel machine scheduling to minimize costs for earliness and number of tardy jobs **47** (1993) 139-164
- Kahng, A.B., *see* C.J. Alpert **90** (1-3) (1999) 3-26
- Kaikkonen, M., *see* I. Honkala **11** (1985) 307-310
- Kaikkonen, M., *see* I. Honkala **18** (1987) 95-98
- Kajitani, Y. and S. Ueno, A matroid generalization of theorems of Lewin and Gallai (*Note*) **9** (1984) 213-216
- Kajitani, Y., *see* T. Arai **41** (93) 69-74
- Kakuda, Y., *see* T. Kikuno **2** (1980) 361-363
- Kakuda, Y., *see* T. Kikuno **5** (1983) 299-311
- Kalantari, B. and J.B. Rosen, Penalty formulation for zero-one nonlinear programming (*Note*) **16** (1987) 179-182
- Kameda, T., *see* N. Katoh **40** (1992) 379-395
- Kämpke, T., Lower probabilities and function representation **66** (3) (1996) 227-243
- Kandel, D., Y. Matias, R. Unger and P. Winkler, Shuffling biological sequences **71** (1-3) (1996) 171-185
- Kane, J.O. and J.G. Peters, Line broadcasting in cycles **83** (1-3) (1998) 207-228
- Kaneko, H. and M. Fushimi, A polymatroid associated with convex games **14** (1986) 33-45
- Kannan, S., *see* B. DasGupta **88** (1-3) (1998) 59-82
- Kano, M., Ranking the vertices of an r -partite paired comparison digraph **17** (1987) 245-253
- Kantor, W.M., Some Cayley graphs for simple groups **25** (1989) 99-104
- Kantor, W.M., Some large trivalent graphs having small diameters **37/38** (1992) 353-357
- Kaparthi, S. and H.R. Rao, Higher dimensional restricted lattice paths with diagonal steps **31** (1991) 279-289
- Kappauf, C.H. and G.J. Koenhler, The mixed postman problem **1** (1979) 89-103
- Karhumäki, J. and M. Linna, A note on morphic characterization of languages (*Communication*) **5** (1983) 243-246
- Karhumäki, J., On cube-free ω -words generated by binary morphisms **5** (1983) 279-297
- Karhumäki, J., *see* C. Choffrut **12** (1985) 93-101
- Karhumäki, J., *see* T. Harju **15** (1986) 55-60
- Karhumäki, J., *see* J. Hromkovič **32** (1991) 155-182
- Kari, J., A cryptanalytic observation concerning systems based on language theory (*Note*) **21** (1988) 265-268
- Karlander, J., *see* A. Björner **39** (1992) 161-163
- Karlander, J., Matrices generated by semilattices **59** (1) (1995) 51-56
- Karlinger, M.R., *see* B.M. Troutman **42** (1993) 87-93
- Karlsson, R.G. and P.V. Pobleto, An $O(m \log \log D)$ algorithm for shortest paths (*Note*) **6** (1983) 91-93
- Karp, R., *see* D. Gusfield **88** (1-3) (1998) 167-180
- Karp, R.M. and J.B. Orlin, Parametric shortest path algorithms with an application to cyclic staffing **3** (1981) 37-45
- Karp, R.M., *see* P.B. Gibbons **29** (1990) 35-62
- Karp, R.M., An introduction to randomized algorithms **34** (1991) 165-201
- Karpinski, M., *see* E. Dahlhaus **84** (1-3) (1998) 79-91
- Karplus, K. and H. Krit, A semi-systolic decoder for the PDSC-73 error-correcting code **33** (1991) 109-128
- Karzanov, A.V., Half-integral five-terminus flows **18** (1987) 263-278
- Karzanov, A.V., Half-integral flows in a planar graph with four holes **56** (2-3) (1995) 267-295
- Katoh, N. and T. Ibaraki, An efficient algorithm for the parametric resource allocation problem **10** (1985) 261-274
- Katoh, N. and T. Ibaraki, A parametric characterization and an ε -approximation scheme for the minimization of a quasiconcave program **17** (1987) 39-66
- Katoh, N., An ε -approximation scheme for combinatorial optimization problems with minimum variance criterion **35** (1992) 131-141

- Katoh, N., A fully polynomial time approximation scheme for minimum cost-reliability ratio problems **35** (1992) 143-155
- Katoh, N., J. Koyanagi, M. Ohnishi and T. Ibaraki, Optimal strategies for some team games **35** (1992) 275-291
- Katoh, N., T. Ibaraki and T. Kameda, A multiversion cautious scheduler with dynamic serialization constraints for database concurrency control **40** (1992) 379-395
- Katoh, N., *see* Y. Dai **65** (1-3) (1996) 167-190
- Katona, G.O.H., *see* J. Demetrovics **11** (1985) 115-128
- Katona, G.O.H., *see* J. Demetrovics **40** (1992) 127-138
- Katona, G.O.H., *see* J. Demetrovics **40** (1992) 139-153
- Katona, G.Y., Edge disjoint Polyp Packing **78** (1-3) (1997) 133-152
- Katriel, J., Explicit expressions for the central characters of the symmetric group **67** (1-3) (1996) 149-156
- Kats, V., *see* E. Levner **87** (1-3) (1998) 149-158
- Kauffman, L.H., A Tutte polynomial for signed graphs **25** (1989) 105-127
- Kaufman, Y. and A. Tamir, Locating service centers with precedence constraints **47** (1993) 251-261
- Kaushik, M.L., Comments on "A note on Reed-Muller codes" (Note) **6** (1983) 213-214
- Kawagoe, K., *see* S. Negami **56** (2-3) (1995) 323-331
- Kawaguchi, K., *see* K. Wada **37/38** (1992) 539-552
- Kayano, T., Extremal length of an infinite network related to an accessible boundary point **10** (1985) 275-285
- Kayano, T. and M. Yamasaki, Discrete Dirichlet integral formula **22** (1988/89) 53-68
- Kazanovich, Y.B., *see* Y.S. Smetanich **57** (1) (1995) 45-65
- Kececioğlu, J. and D. Gusfield, Reconstructing a history of recombinations from a set of sequences **88** (1-3) (1998) 239-260
- Kececioğlu, J.D., *see* R. Ravi **88** (1-3) (1998) 355-366
- Keeler, K. and J. Westbrook, Short encodings of planar graphs and maps **58** (3) (1995) 239-252
- Keil, J.M., *see* L. Aupperle **23** (1989) 25-31
- Keil, J.M., The complexity of domination problems in circle graphs **42** (1993) 51-63
- Kelemenová, A., Regeneration in IL systems (Note) **22** (1988/89) 81-86
- Kelemenová, A., Size of context in regenerative il systems (Note) **26** (1990) 117-119
- Kellerer, H. and G. Woeginger, A tight bound for 3-partitioning **45** (1993) 249-259
- Kellerer, H. and G. Woeginger, On the Euclidean two parts problem **47** (1993) 165-173
- Kelmans, A.K., *see* P.L. Hammer **65** (1-3) (1996) 255-273
- Kennedy, J.W., *see* C.K. Bailey **5** (1983) 157-164
- Kennedy, J.W. and L.V. Quintas, Extremal f -trees and embedding spaces for molecular graphs **5** (1983) 191-209
- Kennedy, J.W., *see* C.W. Haigh **7** (1984) 141-160
- Kennedy, J.W., *see* R. Gross **19** (1988) 177-194
- Kennedy, J.W., K.A. McKeon, E.M. Palmer and R.W. Robinson, Asymptotic number of symmetries in locally restricted trees (Note) **26** (1990) 121-124
- Kennington, J.L., *see* A.I. Ali **13** (1986) 259-276
- Keränen, V., On k -repetition freeness of length uniform morphisms over a binary alphabet (Note) **9** (1984) 297-300
- Kerber, A., *see* R. Grund **67** (1-3) (1996) 115-126
- Kern, W., On the depth of combinatorial optimization problems **43** (1993) 115-129
- Kern, W., *see* U. Faigle **58** (2) (1995) 117-144
- Kessler, I., *see* A. Bar-Noy **52** (1) (1994) 29-38
- Khosrovshahi, G.B., *see* A.S. Hedayat **42** (1993) 31-50
- Khuller, S., B. Raghavachari and N. Young, On strongly connected digraphs with bounded cycle length **69** (3) (1996) 279-287
- Khuller, S., B. Raghavachari and A. Rosenfeld, Landmarks in graphs **70** (3) (1996) 217-229
- Kikuchi, S., *see* T. Asano **7** (1984) 1-15
- Kikuno, T., N. Yoshida and Y. Kakuda, NP-completeness of some type of p -center problem (Communication) **2** (1980) 361-363
- Kikuno, T., N. Yoshida and Y. Kakuda, A linear algorithm for the domination number of a series-parallel graph **5** (1983) 299-311
- Kilpeläinen, P., *see* T. Eiter **59** (1) (1995) 23-31

- Kim, K., *see* K. Heinrich 37/38 (1992) 281-286
- Kim, S., *see* K.A.S. Hefner 32 (1991) 241-262
- Kim, S., T.A. McKee, F.R. McMorris and F.S. Roberts, p -competition numbers (Note) 46 (1993) 87-92
- Kim, S., *see* H.D. Serali 49 (1994) 357-378
- Kim, S.-R. and F.S. Roberts, Competition numbers of graphs with a small number of triangles 78 (1-3) (1997) 153-162
- Kindervater, G., J.K. Lenstra and M. Savelsbergh, Sequential and parallel local search for the time-constrained traveling salesman problem 42 (1993) 211-225
- Kindervater, G.A.P. and J.K. Lenstra, An introduction to parallelism in combinatorial optimization 14 (1986) 135-156
- Kinnersley, N.G. and M.A. Langston, Online variable-sized bin packing 22 (1988/89) 143-148
- Kinnersley, N.G. and M.A. Langston, Obstruction set isolation for the gate matrix layout problem 54 (2-3) (1994) 169-213
- Kipnis, S., *see* A. Bar-Noy 55 (2) (1994) 95-105
- Kipnis, S., *see* A. Bar-Noy 58 (3) (1995) 213-222
- Kirkpatrick, D., *see* P. Hell 70 (1) (1996) 1-22
- Kirkpatrick, D.G., *see* N. Dadoun 27 (1990) 69-83
- Kirkpatrick, D.G. and T. Przytycka, Parallel recognition of complement reducible graphs and cotree construction 29 (1990) 79-96
- Kirkpatrick, D.G., K. Madhukar Reddy, C. Pandu Rangan and A. Srinivasan, Partial and perfect path covers of cographs 89 (1-3) (1998) 143-153
- Kirschenhofer, P., On the average shape of monotonically labelled tree structures 7 (1984) 161-181
- Kirschenhofer, P., H. Prodinger and W. Szpankowski, On the variance of the external path length in a symmetric digital trie 25 (1989) 129-143
- Kitto, W.Z., A. Vince and D.C. Wilson, An isomorphism between the p -adic integers and a ring associated with a tiling of N -space by permutohedra 52 (1) (1994) 39-51
- Klapper, A., A.H. Chan and M. Goresky, Cross-correlations of linearly and quadratically related geometric sequences and GMW sequences 46 (1993) 1-20
- Klarner, D.A., Mathematical crystal growth I 3 (1981) 47-52
- Klarner, D.A., Mathematical crystal growth II 3 (1981) 113-117
- Klarner, D.A., m -Recognizability of sets closed under certain affine functions 21 (1988) 207-214
- Klasing, R., B. Monien, R. Peine and E.A. Stöhr, Broadcasting in butterfly and deBruijn networks 53 (1-3) (1994) 183-197
- Klasing, R., The relationship between the gossip complexity in vertex-disjoint paths mode and the vertex bisection width 83 (1-3) (1998) 229-246
- Klasner, N., *see* P. Fischer 91 (1-3) (1999) 83-92
- Klavžar, S. and N. Seifter, Dominating Cartesian products of cycles 59 (2) (1995) 129-136
- Klavžar, S. and J. Žerovnik, Algebraic approach to fasciagraphs and rotagraphs 68 (1-2) (1996) 93-100
- Klavžar, S., *see* K. Maribor 80 (1) (1997) 1-2
- Klavžar, S. and I. Gutman, Wiener number of vertex-weighted graphs and a chemical application 80 (1) (1997) 73-81
- Klawe, M., *see* A. Aggarwal 27 (1990) 3-23
- Klawe, M.M., Optimal strategies for a fair betting game 1 (1979) 105-115
- Klazar, M., On trees and noncrossing partitions 82 (1-3) (1998) 263-269
- Klee, V., *see* T. Bone 20 (1988) 9-30
- Kleijn, H.C.M., *see* T. Harju 15 (1986) 55-60
- Kleijn, H.C.M., *see* T. Harju 32 (1991) 131-140
- Klein, D.J., *see* W.A. Seitz 19 (1988) 339-348
- Klein, D.J. and H. Zhu, Resonance in elemental benzenoids 67 (1-3) (1996) 157-173
- Klein, J.M. and D. Schaefer, An optimal algorithm for finding dominating cycles in circular-arc graphs 36 (1992) 25-34
- Klein, S., *see* H. Everett 72 (3) (1997) 209-218
- Klein, S., *see* M.B. Campêlo Neto 84 (1-3) (1998) 71-77
- Klein, S.T., *see* A.S. Fraenkel 64 (1) (1996) 31-55

- Kleitman, D.J. and R.A. Lew, An algorithm for collapsing sign alternating sequences of real numbers **6** (1983) 49-53
- Kleitman, D.J., *see* S.F. Assmann **6** (1983) 117-125
- Kleitman, D.J., *see* S.F. Assmann **8** (1984) 109-124
- Klimó, J., On the minimal covering of infinite sets **45** (1993) 161-168
- Klin, M.H., *see* M.E. Muzychuk **67** (1-3) (1996) 175-187
- Klingman, D., *see* F. Glover **2** (1980) 251-254
- Klingman, D.D. and R.F. Schneider, Microcomputer-based algorithms for large scale shortest path problems **13** (1986) 183-206
- Klinz, B., R. Rudolf and G.J. Woeginger, Permuting matrices to avoid forbidden submatrices **60** (1-3) (1995) 223-248
- Klinz, B., R. Rudolf and G.J. Woeginger, On the recognition of permuted bottleneck Monge matrices **63** (1) (1995) 43-74
- Klinz, B., *see* R.E. Burkard **70** (2) (1996) 95-161
- Kloks, T., *see* D. Kratsch **77** (3) (1997) 259-270
- Klonowski, W., Random hypergraphs and topological gelation criterion for crosslinked polymer systems **19** (1988) 271-288
- Kluge, D., *see* H. Bräsel **59** (1) (1995) 11-21
- Knill, E., W.J. Bruno and D.C. Torney, Non-adaptive group testing in the presence of errors **88** (1-3) (1998) 261-290
- Knuth, D.E., Lexicographic permutations with restrictions **1** (1979) 117-125
- Ko, M.T. and Y.T. Ching, Linear time algorithms for the weighted tailored 2-partition problem and the weighted 2-center problem under l_∞ -distance **40** (1992) 397-410
- Kobayashi, Y., Enumeration of irreducible binary words **20** (1988) 221-232
- Kocay, W.L., *see* C.J. Colbourn **14** (1986) 239-254
- Koenhler, G.J., *see* C.H. Kappauf **1** (1979) 89-103
- Kogan, A., On the essential test sets of discrete matrices **60** (1-3) (1995) 249-255
- Kogan, A., *see* E. Boros **62** (1-3) (1995) 51-75
- Koh, K.M. and E.G. Tay, Optimal orientations of products of paths and cycles **78** (1-3) (1997) 163-174
- Kohli, R. and R. Krishnamurti, Joint performance of greedy heuristics for the integer knapsack problem **56** (1) (1995) 37-48
- Kohno, R. and H. Imai, Combination of decoding of error-correcting codes and equalization for channels with intersymbol interference **33** (1991) 129-146
- Koiran, P. and E.D. Sontag, Vapnik-Chervonenkis dimension of recurrent neural networks **86** (1) (1998) 63-79
- Kolen, A. and E. Pesch, Genetic local search in combinatorial optimization **48** (1994) 273-284
- Kolen, A.W.J., A.H.G. Rinnooy Kan, C.P.M. van Hoesel and A.P.M. Wagelmans, Sensitivity analysis of list scheduling heuristics **55** (2) (1994) 145-162
- Kong, T.Y., D.M. Mount and M. Werman, The decomposition of a square into rectangles of minimal perimeter **16** (1987) 239-243
- König, J.-C., Extensions de réseaux de connexité donnée **24** (1989) 197-211
- König, J.-C. and E. Lazard, Minimum k -broadcast graphs **53** (1-3) (1994) 199-209
- Korach, E. and A. Tal, General vertex disjoint paths in series-parallel graphs **41** (93) 147-164
- Korach, E. and N. Solel, Tree-width, path-width, and cutwidth (Note) **43** (1993) 97-101
- Korach, E. and M. Penn, A fast algorithm for maximum integral two-commodity flow in planar graphs (Note) **47** (1993) 77-83
- Koren, I., *see* I. Gederbaum **40** (1992) 303-318
- Koren, I., *see* S. Wimer **45** (1993) 169-179
- Kornai, A. and Z. Tuza, Narrowness, pathwidth, and their application in natural language processing (Communication) **36** (1992) 87-92
- Körner, J., *see* L. Gargano **36** (1992) 191-197
- Korneyenko, N.M., Combinatorial algorithms on a class of graphs **54** (2-3) (1994) 215-217
- Kornilov, V.V., *see* Y.S. Smetanich **57** (1) (1995) 45-65
- Korst, J., E. Aarts, J.K. Lenstra and J. Wessels, Periodic assignment and graph colouring **51** (3) (1994) 291-305
- Kortanek, K.O. and M. Yamasaki, Discrete infinite transportation problems **58** (1) (1995) 19-33
- Korte, B. and L. Lovász, Homomorphisms and ramsey properties of antimatroids **15** (1986) 283-290

- Kortelainen, J., A result concerning the trios generated by commutative slip-languages (*Communication*) **4** (1982) 233-236
- Kortsarz, G. and D. Peleg, Traffic-light scheduling on the grid **53** (1-3) (1994) 211-234
- Kosaraju, S.R., *see* P.K. Agarwal **31** (1991) 97-111
- Koschnick, K.-U., *see* I. Althöfer **43** (1993) 111-113
- Koulamas, C., *see* G.J. Kyparisis **78** (1-3) (1997) 175-187
- Kovalyov, M.Y., *see* T.C. Edwin Cheng **70** (3) (1996) 231-245
- Kovalyov, M.Y., Batch scheduling and common due date assignment problem: an NP-hard case **80** (2-3) (1997) 251-254
- Kovalyov, M.Y. and Y.M. Shafransky, Uniform machine scheduling of unit-time jobs subject to resource constraints **84** (1-3) (1998) 253-257
- Kowaluk, M., *see* J.W. Jaromczyk **31** (1991) 181-191
- Koyanagi, J., *see* N. Katoh **35** (1992) 275-291
- Kranakis, E. and D. Krizanc, Labeled versus unlabeled distributed Cayley networks **63** (3) (1995) 223-236
- Kranakis, E., D. Krizanc, A. Maheshwari, M. Noy, J.-R. Sack and J. Urrutia, Stage-graph representations **75** (1) (1997) 71-80
- Kranakis, E., D. Krizanc, B. Ruf, J. Urrutia and G. Woeginger, The VC-dimension of set systems defined by graphs **77** (3) (1997) 237-257
- Kranakis, E., *see* K. Diks **87** (1-3) (1998) 33-47
- Kratochvíl, J. and S. Poljak, Compatible 2-factors **36** (1992) 253-266
- Kratochvíl, J. and Z. Tuza, Algorithmic complexity of list colorings **50** (3) (1994) 297-302
- Kratochvíl, J., A special planar satisfiability problem and a consequence of its NP-completeness **52** (3) (1994) 233-252
- Kratochvíl, J., *see* E. Dahlhaus **79** (1-3) (1997) 75-89
- Kratsch, D., *see* J. Gimbel **48** (1994) 111-127
- Kratsch, D., T. Kloks and H. Müller, Measuring the vulnerability for classes of intersection graphs **77** (3) (1997) 259-270
- Kräuter, A.R., *see* S.-G. Hwang **84** (1-3) (1998) 133-144
- Krawczyk, H. and A. Paz, The diophantine problem of Frobenius: A close bound (*Note*) **23** (1989) 289-291
- Krichevskii, R.E., B.Ya. Ryabko and A.Yu. Haritonov, Optimal key for taxons ordered in accordance with their frequencies (*Note*) **3** (1981) 67-72
- Krichevsky, R.E. and B.Ya. Ryabko, Universal retrieval trees **12** (1985) 293-302
- Krieger, H.A., *see* A.T. Benjamin **59** (3) (1995) 285-292
- Krishnamurti, R., *see* R. Kohli **56** (1) (1995) 37-48
- Krit, H., *see* K. Karplus **33** (1991) 109-128
- Krizanc, D., *see* E. Kranakis **63** (3) (1995) 223-236
- Krizanc, D., *see* E. Kranakis **75** (1) (1997) 71-80
- Krizanc, D., *see* E. Kranakis **77** (3) (1997) 237-257
- Kruskal, C.P., *see* X. Shen **25** (1989) 155-178
- Kruskal, C.P. and M. Snir, Cost-performance tradeoffs for interconnection networks **37/38** (1992) 359-385
- Kryński, S., Graphs in which all Hamiltonian cycles have the same length **55** (1) (1994) 87-89
- Kubale, M., Some results concerning the complexity of restricted colorings of graphs **36** (1992) 35-46
- Kubale, M., Open shop problem with zero-one time operations and integer release date/deadline intervals **76** (1-3) (1997) 213-223
- Kubiak, W., *see* J. Błażewicz **42** (1993) 123-138
- Kubiak, W., New results on the completion time variance minimization **58** (2) (1995) 157-168
- Kubiak, W., *see* B. Jurisch **72** (1-2) (1997) 115-139
- Kubicka, E., G. Kubicki and O.R. Oellermann, Steiner intervals in graphs **81** (1-3) (1998) 181-190
- Kubicki, G., *see* E. Kubicka **81** (1-3) (1998) 181-190
- Kučera, L., Expected complexity of graph partitioning problems **57** (2-3) (1995) 193-212
- Kuchеров, G., *see* V. Grebinski **88** (1-3) (1998) 147-165
- Kuik, R., *see* S. Van Hoesel **48** (1994) 289-303
- Kumar, R., *see* P.K. Jha **74** (2) (1997) 101-121
- Kunde, M. and H. Steppat, First fit decreasing scheduling on uniform multiprocessors **10** (1985) 165-177
- Kusiak, A. and G. Finke, Hierarchical approach to the process planning problem **18** (1987) 175-184

- Kutten, S., *see* A. Bar-Noy 52 (1) (1994) 29-38
- Kvasnička, V., *see* V. Baláž 35 (1992) 1-19
- Kvasnička, V., *see* J. Pospíchal 67 (1-3) (1996) 189-207
- Kyek, O., I. Parberry and I. Wegener, Bounds on the number of knight's tours 74 (2) (1997) 171-181
- Kyparisis, G.J. and C. Koulamas, Open shop scheduling with maximal machines 78 (1-3) (1997) 175-187
- Labahn, R., Extremal broadcasting problems 23 (1989) 139-155
- Labahn, R., S.T. Hedetniemi and R. Laskar, Periodic gossiping on trees 53 (1-3) (1994) 235-245
- Labahn, R., A minimum broadcast graph on 63 vertices 53 (1-3) (1994) 247-250
- Labahn, R. and A. Raspaud, Periodic gossiping in back-to-back trees 75 (2) (1997) 157-168
- Labbé, M., *see* P. Hansen 30 (1991) 181-195
- Labbé, M., *see* J. Csirik 45 (1993) 197-204
- Labelle, G., *see* F. Bergeron 34 (1991) 49-66
- Labelle, J. and Y.-N. Yen, Dyck paths of knight moves 24 (1989) 213-221
- Labonté, G., *see* S. Akl 34 (1991) 27-35
- Laffond, G., J.F. Laslier and M. Le Breton, The Copeland measure of Condorcet choice functions 55 (3) (1994) 273-279
- Laforest, C., Broadcast and gossip in line-communication mode 80 (2-3) (1997) 161-176
- Lagergren, J., The nonexistence of reduction rules giving an embedding into a k -tree 54 (1994) 219-223
- Lagergren, J., *see* D. Fernández-Baca 88 (1-3) (1998) 129-145
- Lageweg, B.J., *see* M.L. Fisher 5 (1983) 65-75
- Lai, H., *see* H.-J. Lai 63 (2) (1995) 151-160
- Lai, H.-J., *see* P.A. Catlin 40 (1992) 285-302
- Lai, H.-J., Large survivable nets and the generalized prisms 61 (2) (1995) 181-185
- Lai, H.-J. and H. Lai, Every matroid is a submatroid of a uniformly dense matroid 63 (2) (1995) 151-160
- Lai, T.-H. and A. Sprague, On the complexity of a family of generalized matching problems 12 (1985) 303-318
- Lai, T.-H. and S.-S. Wei, Bipartite permutation graphs with application to the minimum buffer size problem 74 (1) (1997) 33-55
- Lai, Y.-L. and K. Williams, On bandwidth for the tensor product of paths and cycles 73 (2) (1997) 133-141
- Lakshminarayanan, S. and R. Chandrasekaran, A rounding algorithm for integer programs 50 (3) (1994) 267-282
- Lam, P.C.B., *see* W.C. Shiu 73 (2) (1997) 101-111
- Lam, P.C.B., *see* W.C. Shiu 80 (1) (1997) 83-96
- Lam, T.W. and F.L. Yue, Edge ranking of graphs is hard 85 (1) (1998) 71-86
- Lamb, J.D., D.R. Woodall and G.M. Asher, Bond graphs I: Acausal equivalence 72 (3) (1997) 261-293
- Lamb, J.D., D.R. Woodall and G.M. Asher, Bond graphs II: Causality and singularity 73 (2) (1997) 143-173
- Lamb, J.D., G.M. Asher and D.R. Woodall, Bond graphs III: Bond graphs and electrical networks 73 (3) (1997) 211-250
- Lamb, J.D., Efficient optimal equation formulation in lumped power-conserving systems 85 (3) (1998) 239-249
- Lancia, G. and M. Perlin, Genotyping of pooled microsatellite markers by combinatorial optimization techniques 88 (1-3) (1998) 291-314
- Landy, D., *see* D.S. Hochbaum 72 (1-2) (1997) 99-114
- Lange, K.-J. and E. Welzl, String grammars with disconnecting or a basic root of the difficulty in graph grammar parsing 16 (1987) 17-30
- Länger, H., *see* D. Dorninger 6 (1983) 209-211
- Langley, L., *see* K.P. Bogart 60 (1-3) (1995) 99-117
- Langley, L.J., A recognition algorithm for orders of interval dimension two 60 (1-3) (1995) 257-266
- Langley, L.J., Irreflexive and reflexive dimension 60 (1-3) (1995) 267-273
- Langston, M.A., *see* N.G. Kinnersley 22 (1988/89) 143-148
- Langston, M.A. and M.P. Morford, Resource allocation under limited sharing 28 (1990) 135-147
- Langston, M.A., *see* K. Abrahamson 34 (1991) 3-16
- Langston, M.A., *see* N.G. Kinnersley 54 (2-3) (1994) 169-213
- Laporte, G. and H. Mercure, Generalized Travelling Salesman Problem through n sets of nodes: The asymmetrical case 18 (1987) 185-197
- Laporte, G. and S. Martello, The selective travelling salesman problem 26 (1990) 193-207
- Laporte, G., *see* M. Dror 50 (3) (1994) 239-254

- Larcher, G. and R.F. Tichy, A note on Gray code and odd-even merge (*Communication*) **18** (1987) 309-313
- Larman, D.G., *see* A.C. Hayes **6** (1983) 135-138
- Larsen, K.S., *see* J. Boyar **52** (2) (1994) 155-167
- Larsson, T., *see* M. Göthe-Lundgren **48** (1994) 245-259
- Laskar, R. and D. Shier, On powers and centers of chordal graphs **6** (1983) 139-147
- Laskar, R., *see* S.T. Hedetniemi **13** (1986) 287-292
- Laskar, R., *see* R. Labahn **53** (1-3) (1994) 235-245
- Laskar, R.C., *see* M.C. Golumbic **44** (1993) 79-89
- Laslier, J.F., *see* G. Laffond **55** (3) (1994) 273-279
- Laue, R., *see* R. Grund **67** (1-3) (1996) 115-126
- Laurent, M., *see* M. Deza **56** (2-3) (1995) 215-230
- Laurent, M., *see* C.C. de Souza **62** (1-3) (1995) 167-191
- Lausen, G., Locking based on a pairwise decomposition of the transaction system **40** (1992) 217-236
- Lavoie, A., *see* J.A. Ferland **35** (1992) 237-253
- Lawler, E.L. and C.U. Martel, Polymatroidal flows with lower bounds **15** (1986) 291-313
- Lazard, D., A new method for solving algebraic systems of positive dimension **33** (1991) 147-160
- Lazard, E., Broadcasting in DMA-bound bounded degree graphs **37/38** (1992) 387-400
- Lazard, E., *see* P. Fraigniaud **53** (1-3) (1994) 79-133
- Lazard, E., *see* J.-C. König **53** (1-3) (1994) 199-209
- Lazebnik, F. and V.A. Ustimenko, Explicit construction of graphs with an arbitrary large girth and of large size **60** (1-3) (1995) 275-284
- Leader, I., *see* B. Bollobás **75** (1) (1997) 1-8
- Leblanc, A., Finding degeneracies among sets of lines **56** (1) (1995) 49-60
- Le Breton, M., *see* G. Laffond **55** (3) (1994) 273-279
- Leclerc, B., Medians for weight metrics in the covering graphs of semilattices **49** (1994) 281-297
- Lee, C.-Y. and J.D. Massey, Multiprocessor scheduling: Combining LPT and multifit **20** (1988) 233-242
- Lee, C.-Y., Parallel machines scheduling with nonsimultaneous machine available time **30** (1991) 53-61
- Lee, C.-Y. and S. Danusaputro Liman, Capacitated two-parallel machines scheduling to minimize sum of job completion times **41** (93) 211-222
- Lee, C.-Y. and C.-L. Li, On the fixed interval due-date scheduling problem **68** (1-2) (1996) 101-117
- Lee, D.T., *see* A. Naamad **8** (1984) 267-277
- Lee, D.T., C.D. Yang and C.K. Wong, Rectilinear paths among rectilinear obstacles **70** (3) (1996) 185-215
- Lee, H.-M. and G.J. Chang, Set to set broadcasting in communication networks **40** (1992) 411-421
- Lee, J., Canonical equation sets for classes of concordant polytopes **28** (1990) 207-221
- Lee, J., *see* J. Leung **50** (2) (1994) 185-200
- Lee, J. and W.D. Morris Jr, Geometric comparison of combinatorial polytopes **55** (2) (1994) 163-182
- Lee, R.C.T., *see* R.S. Chang **28** (1990) 93-109
- Lee, R.C.T., *see* S.C. Tai **32** (1991) 263-273
- Lee, R.C.T., *see* M.S. Chang **39** (1992) 1-12
- Lee, R.C.T., *see* C.-C. Yen **66** (2) (1996) 147-160
- Lee, S.-K., A.D. Oh, H. Choi and H.-A. Choi, Optimal transmission schedules in TWDM optical passive star networks **75** (1) (1997) 81-91
- Lee, Y., *see* H.D. Sherali **68** (1-2) (1996) 153-167
- Leeder, M., *see* S. Akl **34** (1991) 27-35
- Lehel, J., Deltahedra are realizable as simplicial convex polyhedra (*Communication*) **2** (1980) 81-84
- Lehel, J., *see* M.S. Jacobson **44** (1993) 191-203
- Lehel, J., F. Maffray and M. Preissmann, Graphs with largest number of minimum cuts **65** (1-3) (1996) 387-407
- Lempel, A., *see* M.J. Weinberger **28** (1990) 271-285
- Lennart Johnsson, S. and C.-T. Ho, Optimal communication channel utilization for matrix transposition and related permutations on binary cubes **53** (1-3) (1994) 251-274
- Lenstra, J.K., *see* J. Błazewicz **5** (1983) 11-24
- Lenstra, J.K., *see* M.L. Fisher **5** (1983) 65-75
- Lenstra, J.K., *see* G.A.P. Kindervater **14** (1986) 135-156
- Lenstra, J.K., *see* G. Kindervater **42** (1993) 211-225
- Lenstra, J.K., *see* J. Korst **51** (3) (1994) 291-305

- Lenze, B., Linking discrete orthogonality with dilation and translation for incomplete sigma-pi neural networks of Hopfield-type **89** (1-3) (1998) 169-180
- Leonard, P.A., *see* N.J. Finizio **85** (3) (1998) 193-202
- Leontev, V.K., *see* Yu.N. Sotskov **58** (2) (1995) 169-190
- Lepistö, T., A note on perfect Lee-codes over small alphabets (*Communication*) **3** (1981) 73-74
- Leporelli, C., *see* P. Bertolazzi **8** (1984) 143-151
- Lepp, M., *see* R. Shull **41** (93) 13-53
- Lerchs, H., *see* D.G. Corneil **3** (1981) 163-174
- Leroux, P., *see* F. Bergeron **34** (1991) 49-66
- Lesniak, L.M., *see* R.J. Faudree **37/38** (1992) 179-191
- Lesniak, L.M., *see* M.S. Jacobson **44** (1993) 191-203
- Leung, J. and J. Lee, More facets from fences for linear ordering and acyclic subgraph polytopes **50** (2) (1994) 185-200
- Leung, J.Y.-T., V.K.M. Yu and W.-D. Wei, Minimizing the weighted number of tardy task units **51** (3) (1994) 307-316
- Leung, J.Y.-T., *see* K.I.-J. Ho **78** (1-3) (1997) 117-132
- Levcopoulos, C. and O. Petersson, Matching parentheses in parallel **40** (1992) 423-431
- Le Verge, H., *see* R. Euler **62** (1-3) (1995) 193-208
- Le Verge, H., *see* R. Euler **65** (1-3) (1996) 207-221
- Levner, E. and V. Kats, A parametric critical path problem and an application for cyclic scheduling **87** (1-3) (1998) 149-158
- Levner, E.V., *see* G.V. Gens **3** (1981) 313-318
- Lew, R.A., *see* D.J. Kleitman **6** (1983) 49-53
- Lewis, J.T., *see* D.S. Clark **22** (1988/89) 103-108
- Lewis, J.T., *see* D.S. Clark **43** (1993) 27-36
- Li, B., *see* P. Hell **70** (1) (1996) 1-22
- Li, C.-L., S.T. McCormick and D. Simchi-Levi, The complexity of finding two disjoint paths with min-max objective function **26** (1990) 105-115
- Li, C.-L., S.T. McCormick and D. Simchi-Levi, The point-to-point delivery and connection problems: complexity and algorithms **36** (1992) 267-292
- Li, C.-L., *see* C.-Y. Lee **68** (1-2) (1996) 101-117
- Li, H., *see* E. Flandrin **51** (1-2) (1994) 95-102
- Li, H., *see* F. Zhang **92** (1) (1999) 73-86
- Li, M., *see* B. DasGupta **88** (1-3) (1998) 59-82
- Li, Q., *see* J.Y. Shao **21** (1988) 147-156
- Li, Q., I.M. Xu and Z.L. Zhang, The infinite families of optimal double loop networks (*Communication*) **46** (1993) 179-183
- Li, W.N., Two-segmented channel routing is strong NP-complete **78** (1-3) (1997) 291-298
- Li, X., *see* F. Zhang **47** (1993) 285-296
- Li, X. and F. Zhang, Hamiltonicity of a type of interchange graphs **51** (1-2) (1994) 107-111
- Li, X. and I. Gutman, A unified approach to the first derivatives of graph polynomials **58** (3) (1995) 293-297
- Li, X., *see* F.T. Boesch **59** (1) (1995) 1-10
- Li, X., Hexagonal systems with forcing single edges **72** (3) (1997) 295-301
- Li, Y., *see* J. Carlier **76** (1-3) (1997) 61-80
- Li, Z., *see* M. Liu **47** (1993) 263-273
- Liang, J., *see* H. Edelsbrunner **88** (1-3) (1998) 83-102
- Libkin, L., *see* J. Demetrovics **40** (1992) 155-185
- Libura, M., Sensitivity analysis for minimum Hamiltonian path and traveling salesman problems **30** (1991) 197-211
- Libura, M., E.S. van der Poort, G. Sierksma and J.A.A. van der Veen, Stability aspects of the traveling salesman problem based on k -best solutions **87** (1-3) (1998) 159-185
- Liestman, A.L. and D. Richards, Toward optimal gossiping schemes with conference calls **7** (1984) 183-189
- Liestman, A.L., *see* P. Hell **21** (1988) 101-111
- Liestman, A.L., *see* J.-C. Bermond **36** (1992) 97-130
- Liestman, A.L. and J.G. Peters, Minimum broadcast digraphs **37/38** (1992) 401-419

- Liestman, A.L., *see* L. Gargano **53** (1-3) (1994) 135-148
- Liestman, A.L., T.C. Shermer and C.R. Stolte, Degree-constrained spanners for multidimensional grids **68** (1-2) (1996) 119-144
- Lim, H.-S., J.-H. Park and K.-Y. Chwa, Embedding trees in recursive circulants **69** (1-2) (1996) 83-99
- Lim, H.-S., *see* S.E. Hambrusch **91** (1-3) (1999) 93-117
- Lin, C.-H.M. and H.M. Salkin, An efficient algorithm for the complete set partitioning problem **6** (1983) 149-156
- Lin, D. and M. Liu, The equivalence classes of LR arrays **43** (1993) 47-61
- Lin, G.-H., The exact bound of Lee's MLPT **85** (3) (1998) 251-254
- Lin, R. and S. Olariu, A fast parallel algorithm to recognize P4-sparse graphs **81** (1-3) (1998) 191-215
- Lin, S., *see* G.J. Chang **4** (1982) 97-102
- Lin, S., *see* B. Vucetic **33** (1991) 257-269
- Lin, T.F., A system of linear equations related to the transportation problem with application to probability theory **14** (1986) 47-56
- Lindström, B., *see* A. Björner **39** (1992) 161-163
- Linna, M., *see* J. Karhumäki **5** (1983) 243-246
- Lipman, M.J., *see* K.S. Bagga **37/38** (1992) 13-28
- Lippens, P.E.R., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213-242
- Lipponen, M. and G. Păun, Strongly prime PCP words **63** (2) (1995) 193-197
- Lipton, R.J., *see* D. Boneh **71** (1-3) (1996) 79-94
- Litman, A., *see* S. Ben-David **86** (1) (1998) 3-25
- Litsyn, S., P. Solé and R. Struik, On the covering radius of an unrestricted code as a function of the rate and dual distance **82** (1-3) (1998) 177-191
- Littlestone, N., *see* A. Blumer **24** (1989) 47-53
- Liu, B., *see* Z. Bo **91** (1-3) (1999) 53-66
- Liu, C.L., *see* X. Shen **25** (1989) 155-178
- Liu, C.-M. and M.-S. Yu, An optimal parallel algorithm for node ranking of cographs **87** (1-3) (1998) 187-201
- Liu, J.P., *see* A.J.W. Hilton **65** (1-3) (1996) 347-377
- Liu, M., *see* D. Lin **43** (1993) 47-61
- Liu, M. and Z. Li, Coset correlation of LR m-arrays **47** (1993) 263-273
- Liu, M. and G.L. Mullen, Irreducible polynomials and linear recurring arrays **74** (1) (1997) 93-99
- Liu, W. and A. Vannelli, Generating lower bounds for the linear arrangement problem **59** (2) (1995) 137-151
- Liu, Y., *see* K.A. Berman **78** (1-3) (1997) 27-40
- Liu, Y., A. Morgana and B. Simeone, A linear algorithm for 2-bend embeddings of planar graphs in the two-dimensional grid **81** (1-3) (1998) 69-91
- Liu, Z. and E. Sanlaville, Preemptive scheduling with variable profile, precedence constraints and due dates **58** (3) (1995) 253-280
- Liu, Z., *see* L. Finta **70** (3) (1996) 247-266
- Liu, Z., *see* Z. Hu **82** (1-3) (1998) 135-154
- Llado, A.S., *see* Y.O. Hamidoune **37/38** (1992) 275-280
- Llewellyn, D.C., Min algebraic duality (*Communication*) **16** (1987) 87-90
- Llewellyn, D.C., C. Tovey and M. Trick, Local optimization on graphs **23** (1989) 157-178
- Llewellyn, D.C. and C.A. Tovey, Dividing and conquering the square **43** (1993) 131-153
- Llewellyn, D.C. and J. Ryan, A primal dual integer programming algorithm **45** (1993) 261-275
- Llobet, E., *see* C. Padró **64** (3) (1996) 239-248
- Lloyd, E.K., Redfield's papers and their relevance to counting isomers and isomerizations **19** (1988) 289-304
- Lloyd, E.K., *see* S.J. Cyvin **67** (1-3) (1996) 67-78
- Lloyd, E.L., *see* M.C. Carlisle **59** (3) (1995) 225-235
- Lloyd, S., Balance, uncorrelatedness and the strict avalanche criterion **41** (93) 223-233
- Lodi, E., *see* R. Grossi **84** (1-3) (1998) 121-132
- Lomonosov, M.V., Combinatorial approaches to multiflow problems **11** (1985) 1-93
- Lonc, Z., On the complexity of some edge-partition problems for graphs **70** (2) (1996) 177-183
- Longo, G., *see* G. Gallo **42** (1993) 177-201
- Lorberbom, M., *see* A.S. Fraenkel **25** (1989) 53-71
- Lou, R.D. and M. Sarrafzadeh, Circular permutation graph family with applications **40** (1992) 433-457

- Lovász, L., *see* B. Korte **15** (1986) 283-290
 Lovász, L., *see* J. Csimá **35** (1992) 197-203
 Lovász, L., *see* J. Csimá **41** (93) 269-270
 Lu, C.L. and C.Y. Tang, Solving the weighted efficient edge domination problem on bipartite permutation graphs **87** (1-3) (1998) 203-211
 Lu, S.-H., *see* P. Hansen **29** (1990) 187-193
 Lu, X., A note on biased and non-biased games **60** (1-3) (1995) 285-291
 Lubiw, A., A note on odd/even cycles (*Note*) **22** (1988/89) 87-92
 Lucertini, M., *see* P. Bertolazzi **8** (1984) 143-151
 Lucertini, M., Y. Perl and B. Simeone, Most uniform path partitioning and its use in image processing **42** (1993) 227-256
 Lucet, C., *see* J. Carlier **65** (1-3) (1996) 141-156
 Łuczak, T., Holes in random graphs **30** (1991) 213-219
 Lugosi, G., *see* M. Horváth **86** (1) (1998) 37-61
 Luna, H.P.L., N. Ziviani and R.H.B. Cabral, The telephonic switching centre network problem: Formalization and computational experience **18** (1987) 199-210
 Lundgren, J.R. and J.S. Maybee, A characterization of graphs of competition number m (*Note*) **6** (1983) 319-322
 Lundgren, J.R., *see* H.J. Greenberg **8** (1984) 255-265
 Lundgren, J.R., *see* F. Harary **12** (1985) 155-164
 Lundgren, J.R., *see* C. Cable **23** (1989) 231-241
 Lundgren, J.R., *see* K.A.S. Hefner **32** (1991) 241-262
 Lutton, J., *see* J. Carlier **76** (1-3) (1997) 61-80
 Maamoun, M. and H. Meyniel, On a game of policemen and robber (*Note*) **17** (1987) 307-309
 Maas, C., Some results about the interval number of a graph (*Communication*) **6** (1983) 99-102
 Maas, C., Transportation in graphs and the admittance spectrum **16** (1987) 31-49
 MacGillivray, G., Graph homomorphisms with infinite targets **54** (1) (1994) 29-35
 MacGillivray, G., *see* R. Brewster **66** (1) (1996) 23-31
 MacGillivray, G. and M.-L. Yu, Generalized partitions of graphs **91** (1-3) (1999) 143-153
 Macmahon, P.A., The combinations of resistances **54** (1994) 225-228
 Macula, A.J., Error-correcting nonadaptive group testing with d^e -disjunct matrices **80** (2-3) (1997) 217-222
 Maculan, N., *see* P. Michelon **42** (1993) 257-269
 Maculan, N., *see* Z. Carmen Ortiz **82** (1-3) (1998) 209-217
 Maculan, N.F., *see* R.E. Campello **18** (1987) 119-136
 Madhavapeddy, S., *see* R. Feldmann **53** (1-3) (1994) 55-78
 Madhukar Reddy, K., *see* D.G. Kirkpatrick **89** (1-3) (1998) 143-153
 Maehara, H., Space graphs and sphericity **7** (1984) 55-64
 Maehara, H., Distances in a rigid unit-distance graph in the plane **31** (1991) 193-200
 Maes, A., Morphisms and almost-periodicity **86** (2-3) (1998) 233-248
 Maffioli, F., *see* P.M. Camerini **5** (1983) 39-50
 Maffioli, F., Randomized algorithms in combinatorial optimization: A survey **14** (1986) 157-170
 Maffioli, F., *see* P.M. Camerini **15** (1986) 181-197
 Maffioli, F., *see* S.-J. Chung **42** (1993) 139-145
 Maffioli, F., *see* G. Galbiati **51** (3) (1994) 269-275
 Maffioli, F., *see* M. Dell'Amico **65** (1-3) (1996) 191-206
 Maffray, F., *see* P.L. Hammer **27** (1990) 85-99
 Maffray, F., *see* P.L. Hammer **30** (1991) 163-179
 Maffray, F., *see* L. Cai **44** (1993) 139-156
 Maffray, F. and M. Preissmann, Linear recognition of pseudo-split graphs **52** (3) (1994) 307-312
 Maffray, F., *see* J. Lehel **65** (1-3) (1996) 387-407
 Magnuson, V.R., *see* S.C. Basak **19** (1988) 17-44
 Mahadev, N.V.R. and U.N. Peled, Strict 2-threshold graphs **21** (1988) 113-131
 Mahadev, N.V.R., *see* D. de Werra **68** (1-2) (1996) 169-188
 Mahadev, N.V.R., *see* D. de Werra **76** (1-3) (1997) 93-101
 Mahadev, N.V.R. and F.S. Roberts, Amenable colorings **76** (1-3) (1997) 225-238

- Mahajan, S. and J.G. Peters, Regularity and locality in k -terminal graphs **54** (2-3) (1994) 229-250
- Maharaj, H., *see* M.A. Henning **82** (1-3) (1998) 115-133
- Mahéo, M. and J.-F. Saclé, Some minimum broadcast graphs **53** (1-3) (1994) 275-285
- Mahéo, M. and J.-F. Saclé, Note on the problem of gossiping in multidimensional grids **53** (1-3) (1994) 287-290
- Maheshwari, A., *see* E. Kranakis **75** (1) (1997) 71-80
- Maheshwari, A., *see* S.R. Arikati **78** (1-3) (1997) 1-16
- Mahjoub, A.R., A min-max relation for K_3 -covers in graphs noncontractible to $K_5 \setminus e$ **62** (1-3) (1995) 209-219
- Mahmoud, H.M. and B. Pittel, On the joint distribution of the insertion path length and the number of comparisons in search trees **20** (1988) 243-251
- Main, M.G., Detecting leftmost maximal periodicities **25** (1989) 145-153
- Maierov, V. and J. Ratsaby, The degree of approximation of sets in euclidean space using sets with bounded Vapnik-Chervonenkis dimension **86** (1) (1998) 81-93
- Majumdar, A., *see* D.C. Fisher **50** (1994) 89-91
- Majumdar, D., *see* A.S. Hedayat **42** (1993) 31-50
- Mak, K.-T. and A.J. Morton, Distances between traveling salesman tours **58** (3) (1995) 281-291
- Makedon, F. and I.H. Sudborough, On minimizing width in linear layouts **23** (1989) 243-265
- Makino, K. and T. Ibaraki, Interior and exterior functions of Boolean functions **69** (3) (1996) 207-229
- Makino, K., K. Yano and T. Ibaraki, Positive and Horn decomposability of partially defined Boolean functions **74** (3) (1997) 251-274
- Malich, M., *see* A. Bachem **65** (1-3) (1996) 47-72
- Malinowski, A., *see* K. Ciebiera **89** (1-3) (1998) 99-105
- Mallion, R.B., *see* T.J.N. Brown **67** (1-3) (1996) 51-66
- Mallion, R.B., *see* T.J.N. Brown **75** (2) (1997) 199-200
- Malucelli, F., T. Ottmann and D. Pretolani, Efficient labelling algorithms for the maximum noncrossing matching problem **47** (1993) 175-179
- Mamer, J.W. and K.E. Schilling, On the growth of random knapsacks **28** (1990) 223-230
- Manabe, Y., *see* T. Soneoka **64** (3) (1996) 267-279
- Manacher, G.K., *see* M.J. Atallah **21** (1988) 177-183
- Manber, R., *see* G. Narasimhan **36** (1992) 47-56
- Manber, U., *see* S.W. Bent **18** (1987) 87-94
- Manev, N.L., *see* S.M. Dodunekov **12** (1985) 103-114
- Manlove, D.F., *see* R.W. Irving **91** (1-3) (1999) 127-141
- Manlove, D.F., On the algorithmic complexity of twelve covering and independence parameters of graphs **91** (1-3) (1999) 155-175
- Mannila, H. and K.-J. Räihä, On the complexity of inferring functional dependencies **40** (1992) 237-243
- Mannila, H., *see* V. Estivill-Castro **42** (1993) 1-16
- Mannila, H., *see* T. Eiter **59** (1) (1995) 23-31
- Manning, J. and M.J. Atallah, Fast detection and display of symmetry in outerplanar graphs **39** (1992) 13-35
- Manoussakis, Y., A linear-time algorithm for finding Hamiltonian cycles in tournaments (Note) **36** (1992) 199-201
- Manoussakis, Y., *see* W. Fernandez de la Vega **37/38** (1992) 147-155
- Manoussakis, Y., *see* P. Hell **52** (3) (1994) 295-306
- Manoussakis, Y., Alternating paths in edge-colored complete graphs **56** (2-3) (1995) 297-309
- Manoussakis, Y. and Z. Tuza, The forwarding index of directed networks **68** (3) (1996) 279-291
- Mans, B. and C. Roucairol, Performances of parallel branch and bound algorithms with best-first search **66** (1) (1996) 57-74
- Mansfield, A., An algorithm for a merge recognition problem **4** (1982) 193-197
- Mansfield, A., On the computational complexity of a merge recognition problem **5** (1983) 119-122
- Manuel, P.D., *see* E. Dahlhaus **79** (1-3) (1997) 75-89
- Maolin, Z., *see* Z. Fuji **36** (1992) 67-73
- Marathe, M.V., R. Ravi and C.P. Rangan, Generalized vertex covering in interval graphs (Note) **39** (1992) 87-93
- Marathe, M.V., H.B. Hunt III and S.S. Ravi, Efficient approximation algorithms for domatic partition and on-line coloring of circular arc graphs **64** (2) (1996) 135-149
- Marcus, D.A., Gale diagrams of convex polytopes and positive spanning sets of vectors **9** (1984) 47-67
- Marcus-Roberts, H.M., *see* P.C. Fishburn **27** (1990) 209-220

- Mardanov, S.S., *see* D.A. Babayev 50 (3) (1994) 209-220
- Margot, F., Some complexity results about threshold graphs 49 (1994) 299-308
- Margush, T., Distances between trees 4 (1982) 281-290
- Maribor, K., I. Gutman, S. Klavžar and B. Mohar, Preface 80 (1) (1997) 1-2
- Markowsky, G. and A. Wohlgemuth, Intersection-union systems 6 (1983) 255-262
- Marlowe, T.J. and M.C. Paull, Least-cost partition algorithms 22 (1988/89) 215-239
- Marrazzini, C., Characterization of the inverse of a particular circulant matrix by means of a continued fraction (*Communication*) 2 (1980) 163-165
- Martel, C.U., *see* E.L. Lawler 15 (1986) 291-313
- Martelli, M. and M. Pedrazzoli, On pseudounimodular matrices (*Communication*) 42 (1993) 113-117
- Martello, S. and P. Toth, A Bound and Bound algorithm for the Zero-One Multiple Knapsack Problem 3 (1981) 275-288
- Martello, S., *see* P.M. Camerini 15 (1986) 181-197
- Martello, S., *see* G. Laporte 26 (1990) 193-207
- Martello, S. and P. Toth, Lower bounds and reduction procedures for the bin packing problem 28 (1990) 59-70
- Martello, S., *see* J. Błażewicz 42 (1993) 123-138
- Martello, S., *see* M. Dell'Amico 63 (1) (1995) 25-41
- Martello, S., F. Soumis and P. Toth, Exact and approximation algorithms for makespan minimization on unrelated parallel machines 75 (2) (1997) 169-188
- Martello, S., *see* M. Dell'Amico 76 (1-3) (1997) 103-121
- Marthy, C., *see* M. Hasler 50 (2) (1994) 169-184
- Martin, W., Fast equi-partitioning of rectangular domains using stripe decomposition 82 (1-3) (1998) 193-207
- Martínez A., S., *see* E. Goles Ch. 18 (1987) 39-46
- Martini, H. and A. Schöbel, Median hyperplanes in normed spaces - a survey 89 (1-3) (1998) 181-195
- Martins, E.Q.V., An algorithm to determine a path with minimal cost/capacity ratio 8 (1984) 189-194
- Maskin, E., *see* P.C. Fishburn 1 (1979) 229-252
- Mason, F., *see* G. Andreatta 62 (1-3) (1995) 5-13
- Massarotti, A., *see* A. Aiello 2 (1980) 159-161
- Massarotti, A., *see* A. De Luca 14 (1986) 105-108
- Massey, J.D., *see* C.-Y. Lee 20 (1988) 233-242
- Masson, P., *see* D. de Werra 26 (1990) 41-49
- Mastronarde, D.N., *see* T.D. Schneider 71 (1-3) (1996) 259-268
- Masuda, T., H. Ishii and T. Nishida, The mixed shop scheduling problem 11 (1985) 175-186
- Masuda, T., *see* H. Ishii 17 (1987) 29-38
- Masuda, T. and H. Ishii, Two machine open shop scheduling problem with bi-criteria 52 (3) (1994) 253-259
- Masuyama, S., On the tree packing problem (*Note*) 35 (1992) 163-166
- Masuyama, S., *see* D.G. Corneil 50 (2) (1994) 135-148
- Masuyama, S., *see* P. Cheng 56 (2-3) (1995) 137-155
- Masuzawa, T., K. Hagihara and N. Tokura, An optimal time algorithm for the k -vertex-connectivity unweighted augmentation problem for rooted directed trees 17 (1987) 67-105
- Matamala, M. and E. Goles, Dynamic behavior of cyclic automata networks 77 (2) (1997) 161-184
- Mateescu, A., Gh. Păun, G. Rozenberg and A. Salomaa, Simple splicing systems 84 (1-3) (1998) 145-163
- Matias, Y., *see* D. Kandel 71 (1-3) (1996) 171-185
- Matsui, T., *see* Y. Ikebe 47 (1993) 227-232
- Matsui, T., A. Tamura and Y. Ikebe, Algorithms for finding a K th best valued assignment 50 (3) (1994) 283-296
- Matsui, T. and S. Tamura, Adjacency on combinatorial polyhedra 56 (2-3) (1995) 311-321
- Matsui, T., *see* M. Shigeno 56 (2-3) (1995) 333-343
- Matsui, T., The minimum spanning tree problem on a planar graph (*Communication*) 58 (1995) 91-94
- Matula, D.W. and F. Shahrokhi, Sparsest cuts and bottlenecks in graphs 27 (1990) 113-123
- Maurer, H.A., *see* W. Ainhirn 1 (1979) 155-166
- Maurer, H.A., A. Salomaa and D. Wood, Colorings and interpretations: A connection between graphs and grammar forms 3 (1981) 119-135
- Maurer, H.A., A. Salomaa and D. Wood, Decidability and density in two-symbol grammar forms 3 (1981) 289-299
- Maurer, M.C., *see* M. Habib 1 (1979) 201-207

- Maurer, U.M., Asymptotically-tight bounds on the number of cycles in generalized de Bruijn-Good graphs **37/38** (1992) 421-436
- Maurer, W., Bivalent trees and forests or upper bounds for the probability of a union revisited **6** (1983) 157-171
- Mautor, T. and C. Roucairol, A new exact algorithm for the solution of quadratic assignment problems **55** (3) (1994) 281-293
- Maybee, J.S., Sign solvable graphs **2** (1980) 57-63
- Maybee, J.S., *see* J.R. Lundgren **6** (1983) 319-322
- Maybee, J.S., *see* H.J. Greenberg **8** (1984) 255-265
- Maybee, J.S., *see* F. Harary **12** (1985) 155-164
- Mayoraz, E., *see* E. Amaldi **52** (2) (1994) 111-138
- Mazoyer, J. and I. Rapaport, Inducing an order on cellular automata by a grouping operation **91** (1-3) (1999) 177-196
- McClurkin, D.J., A lower bound for tree resolution **54** (1) (1994) 37-53
- McColl, W.F. and K. Noshita, On the number of edges in the transitive closure of a graph **15** (1986) 67-73
- McCormick, S.T., *see* C.-L. Li **26** (1990) 105-115
- McCormick, S.T., *see* C.-L. Li **36** (1992) 267-292
- McCormick, S.T., *see* T.R. Ervolina **46** (1993) 133-165
- McCormick, S.T. and T.R. Ervolina, Computing maximum mean cuts **52** (1) (1994) 53-70
- McDiarmid, C., On the chromatic forcing number of a random graph **5** (1983) 123-132
- McDiarmid, C., On some conditioning results in the probabilistic analysis of algorithms **10** (1985) 197-201
- McDiarmid, C. and Z. Miller, Lattice bandwidth of random graphs **30** (1991) 221-227
- McDiarmid, C., *see* K. Edwards **57** (2-3) (1995) 133-144
- McDiarmid, C., A doubly cyclic channel assignment problem **80** (2-3) (1997) 263-268
- McKee, T.A., Multiterminal duality and three-terminal series-parallelness **18** (1987) 47-53
- McKee, T.A., *see* S. Kim **46** (1993) 87-92
- McKenna, P.A., *see* D.C. Fisher **84** (1-3) (1998) 93-105
- McKeon, K.A., *see* J.W. Kennedy **26** (1990) 121-124
- McKeon, K.A., The expected number of symmetries in locally restricted trees II **66** (3) (1996) 245-253
- McMorris, F.R., *see* S. Kim **46** (1993) 87-92
- McMorris, F.R. and R.C. Powers, Consensus functions on trees that satisfy an independence axiom **47** (1993) 47-55
- McMorris, F.R., *see* R.C. Brigham **66** (2) (1996) 101-108
- McMorris, F.R., H.M. Mulder and F.S. Roberts, The median procedure on median graphs **84** (1-3) (1998) 165-181
- McMorris, F.R., C. Wang and P. Zhang, On probe interval graphs **88** (1-3) (1998) 315-324
- McQuistan, R.B., *see* J.L. Hock **8** (1984) 101-104
- McRae, A., *see* J. Dunbar **68** (1-2) (1996) 73-84
- Medan, Y., *see* A. Hartman **44** (1993) 305-310
- Megiddo, N., *see* R. Hassin **30** (1991) 29-42
- Megiddo, N., *see* T. Hegedűs **66** (3) (1996) 205-218
- Mehlhorn, K. and B.H. Schmidt, On BF-orderable graphs **15** (1986) 315-327
- Mehrotra, A., Cardinality constrained Boolean quadratic polytope **79** (1-3) (1997) 137-154
- Meidanis, J., O. Porto and G.P. Telles, On the consecutive ones property **88** (1-3) (1998) 325-354
- Meijer, P.F.J., *see* R.A. Cuninghame-Green **2** (1980) 267-294
- Melamed, I.I., *see* E.Ya. Gabovich **2** (1980) 193-205
- Meliksetian, D.S., *see* B.S. Carlson **90** (1-3) (1999) 89-114
- Melkman, A.A. and S.E. Shimony, A note on approximate inclusion-exclusion **73** (1) (1997) 23-26
- Melliar-Smith, P.M., *see* M. Valerio **54** (1) (1994) 89-96
- Mello, C.P., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293-297
- Mendelzon, A.O., *see* J.S. Diamond **45** (1993) 51-62
- Meng, J.-X., *see* J.-Z. Wang **80** (2-3) (1997) 177-191
- Mercure, H., *see* G. Laporte **18** (1987) 185-197
- Merlini, D., D.G. Rogers, R. Sprugnoli and M.C. Verri, Underdiagonal lattice paths with unrestricted steps **91** (1-3) (1999) 197-213
- Metz, A., *see* J. Bendisch **52** (2) (1994) 139-153

- Meyer, J.C., *see* M.C. Heydemann 23 (1989) 103-123
 Meyer, J.C., *see* M.C. Heydemann 37/38 (1992) 287-296
 Meyer, R.R., Equivalent constraints for discrete sets 1 (1979) 31-50
 Meyer, T.W.S., *see* T.H.C. Smith 26 (1990) 209-217
 Meyer, W., *see* P. Brucker 20 (1988) 91-100
 Meyniel, H., *see* M. Maamoun 17 (1987) 307-309
 Mezey, P.G., *see* F. Harary 19 (1988) 205-214
 Mezey, P.G., *see* F. Harary 67 (1-3) (1996) 127-135
 Mezník, I., On some structural properties of a subclass of ∞ -regular languages (*Communication*) 18 (1987) 315-319
 Michallon, P. and D. Trystram, Practical experiments of broadcasting algorithms on a configurable parallel computer 53 (1-3) (1994) 291-298
 Michelon, P. and N. Maculan, Lagrangean methods for 0-1 quadratic problems 42 (1993) 257-269
 Middendorf, M., *see* J.E. Atkins 71 (1-3) (1996) 23-40
 Miklós, D., Linear binary codes with intersection properties 9 (1984) 187-196
 Miklós, D., *see* J. Demetrovics 40 (1992) 127-138
 Miller, G.L., *see* P.B. Gibbons 29 (1990) 35-62
 Miller, M., *see* E. Dahlhaus 79 (1-3) (1997) 75-89
 Miller, M., *see* P. Horak 91 (1-3) (1999) 119-126
 Miller, W., *see* Z. Zhang 71 (1-3) (1996) 337-365
 Miller, Z., *see* C. McDiarmid 30 (1991) 221-227
 Minaka, N., *see* M. Hanazawa 56 (2-3) (1995) 245-265
 Mingozzi, A., S. Ricciardelli and M. Spadoni, Partitioning a matrix to minimize the maximum cost 62 (1-3) (1995) 221-248
 Minoux, M., *see* C.C. Ribeiro 10 (1985) 125-137
 Minoux, M., *see* A. Billionnet 12 (1985) 1-11
 Minoux, M. and K. Barkaoui, Deadlocks and traps in Petri nets as horn-satisfiability solutions and some related polynomially solvable problems 29 (1990) 195-210
 Minoux, M., *see* E. Boros 90 (1-3) (1999) 69-88
 Mitas, J., *see* K.P. Bogart 60 (1-3) (1995) 93-98
 Mitchell, C.J. and F.C. Piper, Key storage in secure networks 21 (1988) 215-228
 Mitjana, M., *see* F. Comellas 83 (1-3) (1998) 31-39
 Mittal, A.K., *see* A.K. Pujari 5 (1983) 241-242
 Miyakawa, M. and I. Stojmenović, Classification of P_{k2} 23 (1989) 179-192
 Miyakawa, M., I.G. Rosenberg and I. Stojmenović, Classification of three-valued logical functions preserving 0 28 (1990) 231-249
 Miyano, E., *see* K. Iwama 81 (1-3) (1998) 239-261
 Moffat, A., *see* O. Petersson 59 (2) (1995) 153-179
 Mohar, B., *see* D. Babić 15 (1986) 11-24
 Mohar, B., *see* M. Juvan 36 (1992) 153-168
 Mohar, B., A domain monotonicity theorem for graphs and Hamiltonicity 36 (1992) 169-177
 Mohar, B., *see* K. Maribor 80 (1) (1997) 1-2
 Mohar, B., *see* M. Juvan 80 (1) (1997) 57-71
 Möhring, R.H., Triangulating graphs without asteroidal triples 64 (3) (1996) 281-287
 Mollard, M., *see* S. Gravier 80 (2-3) (1997) 247-250
 Molloy, M., *see* A. Frieze 54 (1) (1994) 77-79
 Monien, B. and E. Speckenmeyer, Solving satisfiability in less than 2^n steps 10 (1985) 287-295
 Monien, B., *see* R. Feldmann 53 (1-3) (1994) 55-78
 Monien, B., *see* R. Klasing 53 (1-3) (1994) 183-197
 Monien, B., *see* S. Bezrukov 83 (1-3) (1998) 21-29
 Monma, C.L., Sequencing with general precedence constraints 3 (1981) 137-150
 Monma, C.L., *see* M.C. Golumbic 9 (1984) 157-170
 Monma, C.L., *see* Y.-W. Chang 44 (1993) 205-220
 Montuori, V., *see* L. Gargano 36 (1992) 299-306
 Mora, T., La quèste del Saint Gr_a(AL): A computational approach to local algebra 33 (1991) 161-190

- Moran, S., *see* R. Bar-Yehuda 9 (1984) 1-10
- Moran, S. and Y. Wolfsthal, Two-page book embedding of trees under vertex-neighborhood constraints 43 (1993) 233-241
- Moret, B.M.E., *see* K. Abrahamson 34 (1991) 3-16
- Morford, M.P., *see* M.A. Langston 28 (1990) 135-147
- Morgana, A., *see* D. Bauer 79 (1-3) (1997) 35-44
- Morgana, A., *see* Y. Liu 81 (1-3) (1998) 69-91
- Morihara, I., T. Ibaraki and T. Hasegawa, Bin packing and multiprocessors scheduling problems with side constraint on job types 6 (1983) 173-191
- Morillo, P., *see* J. Gómez 59 (2) (1995) 103-114
- Morillo, P., *see* C. Padró 64 (3) (1996) 239-248
- Morris, W.D., The maximum number of complementary facets of a simplicial polytope 36 (1992) 293-298
- Morris Jr, W.D., *see* J. Lee 55 (2) (1994) 163-182
- Morsy, H., *see* A. Conrad 50 (2) (1994) 125-134
- Morton, A.J., *see* K.-T. Mak 58 (3) (1995) 281-291
- Morvan, M., *see* P. Baldy 46 (1993) 173-178
- Morvan, M., *see* S. Felsner 51 (1-2) (1994) 85-93
- Moser, L.E., *see* M. Valerio 54 (1) (1994) 89-96
- Moser, W.O.J., Problems, problems, problems 31 (1991) 201-225
- Mote, J., *see* F. Glover 2 (1980) 251-254
- Mote, J., The family constrained network problem 13 (1986) 249-257
- Mottet, Y., *see* A. Hertz 65 (1-3) (1996) 285-318
- Motwani, R. and M. Sudan, Computing roots of graphs is hard 54 (1) (1994) 81-88
- Moulton, V., *see* A. Dress 71 (1-3) (1996) 95-109
- Moulton, V. and M. Steel, Retractions of finite distance functions onto tree metrics 91 (1-3) (1999) 215-233
- Moumida, D., *see* M. Cosnard 21 (1988) 21-34
- Mount, D.M., *see* T.Y. Kong 16 (1987) 239-243
- Muchnik, I.B., *see* J. Demetrovics 40 (1992) 155-185
- Mühlbacher, J.R., F.X. Steinparz and G. Tinhofer, On certain classes of fractional matchings 9 (1984) 235-244
- Muir, A. and M.W. Warner, Lattice valued relations and automata 7 (1984) 65-78
- Mulder, H.M., The majority strategy on graphs 80 (1) (1997) 97-105
- Mulder, H.M., *see* F.R. McMorris 84 (1-3) (1998) 165-181
- Mulgrew, B., *see* C.Z.W. Hassell Sweatman 81 (1-3) (1998) 19-39
- Mullen, G.L., *see* M. Liu 74 (1) (1997) 93-99
- Müller, H., *see* D. Kratsch 77 (3) (1997) 259-270
- Müller, H., Recognizing interval digraphs and interval bigraphs in polynomial time 78 (1-3) (1997) 189-205
- Müller, R., *see* S. Felsner 74 (1) (1997) 13-32
- Mullin, R.C., I.M. Onyszchuk, S.A. Vanstone and R.M. Wilson, Optimal normal bases in $GF(p^n)$ 22 (1988/89) 149-161
- Munier, A., *see* C. Hanen 57 (2-3) (1995) 167-192
- Munier, A., The basic cyclic scheduling problem with linear precedence constraints 64 (3) (1996) 219-238
- Munier, A., *see* C. Hanen 81 (1-3) (1998) 93-108
- Murgolo, F.D., Anomalous behavior in bin packing algorithms 21 (1988) 229-243
- Murota, K., Menger-decomposition of a graph and its application to the structural analysis of a large-scale system of equations 17 (1987) 107-134
- Murota, K., Homotopy base of acyclic graphs - A combinatorial analysis of commutative diagrams by means of preordered matroid 17 (1987) 135-155
- Murota, K. and S. Fujishige, Finding a homotopy base for directed paths in an acyclic graph 17 (1987) 157-162
- Murota, K., Combinatorial dynamical system theory: General framework and controllability criteria 22 (1988/89) 241-265
- Murota, K., Principal structure of layered mixed matrices 27 (1990) 221-234
- Murota, K., *see* S. Iwata 61 (3) (1995) 229-244
- Murphy, O.J., Computing independent sets in graphs with large girth (Note) 35 (1992) 167-170
- Murtagh, F., Counting dendrograms: A survey 7 (1984) 191-199
- Murty, K.G., *see* S.-J. Chung 15 (1986) 199-211

- Murty, K.G., A correction to a result in linear programming (*Note*) **20** (1988) 177-180
- Murty, K.G., *see* S.Y. Chang **25** (1989) 211-239
- Murty, K.G., *see* S.-J. Chung **42** (1993) 139-145
- Murty, K.G., On the complexity of a special basis problem in LP **47** (1993) 181-185
- Mutchler, D., *see* Y. Zhu **48** (1994) 93-98
- Muttoo, S.K., *see* B.K. Dass **2** (1980) 345-348
- Muzychuk, M.E., M.H. Klin and N.S. Zefirov, On the mathematical model of triangulanes **67** (1-3) (1996) 175-187
- Mycielski, J., *see* H. Abelson **4** (1982) 1-10
- Myers, D.C., *see* H.D. Sherali **20** (1988) 51-68
- Mysliwicz, P., *see* R. Feldmann **53** (1-3) (1994) 55-78
- Naamad, A., D.T. Lee and W.-L. Hsu, On the maximum empty rectangle problem **8** (1984) 267-277
- Nachtigall, K., Periodic network optimization with different arc frequencies **69** (1-2) (1996) 1-17
- Naddef, D. and C. Santos, One-pass batching algorithms for the one-machine problem **21** (1988) 133-145
- Nadeau, J.H., *see* D. Sankoff **71** (1-3) (1996) 247-257
- Nagamochi, H. and T. Ibaraki, Multicommodity flows in certain planar directed networks **27** (1990) 125-145
- Nair, K.P.K., *see* A.P. Punnen **55** (1) (1994) 91-93
- Nakada, H., *see* T. Soneoka **27** (1990) 255-265
- Nakajima, K., *see* J. Narasimhan **90** (1-3) (1999) 195-221
- Nakamura, A., *see* T. Watanabe **3** (1981) 151-153
- Nakamura, A., *see* T. Watanabe **6** (1983) 63-78
- Nakamura, A., *see* T. Watanabe **28** (1990) 183-186
- Nakamura, M., An extension of elementary bipartite graphs to matroid pairs and its characterization **48** (1994) 285-288
- Namasuya, Y., *see* H. Ishii **3** (1981) 263-273
- Namiki, M., *see* K. Fukuda **56** (2-3) (1995) 231-243
- Namiki, M., *see* K. Fukuda **84** (1-3) (1998) 107-119
- Naor, M., Succinct representation of general unlabeled graphs (*Note*) **28** (1990) 303-307
- Narasimhan, G. and R. Manber, Stability number and chromatic number of tolerance graphs **36** (1992) 47-56
- Narasimhan, J., K. Nakajima and C.S. Rim, A graph theoretical approach for the yield enhancement of reconfigurable VLSI/WSI arrays **90** (1-3) (1999) 195-221
- Narayanan, B., *see* V. Bafna **71** (1-3) (1996) 41-53
- Narushima, H., *see* M. Hanazawa **56** (2-3) (1995) 245-265
- Narushima, H. and M. Hanazawa, A more efficient algorithm for MPR problems in phylogeny **80** (2-3) (1997) 231-238
- Nasu, M., An interconnection of local maps inducing onto global maps **2** (1980) 125-150
- Natu, M. and S.-C. Fang, The point-to-point connection problem - analysis and algorithms **78** (1-3) (1997) 207-226
- Nawijn, W.M., *see* U. Faigle **58** (1) (1995) 13-17
- Nawrocki, J.R., *see* J. Błazewicz **10** (1985) 241-253
- Negami, S. and K. Kawagoe, Polynomial invariants of graphs with state models **56** (2-3) (1995) 323-331
- Nehme, D. and G. Yu, The cardinality and precedence constrained maximum value sub-hypergraph problem and its applications **74** (1) (1997) 57-68
- Nemhauser, G.L., *see* W.-L. Hsu **1** (1979) 209-215
- Nemhauser, G.L., *see* Y. Ikura **13** (1986) 239-248
- Nemhauser, G.L., *see* D. Cao **81** (1-3) (1998) 141-153
- Nemoto, T., *see* K. Ando **68** (3) (1996) 237-248
- Nešetřil, J., On ordered graphs and graph orderings **51** (1-2) (1994) 113-116
- Nešetřil, J., *see* P. Hell **70** (1) (1996) 23-36
- Newberg, L.A., The number of clone orderings **69** (3) (1996) 231-243
- Ng, M.P. and N.C. Wormald, Reconstruction of rooted trees from subtrees **69** (1-2) (1996) 19-31
- Nguyen, S., *see* G. Gallo **42** (1993) 177-201
- Nguyen, T.T. and A.R. Sampson, Counting the number of $p \times q$ integer matrices more concordant than a given matrix **11** (1985) 187-205
- Nicolas, B., *see* P. Hansen **30** (1991) 181-195

- Niemi, G.J., *see* S.C. Basak 19 (1988) 17-44
- Niemi, V., Power languages and density 32 (1991) 183-193
- Niessen, T., How to find overfull subgraphs in graphs with large maximum degree 51 (1-2) (1994) 117-125
- Niessen, T., Optimal channel allocation for several types of cellular radio networks 79 (1-3) (1997) 155-170
- Ning, Q., On a conjecture of Foulds and Robinson about deltahedra (*Note*) 18 (1987) 305-308
- Nishida, T., *see* H. Ishii 3 (1981) 263-273
- Nishida, T., *see* T. Ichimori 6 (1983) 85-89
- Nishida, T., *see* T. Masuda 11 (1985) 175-186
- Nishida, T., *see* H. Ishii 17 (1987) 29-38
- Nishizeki, T., *see* K. Takamizawa 3 (1981) 75-76
- Nishizeki, T., T. Asano and T. Watanabe, An approximation algorithm for the hamiltonian walk problem on maximal planar graphs 5 (1983) 211-222
- Nishizeki, T., *see* H. Suzuki 27 (1990) 157-178
- Nishizeki, T., *see* A. Frank 40 (1992) 363-378
- Nishizeki, T. and S. Poljak, k -Connectivity and decomposition of graphs into forests 55 (3) (1994) 295-301
- Nölle, M., *see* T. Andreae 79 (1-3) (1997) 3-34
- Norris, N., Universal covers of graphs: isomorphism to depth $n-1$ implies isomorphism to all depths 56 (1) (1995) 61-74
- Noshita, K., *see* W.F. McColl 15 (1986) 67-73
- Novick, B., *see* F. Glover 13 (1986) 277-286
- Nowakowski, R., I. Rival and J. Urrutia, Representing orders on the plane by translating points and lines 27 (1990) 147-156
- Nowakowski, R.J., Search and sweep numbers of finite directed acyclic graphs 41 (93) 1-11
- Nowicki, E. and S. Zdrzalka, A survey of results for sequencing problems with controllable processing times 26 (1990) 271-287
- Nowicki, E. and C. Smutnicki, New results in the worst-case analysis for flow-shop scheduling 46 (1993) 21-41
- Nowicki, E. and C. Smutnicki, An approximation algorithm for a single-machine scheduling problem with release times and delivery times 48 (1994) 69-79
- Nowicki, E. and S. Zdrzalka, A bicriterion approach to preemptive scheduling of parallel machines with controllable job processing times 63 (3) (1995) 237-256
- Noy, M., *see* E. Kranakis 75 (1) (1997) 71-80
- Noy, M., *see* H. Everett 91 (1-3) (1999) 67-82
- Nutov, Z. and M. Penn, On the integral dicycle packings and covers and the linear ordering polytope 60 (1-3) (1995) 293-309
- Oberlin, A., *see* M. Hasler 50 (2) (1994) 169-184
- O'Connor, L., Nondegenerate functions and permutations 73 (1) (1997) 41-57
- Oda, Y., *see* H. Enomoto 87 (1-3) (1998) 57-65
- Oellermann, O.R., *see* L.W. Beineke 68 (3) (1996) 249-258
- Oellermann, O.R., *see* G.H. Fricke 68 (1-2) (1996) 85-91
- Oellermann, O.R., *see* P. Dankelmann 79 (1-3) (1997) 91-103
- Oellermann, O.R., *see* E. Kubicka 81 (1-3) (1998) 181-190
- Oh, A.D., *see* S.-K. Lee 75 (1) (1997) 81-91
- Ohnishi, M., *see* N. Katoh 35 (1992) 275-291
- Öhring, S.R., *see* F. Bao 83 (1-3) (1998) 3-20
- Ohtsuka, K., *see* Y. Dai 65 (1-3) (1996) 167-190
- Okamura, H., Multicommodity flows in graphs 6 (1983) 55-62
- Olariu, S., Some aspects of the semi-perfect elimination 31 (1991) 291-298
- Olariu, S., *see* B. Jamison 34 (1991) 151-164
- Olariu, S., *see* B. Jamison 35 (1992) 115-129
- Olariu, S., *see* B. Jamison 61 (2) (1995) 155-175
- Olariu, S., *see* D. Bhagavathi 77 (3) (1997) 201-220
- Olariu, S., *see* R. Lin 81 (1-3) (1998) 191-215
- Olariu, S., *see* L. Babel 84 (1-3) (1998) 1-13
- Oliveira, A.A.F., *see* J.L. Szwarcfiter 10 (1985) 313-321
- Olivos, J., *see* E. Goles 3 (1981) 93-105

- Onn, S., *see* N. Alon **91** (1-3) (1999) 39-51
- Onyszczyk, I.M., *see* R.C. Mullin **22** (1988/89) 149-161
- Oosten, M., *see* E. Balas **87** (1-3) (1998) 1-9
- Opatrny, J., *see* M.C. Heydemann **37/38** (1992) 287-296
- Opatrny, J., *see* M.C. Heydemann **37/38** (1992) 297-317
- Ordaz, O., *see* W. Fernandez de la Vega **86** (2-3) (1998) 201-211
- Orlin, J.B., *see* R.M. Karp **3** (1981) 37-45
- Orlin, J.B., *see* R. Shull **23** (1989) 267-283
- Orlin, J.B., *see* R. Shull **41** (93) 13-53
- Orlitsky, A. and S.S. Venkatesh, On edge-colored interior planar graphs on a circle and the expected number of RNA secondary structures **64** (2) (1996) 151-178
- Orman, A.J. and C.N. Potts, On the complexity of coupled-task scheduling **72** (1-2) (1997) 141-154
- Ossona de Mendez, P., *see* H. de Fraysseix **56** (2-3) (1995) 157-179
- Ota, K., *see* H. Enomoto **87** (1-3) (1998) 57-65
- Ottmann, T. and D. Wood, Defining families of trees with EOL grammars **32** (1991) 195-209
- Ottmann, T., *see* F. Malucelli **47** (1993) 175-179
- Otto, F., Classes of regular and context-free languages over countably infinite alphabets **12** (1985) 41-56
- Ouyang, M., How good are branching rules in DPLL? **89** (1-3) (1998) 281-286
- Owen, J.H., *see* S. Chopra **90** (1-3) (1999) 115-133
- Owens, R.M., *see* M. Borah **90** (1-3) (1999) 51-67
- Oxley, J. and D. Row, Panelling planar graphs **81** (1-3) (1998) 109-122
- Ozawa, T., The principal partition of a pair of graphs and its applications **17** (1987) 163-186
- Pacciarelli, D., *see* A. Agnetis **72** (3) (1997) 243-260
- Pacciarelli, D., *see* C. Arbib **92** (1) (1999) 1-15
- Pachter, L., Constructing status injective graphs **80** (1) (1997) 107-113
- Padró, C., *see* J. Gómez **59** (2) (1995) 103-114
- Padró, C., P. Morillo and E. Llobet, Diameter-vulnerability of large bipartite digraphs **64** (3) (1996) 239-248
- Padró, C., *see* J. Gómez **89** (1-3) (1998) 107-123
- Palka, Z. and A. Ruciński, On the order of the largest induced tree in a random graph **15** (1986) 75-83
- Pallotino, S., *see* G. Gallo **42** (1993) 177-201
- Pallottino, S., *see* G. Gallo **4** (1982) 23-35
- Palmer, D., D. Row, R. Stee and S. Wotherspoon, Rigidity of octahedral-tetrahedral trusses **86** (2-3) (1998) 249-262
- Palmer, E.M., *see* C.K. Bailey **5** (1983) 157-164
- Palmer, E.M., *see* J.W. Kennedy **26** (1990) 121-124
- Palmer, E.M., *see* J. Gimbel **34** (1991) 121-128
- Pan, L., On the security of p -party protocols **20** (1988) 127-144
- Panconesi, A., *see* D.P. Bovet **16** (1987) 113-123
- Pandu Rangan, C. and R. Govindan, An $O(n \log n)$ algorithm for a maxmin location problem (Note) **36** (1992) 203-205
- Pandu Rangan, C., *see* G.J. Chang **63** (3) (1995) 215-222
- Pandu Rangan, C., *see* C.R. Satyan **68** (3) (1996) 293-302
- Pandu Rangan, C., *see* D.G. Kirkpatrick **89** (1-3) (1998) 143-153
- Pansiot, J.-J., A propos d'une conjecture de F. Dejean sur les répétitions dans les mots **7** (1984) 297-311
- Paoli, M., Comparison of mean distance in superposed networks **8** (1984) 279-287
- Papadimitriou, C.H., P. Serafini and M. Yannakakis, Computing the throughput of a network with dedicated lines **42** (1993) 271-278
- Papastavridis, S., *see* F.K. Hwang **30** (1991) 83-86
- Papenjohn, W., *see* P. Brucker **10** (1985) 1-18
- Parberry, I., An efficient algorithm for the Knight's tour problem **73** (1997) 251-260
- Parberry, I., *see* O. Kyek **74** (2) (1997) 171-181
- Pardalos, P.M. and J.B. Rosen, Bounds for the solution set of linear complementarity problems **17** (1987) 255-261
- Park, J.-H., *see* H.-S. Lim **69** (1-2) (1996) 83-99
- Park, J.K., *see* W.W. Bein **58** (2) (1995) 97-109

- Park, K. and S. Park, Lifting cover inequalities for the precedence-constrained knapsack problem **72** (3) (1997) 219-241
- Park, S., *see* K. Park **72** (3) (1997) 219-241
- Parker, J.D., The period of the Fibonacci random number generator **20** (1988) 145-164
- Parker, R.G., *see* S.B. Horton **56** (1) (1995) 19-35
- Parra, A., *see* T. Andreae **46** (1993) 73-78
- Parra, A. and P. Scheffler, Characterizations and algorithmic applications of chordal graph embeddings **79** (1-3) (1997) 171-188
- Parra, A., Triangulating multitolerance graphs **84** (1-3) (1998) 183-197
- Paterson, M. and T. Przytycka, On the complexity of string folding **71** (1-3) (1996) 217-230
- Paterson, M.S., *see* M.J. Fischer **90** (1-3) (1999) 135-159
- Pathak, P.K., *see* W.W. Bein **58** (2) (1995) 97-109
- Pattloch, M. and G. Schmidt, Lot-size scheduling of two types of jobs on identical machines **65** (1-3) (1996) 409-419
- Paull, M., *see* J. Franco **5** (1983) 77-87
- Paull, M.C., *see* T.J. Marlowe **22** (1988/89) 215-239
- Păun, G., *see* G. Istrate **55** (1) (1994) 83-86
- Păun, G. and A. Salomaa, Thin and slender languages **61** (3) (1995) 257-270
- Păun, G., *see* M. Lipponen **63** (2) (1995) 193-197
- Păun, G., On the splicing operation **70** (1) (1996) 57-79
- Păun, Gh., *see* A. Mateescu **84** (1-3) (1998) 145-163
- Paz, A., *see* S. Even **7** (1984) 285-296
- Paz, A., A duality property for the set of all feasible solutions to an integer program **14** (1986) 57-66
- Paz, A., *see* H. Krawczyk **23** (1989) 289-291
- Pearson, W.R., G. Robins, D.E. Wrege and T. Zhang, On the primer selection problem in polymerase chain reaction experiments **71** (1-3) (1996) 231-246
- Peck, G.W., *see* D.-Z. Du **37/38** (1992) 169-177
- Pedrazzoli, M., *see* M. Martelli **42** (1993) 113-117
- Peine, R., *see* R. Klasing **53** (1-3) (1994) 183-197
- Peitgen, H.-O., *see* J.-P. Allouche **66** (1) (1996) 1-22
- Pelc, A., *see* B.S. Chlebus **53** (1-3) (1994) 15-24
- Pelc, A., *see* A.M. Farley **83** (1-3) (1998) 61-77
- Pelc, A., *see* L. Gasieniec **83** (1-3) (1998) 121-133
- Pelc, A., *see* K. Diks **87** (1-3) (1998) 33-47
- Peled, U., *see* F. Harary **16** (1987) 11-15
- Peled, U. and F. Sun, Total matchings and total coverings of threshold graphs **49** (1994) 325-330
- Peled, U.N. and B. Simeone, Polynomial-time algorithms for regular set-covering and threshold synthesis **12** (1985) 57-69
- Peled, U.N., *see* N.V.R. Mahadev **21** (1988) 113-131
- Peled, U.N., *see* P.L. Hammer **28** (1990) 35-44
- Peled, U.N. and M.K. Srinivasan, Vicinal orders of trees **29** (1990) 211-219
- Peled, U.N., *see* S.R. Arikati **44** (1993) 185-190
- Peled, U.N. and B. Simeone, An $O(nm)$ -time algorithm for computing the dual of a regular Boolean function **49** (1994) 309-323
- Peled, U.N. and F. Sun, Enumeration of difference graphs **60** (1-3) (1995) 311-318
- Peled, U.N., *see* S.R. Arikati **65** (1-3) (1996) 5-20
- Peled, U.N., *see* D. de Werra **68** (1-2) (1996) 169-188
- Peleg, D., *see* G. Kortsarz **53** (1-3) (1994) 211-234
- Peleg, D. and A. Wool, The availability of crumbling wall quorum systems **74** (1) (1997) 69-83
- Peleg, D., Size bounds for dynamic monopolies **86** (2-3) (1998) 263-273
- Pellegrin, D., *see* E. Goles-Chacc **12** (1985) 261-277
- Penaud, J.G., Matrice de ramification des arbres binaires **31** (1991) 1-21
- Penn, M., *see* E. Korach **47** (1993) 77-83
- Penn, M., *see* Z. Nutov **60** (1-3) (1995) 293-309
- Penn, M., *see* F. Granot **70** (3) (1996) 267-283

- Penne, R., Isostatic bar and joint frameworks in the plane with irreducible pure conditions **55** (1) (1994) 37-57
- Penny, D., *see* M. Steel **88** (1-3) (1998) 367-396
- Penrice, S.G., On-line algorithms for ordered sets and comparability graphs **60** (1-3) (1995) 319-329
- Perennes, S., A proof of Jean de Rumeur's conjecture **74** (3) (1997) 295-299
- Perennes, S., Broadcasting and gossiping on de Bruijn, shuffle-exchange and similar networks **83** (1-3) (1998) 247-262
- Pérennes, S., *see* B. Beauquier **84** (1-3) (1998) 15-20
- Perennes, S., *see* J.-C. Bermond **84** (1-3) (1998) 21-42
- Perennes, S., *see* J.-C. Bermond **86** (2-3) (1998) 145-155
- Perennes, S., *see* J. Gómez **89** (1-3) (1998) 107-123
- Perl, Y., *see* D.G. Corneil **9** (1984) 27-39
- Perl, Y. and U. Vishkin, Efficient implementation of a shifting algorithm **12** (1985) 71-80
- Perl, Y., Better understanding of Batchier's merging networks **25** (1989) 257-271
- Perl, Y., *see* M. Lucertini **42** (1993) 227-256
- Perl, Y., *see* E. Agasi **45** (1993) 1-28
- Perl, Y., *see* R.I. Becker **62** (1-3) (1995) 15-34
- Perlin, M., *see* G. Lancia **88** (1-3) (1998) 291-314
- Péroche, B., NP-Completeness of some problems of partitioning and covering in graphs **8** (1984) 195-208
- Persiano, R.C.M., *see* J.L. Szwarcfiter **10** (1985) 313-321
- Pesch, E., *see* A. Kolen **48** (1994) 273-284
- Pesch, E. and F. Glover, TSP ejection chains **76** (1-3) (1997) 165-181
- Peters, D.B. and J.G. Peters, Bounded depth broadcasting **66** (3) (1996) 255-270
- Peters, J.G., *see* J.-C. Bermond **36** (1992) 97-130
- Peters, J.G., *see* A.L. Liestman **37/38** (1992) 401-419
- Peters, J.G., *see* L. Gargano **53** (1-3) (1994) 135-148
- Peters, J.G., *see* S. Mahajan **54** (2-3) (1994) 229-250
- Peters, J.G., *see* D.B. Peters **66** (3) (1996) 255-270
- Peters, J.G., *see* J.O. Kane **83** (1-3) (1998) 207-228
- Peters, K., *see* M.S. Jacobson **44** (1993) 91-97
- Petersson, O., *see* C. Levcopoulos **40** (1992) 423-431
- Petersson, O. and A. Moffat, A framework for adaptive sorting **59** (2) (1995) 153-179
- Peusner, L., Space-time 'bonds', electromagnetism and graphs **19** (1988) 305-315
- Pevzner, P., *see* S. Istrail **71** (1-3) (1996) 1-4
- Peyrat, C., Diameter vulnerability of graphs **9** (1984) 245-250
- Peyrat, C., *see* N. Homobono **24** (1989) 179-186
- Peyrat, C., *see* C. Garcia **75** (2) (1997) 125-133
- Pfaff, J., *see* S.T. Hedetniemi **13** (1986) 287-292
- Pfeiffer, F., A note on the half-integral multiflow-problem restricted to minor-closed classes of graphs **51** (1-2) (1994) 127-135
- Pferschy, U., D. Pisinger and G.J. Woeginger, Simple but efficient approaches for the collapsing knapsack problem **77** (3) (1997) 271-280
- Phelps, K.T., *see* C.J. Colbourn **4** (1982) 103-111
- Phillips, C. and T.J. Warnow, The asymmetric median tree - A new model for building consensus trees **71** (1-3) (1996) 311-335
- Phillips, C.A., *see* L.A. Goldberg **71** (1-3) (1996) 111-136
- Phillips, F., *see* R. Armstrong **1** (1979) 1-14
- Phillips, N.V., A new variant of the partitioning shortest path algorithm **13** (1986) 207-212
- Piazza, B.L. and R.D. Ringeisen, Connectivity of generalized prisms over G **30** (1991) 229-233
- Piccinonno, F., *see* G. Gallo **72** (1-2) (1997) 85-98
- Picouleau, C., New complexity results on scheduling with small communication delays **60** (1-3) (1995) 331-342
- Pin, J.-E., *see* J.-M. Champarnaud **23** (1989) 91-96
- Pinter, R.Y., *see* I. Dagan **21** (1988) 35-46
- Piper, F.C., *see* C.J. Mitchell **21** (1988) 215-228
- Piper, F.C., *see* A.J. Bromfield **27** (1990) 187-193

- Pippenger, N., Knots in random walks **25** (1989) 273-278
- Pippenger, N., *see* Y. Azar **27** (1990) 49-58
- Pippenger, N., The asymptotic optimality of spider-web networks **37/38** (1992) 437-450
- Pippert, R.E., *see* K.S. Bagga **37/38** (1992) 13-28
- Pippert, R.E., *see* L.W. Beineke **68** (3) (1996) 249-258
- Pirlot, M., Synthetic description of a semiorder **31** (1991) 299-308
- Pisanski, T., *see* D. Babić **15** (1986) 11-24
- Pisinger, D., *see* U. Pferschy **77** (3) (1997) 271-280
- Pisinger, D., A fast algorithm for strongly correlated knapsack problems **89** (1-3) (1998) 197-212
- Pittel, B., *see* H.M. Mahmoud **20** (1988) 243-251
- Pixton, D., Regularity of splicing languages **69** (1-2) (1996) 101-124
- Plaisted, D.A. and S. Zaks, An NP-complete matching problem **2** (1980) 65-72
- Plateau, G., *see* D. Fayard **49** (1994) 175-187
- Plateau, G., *see* A. Freville **49** (1994) 189-212
- Plath, P.J., *see* E.C. Hass **19** (1988) 215-237
- Plávka, J., *see* P. Butkovič **23** (1989) 45-53
- Plesník, J., A heuristic for the p -center problem in graphs **17** (1987) 263-268
- Plesník, J., Heuristics for the Steiner problem in graphs **37/38** (1992) 451-463
- Pless, V.S., *see* R.A. Brualdi **25** (1989) 3-17
- Plotkin, J.M., *see* J. Franco **17** (1987) 295-299
- Plummer, M.D., *see* B. Hartnell **64** (1) (1996) 57-65
- Poblete, P.V., *see* R.G. Karlsson **6** (1983) 91-93
- Pochet, Y. and L.A. Wolsey, Integer knapsack and flow covers with divisible coefficients: polyhedra, optimization and separation **59** (1) (1995) 57-74
- Poguntke, W., On reliable graphs with static routing plans **51** (1-2) (1994) 137-146
- Polansky, O.E., *see* I. Gutman **19** (1988) 195-203
- Politof, T., *see* D. Gale **3** (1981) 175-186
- Poljak, S., V. Rödl and D. Turzík, Complexity of representation of graphs by set systems **3** (1981) 301-312
- Poljak, S., A. Pultr and V. Rödl, On qualitatively independent partitions and related problems **6** (1983) 193-205
- Poljak, S. and D. Turzík, On an application of convexity to discrete systems **13** (1986) 27-32
- Poljak, S. and D. Turzík, On pre-periods of discrete influence systems **13** (1986) 33-39
- Poljak, S., *see* M. Chrobak **20** (1988) 101-111
- Poljak, S., *see* J. Kratochvíl **36** (1992) 253-266
- Poljak, S., *see* T. Nishizeki **55** (3) (1994) 295-301
- Poljak, S. and F. Rendl, Solving the max-cut problem using eigenvalues **62** (1-3) (1995) 249-278
- Pollack, R., *see* J.E. Goodman **31** (1991) 167-180
- Pollak, P., *see* T.J.N. Brown **67** (1-3) (1996) 51-66
- Pollak, P., *see* T.J.N. Brown **75** (2) (1997) 199-200
- Popescu, D.R. and I. Tomescu, Negative cycles in complete signed graphs **68** (1-2) (1996) 145-152
- Porto, O., *see* J. Meidanis **88** (1-3) (1998) 325-354
- Posner, M.E., *see* H. Belouadah **36** (1992) 213-231
- Pospíchal, J., *see* V. Baláž **35** (1992) 1-19
- Pospíchal, J. and V. Kvasníčka, Pruning the search tree in the constructive enumeration of molecular graphs **67** (1-3) (1996) 189-207
- Potts, C.N., *see* A.M.A. Hariri **5** (1983) 99-109
- Potts, C.N., Analysis of a linear programming heuristic for scheduling unrelated parallel machines **10** (1985) 155-164
- Potts, C.N., *see* T.S. Abdul-Razaq **26** (1990) 235-253
- Potts, C.N., *see* H. Belouadah **36** (1992) 213-231
- Potts, C.N., *see* H. Belouadah **48** (1994) 201-218
- Potts, C.N., *see* A.J. Orman **72** (1-2) (1997) 141-154
- Pounder, J.R., *see* T.D. Rogers **4** (1982) 199-210
- Powers, D.L., *see* N. Abu-Jaradeh **52** (1) (1994) 1-16
- Powers, R.C., *see* F.R. McMorris **47** (1993) 47-55
- Powers, R.C., Arrow's Theorem for closed weak hierarchies **66** (3) (1996) 271-278

- Prasanna Kumar, V.K., *see* K. Heinrich 37/38 (1992) 281-286
- Preissmann, M., *see* F. Maffray 52 (3) (1994) 307-312
- Preissmann, M., *see* J. Lehel 65 (1-3) (1996) 387-407
- Prékopa, A., The discrete moment problem and linear programming 27 (1990) 235-254
- Pretolani, D., *see* F. Malucelli 47 (1993) 175-179
- Pretolani, D., *see* G. Gallo 60 (1-3) (1995) 159-179
- Price, W.L. and F.W. Woodhams, Combinatorial optimisation algorithms for a CAD workstation 26 (1990) 219-233
- Prisco, R.D. and A.D. Santis, Catastrophic faults in reconfigurable systolic linear arrays 75 (2) (1997) 105-123
- Prisner, E., Algorithms for interval catch digraphs 51 (1-2) (1994) 147-157
- Prisner, E., Clique covering and clique partition in generalizations of line graphs 56 (1) (1995) 93-98
- Prodinger, H. and F.J. Urbanek, On monotone functions of tree structures 5 (1983) 223-239
- Prodinger, H., *see* P. Kirschenhofer 25 (1989) 129-143
- Prömel, H.J. and A. Steger, Excluding induced subgraphs II: extremal graphs 44 (1993) 283-294
- Proskurowski, A., *see* A.M. Farley 2 (1980) 185-191
- Proskurowski, A., *see* S. Arnborg 23 (1989) 11-24
- Proskurowski, A., *see* J.A. Telle 44 (1993) 109-117
- Proskurowski, A., *see* A.M. Farley 53 (1-3) (1994) 37-53
- Proskurowski, A., *see* A.M. Farley 83 (1-3) (1998) 61-77
- Protasi, M., *see* G. Gambosi 73 (1) (1997) 13-22
- Provan, J.S., *see* C.J. Colbourn 60 (1-3) (1995) 119-129
- Provan, J.S., *see* M.O. Ball 85 (1) (1998) 25-45
- Provan, J.S., *see* C. Alexopoulos 91 (1-3) (1999) 25-38
- Pruhs, K.R., Using local adaptations to reconfigure a spanning tree of a network 57 (1) (1995) 67-74
- Przytycka, T., *see* D.G. Kirkpatrick 29 (1990) 79-96
- Przytycka, T., *see* M. Paterson 71 (1-3) (1996) 217-230
- Puech, C., *see* G. D'atri 4 (1982) 329-334
- Pujari, A.K., A.K. Mittal and S.K. Gupta, A convex polytope of diameter one (Note) 5 (1983) 241-242
- Pulleyblank, W.R., Fractional matchings and the Edmonds-Gallai theorem 16 (1987) 51-58
- Pulleyblank, W.R., *see* F. Barahona 16 (1987) 91-99
- Pulleyblank, W.R., *see* J.-M. Bourjolly 24 (1989) 63-82
- Pultr, A., *see* S. Poljak 6 (1983) 193-205
- Pultr, A. and J. Úlehla, Remarks on strategies in combinatorial games 12 (1985) 165-173
- Punnen, A.P., *see* M.B. Richey 39 (1992) 147-153
- Punnen, A.P. and K.P.K. Nair, Improved complexity bound for the maximum cardinality bottleneck bipartite matching problem 55 (1) (1994) 91-93
- Punnen, A.P., *see* I. Averbakh 63 (3) (1995) 201-214
- Punnen, A.P. and Y.P. Aneja, Minimum dispersion problems 75 (1) (1997) 93-102
- Qi, L., *see* E. Balas 43 (1993) 1-12
- Qiongxiang, H., *see* Z. Huaxiao 73 (1) (1997) 59-67
- Qiu, K., *see* S. Akl 34 (1991) 27-35
- Queyranne, M., *see* P.L. Hammer 30 (1991) 163-179
- Queyranne, M. and D. Sun, The performance ratio of grouping policies for the joint replenishment problem 46 (1993) 43-72
- Queyranne, M., *see* A. Hertz 65 (1-3) (1996) 1-3
- Queyranne, M. and F.C.R. Spieksma, Approximation algorithms for multi-index transportation problems with decomposable costs 76 (1-3) (1997) 239-253
- Quilliot, A. and S.X. Chao, Algorithmic characterizations of interval ordered hypergraphs and applications 51 (1-2) (1994) 159-170
- Quintas, L.V., *see* J.W. Kennedy 5 (1983) 191-209
- Quintas, L.V., *see* C.W. Haigh 7 (1984) 141-160
- Quintas, L.V., *see* R. Gross 19 (1988) 177-194
- Quintas, L.V., *see* K.T. Balińska 67 (1-3) (1996) 13-25
- Quisquater, J.J., *see* J.-C. Bermond 37/38 (1992) 575-577
- Rader, Jr, D.J., *see* E. Boros 90 (1-3) (1999) 69-88

- Radermacher, F.J., Schedule-induced posets **14** (1986) 67-91
- Ragde, P., *see* V. Grolmusz **29** (1990) 63-78
- Raghavachari, B., *see* S. Khuller **69** (3) (1996) 279-287
- Raghavachari, B., *see* S. Khuller **70** (3) (1996) 217-229
- Raghavan, P., Integer programming in VLSI design **40** (1992) 29-43
- Räihä, K.-J., *see* H. Mannila **40** (1992) 237-243
- Rais, A., *see* C.R. Coullard **66** (1) (1996) 33-43
- Rajpal, S., On paving matroids and a generalization of MDS codes **60** (1-3) (1995) 343-347
- Rall, D.F., *see* G. Gunther **46** (1993) 167-172
- Ramachandran, S., *see* H.D. Sherali **49** (1994) 357-378
- Rampon, J.-X., *see* V. Bouchitté **48** (1994) 87-92
- Rampon, J.-X., *see* S. Felsner **51** (1-2) (1994) 85-93
- Randolph, W., *see* F. Harary **67** (1-3) (1996) 127-135
- Rangan, C.P., *see* S.R. Arikati **31** (1991) 71-74
- Rangan, C.P., *see* M.V. Marathe **39** (1992) 87-93
- Rangan, C.P., *see* V. Balachandhran **69** (1-2) (1996) 169-182
- Rao, H.R., *see* S. Kaparathi **31** (1991) 279-289
- Rao, M.R., *see* S. Chopra **61** (1) (1995) 27-48
- Rao, M.R., *see* M. Conforti **62** (1-3) (1995) 103-117
- Rapaport, I., *see* J. Mazoyer **91** (1-3) (1999) 177-196
- Rardin, R.L. and M. Sudit, Paroids: a canonical format for combinatorial optimization **39** (1992) 37-56
- Rardin, R.L. and M. Sudit, Paroid search: generic local combinatorial optimization **43** (1993) 155-174
- Rardin, R.L., *see* C.R. Coullard **66** (1) (1996) 33-43
- Raspaud, A., *see* D. Barth **56** (2-3) (1995) 127-136
- Raspaud, A., *see* R. Labahn **75** (2) (1997) 157-168
- Ratliff, H.D., *see* A.V. Iyer **30** (1991) 43-52
- Ratliff, H.D., *see* C. Alexopoulos **91** (1-3) (1999) 25-38
- Ratsaby, J., *see* V. Maiorov **86** (1) (1998) 81-93
- Ravi, R., *see* M.V. Marathe **39** (1992) 87-93
- Ravi, R., *see* V. Bafna **71** (1-3) (1996) 41-53
- Ravi, R. and J.D. Kececioglu, Approximation algorithms for multiple sequence alignment under a fixed evolutionary tree **88** (1-3) (1998) 355-366
- Ravi, S.S., On the orderability problem for PLA folding (*Note*) **25** (1989) 317-320
- Ravi, S.S., *see* M.V. Marathe **64** (2) (1996) 135-149
- Ravid, Y., *see* N. Alon **27** (1990) 25-28
- Ravishankar, K. and S. Singh, Broadcasting on $[0, L]$ **53** (1-3) (1994) 299-319
- Ravishankar, K. and S. Singh, Asymptotically optimal gossiping in radio networks **61** (1) (1995) 61-82
- Rayan, J., Fractional total colouring (*Communication*) **27** (1990) 287-292
- Raychaudhuri, A., Optimal multiple interval assignments in frequency assignment and traffic phasing **40** (1992) 319-332
- Rayward-Smith, V.J., UET scheduling with unit interprocessor communication delays **18** (1987) 55-71
- Raz, Y., Interactive L systems with a fast local growth **22** (1988/89) 163-179
- Razborov, A., *see* S. Jukna **85** (3) (1998) 223-238
- Recski, A. and M. Iri, Network theory and transversal matroids **2** (1980) 311-326
- Recski, A., A network theory approach to the rigidity of skeletal structures. Part I. Modelling and interconnection **7** (1984) 313-324
- Recski, A., A network theory approach to the rigidity of skeletal structures. Part II. Laman's theorem and topological formulae **8** (1984) 63-68
- Recski, A. and W. Schwärzler, One-story buildings as tensegrity frameworks III **39** (1992) 137-146
- Reder, C., *see* J.-P. Allouche **8** (1984) 215-254
- Reed, B., Rooted routing in the plane **57** (1995) 213-227
- Reed, B., *see* H. Everett **72** (3) (1997) 209-218
- Regal, R.R., *see* S.C. Basak **19** (1988) 17-44
- Regner, S., *see* L.D. Andersen **85** (2) (1998) 99-112
- Reich, G., *see* E. Ihler **90** (1-3) (1999) 173-194

- Reid, K.B., *see* C. Cordes **14** (1986) 255-262
- Reid, K.B., The relationship between two algorithms for decisions via sophisticated majority voting with an agenda **31** (1991) 23-28
- Reid, K.B., The k -ball l -path branch weight centroid **80** (2-3) (1997) 239-246
- Reischer, C., *see* D. Simovici **15** (1986) 111-116
- Reischer, C., *see* D.A. Simovici **24** (1989) 247-260
- Reischuk, R., *see* A. Jakoby **83** (1-3) (1998) 179-206
- Rommel, J.B., *see* Ö. Eğecioğlu **34** (1991) 107-120
- Rendl, F., *see* S. Poljak **62** (1-3) (1995) 249-278
- Rescigno, A.A., *see* L. Gargano **83** (1-3) (1998) 97-119
- Ribeiro, C.C. and M. Minoux, A heuristic approach to hard constrained shortest path problems **10** (1985) 125-137
- Ribeiro, C.C., *see* C.C. De Souza **45** (1993) 205-220
- Ribeiro, C.C., *see* A. Hertz **50** (3) (1994) 255-265
- Ricciardelli, S., *see* A. Mingozzi **62** (1-3) (1995) 221-248
- Richards, D., *see* A.L. Liestman **7** (1984) 183-189
- Richards, D., *see* C. Williams **27** (1990) 267-276
- Richards, D., *see* L. Gargano **53** (1-3) (1994) 135-148
- Richards, G.W., *see* F.K. Hwang **39** (1992) 231-240
- Richelle, J., *see* R. Thomas **19** (1988) 381-396
- Richey, M.B., Improved bounds for harmonic-based bin packing algorithms **34** (1991) 203-227
- Richey, M.B. and A.P. Punnen, Minimum perfect bipartite matchings and spanning trees under categorization **39** (1992) 147-153
- Richter, R.J., *see* P.N. Delivorias **50** (3) (1994) 221-237
- Rifa, J. and L. Huguet, Classification of a class of distance-regular graphs via completely regular codes **26** (1990) 289-300
- Righini, G. and M. Trubian, Data-dependent bounds for the general and the asymmetric Stacker-Crane problems **91** (1-3) (1999) 235-242
- Riihonen, A.I., A note on perfect Lee-codes (*Communication*) **2** (1980) 259-260
- Rim, C.S., *see* J. Narasimhan **90** (1-3) (1999) 195-221
- Ringeisen, R.D., *see* B.L. Piazza **30** (1991) 229-233
- Rinnooy Kan, A.H.G., *see* J. Błażewicz **5** (1983) 11-24
- Rinnooy Kan, A.H.G., *see* M.L. Fisher **5** (1983) 65-75
- Rinnooy Kan, A.H.G., An introduction to the analysis of approximation algorithms **14** (1986) 171-185
- Rinnooy Kan, A.H.G., *see* J.B.G. Frenk **14** (1986) 187-197
- Rinnooy Kan, A.H.G., L. Stougie and C. Vercellis, A class of generalized greedy algorithms for the multi-knapsack problem **42** (1993) 279-290
- Rinnooy Kan, A.H.G., *see* A.W.J. Kolen **55** (2) (1994) 145-162
- Rival, I., *see* M.H. El-Zahar **11** (1985) 143-156
- Rival, I., *see* R. Nowakowski **27** (1990) 147-156
- Rivera-Campo, E., *see* J. Czyzowicz **50** (2) (1994) 149-157
- Rivera-Campo, E., *see* J. Czyzowicz **51** (3) (1994) 325-328
- Robert, J.-M., *see* M.E. Houle **43** (1993) 217-232
- Robert, Y. and M. Tchuente, Connection-graph and iteration-graph of monotone boolean functions **11** (1985) 245-253
- Roberts, F.S., *see* M.B. Cozzens **6** (1983) 217-228
- Roberts, F.S. and J.E. Steif, A characterization of competition graphs of arbitrary digraphs (*Note*) **6** (1983) 323-326
- Roberts, F.S., Applications of Ramsey theory **9** (1984) 251-261
- Roberts, F.S., Applications of edge coverings by cliques **10** (1985) 93-109
- Roberts, F.S. and Z. Rosenbaum, Tight and loose value automorphisms **22** (1988/89) 69-79
- Roberts, F.S., *see* P.C. Fishburn **27** (1990) 209-220
- Roberts, F.S., Meaningfulness of conclusions from combinatorial optimization **29** (1990) 221-241
- Roberts, F.S., *see* D. de Werra **30** (1991) 137-149
- Roberts, F.S., *see* K.A.S. Hefner **32** (1991) 241-262

- Roberts, F.S., *see* P.C. Fishburn **44** (1993) 261-281
- Roberts, F.S., *see* S. Kim **46** (1993) 87-92
- Roberts, F.S. and Y. Xu, On the optimal strongly connected orientations of city street graphs IV: Four east-west avenues or north-south streets **49** (1994) 331-356
- Roberts, F.S., *see* J.-P. Barthélemy **60** (1-3) (1995) 39-76
- Roberts, F.S., *see* N.V.R. Mahadev **76** (1-3) (1997) 225-238
- Roberts, F.S., *see* S.-R. Kim **78** (1-3) (1997) 153-162
- Roberts, F.S., *see* F.R. McMorris **84** (1-3) (1998) 165-181
- Roberts, F.S. and L. Sheng, Phylogeny numbers **87** (1-3) (1998) 213-228
- Robins, G., *see* W.R. Pearson **71** (1-3) (1996) 231-246
- Robinson, D.F., *see* L.R. Foulds **1** (1979) 75-87
- Robinson, R.W., *see* J.W. Kennedy **26** (1990) 121-124
- Rochat, Y., *see* A. Hertz **65** (1-3) (1996) 285-318
- Roditty, Y. and B. Shoham, On broadcasting multiple messages in a d -dimensional grid **75** (3) (1997) 277-284
- Rödl, V., *see* S. Poljak **3** (1981) 301-312
- Rödl, V., *see* C.J. Colbourn **4** (1982) 103-111
- Rödl, V., *see* S. Poljak **6** (1983) 193-205
- Rodriguez, J., *see* F.T. Boesch **59** (1) (1995) 1-10
- Rodriguez, R.V., *see* F.D. Anger **15** (1986) 1-10
- Roelants van Baronaigien, D. and F. Ruskey, Generating permutations with given ups and downs **36** (1992) 57-65
- Rogers, D.G., *see* D. Merlini **91** (1-3) (1999) 197-213
- Rogers, T.D. and J.R. Pounder, Cycle structure in discrete-density models **4** (1982) 199-210
- Rolim, J., P. Tvrdí, J. Trdlička and I. Vrto, Bisecting de Bruijn and Kautz graphs **85** (1) (1998) 87-97
- Rom, W.O., *see* M.S. Hung **13** (1986) 223-237
- Romanik, K., Directed rectangle-visibility graphs have unbounded dimension **73** (1) (1997) 35-39
- Roncato, A., *see* P. Flocchini **87** (1-3) (1998) 99-115
- Ronse, C., *see* M. Davio **5** (1983) 253-277
- Ronse, C., Minimal test patterns for connectivity preservation in parallel thinning algorithms for binary digital images **21** (1988) 67-79
- Roos, C., *see* J.P. Warners **78** (1-3) (1997) 251-282
- Roos, T., Voronoi diagrams over dynamic scenes **43** (1993) 243-259
- Rosa, A. and W.D. Wallis, Premature sets of 1-factors or how not to schedule round robin tournaments **4** (1982) 291-297
- Rosa, A., *see* C.J. Colbourn **20** (1988) 31-38
- Rosa, A., On a class of completable partial edge-colourings **35** (1992) 293-299
- Rose, G., *see* B. Alspach **6** (1983) 109-115
- Rosen, J.B., *see* B. Kalantari **16** (1987) 179-182
- Rosen, J.B., *see* P.M. Pardalos **17** (1987) 255-261
- Rosenbaum, Z., *see* F.S. Roberts **22** (1988/89) 69-79
- Rosenberg, A.L., Product-shuffle networks: toward reconciling shuffles and butterflies **37/38** (1992) 465-488
- Rosenberg, I.G., Structural rigidity II: Almost infinitesimally rigid bar frameworks **13** (1986) 41-59
- Rosenberg, I.G., *see* L. Haddad **24** (1989) 133-143
- Rosenberg, I.G., *see* M. Miyakawa **28** (1990) 231-249
- Rosenfeld, A., *see* S. Khuller **70** (3) (1996) 217-229
- Rosenfeld, M., On spanning subgraphs of 4-connected planar graphs **25** (1989) 279-287
- Rosenmüller, J. and P. Sudhölter, The nucleolus of homogeneous games with steps **50** (1) (1994) 53-76
- Rosenstiehl, P., *see* H. de Fraysseix **56** (2-3) (1995) 157-179
- Rosenthal, A., Optimal mass production (*Communication*) **2** (1980) 167-170
- Rosenthal, J.W., *see* J. Franco **17** (1987) 295-299
- Rossi, F., *see* A. Agnetis **72** (3) (1997) 243-260
- Roth, A., *see* T.J.N. Brown **67** (1-3) (1996) 51-66
- Roth, A., *see* T.J.N. Brown **75** (2) (1997) 199-200
- Rothblum, U.G., H. Schneider and M.H. Schneider, Characterizations of max-balanced flows **39** (1992) 241-261

- Rothblum, U.G., *see* F.K. Hwang 50 (1) (1994) 93-96
 Rothblum, U.G., *see* H.G. Abeledo 54 (1) (1994) 1-27
 Rothblum, U.G., *see* H. Abeledo 63 (1) (1995) 1-12
 Roubens, M. and P. Vincke, Linear orders and semiorders close to an interval order (*Note*) 6 (1983) 311-314
 Roucairol, C., A parallel branch and bound algorithm for the quadratic assignment problem 18 (1987) 211-225
 Roucairol, C., *see* T. Mautor 55 (3) (1994) 281-293
 Roucairol, C., *see* M. Davis-Moradkhan 62 (1-3) (1995) 131-165
 Roucairol, C., *see* B. Mans 66 (1) (1996) 57-74
 Rouvray, D.H., The challenge of characterizing branching in molecular species 19 (1988) 317-338
 Rován, B., *see* J. Hromkovič 32 (1991) 155-182
 Row, D., *see* J. Oxley 81 (1-3) (1998) 109-122
 Row, D., *see* D. Palmer 86 (2-3) (1998) 249-262
 Rowlinson, P., *see* D. Cvetković 62 (1-3) (1995) 119-130
 Rowlinson, P., The characteristic polynomials of modified graphs 67 (1-3) (1996) 209-219
 Royle, G.F., *see* R. Davies 74 (3) (1997) 217-228
 Rozenberg, G., *see* A. Ehrenfeucht 2 (1980) 73-76
 Rozenberg, G. and R. Verraedt, Synchronized and desynchronized EOL forms 2 (1980) 233-247
 Rozenberg, G., *see* A. Ehrenfeucht 3 (1981) 235-255
 Rozenberg, G. and A. Salomaa, Table systems with unconditional transfer (*Communication*) 3 (1981) 319-322
 Rozenberg, G., *see* A. Ehrenfeucht 4 (1982) 11-22
 Rozenberg, G. and R. Verraedt, A note on the similarity depth (*Communication*) 4 (1982) 237-241
 Rozenberg, G. and R. Verraedt, The goodness of S, a -EOL forms is decidable 6 (1983) 263-299
 Rozenberg, G., *see* A. Ehrenfeucht 8 (1984) 313-317
 Rozenberg, G., *see* I.J.J. Aalbersberg 11 (1985) 299-306
 Rozenberg, G., *see* A. Ehrenfeucht 12 (1985) 115-122
 Rozenberg, G. and R. Verraedt, On erasing in EOL forms 12 (1985) 175-189
 Rozenberg, G., *see* I.J.J. Aalbersberg 13 (1986) 79-85
 Rozenberg, G. and E. Welzl, Combinatorial properties of boundary NLC graph languages 16 (1987) 59-73
 Rozenberg, G., *see* A. Ehrenfeucht 32 (1991) 103-129
 Rozenberg, G., *see* A. Mateescu 84 (1-3) (1998) 145-163
 Ruciński, A., *see* Z. Palka 15 (1986) 75-83
 Rudolf, R., Recognition of d -dimensional Monge arrays 52 (1) (1994) 71-82
 Rudolf, R., *see* B. Klinz 60 (1-3) (1995) 223-248
 Rudolf, R., *see* B. Klinz 63 (1) (1995) 43-74
 Rudolf, R., *see* R.E. Burkard 65 (1-3) (1996) 123-139
 Rudolf, R., *see* R.E. Burkard 70 (2) (1996) 95-161
 Ruf, B., *see* E. Kranakis 77 (3) (1997) 237-257
 Ruiz, S., *see* G.S. Bloom 49 (1994) 61-75
 Ruohonen, K., A note on off-line machines with 'Brownian' input heads 9 (1984) 69-75
 Ruohonen, K., *see* A. Ehrenfeucht 12 (1985) 115-122
 Ruskey, F., *see* D. Roelants van Baronaigien 36 (1992) 57-65
 Ruskey, F., M. Jiang and A. Weston, The Hamiltonicity of directed σ - τ Cayley graphs (Or: A tale of backtracking) 57 (1) (1995) 75-83
 Rusu, I., *see* V. Giakoumakis 80 (2-3) (1997) 255-261
 Ryabko, B.Ya., *see* R.E. Krichevskii 3 (1981) 67-72
 Ryabko, B.Ya., *see* R.E. Krichevsky 12 (1985) 293-302
 Ryan, C.T. and K.M. Ryan, The minimum weight of the Grassmann codes $C(k, n)$ 28 (1990) 149-156
 Ryan, C.T., Linear sections of the general linear group: A geometric approach (*Note*) 35 (1992) 81-86
 Ryan, J., The structure of an integral monoid and integer programming feasibility 28 (1990) 251-263
 Ryan, J., *see* D.C. Llewellyn 45 (1993) 261-275
 Ryan, J., *see* D.C. Fisher 50 (1994) 89-91
 Ryan, J., The depth and width of local minima in discrete solution spaces 56 (1) (1995) 75-82
 Ryan, J., *see* D.C. Fisher 56 (1) (1995) 87-91
 Ryan, K.M., *see* C.T. Ryan 28 (1990) 149-156
 Sabatier, G., *see* M. Hucher 2 (1980) 255-257

- Sachs, H. and H. Zernitz, Remark on the dimer problem **51** (1-2) (1994) 171-179
- Sack, J.-R., *see* E. Kranakis **75** (1) (1997) 71-80
- Saclé, J.-F., *see* M. Mahéo **53** (1-3) (1994) 275-285
- Saclé, J.-F., *see* M. Mahéo **53** (1-3) (1994) 287-290
- Sagiv, Y. and Y. Saraiya, Minimizing restricted-fanout queries **40** (1992) 245-264
- Saheb, N., Concurrency measure in commutation monoids **24** (1989) 223-236
- Saigal, R., *see* P.C. Jones **13** (1986) 131-156
- Saito, N., *see* K. Takamizawa **3** (1981) 75-76
- Saito, N., *see* T. Asano **7** (1984) 1-15
- Saito, N., *see* A. Frank **40** (1992) 363-378
- Saito, S., *see* K. Fukuda **31** (1991) 141-149
- Saito, S., *see* K. Fukuda **31** (1991) 151-165
- Sajith, G. and S. Saxena, Optimal parallel algorithm for Brooks' colouring bounded degree graphs in logarithmic time on EREW PRAM **64** (3) (1996) 249-265
- Sajo, A., On subword complexity functions (*Communication*) **8** (1984) 209-212
- Sakai Troxell, D., No-hole k -tuple $(r+1)$ -distant colorings **64** (1) (1996) 67-85
- Sakata, S., Two-dimensional shift register synthesis and Gröbner bases for polynomial ideals over an integer residue ring **33** (1991) 191-203
- Saks, M. and R. Statman, An intersection problem for finite automata **21** (1988) 245-255
- Sali, A., *see* J. Demetrovics **40** (1992) 139-153
- Salkin, H.M., *see* C.-H.M. Lin **6** (1983) 149-156
- Sallee, J.F., A note on minimal triangulations of an n -cube **4** (1982) 211-215
- Salomaa, A., *see* H.A. Maurer **3** (1981) 119-135
- Salomaa, A., *see* H.A. Maurer **3** (1981) 289-299
- Salomaa, A., *see* G. Rozenberg **3** (1981) 319-322
- Salomaa, A., *see* K. Culik **4** (1982) 149-152
- Salomaa, A., Simple reductions between DOL language and sequence equivalence problems (*Note*) **41** (93) 271-274
- Salomaa, A., *see* G. Păun **61** (3) (1995) 257-270
- Salomaa, A., *see* A. Mateescu **84** (1-3) (1998) 145-163
- Salomon, M., *see* S. Van Hoesel **48** (1994) 289-303
- Salowe, J.S., Euclidean spanner graphs with degree four **54** (1) (1994) 55-66
- Saltzman, M.J., *see* E. Balas **23** (1989) 201-229
- Sampson, A.R., *see* T.T. Nguyen **11** (1985) 187-205
- Sanchis, L.A., Generating hard and diverse test sets for NP-hard graph problems **58** (1) (1995) 35-66
- Sandholzer, W., *see* R.E. Burkard **32** (1991) 61-76
- Sankoff, D. and J.H. Nadeau, Conserved syntenies as a measure of genomic distance **71** (1-3) (1996) 247-257
- Sanlaville, E., Nearly on line scheduling of preemptive independent tasks **57** (2-3) (1995) 229-241
- Sanlaville, E., *see* Z. Liu **58** (3) (1995) 253-280
- Santis, A.D., *see* R.D. Prisco **75** (2) (1997) 105-123
- Santoro, N., *see* J. Czyzowicz **50** (2) (1994) 149-157
- Santoro, N., *see* P. Flocchini **87** (1-3) (1998) 99-115
- Santos, C., *see* D. Naddef **21** (1988) 133-145
- Saraiya, Y., *see* Y. Sagiv **40** (1992) 245-264
- Sarkar, P. and R. Barua, The set of reversible 90/150 cellular automata is regular **84** (1-3) (1998) 199-213
- Sarmiento, J., *see* F.D. Anger **15** (1986) 1-10
- Sarrafzadeh, M., *see* R.D. Lou **40** (1992) 433-457
- Saruwatari, Y., *see* M. Shigeno **56** (2-3) (1995) 333-343
- Sarvate, D.G., *see* J. Hammer **16** (1987) 151-155
- Sassano, A., *see* C. De Simone **41** (93) 121-129
- Satyan, C.R. and C. Pandu Rangan, The parity path problem on some subclasses of perfect graphs **68** (3) (1996) 293-302
- Satyanarayana, A., *see* C.J. Colbourn **44** (1993) 221-232
- Savage, C.D., *see* T.M. Barnes **78** (1-3) (1997) 17-26
- Savelsbergh, M., *see* G. Kindervater **42** (1993) 211-225

- Saviozzi, G., On degeneracy in linear complementarity problems (*Communication*) **11** (1985) 311-314
- Saxe, J.B., On the number of range queries in k -space **1** (1979) 217-225
- Saxena, S., *see* G. Sajith **64** (3) (1996) 249-265
- Schaar, G., Remarks on Hamiltonian properties of powers of digraphs **51** (1-2) (1994) 181-186
- Schaefer, D., *see* J.M. Klein **36** (1992) 25-34
- Schäffer, A.A., *see* J. Feigenbaum **12** (1985) 123-138
- Schäffer, A.A., Recognizing brittle graphs: remarks on a paper of Hoàng and Khouzam **31** (1991) 29-35
- Schäffer, A.A., A faster algorithm to recognize undirected path graphs **43** (1993) 261-295
- Schäffer, A.A., *see* F. Aurenhammer **52** (1) (1994) 17-28
- Schäffter, M., Drawing graphs on rectangular grids **63** (1) (1995) 75-89
- Schäffter, M.W., Scheduling with forbidden sets **72** (1-2) (1997) 155-166
- Scheffer, P., *see* K. Jansen **75** (2) (1997) 135-155
- Scheffler, P., *see* A. Parra **79** (1-3) (1997) 171-188
- Scheinerman, E.R. and J.C. Wierman, Optimal and near-optimal broadcast in random graphs **25** (1989) 289-297
- Scheinerman, E.R., *see* A.S. Fraenkel **30** (1991) 155-162
- Scheinerman, E.R. and A. Trenk, On generalized perfect graphs: bounded degree and bounded edge perfection **44** (1993) 233-245
- Schelp, R.H., *see* A. Gyárfás **85** (2) (1998) 139-147
- Schelten, A. and I. Schiermeyer, Ramsey numbers $r(K_3, G)$ for connected graphs G of order seven **79** (1-3) (1997) 189-200
- Schelten, U. and I. Schiermeyer, Small cycles in Hamiltonian graphs **79** (1-3) (1997) 201-211
- Schibell, S.T. and R.M. Stafford, Processor interconnection networks from Cayley graphs **40** (1992) 333-357
- Schieber, B., *see* Z. Galil **20** (1988) 173-175
- Schieber, B. and U. Vishkin, Finding all nearest neighbors for convex polygons in parallel: A new lower bound technique and a matching algorithm **29** (1990) 97-111
- Schieber, B., *see* P.K. Agarwal **31** (1991) 97-111
- Schieber, B., *see* A. Bar-Noy **58** (3) (1995) 213-222
- Schieber, B., *see* L. Cai **73** (1) (1997) 27-34
- Schiermeyer, I., *see* H.J. Broersma **51** (1-2) (1994) 39-46
- Schiermeyer, I., *see* A. Schelten **79** (1-3) (1997) 189-200
- Schiermeyer, I., *see* U. Schelten **79** (1-3) (1997) 201-211
- Schilling, K., Random knapsacks with many constraints **48** (1994) 163-174
- Schilling, K.E., *see* J.W. Mamer **28** (1990) 223-230
- Schindelhauer, C., *see* A. Jakoby **83** (1-3) (1998) 179-206
- Schlipf, J.S., *see* K.A. Berman **60** (1-3) (1995) 77-91
- Schmeichel, E., *see* D. Bauer **28** (1990) 191-195
- Schmeichel, E., *see* D. Bauer **79** (1-3) (1997) 35-44
- Schmeichel, E.F., *see* A. Bagchi **64** (2) (1996) 105-116
- Schmidt, B.H., *see* K. Mehlhorn **15** (1986) 315-327
- Schmidt, G., *see* J. Błazewicz **28** (1990) 11-20
- Schmidt, G., *see* M. Pattloch **65** (1-3) (1996) 409-419
- Schmitt, W.R. and M.S. Waterman, Linear trees and RNA secondary structure **51** (3) (1994) 317-323
- Schneider, H., *see* U.G. Rothblum **39** (1992) 241-261
- Schneider, M.H., *see* P.C. Jones **13** (1986) 131-156
- Schneider, M.H., *see* U.G. Rothblum **39** (1992) 241-261
- Schneider, R.F., *see* D.D. Klingman **13** (1986) 183-206
- Schneider, T.D. and D.N. Mastrorade, Fast multiple alignment of ungapped DNA sequences using information theory and a relaxation method **71** (1-3) (1996) 259-268
- Schöbel, A., *see* H. Martini **89** (1-3) (1998) 181-195
- Schönheim, J., *see* F. Gavril **4** (1982) 181-191
- Schrader, R., Approximations to clustering and subgraph problems on trees **6** (1983) 301-309
- Schrader, R., *see* U. Derigs **15** (1986) 241-248
- Schrader, R., *see* U. Faigle **15** (1986) 261-269
- Schrader, R., *see* A. von Arnim **28** (1990) 3-9

- Schrader, R., *see* U. Faigle 35 (1992) 73-79
- Schrader, R., *see* U. Faigle 40 (1992) 19-28
- Schrader, R. and G. Wambach, The setup polyhedron of series-parallel posets 79 (1-3) (1997) 213-221
- Schrefl, M., *see* G. Gottlob 40 (1992) 187-216
- Schreiber, G., *see* T. Andreae 79 (1-3) (1997) 3-34
- Schreuder, J.A.M., *see* M. Čangalović 35 (1992) 177-195
- Schreuder, J.A.M., Combinatorial aspects of construction of competition Dutch Professional Football Leagues 35 (1992) 301-312
- Schrijver, A., Polyhedral proof methods in combinatorial optimization 14 (1986) 111-133
- Schulz, A.S., The permutahedron of series-parallel posets 57 (1) (1995) 85-90
- Schulz, A.S., *see* A. von Arnim 72 (1-2) (1997) 179-192
- Schuster, G.W., *see* T. Andreae 79 (1-3) (1997) 3-34
- Schuster, P., *see* I.L. Hofacker 88 (1-3) (1998) 207-237
- Schütte, H., *see* H.J. Bandelt 16 (1987) 191-215
- Schwander, P., *see* P. Fishburn 75 (1) (1997) 39-61
- Schwarzkopf, O., *see* M. Aigner 61 (3) (1995) 187-194
- Schwärzler, W., *see* A. Recski 39 (1992) 137-146
- Schwing, J.L., *see* D. Bhagavathi 77 (3) (1997) 201-220
- Scott, A.D., Better bounds for perpetual gossiping 75 (2) (1997) 189-197
- Scott, D.D., The competition-common enemy graph of a digraph 17 (1987) 269-280
- Scutellà, M.G., A strongly polynomial algorithm for the uniform balanced network flow problem 81 (1-3) (1998) 123-131
- Seager, S., *see* C. Cable 23 (1989) 231-241
- Seager, S.M., The double competition number of some triangle-free graphs 28 (1990) 265-269
- Sebő, A. and Z. Waksman, Optimal binary trees with order constraints 91 (1-3) (1999) 305-311
- Séébold, P., Sequences generated by infinitely iterated morphisms 11 (1985) 255-264
- Séébold, P., *see* J. Berstel 46 (1993) 275-281
- Segal, M. and D.M. Topkis, Acyclic k -connected subgraphs for distributed alternate routing in communications networks 22 (1988/89) 181-189
- Séguin, G.E., Low complexity normal bases for $F_{2^{mn}}$ (Communication) 28 (1990) 308-312
- Seifter, N., *see* S. Klavžar 59 (2) (1995) 129-136
- Seitz, W.A., D.J. Klein and G.E. Hite, Interacting dimers on a Sierpinski gasket 19 (1988) 339-348
- Sekharan, C.N., *see* K. Han 77 (1) (1997) 59-71
- Sekiguchi, Y., A decomposition theory based on a dominance relation and composite jobs 17 (1987) 187-211
- Sen, S. and H.D. Sherali, A branch and bound algorithm for extreme point mathematical programming problems 11 (1985) 265-280
- Senechal, M., Color groups 1 (1979) 51-73
- Seneta, E. and W.L. Steiger, A new lad curve-fitting algorithm: Slightly overdetermined equation systems in L_1 7 (1984) 79-91
- Seng, H., *see* T. Andreae 79 (1-3) (1997) 3-34
- Serafini, P., *see* C.H. Papadimitriou 42 (1993) 271-278
- Serra, O., *see* Y.O. Hamidoune 37/38 (1992) 275-280
- Servatius, B., *see* A. Bagchi 60 (1-3) (1995) 25-37
- Sessa, C., *see* A. Dickenstein 33 (1991) 73-94
- Setaro, G., *see* L. Gargano 36 (1992) 299-306
- Sevast'janov, S.V., On some geometric methods in scheduling theory: a survey 55 (1) (1994) 59-82
- Seyffarth, K., *see* M. Fellows 61 (2) (1995) 133-153
- Sgall, J., *see* D. Boneh 71 (1-3) (1996) 79-94
- Shafransky, Y.M., *see* M.Y. Kovalyov 84 (1-3) (1998) 253-257
- Shahrokhi, F., *see* D.W. Matula 27 (1990) 113-123
- Shakhlevich, N.V., *see* Y.N. Sotskov 59 (3) (1995) 237-266
- Shallit, J., *see* P. Enflo 52 (3) (1994) 275-285
- Shamir, R., *see* D.S. Hochbaum 28 (1990) 45-57
- Shamir, R., *see* I. Adler 44 (1993) 21-38
- Shamir, R., *see* E. Boros 49 (1994) 77-93

- Shamir, R., *see* S. Istrail 71 (1-3) (1996) 1-4
- Shao, J.Y. and Q. Li, On the index of maximum density for irreducible Boolean matrices 21 (1988) 147-156
- Shao, J., *see* R.A. Brualdi 74 (3) (1997) 275-293
- Shapiro, L., Random walks with absorbing points 39 (1992) 57-67
- Shapiro, L.W., S. Getu, W.-J. Woan and L.C. Woodson, The Riordan group 34 (1991) 229-239
- Shastri, A., Time-relaxed broadcasting in communication networks 83 (1-3) (1998) 263-278
- Shawe-Taylor, J., M. Anthony and N.L. Biggs, Bounding sample size with the Vapnik-Chervonenkis dimension 42 (1993) 65-73
- Shawe-Taylor, J., *see* M. Anthony 47 (1993) 207-217
- Shawe-Taylor, J., *see* M. Anthony 61 (1) (1995) 1-25
- Shawe-Taylor, J., *see* J. Wood 69 (1-2) (1996) 33-60
- Shawe-Taylor, J., *see* M. Anthony 77 (1) (1997) 1-12
- Sheikh, S.A., *see* P. Solé 37/38 (1992) 501-510
- Shen, X., C.L. Liu, Y.Z. Cai and C.P. Kruskal, Generalized Latin squares I 25 (1989) 155-178
- Sheng, L., *see* F.S. Roberts 87 (1-3) (1998) 213-228
- Shengyuan, Z., On the nonexistence of extremal self-dual codes 91 (1-3) (1999) 277-286
- Shepp, L., *see* P. Fishburn 75 (1) (1997) 39-61
- Sher, D.B., *see* X. He 59 (1) (1995) 33-50
- Sherali, H.D. and C.M. Shetty, A finitely convergent procedure for facial disjunctive programs 4 (1982) 135-148
- Sherali, H.D., *see* S. Sen 11 (1985) 265-280
- Sherali, H.D. and D.C. Myers, Dual formulations and subgradient optimization strategies for linear programming relaxations of mixed-integer programs 20 (1988) 51-68
- Sherali, H.D., S. Ramachandran and S. Kim, A localization and reformulation discrete programming approach for the rectilinear distance location-allocation problem 49 (1994) 357-378
- Sherali, H.D. and W.P. Adams, A hierarchy of relaxations and convex hull characterizations for mixed-integer zero-one programming problems 52 (1) (1994) 83-106
- Sherali, H.D. and Y. Lee, Tighter representations for set partitioning problems 68 (1-2) (1996) 153-167
- Shermer, T.C., *see* A.L. Liestman 68 (1-2) (1996) 119-144
- Shetty, C.M., *see* H.D. Sherali 4 (1982) 135-148
- Shi, C.-J. and J.A. Brzozowski, A characterization of signed hypergraphs and its applications to VLSI via minimization and logic synthesis 90 (1-3) (1999) 223-243
- Shi, W., *see* A. Bagchi 60 (1-3) (1995) 25-37
- Shibata, Y., *see* T. Hasunuma 78 (1-3) (1997) 103-116
- Shier, D., *see* R. Laskar 6 (1983) 139-147
- Shier, D.R., Some aspects of perfect elimination orderings in chordal graphs 7 (1984) 325-331
- Shier, D.R., *see* P.M. Dearing 20 (1988) 181-190
- Shier, D.R., E.J. Valvo and R.E. Jamison, Generating the states of a binary stochastic system 37/38 (1992) 489-500
- Shigeno, M., Y. Saruwatari and T. Matsui, An algorithm for fractional assignment problems 56 (2-3) (1995) 333-343
- Shigeno, M. and S. Iwata, A cost-scaling algorithm for 0-1 submodular flows 73 (3) (1997) 261-273
- Shih, W.-K. and W.-L. Hsu, An $O(n^{1.5})$ algorithm to color proper circular arcs (Note) 25 (1989) 321-323
- Shimony, S.E., *see* A.A. Melkman 73 (1) (1997) 23-26
- Shing, M.T. and T.C. Hu, A decomposition algorithm for multi-terminal network flows 13 (1986) 165-181
- Shinoda, S., On the characteristic polynomial of the adjacency matrix of the subdivision graph of a graph (Note) 2 (1980) 349-351
- Shiode, S., *see* H. Ishii 3 (1981) 263-273
- Shioura, A., Minimization of an M-convex function 84 (1-3) (1998) 215-220
- Shiourat, A., A constructive proof for the induction of M-convex functions through networks 82 (1-3) (1998) 271-278
- Shiu, W.C. and P.C.B. Lam, The Wiener number of the hexagonal net 73 (2) (1997) 101-111
- Shiu, W.C., C.S. Tong and P.C.B. Lam, Wiener number of hexagonal jagged-rectangles 80 (1) (1997) 83-96
- Shmoys, D.B., *see* D.B. West 8 (1984) 295-305
- Shoham, B., *see* Y. Roditty 75 (3) (1997) 277-284

- Shuchat, A., *see* R. Shull 23 (1989) 267-283
- Shuchat, A., *see* R. Shull 41 (93) 13-53
- Shull, R., J.B. Orlin, A. Shuchat and M.L. Gardner, The structure of bases in bicircular matroids 23 (1989) 267-283
- Shull, R., A. Shuchat, J.B. Orlin and M. Lepp, Recognizing hidden bicircular networks 41 (93) 13-53
- Shull, R. and A.N. Trenk, Cliques that are tolerance digraphs 80 (2-3) (1997) 119-134
- Shum, H. and L.E. Trotter Jr, Cardinality-restricted chains and antichains in partially ordered sets 65 (1-3) (1996) 421-439
- Shyr, H.J., *see* M. Ito 24 (1989) 187-196
- Shyr, H.J. and S.S. Yu, The single loop representations of regular languages 82 (1-3) (1998) 219-229
- Siegrist, K.T., A.T. Amin and P.J. Slater, The optimal unicyclic graphs for pair-connected reliability 41 (93) 235-243
- Sierksma, G., The skeleton of the symmetric Traveling Salesman Polytope 43 (1993) 63-74
- Sierksma, G., Interchange graphs and the Hamiltonian cycle polytope 81 (1-3) (1998) 217-224
- Sierksma, G., *see* M. Libura 87 (1-3) (1998) 159-185
- Sievers, B., *see* P. Brucker 49 (1994) 107-127
- Sill, J., The capacity of monotonic functions 86 (1) (1998) 95-107
- Silverberg, E.B., *see* E.M. Arkin 18 (1987) 1-8
- Simchi-Levi, D., *see* C.-L. Li 26 (1990) 105-115
- Simchi-Levi, D., *see* C.-L. Li 36 (1992) 267-292
- Simeone, B., *see* U.N. Peled 12 (1985) 57-69
- Simeone, B., *see* P. Hansen 14 (1986) 269-281
- Simeone, B., An asymptotically exact polynomial algorithm for equipartition problems 14 (1986) 283-293
- Simeone, B., *see* P. Hansen 29 (1990) 187-193
- Simeone, B., D. de Werra and M. Cochand, Recognition of a class of unimodular functions 29 (1990) 243-250
- Simeone, B., *see* M. Lucertini 42 (1993) 227-256
- Simeone, B., *see* U.N. Peled 49 (1994) 309-323
- Simeone, B., *see* Y. Liu 81 (1-3) (1998) 69-91
- Simić, S., *see* D. Cvetković 62 (1-3) (1995) 119-130
- Simion, R.E., Finite automata for languages of combinatorial interest: An order theoretical point of view 24 (1989) 237-246
- Simonyi, G., *see* G. Cohen 24 (1989) 103-114
- Simovici, D. and C. Reischer, Iterative characterizations of Boolean algebras (Note) 15 (1986) 111-116
- Simovici, D.A. and C. Reischer, An algebraic point of view of the data structures of database systems 24 (1989) 247-260
- Sinden, F.W., Coloring drawings of bipartite graphs: A problem in automated assembly 41 (93) 55-68
- Singh, S., *see* K. Ravishankar 53 (1-3) (1994) 299-319
- Singh, S., *see* K. Ravishankar 61 (1) (1995) 61-82
- Singhal, S., *see* G.L. Thompson 10 (1985) 179-195
- Sit, W.Y., *see* D. Goldfarb 1 (1979) 277
- Skiena, S.S., *see* T. Chen 71 (1-3) (1996) 269-295
- Skordev, G., *see* J.-P. Allouche 66 (1) (1996) 1-22
- Skorin-Kapov, D., *see* D. Granot 48 (1994) 129-145
- Skorin-Kapov, J., *see* F. Granot 41 (93) 139-146
- Skorobogatov, A.N., The parameters of subcodes of algebraic-geometric codes over prime subfields 33 (1991) 205-214
- Skowrońska, M. and M.M. Sysło, An algorithm to recognize a middle graph 7 (1984) 201-208
- Skowrońska, M., The binding number of Halin graphs (Note) 22 (1988/89) 93-97
- Skrien, D., Chronological orderings of interval graphs 8 (1984) 69-83
- Slanina, Z., Chemical graphs enumeration and chemical reactivity: Thermodynamic and kinetic considerations 19 (1988) 349-365
- Slater, P.J., Accretion centers: A generalization of branch weight centroids 3 (1981) 187-192
- Slater, P.J., *see* K.T. Siegrist 41 (93) 235-243
- Slater, P.J., *see* D.L. Grinstead 54 (2-3) (1994) 151-168
- Slobodová, A., *see* J. Hromkovič 32 (1991) 155-182

- Smetanich, Y.S., Y.B. Kazanovich and V.V. Kornilov, A combinatorial approach to the problem of self-assembly **57** (1) (1995) 45-65
- Smith, J.M. and B. Toppur, Euclidean Steiner minimal trees, minimum energy configurations, and the embedding problem of weighted graphs in E^3 **71** (1-3) (1996) 187-215
- Smith, T.H.C., T.W.S. Meyer and G.L. Thompson, Lower bounds for the symmetric travelling salesman problem from Lagrangean relaxations **26** (1990) 209-217
- Smriglio, S., see C. Arbib **92** (1) (1999) 1-15
- Smuga-Otto, M.J., see H.L. Abbott **61** (2) (1995) 177-180
- Smutnicki, C., see E. Nowicki **46** (1993) 21-41
- Smutnicki, C., see E. Nowicki **48** (1994) 69-79
- Sniedovich, M., C-programming problems: A class of non-linear optimization problems (*Communication*) **9** (1984) 301-305
- Snir, M., see C.P. Kruskal **37/38** (1992) 359-385
- Soardi, P.M. and W. Woess, Uniqueness of currents in infinite resistive networks **31** (1991) 37-49
- Solé, P. and A. Ghafoor, The covering radius of doubled 2-designs in $2O_k$ **33** (1991) 215-224
- Solé, P., A. Ghafoor and S.A. Sheikh, The covering radius of Hadamard codes in odd graphs **37/38** (1992) 501-510
- Solé, P. and T. Zaslavsky, The covering radius of the cycle code of a graph **45** (1993) 63-70
- Solé, P., Expanding and forwarding **58** (1) (1995) 67-78
- Solé, P., see S. Litsyn **82** (1-3) (1998) 177-191
- Solel, N., see E. Korach **43** (1993) 97-101
- Soma, N.Y., see H.H. Yanasse **18** (1987) 235-245
- Soma, N.Y., A.S.I. Zinober, H.H. Yanasse and P.J. Harley, A polynomial approximation scheme for the subset sum problem **57** (2-3) (1995) 243-253
- Somers, J. and I. Adler, The max-flow problem with parametric capacities **1** (1979) 287-300
- Soneoka, T., H. Nakada and M. Imase, Design of a d -connected digraph with a minimum number of edges and a quasiminimal diameter **27** (1990) 255-265
- Soneoka, T., Super edge-connectivity of dense digraphs and graphs **37/38** (1992) 511-523
- Soneoka, T., M. Imase and Y. Manabe, Design of a d -connected digraph with a minimum number of edges and a quasiminimal diameter: II **64** (3) (1996) 267-279
- Song, X., see X. Tan **90** (1-3) (1999) 245-255
- Sontag, E.D., see P. Koiran **86** (1) (1998) 63-79
- Sorkin, G.B., see M. Jerrum **82** (1-3) (1998) 155-175
- Soroker, D., see P.B. Gibbons **29** (1990) 35-62
- Soroker, D., Optimal parallel construction of prescribed tournaments **29** (1990) 113-125
- Sotomayor, M., see D. Gale **11** (1985) 223-232
- Sotomayor, M., see G. Demange **16** (1987) 217-222
- Sotskov, Y.N. and N.V. Shakhlevich, NP-hardness of shop-scheduling problems with three jobs **59** (3) (1995) 237-266
- Sotskov, Yu.N., V.K. Leontev and E.N. Gordeev, Some concepts of stability analysis in combinatorial optimization **58** (2) (1995) 169-190
- Sotheau, D., see M.C. Heydemann **23** (1989) 103-123
- Sotheau, D., see M.C. Heydemann **37/38** (1992) 287-296
- Sotheau, D., see M.C. Heydemann **37/38** (1992) 297-317
- Sotheau, D., see A. Germa **83** (1-3) (1998) 135-155
- Soumis, F., see S. Martello **75** (2) (1997) 169-188
- Spadoni, M., see A. Mingozzi **62** (1-3) (1995) 221-248
- Spangher, W., On Bayer's deformation and the associativity formula **33** (1991) 225-233
- Speckenmeyer, E., see B. Monien **10** (1985) 287-295
- Spencer, J., see P. Erdős **30** (1991) 151-154
- Spencer, J., Threshold spectra via the Ehrenfeucht game **30** (1991) 235-252
- Spencer, J., see N. Alon **57** (1) (1995) 1-10
- Speranza, M.G., see L. Bianco **62** (1-3) (1995) 35-50
- Speranza, M.G., see P. Dell'Olmo **72** (1-2) (1997) 71-84
- Spieker, B., The set of super-stable marriages forms a distributive lattice **58** (1) (1995) 79-84

- Spieksma, F.C.R., *see* H.-J. Bandelt 49 (1994) 25-50
- Spieksma, F.C.R., *see* M. Queyranne 76 (1-3) (1997) 239-253
- Spinrad, J., A. Brandstädt and L. Stewart, Bipartite permutation graphs 18 (1987) 279-292
- Spinrad, J., P_4 -trees and substitution decomposition 39 (1992) 263-291
- Spinrad, J. and R. Sritharan, Algorithms for weakly triangulated graphs 59 (2) (1995) 181-191
- Spinrad, J.P. and G. Vijayan, Worst case analysis of a graph coloring algorithm (*Note*) 12 (1985) 89-92
- Spinrad, J.P., *see* R.B. Borie 91 (1-3) (1999) 287-292
- Sprague, A., *see* T.-H. Lai 12 (1985) 303-318
- Sprague, A.P. and H. Tamaki, Routings for involutions of a hypercube 48 (1994) 175-186
- Sprugnoli, R., *see* D. Merlini 91 (1-3) (1999) 197-213
- Sreenivasa Kumar, P. and C.E. Veni Madhavan, Minimal vertex separators of chordal graphs 89 (1-3) (1998) 155-168
- Sridhar, R., *see* K. Han 77 (1) (1997) 59-71
- Srinivas, M.A., Matroid optimization with generalized constraints 63 (2) (1995) 161-174
- Srinivasan, A., *see* D.G. Kirkpatrick 89 (1-3) (1998) 143-153
- Srinivasan, M.K., *see* U.N. Peled 29 (1990) 211-219
- Sritharan, R., *see* J. Spinrad 59 (2) (1995) 181-191
- Srivastav, A. and P. Stangier, Weighted fractional and integral k -matching in hypergraphs 57 (2-3) (1995) 255-269
- Srivastav, A. and P. Stangier, Tight approximations for resource constrained scheduling and bin packing 79 (1-3) (1997) 223-245
- Srivastava, B., *see* B. Chen 66 (1) (1996) 81-94
- Stacho, L. and I. Vrt'o, Bisection widths of transposition graphs 84 (1-3) (1998) 221-235
- Stadje, W., Selecting jobs for scheduling on a machine subject to failure 63 (3) (1995) 257-265
- Stadler, P.F., *see* I.L. Hofacker 88 (1-3) (1998) 207-237
- Stafford, R.M., *see* S.T. Schibell 40 (1992) 333-357
- Stallaert, J.I.A., The complementary class of generalized flow cover inequalities 77 (1) (1997) 73-80
- Stangier, P., *see* A. Srivastav 57 (2-3) (1995) 255-269
- Stangier, P., *see* A. Srivastav 79 (1-3) (1997) 223-245
- Stanley, R.P., On dimer coverings of rectangles of fixed width 12 (1985) 81-87
- Stanley, R.P., Some applications of algebra to combinatorics 34 (1991) 241-277
- Statman, R., *see* M. Saks 21 (1988) 245-255
- Stee, R., *see* D. Palmer 86 (2-3) (1998) 249-262
- Steel, M., M.D. Hendy and D. Penny, Reconstructing phylogenies from nucleotide pattern probabilities: A survey and some new results 88 (1-3) (1998) 367-396
- Steel, M., *see* V. Moulton 91 (1-3) (1999) 215-233
- Steel, M.A., Distributions on bicoloured binary trees arising from the principle of parsimony 41 (93) 245-261
- Steele, J.M. and W.L. Steiger, Algorithms and complexity for least median of squares regression 14 (1986) 93-100
- Steele, J.M., On Frieze's $\zeta(3)$ limit for lengths of minimal spanning trees (*Note*) 18 (1987) 99-103
- Steger, A., *see* H.J. Prömel 44 (1993) 283-294
- Steif, J.E., *see* F.S. Roberts 6 (1983) 323-326
- Steiger, W.L., *see* E. Seneta 7 (1984) 79-91
- Steiger, W.L., *see* J.M. Steele 14 (1986) 93-100
- Stein, C., *see* C. Armen 88 (1-3) (1998) 29-57
- Steiner, G., A compact labeling scheme for series-parallel graphs 11 (1985) 281-297
- Steiner, G., *see* J.S. Deogun 39 (1992) 165-172
- Steiner, G., Minimizing the number of tardy jobs with precedence constraints and agreeable due dates 72 (1-2) (1997) 167-177
- Steinparz, F.X., *see* J.R. Mühlbacher 9 (1984) 235-244
- Steinsaltz, D., Fluctuation bounds for sock-sorting and other stochastic processes 86 (1) (1998) 109-123
- Stelling, P., *see* D. Gusfield 88 (1-3) (1998) 167-180
- Stephens, P.W., Gap strings and spanning forests for bridge graphs of biconnected graphs 69 (1-2) (1996) 125-145
- Steppat, H., *see* M. Kunde 10 (1985) 165-177

- Stewart, I.A., Finding regular subgraphs in both arbitrary and planar graphs **68** (3) (1996) 223-235
- Stewart, L., *see* J. Spinrad **18** (1987) 279-292
- Stewart, L., *see* J. Gimbel **48** (1994) 111-127
- Stewart, L., *see* N. Abbas **91** (1-3) (1999) 1-23
- Stewart, L.K., *see* E.S. Elmallah **44** (1993) 65-77
- Stewart Burlingham, L., *see* D.G. Corneil **3** (1981) 163-174
- Stinson, D.R., *see* C.J. Colbourn **14** (1986) 239-254
- Stinson, D.R., *see* C. Blundo **77** (1) (1997) 13-28
- Stivaros, C. and K. Sutner, Computing optimal assignments for residual network reliability **75** (3) (1997) 285-295
- Stöhr, E.A., *see* R. Klasing **53** (1-3) (1994) 183-197
- Stojmenović, I., On Sheffer symmetric functions in three-valued logic **22** (1988/89) 267-274
- Stojmenović, I., *see* M. Miyakawa **23** (1989) 179-192
- Stojmenović, I., *see* M. Miyakawa **28** (1990) 231-249
- Stojmenović, I., Multiplicative circulant networks Topological properties and communication algorithms **77** (3) (1997) 281-305
- Stolte, C.R., *see* A.L. Liestman **68** (1-2) (1996) 119-144
- Storchi, G., *see* P. Hansen **78** (1-3) (1997) 89-102
- Stougie, L., *see* A.H.G. Rinnooy Kan **42** (1993) 279-290
- Stougie, L., A fast randomized algorithm for partitioning a graph into paths of fixed length **42** (1993) 291-303
- Struik, R., *see* S. Litsyn **82** (1-3) (1998) 177-191
- Strusevich, V.A., Two machine flow shop scheduling problem with no wait in process: Controllable machine speeds **59** (1) (1995) 75-86
- Stumptner, M., *see* G. Gottlob **40** (1992) 187-216
- Stutzman, B.R., *see* C. Alexopoulos **91** (1-3) (1999) 25-38
- Sudan, M., *see* R. Motwani **54** (1) (1994) 81-88
- Sudborough, I.H., *see* F. Makedon **23** (1989) 243-265
- Sudhölter, P., *see* J. Rosenmüller **50** (1) (1994) 53-76
- Sudit, M., *see* R.L. Rardin **39** (1992) 37-56
- Sudit, M., *see* R.L. Rardin **43** (1993) 155-174
- Suffel, C., *see* C.J. Colbourn **44** (1993) 221-232
- Suffel, C.L., *see* F.T. Boesch **3** (1981) 9-18
- Sugihara, K., A unifying approach to descriptive geometry and mechanisms **5** (1983) 313-328
- Sugihara, K., An algebraic and combinatorial approach to the analysis of line drawings of polyhedra **9** (1984) 77-104
- Sugihara, K., Detection of structural inconsistency in systems of equations with degrees of freedom and its applications **10** (1985) 297-312
- Sugita, K., *see* K. Uemura **91** (1-3) (1999) 243-249
- Suhl, U.H., *see* E.L. Johnson **2** (1980) 39-55
- Sun, D., *see* M. Queyranne **46** (1993) 43-72
- Sun, F., *see* U. Peled **49** (1994) 325-330
- Sun, F., *see* U.N. Peled **60** (1-3) (1995) 311-318
- Sun, W. and Y.X. Yang, Correlation functions of a family of generalized geometric sequences **80** (2-3) (1997) 193-201
- Sun, X., *see* P.L. Hammer **28** (1990) 35-44
- Sun, X., *see* E. Boros **55** (1) (1994) 1-13
- Sunderam, V.S. and P. Winkler, Fast information sharing in a complete network **42** (1993) 75-86
- Suri, S., *see* P.K. Agarwal **31** (1991) 97-111
- Sutner, K., *see* C.J. Colbourn **44** (1993) 221-232
- Sutner, K., *see* C. Stivaros **75** (3) (1997) 285-295
- Sutter, A., *see* W.E. Adams **29** (1990) 131-142
- Suzuki, H., A. Ishiguro and T. Nishizeki, Edge-disjoint paths in a grid bounded by two nested rectangles **27** (1990) 157-178
- Suzuki, H., *see* A. Frank **40** (1992) 363-378
- Swaminathan, R., *see* F. Annexstein **88** (1-3) (1998) 7-28

- Swaminathan, R.P. and D.K. Wagner, The arborescence-realization problem **59** (3) (1995) 267-283
- Swart, H.C., *see* G.H. Fricke **68** (1-2) (1996) 85-91
- Swart, H.C., *see* P. Dankelmann **79** (1-3) (1997) 91-103
- Sweedyk, E., *see* L.A. Goldberg **71** (1-3) (1996) 111-136
- Sweedyk, E., *see* B. DasGupta **88** (1-3) (1998) 59-82
- Sysło, M.M., *see* M. Skowrońska **7** (1984) 201-208
- Sysło, M.M., Optimal constructions of reversible digraphs **7** (1984) 209-220
- Sysło, M.M., *see* H. Galina **19** (1988) 167-176
- Sysło, M.M., *see* P. Winter **54** (2-3) (1994) 267-280
- Sysło, M.M., On some new types of greedy chains and greedy linear extensions of partially ordered sets **60** (1-3) (1995) 349-358
- Székely, L., *see* P.L. Erdős **87** (1-3) (1998) 67-75
- Székely, L.A., *see* L.H. Clark **34** (1991) 83-105
- Székely, L.A., *see* P.L. Erdős **47** (1993) 1-8
- Székely, L.A., *see* C.A. Barefoot **80** (1) (1997) 37-56
- Szpankowski, W., *see* P. Kirschenhofer **25** (1989) 129-143
- Szwarcfiter, J.L., R.C.M. Persiano and A.A.F. Oliveira, Orientations with single source and sink **10** (1985) 313-321
- Szwarcfiter, J.L., Job shop scheduling with unit time operations under resource constraints and release dates **18** (1987) 227-233
- Szwarcfiter, J.L., *see* Z. Carmen Ortiz **82** (1-3) (1998) 209-217
- Szwarcfiter, J.L., *see* C.M.H. de Figueiredo **91** (1-3) (1999) 293-297
- Szymański, J., *see* K.T. Balińska **67** (1-3) (1996) 13-25
- Szymczak, T., *see* A. Brandstädt **89** (1-3) (1998) 59-73
- Tai, S.C., M.W. Du and R.C.T. Lee, Transformation completeness properties of SVPC transformation sets **32** (1991) 263-273
- Takamizawa, K., T. Nishizeki and N. Saito, Combinatorial problems on series-parallel graphs (*Communication*) **3** (1981) 75-76
- Tal, A., *see* E. Korach **41** (93) 147-164
- Talamo, M., *see* G. Gambosi **73** (1) (1997) 13-22
- Tallini, L.G. and U. Vaccaro, Efficient m -ary balanced codes **92** (1) (1999) 17-56
- Tamaki, H., *see* A.P. Sprague **48** (1994) 175-186
- Tamir, A., On the solution of discrete bottleneck problems **4** (1982) 299-302
- Tamir, A., *see* R. Chandrasekaran **9** (1984) 117-123
- Tamir, A., *see* W.W. Bein **10** (1985) 117-124
- Tamir, A., Totally balanced and totally unimodular matrices defined by center location problems **16** (1987) 245-263
- Tamir, A., *see* Y. Kaufman **47** (1993) 251-261
- Tamir, A., A unifying location model on tree graphs based on submodularity properties **47** (1993) 275-283
- Tamir, A., Fully polynomial approximation schemes for locating a tree-shaped facility: A generalization of the knapsack problem **87** (1-3) (1998) 229-243
- Tamm, U., Deterministic communication complexity of set intersection **61** (3) (1995) 271-283
- Tamura, A., *see* K. Fukuda **31** (1991) 141-149
- Tamura, A., *see* K. Fukuda **31** (1991) 151-165
- Tamura, A., *see* Y. Ikebe **47** (1993) 227-232
- Tamura, A., *see* T. Matsui **50** (3) (1994) 283-296
- Tamura, A., *see* K. Fukuda **84** (1-3) (1998) 107-119
- Tamura, S., *see* T. Matsui **56** (2-3) (1995) 311-321
- Tan, J.J.M. and Y.-C. Hsueh, A generalization of the stable matching problem **59** (1) (1995) 87-102
- Tan, X. and X. Song, Routing multiterminal nets on a hexagonal grid **90** (1-3) (1999) 245-255
- Tang, C.Y., *see* M.S. Chang **39** (1992) 1-12
- Tang, C.Y., *see* C.L. Lu **87** (1-3) (1998) 203-211
- Tani, S., *see* Y. Ishigami **74** (2) (1997) 123-134
- Tani, S., *see* Y. Ishigami **74** (3) (1997) 229-240

- Tardella, F., On a class of functions attaining their maximum at the vertices of a polyhedron (*Communication*) **22** (1988/89) 191-195
- Tardos, É., *see* A. Frank **40** (1992) 363-378
- Tarnanen, H., Upper bounds for constant weight and Lee codes slightly outside the Plotkin range **16** (1987) 265-277
- Tavares, S.E., *see* C.M. Adams **39** (1992) 155-159
- Tay, E.G., *see* K.M. Koh **78** (1-3) (1997) 163-174
- Tchuente, M., *see* E. Goles **8** (1984) 319-322
- Tchuente, M., *see* Y. Robert **11** (1985) 245-253
- Tchuente, M., Computation on binary tree-networks **14** (1986) 295-310
- Tchuente, M., Cycles generated by sequential iterations **20** (1988) 165-172
- Telle, J.A. and A. Proskurowski, Efficient sets in partial k -trees **44** (1993) 109-117
- Telles, G.P., *see* J. Meidanis **88** (1-3) (1998) 325-354
- Temperley, H.N.V., New results on the enumeration of non-intersecting random walks **19** (1988) 367-379
- Terlaky, T., *see* J.P. Warners **78** (1-3) (1997) 251-282
- Tesman, B., *see* J.-P. Barthélemy **60** (1-3) (1995) 39-76
- Tesman, B.A., List T -colorings of graphs **45** (1993) 277-289
- Tetali, P., *see* N. Alon **57** (1) (1995) 1-10
- Thalheim, B., The number of keys in relational and nested relational databases **40** (1992) 265-282
- Thayse, A., Discrete function expansions in integer powers **1** (1979) 127-136
- Thayse, A., Universal algorithms for evaluating Boolean functions **3** (1981) 53-65
- Thi, V.D., *see* J. Demetrovics **69** (1-2) (1996) 61-73
- Thierrin, G., *see* M. Ito **24** (1989) 187-196
- Thilikos, D.M., *see* H.L. Bodlaender **79** (1-3) (1997) 45-61
- Thimonier, L., *see* P. Flajolet **39** (1992) 207-229
- Thomas, R. and J. Richelle, Positive feedback loops and multistationarity **19** (1988) 381-396
- Thomason, A., *see* B. Bollobás **6** (1983) 1-11
- Thompson, G.L. and S. Singhal, A successful algorithm for the undirected Hamiltonian Path problem **10** (1985) 179-195
- Thompson, G.L., *see* T.H.C. Smith **26** (1990) 209-217
- Tian, F., B. Wei and L. Zhang, Hamiltonicity in 3-domination-critical graphs with $\alpha=\delta+2$ **92** (1) (1999) 57-71
- Tichy, R.F., *see* G. Larcher **18** (1987) 309-313
- Tietäväinen, A., On the covering radius of long binary BCH codes (*Note*) **16** (1987) 75-77
- Timkovsky, V.G., A polynomial-time algorithm for the two-machine unit-time release-date job-shop schedule-length problem **77** (2) (1997) 185-200
- Timkovsky, V.G., Is a unit-time job shop not easier than identical parallel machines? **85** (2) (1998) 149-162
- Tind, J., *see* S. Holm **20** (1988) 205-219
- Tinhofer, G., *see* J.R. Mühlbacher **9** (1984) 235-244
- Tinhofer, G., Strong tree-cographs are Birkhoff graphs **22** (1988/89) 275-288
- Tinhofer, G., A note on compact graphs **30** (1991) 253-264
- Tinhofer, G., *see* L. Babel **51** (1-2) (1994) 3-25
- Tinhofer, G., Bin-packing and matchings in threshold graphs **62** (1-3) (1995) 279-289
- Tiwari, P., *see* A.J. Goldman **13** (1986) 213-221
- Toczyłowski, E., A perfect matching algorithm for sparse bipartite graphs **9** (1984) 263-268
- Tokura, N., *see* T. Masuzawa **17** (1987) 67-105
- Tokuyama, T., *see* K. Fukuda **31** (1991) 151-165
- Tokuyama, T., *see* A. Aggarwal **85** (1) (1998) 1-24
- Tomescu, I., *see* A.T. Balaban **19** (1988) 5-16
- Tomescu, I. and M. Zimand, Minimum spanning hypertrees **54** (1) (1994) 67-76
- Tomescu, I., *see* D.R. Popescu **68** (1-2) (1996) 145-152
- Tompa, M., *see* A.K. Chandra **29** (1990) 21-33
- Tonchev, V.D., Self-dual codes and Hadamard matrices **33** (1991) 235-240
- Tong, C.S., *see* W.C. Shiu **80** (1) (1997) 83-96
- Topkis, D.M., *see* M. Segal **22** (1988/89) 181-189
- Topp, J. and P.D. Vestergaard, Well irredundant graphs **63** (3) (1995) 267-276

- Toppur, B., *see* J.M. Smith 71 (1-3) (1996) 187-215
 Torkington, J.A., *see* M. Gordon 2 (1980) 207-223
 Torney, D.C., *see* E. Knill 88 (1-3) (1998) 261-290
 Toth, P., *see* S. Martello 3 (1981) 275-288
 Toth, P., *see* P.M. Camerini 15 (1986) 181-197
 Toth, P., *see* G. Carpaneto 18 (1987) 137-153
 Toth, P., *see* S. Martello 28 (1990) 59-70
 Toth, P., *see* S. Martello 75 (2) (1997) 169-188
 Totik, V., *see* J. Csirik 21 (1988) 163-167
 Tovey, C., *see* D.C. Llewellyn 23 (1989) 157-178
 Tovey, C.A., A simplified NP-complete satisfiability problem 8 (1984) 85-89
 Tovey, C.A., *see* D.C. Llewellyn 43 (1993) 131-153
 Trapp, R., *see* J.D. Chavez 87 (1-3) (1998) 25-32
 Traverso, C., *see* P. Conti 33 (1991) 61-72
 Trdlička, J., *see* J. Rolim 85 (1) (1998) 87-97
 Trenk, A., *see* E.R. Scheinerman 44 (1993) 233-245
 Trenk, A.N., Generalized perfect graphs: Characterizations and inversion 60 (1-3) (1995) 359-387
 Trenk, A.N., *see* R. Shull 80 (2-3) (1997) 119-134
 Trick, M., *see* D.C. Llewellyn 23 (1989) 157-178
 Triesch, E., A group testing problem for hypergraphs of bounded rank 66 (2) (1996) 185-188
 Trilochan Sastry, S., *see* S. Chopra 85 (3) (1998) 165-192
 Trinajstić, N., *see* D. Babić 67 (1-3) (1996) 5-11
 Tripathy, A., Computerised decision aid for timetabling - a case analysis 35 (1992) 313-323
 Trotter, W.T., *see* L.B. Hopkins 8 (1984) 163-187
 Trotter, W.T., *see* M.C. Golumbic 9 (1984) 157-170
 Trotter Jr, W.T., *see* R.A. Brualdi 50 (2) (1994) 111-123
 Trotter, L.E. and D.B. West, Two easy duality theorems for product partial orders (Note) 16 (1987) 283-286
 Trotter Jr, L.E., *see* H. Shum 65 (1-3) (1996) 421-439
 Troutman, B.M. and M.R. Karlinger, A note on subtrees rooted along the primary path of a binary tree 42 (1993) 87-93
 Trubian, M., *see* G. Righini 91 (1-3) (1999) 235-242
 Trudeau, P., *see* M. Dror 50 (3) (1994) 239-254
 Truemper, K., *see* F.T. Tseng 15 (1986) 329-364
 Truszczynski, M., *see* Y. Han 36 (1992) 141-152
 Trystram, D., *see* P. Michallon 53 (1-3) (1994) 291-298
 Trystram, D., *see* E. Bampis 72 (1-2) (1997) 5-24
 Tsai, L.-H., The modified differencing method for the set partitioning problem with cardinality constraints 63 (2) (1995) 175-180
 Tsay, J.-J., *see* K.-S. Ding 83 (1-3) (1998) 41-59
 Tseng, F.T. and K. Truemper, A decomposition of the matroids with the max-flow min-cut property 15 (1986) 329-364
 Tsfasman, M.A., Algebraic-geometric codes and asymptotic problems 33 (1991) 241-256
 Turán, G., On the succinct representation of graphs 8 (1984) 289-294
 Turán, G., *see* U. Faigle 40 (1992) 19-28
 Turán, Gy., *see* W. Cook 18 (1987) 25-38
 Turzík, D., *see* S. Poljak 3 (1981) 301-312
 Turzík, D., *see* S. Poljak 13 (1986) 27-32
 Turzík, D., *see* S. Poljak 13 (1986) 33-39
 Tuza, Z., On two intersecting set systems and k -continuous Boolean functions (Note) 16 (1987) 183-185
 Tuza, Z., On the context-free production complexity of finite languages 18 (1987) 293-304
 Tuza, Z., *see* A. Kornai 36 (1992) 87-92
 Tuza, Z., *see* J. Kratochvíl 50 (3) (1994) 297-302
 Tuza, Z., Inequalities for minimal covering sets in set systems of given rank 51 (1-2) (1994) 187-195
 Tuza, Z., *see* P. Hell 52 (3) (1994) 295-306
 Tuza, Z., *see* Y. Manoussakis 68 (3) (1996) 279-291

- Tuza, Zs., *see* P. Dell'Olmo **72** (1-2) (1997) 71-84
- Tuza, Zs. and M. Voigt, List colorings and reducibility **79** (1-3) (1997) 247-256
- Tvrđí, P., *see* J. Rolim **85** (1) (1998) 87-97
- Tvrđík, P., R. Harbani and M.-C. Heydemann, Uniform homomorphisms of de Bruijn and Kautz networks **83** (1-3) (1998) 279-301
- Uchimura, K., Divisor generating functions and insertion into a heap **18** (1987) 73-81
- Uemura, K., T. Yaku and K. Sugita, Induced permutation automata and coverings of strongly connected automata **91** (1-3) (1999) 243-249
- Ueno, S., *see* Y. Kajitani **9** (1984) 213-216
- Ueno, S., *see* T. Arai **41** (93) 69-74
- Úlehla, J., *see* A. Pultr **12** (1985) 165-173
- Unger, R., *see* D. Kandel **71** (1-3) (1996) 171-185
- Unger, W., *see* S. Bezrukov **83** (1-3) (1998) 21-29
- Urabe, M., On a partition into convex polygons **64** (2) (1996) 179-191
- Urbanek, F.J., *see* H. Prodinger **5** (1983) 223-239
- Urrutia, J., *see* M.J. Atallah **21** (1988) 177-183
- Urrutia, J., *see* R. Nowakowski **27** (1990) 147-156
- Urrutia, J., *see* J. Czyzowicz **50** (2) (1994) 149-157
- Urrutia, J., *see* J. Czyzowicz **51** (3) (1994) 325-328
- Urrutia, J., *see* F. Gavril **52** (2) (1994) 195-209
- Urrutia, J., *see* E. Kranakis **75** (1) (1997) 71-80
- Urrutia, J., *see* E. Kranakis **77** (3) (1997) 237-257
- Ustimenko, V.A., *see* F. Lazebnik **60** (1-3) (1995) 275-284
- Vaccaro, U., *see* R.M. Capocelli **23** (1989) 55-71
- Vaccaro, U., *see* R.M. Capocelli **33** (1991) 25-41
- Vaccaro, U., *see* L. Gargano **36** (1992) 191-197
- Vaccaro, U., *see* L. Gargano **36** (1992) 299-306
- Vaccaro, U., *see* A. De Bonis **61** (2) (1995) 121-131
- Vaccaro, U., *see* L. Gargano **83** (1-3) (1998) 97-119
- Vaccaro, U., *see* L.G. Tallini **92** (1) (1999) 17-56
- Vaessens, R.J.M., E.H.L. Aarts and J.H. van Lint, Genetic algorithms in coding theory — a table for $A_3(n, d)$ **45** (1993) 71-87
- Vakharia, A.J. and B. Çatay, Two machine openshop scheduling with machine-dependent processing times **73** (3) (1997) 283-288
- Valerio, M., L.E. Moser and P.M. Melliar-Smith, Classic squares and broadcast squares **54** (1) (1994) 89-96
- Valvo, E.J., *see* D.R. Shier **37/38** (1992) 489-500
- Van den Heuvel, J., *see* D. Bauer **79** (1-3) (1997) 35-44
- Vanderbei, R.J., *see* P. Fishburn **75** (1) (1997) 39-61
- Van der Poort, E.S., *see* M. Libura **87** (1-3) (1998) 159-185
- Van der Veen, J.A.A., An $O(n)$ algorithm to solve the Bottleneck Traveling Salesman Problem restricted to ordered product matrices **47** (1993) 57-75
- Van der Veen, J.A.A., *see* M. Libura **87** (1-3) (1998) 159-185
- Van der Werf, A., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213-242
- Vande Vate, J.H., Structural properties of matroid matchings **39** (1992) 69-85
- Van de Velde, S.L., *see* J.A. Hoogeveen **55** (3) (1994) 259-272
- Van Hoesel, C.P.M., *see* A.W.J. Kolen **55** (2) (1994) 145-162
- Van Hoesel, S. and A. Wagelmans, Sensitivity analysis of the economic lot-sizing problem **45** (1993) 291-312
- Van Hoesel, S., R. Kuik, M. Salomon and L.N. Van Wassenhove, The single-item discrete lotsizing and scheduling problem: Optimization by linear and dynamic programming **48** (1994) 289-303
- Van Hoesel, S. and A. Wagelmans, On the complexity of postoptimality analysis of 0/1 programs **91** (1-3) (1999) 251-263
- Van Lint, J.H., *see* H.D.L. Hollmann **37/38** (1992) 319-340
- Van Lint, J.H., *see* R.J.M. Vaessens **45** (1993) 71-87
- Van Meerbergen, J.L., *see* W.F.J. Verhaegh **89** (1-3) (1998) 213-242
- Vannelli, A., *see* W. Liu **59** (2) (1995) 137-151

- Van Roy, T.J. and L.A. Wolsey, Valid inequalities for mixed 0-1 programs **14** (1986) 199-213
- Van Scoy, F.L. and J.A. Brooks, Broadcasting multiple messages in a grid **53** (1-3) (1994) 321-336
- Vanstone, S.A., *see* R.C. Mullin **22** (1988/89) 149-161
- Vanstone, S.A., *see* D.W. Ash **25** (1989) 191-210
- Van Wassenhove, L.N., *see* T.S. Abdul-Razaq **26** (1990) 235-253
- Van Wassenhove, L.N., *see* S. Van Hoesel **48** (1994) 289-303
- Varvarigos, E.A., Optimal communication algorithms for Manhattan Street networks **83** (1-3) (1998) 303-326
- Vazirani, V.V. and M. Yannakakis, Pfaffian orientations, 0-1 permanents, and even cycles in directed graphs **25** (1989) 179-190
- Veltman, B., *see* J.A. Hoogeveen **55** (3) (1994) 259-272
- Veni Madhavan, C.E., *see* P. Sreenivasa Kumar **89** (1-3) (1998) 155-168
- Venkatesh, S.S., *see* A. Orlitsky **64** (2) (1996) 151-178
- Ventriglia, F., *see* A. Aiello **2** (1980) 159-161
- Vercellis, C., *see* A.H.G. Rinnooy Kan **42** (1993) 279-290
- Vergara, J.P.C., *see* L.S. Heath **81** (1-3) (1998) 169-180
- Vergara, J.P.C., *see* L.S. Heath **88** (1-3) (1998) 181-206
- Verhaegh, W.F.J., P.E.R. Lippens, E.H.L. Aarts, J.L. van Meerbergen and A. van der Werf, The complexity of multidimensional periodic scheduling **89** (1-3) (1998) 213-242
- Verraedt, R., *see* A. Ehrenfeucht **2** (1980) 73-76
- Verraedt, R., *see* G. Rozenberg **2** (1980) 233-247
- Verraedt, R., *see* A. Ehrenfeucht **3** (1981) 235-255
- Verraedt, R., *see* A. Ehrenfeucht **4** (1982) 11-22
- Verraedt, R., *see* G. Rozenberg **4** (1982) 237-241
- Verraedt, R., *see* G. Rozenberg **6** (1983) 263-299
- Verraedt, R., *see* G. Rozenberg **12** (1985) 175-189
- Verrall, H., Compatible Euler tours of K_n^{**} **84** (1-3) (1998) 237-251
- Verrall, H., Compatible Hamilton decompositions of directed wrapped butterfly graphs **91** (1-3) (1999) 265-275
- Verri, M.C., *see* D. Merlini **91** (1-3) (1999) 197-213
- Vertigan, D., *see* C.J. Colbourn **60** (1-3) (1995) 119-129
- Vestergaard, P.D., *see* J. Topp **63** (3) (1995) 267-276
- Vial, J.P., *see* O. Bahn **49** (1994) 3-23
- Vigo, D., *see* M. Dell'Amico **63** (1) (1995) 25-41
- Vijayan, G., *see* J.P. Spinrad **12** (1985) 89-92
- Vijayan, G., *see* A.V. Iyer **30** (1991) 43-52
- Vilarem, M.C., *see* J. Amilhastre **86** (2-3) (1998) 125-144
- Villar, J.L., The underlying graph of a line digraph **37/38** (1992) 525-538
- Vince, A., Scheduling periodic events **25** (1989) 299-310
- Vince, A., *see* W.Z. Kitto **52** (1) (1994) 39-51
- Vincke, P., *see* M. Roubens **6** (1983) 311-314
- Vingron, M. and M.S. Waterman, Alignment networks and electrical networks **71** (1-3) (1996) 297-309
- Vingron, M., *see* O. Eulenstein **88** (1-3) (1998) 103-128
- Vishkin, U., An optimal parallel connectivity algorithm **9** (1984) 197-207
- Vishkin, U., *see* D. Coppersmith **10** (1985) 27-45
- Vishkin, U., *see* Y. Perl **12** (1985) 71-80
- Vishkin, U., *see* B. Schieber **29** (1990) 97-111
- Vishkin, U., *see* O. Berkman **57** (1) (1995) 11-28
- Vitray, R.P., *see* R.C. Brigham **66** (2) (1996) 101-108
- Vlach, M., Conditions for the existence of solutions of the three-dimensional planar transportation problem **13** (1986) 61-78
- Vogler, W., On hyperedge replacement and BNLC graph grammars **46** (1993) 253-273
- Vohra, R.V. and N.G. Hall, A probabilistic analysis of the maximal covering location problem **43** (1993) 175-183
- Voigt, M. and H. Walther, Chromatic number of prime distance graphs **51** (1-2) (1994) 197-209
- Voigt, M., *see* Zs. Tuza **79** (1-3) (1997) 247-256
- Volkman, L., On graphs with equal domination and covering numbers **51** (1-2) (1994) 211-217

- Volkman, L., *see* Y. Guo **79** (1-3) (1997) 127-135
- Voloshin, V.I., *see* F.F. Dragan **68** (3) (1996) 259-266
- Voloshin, V.I., *see* E. Bulgaru **77** (1) (1997) 29-41
- Volpentesta, A., Equi-assignments and explicit solutions of a particular discrete optimization problem (*Communication*) **2** (1980) 261-265
- Von Arnim, A., U. Faigle and R. Schrader, The permutahedron of series-parallel posets **28** (1990) 3-9
- Von Arnim, A. and C. de la Higuera, Computing the jump number on semi-orders is polynomial **51** (1-2) (1994) 219-232
- Von Arnim, A. and A.S. Schulz, Facets of the generalized permutahedron of a poset **72** (1-2) (1997) 179-192
- Von Haeseler, F., *see* J.-P. Allouche **66** (1) (1996) 1-22
- Von Randow, R., The bank safe problem (*Note*) **4** (1982) 335-337
- Von Stengel, B. and R. Werchner, Complexity of searching an immobile hider in a graph **78** (1-3) (1997) 235-249
- Voß, S., Steiner's problem in graphs: heuristic methods **40** (1992) 45-72
- Voss, H.-J., *see* A. Brandstädt **64** (3) (1996) 197-205
- Vovor, T., *see* P. Hansen **78** (1-3) (1997) 89-102
- Vrt'o, I., Two remarks on "Expanding and Forwarding" by P. Solé **58** (1) (1995) 85-89
- Vrt'o, I., *see* L. Stacho **84** (1-3) (1998) 221-235
- Vrto, I., *see* J. Rolim **85** (1) (1998) 87-97
- Vucetic, B. and S. Lin, Block coded modulation and concatenated coding schemes for error control on fading channels **33** (1991) 257-269
- Vygen, J., NP-completeness of some edge-disjoint paths problems **61** (1) (1995) 83-90
- Vyskoč, J., Partial information in public key cryptography (*Note*) **20** (1988) 261-263
- Wada, K. and K. Kawaguchi, Efficient fault-tolerant fixed routings on $(k+1)$ -connected digraphs **37/38** (1992) 539-552
- Wagelmans, A., *see* S. Van Hoesel **45** (1993) 291-312
- Wagelmans, A., *see* S. Van Hoesel **91** (1-3) (1999) 251-263
- Wagelmans, A.P.M., *see* A.W.J. Kolen **55** (2) (1994) 145-162
- Wagner, A. and D.G. Corneil, On the complexity of the embedding problem for hypercube related graphs **43** (1993) 75-95
- Wagner, D. and F. Wagner, A generalization of the zero-one principle for sorting algorithms **30** (1991) 265-273
- Wagner, D. and F. Wagner, An efficient parallel logarithmic time algorithm for the channel routing problem **40** (1992) 73-81
- Wagner, D.K., *see* C.R. Coullard **32** (1991) 223-240
- Wagner, D.K., *see* C.R. Coullard **43** (1993) 197-215
- Wagner, D.K., *see* C.R. Coullard **46** (1993) 191-220
- Wagner, D.K., *see* R.P. Swaminathan **59** (3) (1995) 267-283
- Wagner, D.K., *see* C.R. Coullard **66** (1) (1996) 33-43
- Wagner, F., *see* D. Wagner **30** (1991) 265-273
- Wagner, F., *see* D. Wagner **40** (1992) 73-81
- Wagner, F., *see* F. Aurenhammer **52** (1) (1994) 17-28
- Wahid, S.A., *see* E.J. Farrell **7** (1984) 45-54
- Wahid, S.A., *see* E.J. Farrell **8** (1984) 31-40
- Waksman, Z., *see* A. Sebő **91** (1-3) (1999) 305-311
- Walker, J., *see* M.E. Dyer **16** (1987) 135-149
- Wallis, W.D., *see* A. Rosa **4** (1982) 291-297
- Walther, H., *see* J. Harant **51** (1-2) (1994) 103-105
- Walther, H., *see* M. Voigt **51** (1-2) (1994) 197-209
- Walther, H., Polyhedral graphs without hamiltonian cycles **79** (1-3) (1997) 257-263
- Wambach, G., *see* R. Schrader **79** (1-3) (1997) 213-221
- Wang, C. and A.C. Williams, The threshold order of a Boolean function **31** (1991) 51-69
- Wang, C., *see* F.R. McMorris **88** (1-3) (1998) 315-324
- Wang, J.-Z. and J.-X. Meng, The exponent of the primitive Cayley digraphs on finite Abelian groups **80** (2-3) (1997) 177-191
- Wang, L., *see* J. Hein **71** (1-3) (1996) 153-169

- Wang, L., *see* D. Gusfield **88** (1-3) (1998) 167-180
- Wang, Z., The solution of a nonlinear partial difference equation (*Note*) **28** (1990) 177-181
- Wanke, E., k -NLC graphs and polynomial algorithms **54** (2-3) (1994) 251-266
- Waren, A.D., *see* M.S. Hung **13** (1986) 223-237
- Warner, D.D., *see* P.M. Dearing **20** (1988) 181-190
- Warner, M.W., *see* A. Muir **7** (1984) 65-78
- Warners, J.P., T. Terlaky, C. Roos and B. Jansen, A potential reduction approach to the frequency assignment problem **78** (1-3) (1997) 251-282
- Warnow, T., *see* L.A. Goldberg **71** (1-3) (1996) 111-136
- Warnow, T.J., *see* C. Phillips **71** (1-3) (1996) 311-335
- Watanabe, T., T. Ae and A. Nakamura, On the removal of forbidden graphs by edge-deletion or by edge-contraction (*Communication*) **3** (1981) 151-153
- Watanabe, T., *see* T. Nishizeki **5** (1983) 211-222
- Watanabe, T., T. Ae and A. Nakamura, On the NP-hardness of edge-deletion and -contraction problems **6** (1983) 63-78
- Watanabe, T. and A. Nakamura, A smallest augmentation to 3-connect a graph (*Communication*) **28** (1990) 183-186
- Waterman, M.S., *see* W.R. Schmitt **51** (3) (1994) 317-323
- Waterman, M.S., *see* M. Vingron **71** (1-3) (1996) 297-309
- Webb, W.A., How to cut a cake fairly using a minimal number of cuts **74** (2) (1997) 183-190
- Weber, K., *see* S. Bezrukov **46** (1993) 99-116
- Wechsung, G., *see* S. Bezrukov **83** (1-3) (1998) 21-29
- Wegener, I., *see* A. Conrad **50** (2) (1994) 125-134
- Wegener, I., *see* O. Kyek **74** (2) (1997) 171-181
- Wegener, I., *see* P. Fischer **91** (1-3) (1999) 83-92
- Węglarz, J., *see* J. Błażewicz **65** (1-3) (1996) 81-95
- Wei, B., *see* F. Tian **92** (1) (1999) 57-71
- Wei, S.-S., *see* T.-H. Lai **74** (1) (1997) 33-55
- Wei, W.-D., *see* J.Y.-T. Leung **51** (3) (1994) 307-316
- Wei, W.-D., *see* K.I.-J. Ho **78** (1-3) (1997) 117-132
- Weinberger, M.J. and A. Lempel, Factorization of symmetric circulant matrices in finite fields **28** (1990) 271-285
- Weintraub, A., *see* O. Barros **13** (1986) 109-130
- Weisbuch, G., *see* F. Fogelman **6** (1983) 95-98
- Welsh, D.J.A., Randomised algorithms **5** (1983) 133-145
- Welzl, E., *see* K.-J. Lange **16** (1987) 17-30
- Welzl, E., *see* G. Rozenberg **16** (1987) 59-73
- Welzl, E., *see* W. Gutjahr **35** (1992) 29-45
- Wenchen, H., H. Wenjie and H. Ying, Cut invariant d and bond orders of Kekuléan benzenoids **67** (1-3) (1996) 137-147
- Wenger, R., *see* P. Egyed **31** (1991) 133-140
- Wenjie, H., *see* H. Wenchen **67** (1-3) (1996) 137-147
- Werchner, R., *see* B. von Stengel **78** (1-3) (1997) 235-249
- Werman, M., *see* T.Y. Kong **16** (1987) 239-243
- Werner, F. and A. Winkler, Insertion techniques for the heuristic solution of the job shop problem **58** (2) (1995) 191-211
- Werner, F., *see* H. Bräsel **59** (1) (1995) 11-21
- Werner, F., *see* P. Brucker **65** (1-3) (1996) 97-122
- Werner, F., *see* P. Brucker **72** (1-2) (1997) 47-69
- Wernisch, L., *see* S. Felsner **74** (1) (1997) 13-32
- Wesselkamper, T.C., The algebraic representation of partial functions **1** (1979) 137-142
- Wessels, J., *see* J. Korst **51** (3) (1994) 291-305
- West, D.B., *see* L.B. Hopkins **8** (1984) 163-187
- West, D.B. and D.B. Shmoys, Recognizing graphs with fixed interval number is NP-complete **8** (1984) 295-305
- West, D.B., *see* L.E. Trotter **16** (1987) 283-286

- West, D.B., The maximum number of winning 2-sets **34** (1991) 279-284
- West, D.B., *see* Y.-W. Chang **44** (1993) 205-220
- Westbrook, J., *see* K. Keeler **58** (3) (1995) 239-252
- Weston, A., *see* F. Ruskey **57** (1) (1995) 75-83
- Whiteley, W., A correspondence between scene analysis and motions of frameworks **9** (1984) 269-295
- Whiteley, W., Weavings, sections and projections of spherical polyhedra **32** (1991) 275-294
- Whitman, D., *see* F. Glover **2** (1980) 251-254
- Widmayer, P., *see* E. Ihler **90** (1-3) (1999) 173-194
- Widmer, M., *see* A. Hertz **65** (1-3) (1996) 1-3
- Widmer, M., *see* A. Hertz **65** (1-3) (1996) 319-345
- Widmer, M., *see* J. Błażewicz **76** (1-3) (1997) 1-2
- Wieners-Lummer, C., A Manhattan channel router with good theoretical and practical performance **40** (1992) 83-104
- Wierman, J.C., *see* E.R. Scheinerman **25** (1989) 289-297
- Wigderson, E., *see* D.S. Hochbaum **14** (1986) 17-32
- Williams, A.C., *see* C. Wang **31** (1991) 51-69
- Williams, C. and D. Richards, Efficient algorithms for path partitions **27** (1990) 267-276
- Williams, H.P., A characterisation of all feasible solutions to an integer program **5** (1983) 147-155
- Williams, H.P., A duality theorem for linear congruences **7** (1984) 93-103
- Williams, K., *see* Y.-L. Lai **73** (2) (1997) 133-141
- Williamson Hoke, K., Completely unimodal numberings of a simple polytope **20** (1988) 69-81
- Willson, S.J., Cellular automata can generate fractals **8** (1984) 91-99
- Willson, S.J., Calculating growth rates and moments for additive cellular automata **35** (1992) 47-65
- Wilson, D.C., *see* W.Z. Kitto **52** (1) (1994) 39-51
- Wilson, R.M., *see* R.C. Mullin **22** (1988/89) 149-161
- Wimer, S., *see* I. Gederbaum **40** (1992) 303-318
- Wimer, S., I. Koren and I. Cederbaum, On paths with the shortest average arc length in weighted graphs **45** (1993) 169-179
- Winkler, A., *see* F. Werner **58** (2) (1995) 191-211
- Winkler, P., Mean distance in a tree **27** (1990) 179-185
- Winkler, P., *see* V.S. Sunderam **42** (1993) 75-86
- Winkler, P., *see* D. Kandel **71** (1-3) (1996) 171-185
- Winkler, P.M., Isometric embedding in products of complete graphs **7** (1984) 221-225
- Winter, P., Steiner problem in Halin networks **17** (1987) 281-294
- Winter, P., Euclidean Steiner minimal trees with obstacles and Steiner visibility graphs **47** (1993) 187-206
- Winter, P. and M.M. Syslo, Maximal outerplanar graphs with perfect face-independent vertex covers **54** (2-3) (1994) 267-280
- Wittenberg, H., Local medians in chordal graphs **28** (1990) 287-296
- Wittmann, P., Vertex-distinguishing edge-colorings of 2-regular graphs **79** (1-3) (1997) 265-277
- Woan, W.-J., *see* L.W. Shapiro **34** (1991) 229-239
- Woeginger, G., *see* W. Gutjahr **35** (1992) 29-45
- Woeginger, G., *see* H. Kellerer **45** (1993) 249-259
- Woeginger, G., *see* H. Kellerer **47** (1993) 165-173
- Woeginger, G., *see* E. Kranakis **77** (3) (1997) 237-257
- Woeginger, G.J., *see* H.L. Bodlaender **55** (3) (1994) 219-232
- Woeginger, G.J., *see* B. Klinz **60** (1-3) (1995) 223-248
- Woeginger, G.J., *see* B. Klinz **63** (1) (1995) 43-74
- Woeginger, G.J., *see* R.E. Burkard **65** (1-3) (1996) 123-139
- Woeginger, G.J., *see* U. Pferschy **77** (3) (1997) 271-280
- Woess, W., *see* P.M. Soardi **31** (1991) 37-49
- Wohlgemuth, A., *see* G. Markowsky **6** (1983) 255-262
- Woirgard, F., *see* I. Charon **80** (2-3) (1997) 211-215
- Wojda, A.P. and M. Zwonek, Coloring edges of self-complementary graphs **79** (1-3) (1997) 279-284
- Wolfsthal, Y., *see* S. Moran **43** (1993) 233-241
- Wolsey, L.A., The b-hull of an integer program **3** (1981) 193-201

- Wolsey, L.A., *see* T.J. Van Roy 14 (1986) 199-213
 Wolsey, L.A., *see* M.E. Dyer 26 (1990) 255-270
 Wolsey, L.A., Valid inequalities for 0-1 knapsacks and mips with generalised upper bound constraints 29 (1990) 251-261
 Wolsey, L.A., *see* E.H. Aghezzaf 50 (2) (1994) 101-109
 Wolsey, L.A., *see* Y. Pochet 59 (1) (1995) 57-74
 Wong, C.K., *see* D.T. Lee 70 (3) (1996) 185-215
 Wood, D., *see* H.A. Maurer 3 (1981) 119-135
 Wood, D., *see* H.A. Maurer 3 (1981) 289-299
 Wood, D., *see* T. Ottmann 32 (1991) 195-209
 Wood, D., *see* V. Estivill-Castro 42 (1993) 1-16
 Wood, D., *see* H. Cameron 55 (1) (1994) 15-35
 Wood, J. and J. Shawe-Taylor, Representation theory and invariant neural networks 69 (1-2) (1996) 33-60
 Woodall, D.R., *see* J.D. Lamb 72 (3) (1997) 261-293
 Woodall, D.R., *see* J.D. Lamb 73 (2) (1997) 143-173
 Woodall, D.R., *see* J.D. Lamb 73 (3) (1997) 211-250
 Woodall, D.R., Monotonicity of single-seat preferential election rules 77 (1) (1997) 81-98
 Woodhams, F.W., *see* W.L. Price 26 (1990) 219-233
 Woodson, L.C., *see* L.W. Shapiro 34 (1991) 229-239
 Wool, A., *see* D. Peleg 74 (1) (1997) 69-83
 Wool, A., *see* O. Gerstel 83 (1-3) (1998) 157-178
 Wormald, N.C., *see* P. Eades 28 (1990) 111-134
 Wormald, N.C., *see* M.P. Ng 69 (1-2) (1996) 19-31
 Wöstmann, B., *see* P. Brucker 76 (1-3) (1997) 43-59
 Wotherspoon, S., *see* D. Palmer 86 (2-3) (1998) 249-262
 Woźniak, M., Embedding graphs of small size 51 (1-2) (1994) 233-241
 Wrathall, C., Trace monoids with some invertible generators: two decision problems 32 (1991) 211-222
 Wrege, D.E., *see* W.R. Pearson 71 (1-3) (1996) 231-246
 Wu, L., *see* F.E. Bennett 26 (1990) 25-40
 Wu, L., *see* F.E. Bennett 81 (1-3) (1998) 9-17
 Wu, W., *see* D.-Z. Du 78 (1-3) (1997) 51-60
 Wunsch, J., The Shields-Harary number for wheel and broken wheel graphs 59 (2) (1995) 193-199
 Xiaofeng, G., *see* Z. Fuji 32 (1991) 295-302
 Xie, S., Notes on de Bruijn sequences 16 (1987) 157-177
 Xie, S., The complexity of a periodic sequence over $GF(p)$ 21 (1988) 81-86
 Xie, S., *see* W. He 35 (1992) 91-106
 Xu, I.M., *see* Q. Li 46 (1993) 179-183
 Xu, Y., *see* F.S. Roberts 49 (1994) 331-356
 Xueliang, L., *see* H.J. Broersma 46 (1993) 79-86
 Yadegar, J., *see* A.M. Frieze 5 (1983) 89-98
 Yaku, T., *see* K. Uemura 91 (1-3) (1999) 243-249
 Yamamoto, P., *see* M.E. Houle 43 (1993) 217-232
 Yamasaki, M., Maximization of input conductances of an infinite network 1 (1979) 301-309
 Yamasaki, M., Quasiharmonic classification of infinite networks 2 (1980) 339-344
 Yamasaki, M., *see* T. Kayano 22 (1988/89) 53-68
 Yamasaki, M., *see* K.O. Kortanek 58 (1) (1995) 19-33
 Yamasaki, Y., A difficulty in particular Shannon-like games (Note) 30 (1991) 87-90
 Yan, J.-H., *see* M.-S. Chang 66 (3) (1996) 189-203
 Yan, J.-H., J.-J. Chen and G.J. Chang, Quasi-threshold graphs 69 (3) (1996) 245-253
 Yan, J.-H., G.J. Chang, S.M. Hedetniemi and S.T. Hedetniemi, k -Path partitions in trees 78 (1-3) (1997) 227-233
 Yanasse, H.H. and N.Y. Soma, A new enumeration scheme for the knapsack problem 18 (1987) 235-245
 Yanasse, H.H., *see* N.Y. Soma 57 (2-3) (1995) 243-253
 Yang, B.-Y., *see* W.-C. Huang 73 (2) (1997) 113-131
 Yang, C.D., *see* D.T. Lee 70 (3) (1996) 185-215

- Yang, F. and D.-Z. Du, The complexity of determinacy problem on group testing **28** (1990) 71-81
- Yang, Y.X., *see* W. Sun **80** (2-3) (1997) 193-201
- Yang, Z., On optimal strategies for a betting game **28** (1990) 157-169
- Yannakakis, M., *see* V.V. Vazirani **25** (1989) 179-190
- Yannakakis, M., *see* C.H. Papadimitriou **42** (1993) 271-278
- Yano, K., *see* K. Makino **74** (3) (1997) 251-274
- Yao, E.-Y., *see* R.E. Burkard **28** (1990) 21-34
- Yao, S.-Z., *see* C.J. Alpert **90** (1-3) (1999) 3-26
- Yao, Y.C., *see* F.K. Hwang **72** (3) (1997) 199-207
- Yarmush, M.L., *see* R. Gross **19** (1988) 177-194
- Yebra, J.L.A., *see* J. Gómez **37/38** (1992) 227-243
- Yeh, H.-G. and G.J. Chang, Weighted connected domination and Steiner trees in distance-hereditary graphs **87** (1-3) (1998) 245-253
- Yeh, Y.-N., I. Gutman and C.-M. Fu, Graph transformations which preserve the multiplicity of an eigenvalue **67** (1-3) (1996) 221-228
- Yeh, Y.-N., *see* W.-C. Huang **73** (2) (1997) 113-131
- Yen, C.-C. and R.C.T. Lee, The weighted perfect domination problem and its variants **66** (2) (1996) 147-160
- Yen, Y.-N., *see* J. Labelle **24** (1989) 213-221
- Yeo, A., *see* G. Gutin **69** (1-2) (1996) 75-82
- Yeo, A., *see* J. Bang-Jensen **82** (1-3) (1998) 247-250
- Yesha, Y., *see* A.S. Fraenkel **1** (1979) 15-30
- Ying, H., *see* H. Wencheng **67** (1-3) (1996) 137-147
- Yinnone, H., Maximum number of disjoint paths connecting specified terminals in a graph **55** (2) (1994) 183-195
- Yinnone, H., On paths avoiding forbidden pairs of vertices in a graph **74** (1) (1997) 85-92
- Yoshida, N., *see* T. Kikuno **2** (1980) 361-363
- Yoshida, N., *see* T. Kikuno **5** (1983) 299-311
- Yoshimura, N., *see* Y. Dai **65** (1-3) (1996) 167-190
- Young, N., *see* S. Khuller **69** (3) (1996) 279-287
- Ytrehus, Ø., *see* N. Hamada **47** (1993) 219-226
- Yu, G., *see* D. Nehme **74** (1) (1997) 57-68
- Yu, M.-L., *see* G. MacGillivray **91** (1-3) (1999) 143-153
- Yu, M.-S., *see* C.-M. Liu **87** (1-3) (1998) 187-201
- Yu, S., A property of real-time trellis automata (Note) **15** (1986) 117-119
- Yu, S., Can the catenation of two weakly sparse languages be dense? (Note) **20** (1988) 265-267
- Yu, S., *see* K. Culik **32** (1991) 85-101
- Yu, S., *see* P. Enflo **52** (3) (1994) 275-285
- Yu, S., *see* C. Calude **80** (2-3) (1997) 203-209
- Yu, S.S., *see* H.J. Shyr **82** (1-3) (1998) 219-229
- Yu, S.S., d-minimal languages **89** (1-3) (1998) 243-262
- Yu, V.K.M., *see* J.Y.-T. Leung **51** (3) (1994) 307-316
- Yu, W., Augmentations of consistent partial orders for the one-machine total tardiness problem **68** (1-2) (1996) 189-202
- Yue, F.L., *see* T.W. Lam **85** (1) (1998) 71-86
- Yung-ching (Zhu Youngjin), C., An extended result of Kleitman and Saks concerning binary trees **10** (1985) 255-259
- Zaguia, N., Minimizing bumps for posets of width two **21** (1988) 157-162
- Zaks, A., *see* N. Alon **82** (1-3) (1998) 1-13
- Zaks, J., *see* J. Czyzowicz **50** (2) (1994) 149-157
- Zaks, S., *see* D.A. Plaisted **2** (1980) 65-72
- Zaks, S., *see* N. Dershowitz **25** (1989) 241-255
- Zaks, S., *see* O. Gerstel **83** (1-3) (1998) 157-178
- Zalcstein, Y. and S.P. Franklin, Testing homotopy equivalence is isomorphism complete (Communication) **13** (1986) 101-104
- Zaragoza, M., *see* J. Fàbrega **78** (1-3) (1997) 61-74

- Zaroliagis, C.D., *see* S.R. Arikati 78 (1-3) (1997) 1-16
- Zaslavsky, T., Signed graphs 4 (1982) 47-74
- Zaslavsky, T., *see* P. Solé 45 (1993) 63-70
- Zdrzałka, S. and J. Grabowski, An algorithm for single machine sequencing with release dates to minimize maximum cost 23 (1989) 73-89
- Zdrzałka, S., *see* E. Nowicki 26 (1990) 271-287
- Zdrzałka, S., *see* E. Nowicki 63 (3) (1995) 237-256
- Zdrzałka, S., A sequencing problem with family setup times 66 (2) (1996) 161-183
- Zefirov, N.S., *see* M.E. Muzychuk 67 (1-3) (1996) 175-187
- Zeitlin, Z., Minimization of maximum absolute deviation in integers 3 (1981) 203-220
- Zemel, E., *see* D. Hartvigsen 39 (1992) 113-123
- Zemor, G., On positive and negative atoms of Cayley digraphs (Note) 23 (1989) 193-195
- Zémor, G. and G.D. Cohen, Application of coding theory to interconnection networks 37/38 (1992) 553-562
- Zernitz, H., *see* H. Sachs 51 (1-2) (1994) 171-179
- Žerovnik, J., *see* S. Klavžar 68 (1-2) (1996) 93-100
- Žerovnik, J., *see* M. Juvan 80 (1) (1997) 57-71
- Zhang, C.-Q., Optimal alphabetic binary tree for a nonregular cost function 8 (1984) 307-312
- Zhang, F., *see* I. Gutman 15 (1986) 25-33
- Zhang, F. and M. Zhou, Matching polynomials of two classes of graphs 20 (1988) 253-260
- Zhang, F. and R. Chen, When each hexagon of a hexagonal system covers it 30 (1991) 63-75
- Zhang, F., X. Li and H. Zhang, Hexagonal systems with fixed bonds 47 (1993) 285-296
- Zhang, F., *see* X. Li 51 (1-2) (1994) 107-111
- Zhang, F., *see* H. Zhang 69 (1-2) (1996) 147-167
- Zhang, F., *see* H. Zhang 73 (1) (1997) 5-12
- Zhang, F. and H. Zhang, A note on the number of perfect matchings of bipartite graphs 73 (3) (1997) 275-282
- Zhang, F., *see* R. Chen 74 (2) (1997) 147-158
- Zhang, F., *see* R. Chen 74 (2) (1997) 191-196
- Zhang, F. and H. Li, On acyclic conjugated molecules with minimal energies 92 (1) (1999) 73-86
- Zhang, G., A new version of on-line variable-sized bin packing 72 (3) (1997) 193-197
- Zhang, H., *see* F. Zhang 47 (1993) 285-296
- Zhang, H. and F. Zhang, The Clar covering polynomial of hexagonal systems I 69 (1-2) (1996) 147-167
- Zhang, H. and F. Zhang, The rotation graphs of perfect matchings of plane bipartite graphs 73 (1) (1997) 5-12
- Zhang, H., *see* F. Zhang 73 (3) (1997) 275-282
- Zhang, K., *see* J. Hein 71 (1-3) (1996) 153-169
- Zhang, L., Studies on hypergraphs I: hyperforests 42 (1993) 95-112
- Zhang, L., *see* F. Tian 92 (1) (1999) 57-71
- Zhang, P., *see* F.R. McMorris 88 (1-3) (1998) 315-324
- Zhang, T., *see* W.R. Pearson 71 (1-3) (1996) 231-246
- Zhang, Z., B. He and W. Miller, Local multiple alignment via subgraph enumeration 71 (1-3) (1996) 337-365
- Zhang, Z.L., *see* Q. Li 46 (1993) 179-183
- Zhao, C., *see* A.J.W. Hilton 65 (1-3) (1996) 347-377
- Zhao, C., *see* A.J.W. Hilton 76 (1-3) (1997) 205-211
- Zheng, M., *see* P. Hansen 65 (1-3) (1996) 275-284
- Zhou, H., The chromatic difference sequence of the Cartesian product of graphs: Part II 41 (93) 263-267
- Zhou, M., *see* F. Zhang 20 (1988) 253-260
- Zhu, H., *see* D.J. Klein 67 (1-3) (1996) 157-173
- Zhu, N. and K. Broughan, On aggregating two linear Diophantine equations 82 (1-3) (1998) 231-246
- Zhu, N., A relation between the knapsack and group knapsack problems 87 (1-3) (1998) 255-268
- Zhu, X., A simple proof of the multiplicativity of directed cycles of prime power length (Communication) 36 (1992) 313-315
- Zhu, X., *see* P. Hell 70 (1) (1996) 23-36
- Zhu, Y. and D. Mutchler, On constructing the elimination tree (Note) 48 (1994) 93-98
- Zimand, M., *see* I. Tomescu 54 (1) (1994) 67-76
- Zimmerman, G.W. and A.-H. Esfahanian, Chordal rings as fault-tolerant loops 37/38 (1992) 563-573
- Zimmermann, U., Minimization on submodular flows 4 (1982) 303-323

- Zimmermann, U., Linear and combinatorial sharing problems **15** (1986) 85-104
Zimmermann, U., Duality for balanced submodular flows **15** (1986) 365-376
Zimmermann, U., Negative circuits for flows and submodular flows **36** (1992) 179-189
Zimmermann, U., On the complexity of the dual method for maximum balanced flows **50** (1) (1994) 77-88
Zinober, A.S.I., *see* N.Y. Soma **57** (2-3) (1995) 243-253
Zissimopoulos, V., *see* E. Angel **82** (1-3) (1998) 15-25
Zissimopoulos, V., *see* W. Fernandez de la Vega **82** (1-3) (1998) 93-101
Ziviani, N., *see* H.P.L. Luna **18** (1987) 199-210
Živković, T.P., Graphical representation of regular resonance structures and their linear dependence **19** (1988) 397-414
Zwonek, M., *see* A.P. Wojda **79** (1-3) (1997) 279-284

